

NOTICE: ANNOUNCEMENT OF AVAILABILITY OF DRAFT PERMIT

PERMIT NO: WA0022667

APPLICANT: Town of Cathlamet
375 2nd Street
Cathlamet, WA 98612

FACILITY: Town of Cathlamet Wastewater Treatment Plant
171 East State Route 4
Cathlamet, WA 98612

The town of Cathlamet has applied for a National Pollutant Discharge Elimination System (NPDES) Permit in accordance with the provisions of [Chapter 90.48 Revised Code of Washington \(RCW\)](#), [Chapter 173-216 Washington Administrative Code \(WAC\)](#), and [Federal Clean Water Act](#).

The town of Cathlamet Presently owns or operates an Activated Sludge (Oxidation Ditch) wastewater treatment plant which is designed to handle an average/maximum daily flow of 0.383 million gallons per day. The wastewater, following treatment, must meet the requirements of the Washington State Water Pollution Control Act (Chapter 90.48 RCW) and applicable regulations for a permit to be issued.

Following evaluation of the application and other available information, a draft permit has been developed which would allow the discharge of treated municipal wastewater from Cathlamet Wastewater Treatment Plant to the Columbia River (Cathlamet Channel).

A tentative determination has been made on the effluent limitations and special permit conditions that will prevent and control pollution. A final determination will not be made until all timely comments received in response to this notice have been evaluated.

PUBLIC COMMENT AND INFORMATION

The draft permit and fact sheet may be viewed at the Department of Ecology (Ecology) website: <https://apps.ecology.wa.gov/paris/DocumentSearch.aspx>. The application, fact sheet, proposed permit, and other related documents are also available at Ecology's Southwest Regional Office for inspection and copying between the hours of 8:00 am and 4:30 pm, weekdays. To obtain a copy or to arrange to view copies at the Southwest Regional Office, please call 360-407-6365, email publicdisclosureswro@ecy.wa.gov, or write to the address below.

Interested persons are invited to submit written comments regarding the proposed permit. All comments must be submitted within 30 days after publication of this notice to be considered for the final determination. Comments should be sent to:

Carey Cholski
Department of Ecology
Southwest Regional Office
PO Box 47775
Olympia, WA 98504-7775

Email comments should be sent to carey.cholski@ecy.wa.gov.

Any interested party may request a public hearing on the proposed permit within 30 days of the publication date of this notice. The request for a hearing shall state the interest of the party and the reasons why a hearing is necessary. The request should be sent to the above address. Ecology will hold a hearing if it determines that there is significant public interest. If a hearing is to be held, a public notice will be published at least 30 days in advance of the hearing date. Any party responding to this notice with comments will be mailed a copy of a hearing public notice.

To request an ADA accommodation, contact Ecology by phone at 360-407-6831 or email at ecyadacoordinator@ecy.wa.gov. For TTY or Washington Relay Service, call 711 or 877-833-6341. Visit Ecology's website at <https://ecology.wa.gov/About-us/Accountability-transparency/Accessibility> for more information.