



City of Tacoma
Environmental Services Department

RECEIVED

MAR 28 2022

WA State Department
of Ecology (SWRO)

March 25, 2022

SENT VIA CERTIFIED MAIL

T.J. Koewler
Darling Ingredients, Inc.
2041 Marc Avenue
Tacoma, WA 98421

Subject: Notice of Violation with Civil Penalties

Dear Mr. Koewler:

Under the legal authority granted in Tacoma Municipal Code (TMC), Chapter 12.08C and 40 CFR Part 403.8(f)(1), the Environmental Services Department hereby issues Darling Ingredients, located at 2041 Marc Avenue, Tacoma, WA 98421, the enclosed Notice of Violation with Civil Penalties in the amount of **\$2000.00** for violations of TMC 12.08C and Industrial Wastewater Discharge Permit No. TAC-012-2017. Specifically, one instance of exceeding the permitted limit for total suspended solids on March 2, 2022.

This Notice of Violation with Civil Penalties represents a determination by the Director that a violation of Chapter 12.08C TMC has occurred, which is final unless you appeal this Notice of Violation to the City of Tacoma's Hearing Examiner and request a hearing.

If you decide to file an appeal, you must do so in accordance with procedures set forth in 12.08A and TMC 1.84.020 within thirty (30) days of this Notice.


Service shall be deemed complete upon the third day following the day upon which the notice is placed in the mail, unless the third day falls on a Saturday, Sunday, or federal legal holiday, in which event service shall be deemed complete on the first day other than a Saturday, Sunday, or legal holiday following the third day

Appeals must be directed to:

City of Tacoma
Tacoma Municipal Building
Office of the Hearing Examiner
747 Market Street
Tacoma, WA 98402

If you have any questions, please contact Permit Manager Mark Stafford at 253-502-2110 mstaffor@ci.tacoma.wa.us or the Pretreatment Coordinator, Jason Yost, at 253-502-2219 or jyost@ci.tacoma.wa.org.

Sincerely
DocuSigned by:


39440F5C064248A...

Division Manager
Business Operations Division

cc: Dainis Kleinbergs, SWRO WDOE
Charles Berg, Darling Ingredients
Mark Stafford, COT Environmental Compliance

Enclosure: Notice of Violation, invoice, Appendix A – analytical report
Sent by First Class and Certified Mail: 7021 1970 0000 0082 4773

CITY OF TACOMA
Department of Environmental Services

IN THE MATTER OF)
NOTICE OF VIOLATION with)
CIVIL PENALTIES FOR)

No. 2022-002

REGISTERED AGENT
C T Corporation System
711 Capitol Way South Suite 204
Olympia, WA 98501

RESPONSIBLE PERSON
Mr. TJ Koewler
Darling Ingredients, Inc.
2041 Marc Ave
Tacoma, WA 98421

I. Location of Violation:

2041 Marc Avenue, Tacoma, WA 98421

II. Legal Authority and Notice of Violation

In accordance with Tacoma Municipal Code (TMC) Chapter 12.08C.1200, TMC Chapter 1.82, requirements of Industrial Wastewater Discharge Permit (IWDP) No. TAC-012-2017, and the Federal General Pretreatment Regulations (40 CFR Part 403), the City of Tacoma (City), Environmental Services Department (ES), is issuing this Notice of Violation with Civil Penalties (Notice) in the cumulative amount of **\$2,000**, to Darling Ingredients, Inc. (Darling) located at 2041 Marc Avenue, Tacoma, WA 98421, for the following violations of the conditions of IWDP # TAC-012-2017 and applicable sections of TMC 12.08C:

- Exceeding the permitted daily maximum limit of 500 mg/L on March 2, 2022, for Total Suspended Solids in violation of IWDP Section T1.A and TMC 12.08C 1200.D.9.

A violation of a condition of an Industrial Wastewater Discharge Permit is a prohibited practice under TMC 12.08C.1200 and subject to enforcement pursuant to and in accordance with the Environmental Services Enforcement Response Plan and TMC 1.82.

III. Background

On March 2, 2022, ES collected a time-weighted composite sample for TSS. The analytical report (Appendix A) indicated the result was 835 mg/L, which exceeds the permitted daily maximum limit of 500 mg/L and is a violation of IWDP No. TAC-012-2017 Section T1.A. The City has assessed a **\$2,000** penalty for the violation.

IV. Notice of Violation with Civil Penalties

For the violation referenced in Section II, occurring on March 2, 2022, the City is assessing this Notice of Violation with Civil Penalties in the amount of **\$2,000** to be issued to **Darling**, pursuant to TMC 12.08C.1200. The civil penalties assessed shall be paid to the City **within 30 calendar days** of receipt of this notice or, if appealed, as provided in the Hearing Examiner's decision. This assessment shall be payable to the City of Tacoma:

Department of Financial Services
Billing and Technical Services
2201 Portland Ave.
Tacoma, WA 98421

V. Appeal Process

This Notice of Violation with Civil Penalties represents a determination that a violation of TMC Chapter 12.08C has occurred, which is final unless you appeal this Notice of Violation with Civil Penalties to the City of Tacoma's Hearing Examiner and request a hearing as provided in TMC 1.82.050.J. If you decide to file an appeal, you must do so within 10 days from the date of service of this Notice, pursuant to TMC 1.84.020 and TMC 12.08A.140.

The procedures for filing an appeal of a notice of violation are set forth in TMC 1.82.050.J and TMC 1.84.020. Appeals must be directed to:

City of Tacoma
Tacoma Municipal Building
Office of the Hearing Examiner
747 Market Street
Tacoma, WA 98402

This Notice of Violation does not constitute a notice of Significant Non-Compliance (SNC) status. This notice is a formal document, which requires that future related violations be met with escalated enforcement including monetary penalties and SNC status.

By Order of the undersigned Environmental Services Department Compliance Officer:

Signed this 24 day of March, 2021 at Tacoma, Washington.

DocuSigned by:



39440F5C064248A...

Kurt Fremont

Division Manager, Compliance Officer
Business Operations Division

Appendix A

Analytical Report



09 March 2022

Jason Yost
ES Pretreatment Compliance
2201 Portland Avenue
Tacoma, WA 98421-1801

Subject: Darling International Inc

Enclosed are the analytical results for samples collected between 02/28/2022 and 03/03/2022.

Quality Control Data are included with the sample results for your review.

If you have any questions concerning this report, call me at (253)502-2130. Please note that remaining samples associated with this report will be discarded **3 months** from the date of this report unless we are notified otherwise.

Sincerely,

DocuSigned by:

Monica Herbert

FF0A1B9442CB4DF...

Monica Herbert (for Stuart Magoon)
Assistant Division Manager
Environmental Services Laboratory

cc. Mark Stafford

326 East D Street | Tacoma, Washington 98421-1801 | (253) 591-5588

ES Pretreatment Compliance
2201 Portland Avenue
Tacoma WA, 98421-1801

Project: **Darling International Inc**
Project Number: ENV-04004-13-02
Project Manager: Jason Yost

Reported:
09-Mar-22 13:14

ANALYTICAL REPORT FOR SAMPLES

Sample ID		Laboratory ID	Matrix	Date Sampled
Darling	Composite	2202058-01	Water	01-Mar-22 09:20
Darling	Grab	2202058-02	Water	28-Feb-22 10:30
Darling	Composite	2203012-01	Water	02-Mar-22 09:40
Darling	Grab	2203012-02	Water	01-Mar-22 09:25
Darling	Composite	2203013-01	Water	03-Mar-22 08:35
Darling	Grab	2203013-02	Water	02-Mar-22 09:45

ES Pretreatment Compliance

2201 Portland Avenue
Tacoma WA, 98421-1801

Project: Darling International Inc

Project Number: ENV-04004-13-02
Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

CHAIN OF CUSTODY, SAMPLE RECEIPT, PRESERVATION AND STORAGE

Samples were received under appropriate Chain of Custody procedures.

Containers were properly preserved and stored in accordance with the applicable method requirements.

HOLDING TIMES

All analyses were performed within the required holding times.

METHODS

The samples were analyzed by the following methods:

EPA Method 170.1 for Field Temperature
EPA Method 410.4 Rev 2.0 for Total Chemical Oxygen Demand
Standard Methods 2540D for Total Suspended Solids
Standard Methods 4500-H+ B for Field pH
Standard Methods 5210B for Biochemical Oxygen Demand (BOD)

MINIMUM REPORTING LIMITS

All analytes are reported to the Practical Quantitation Limit (PQL) which is below or no greater than the Minimum Project Reporting Limit.

BLANKS

Blanks were analyzed at the required frequencies of the methods. Analytes were not detected in the blanks, sample concentrations were greater than 10 times the blank values, or the analytes detected in the blanks were not detected in associated samples.

LABORATORY CONTROL SAMPLES

Laboratory Control Samples were analyzed with these samples. The recoveries were within the laboratory limits.

DUPLICATE SAMPLE ANALYSIS

Duplicate analysis was performed with these samples. Relative percent differences were within the laboratory limits.

MATRIX SPIKE AND MATRIX SPIKE DUPLICATE ANALYSIS

Matrix Spike and/or Matrix Spike Duplicate analysis was performed with these samples. The recoveries were within the laboratory limits.

ES Pretreatment Compliance

2201 Portland Avenue
Tacoma WA, 98421-1801

Project: Darling International Inc

Project Number: ENV-04004-13-02
Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

LABORATORY DATA ISSUE

Darling water sample 2202058-01 was analyzed for BOD in batch BFC0013 after 5 days of incubation on 07-March-2022. Standard Method 5210B requires all BOD test bottles (samples, quality assurance and the seed correction analysis) to register a minimum 2.0mg/L Dissolved Oxygen (DO) drop after 5 days, and the final DO concentration must be greater than 1.0mg/L. The seed correction analysis bottle did not achieve the 2.0mg/L DO drop, therefore sample 2202058-01 BOD results is reported as estimated (J).

DATA AVAILABILITY

All data associated with the samples referenced in this report are archived at the Environmental Services Laboratory and are available upon request.

The results included in this report have been reviewed for compliance with the laboratory QA/QC plan and project QAPP.

DocuSigned by:



AFC6C85C32CB4C8...

Reviewed By

ES Pretreatment Compliance2201 Portland Avenue
Tacoma WA, 98421-1801Project: **Darling International Inc**

Project Number: ENV-04004-13-02

Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

Environmental Services Laboratory**Darling****2202058-01 (Water)****01-Mar-22 09:20**

Analyte	Result	PQL	Units
Conventional			
EPA 410.4_2_1993	Prepared: 02-Mar-22	Analyzed: 02-Mar-22	
COD	2090	150	mg/L
SM 2540 D-2011	Prepared: 03-Mar-22	Analyzed: 04-Mar-22	
Total Suspended Solids	485	100	mg/L
SM 5210 B-2011	Prepared: 02-Mar-22	Analyzed: 07-Mar-22	
BOD	1140 J	2.0	mg/L

ES Pretreatment Compliance

2201 Portland Avenue
Tacoma WA, 98421-1801

Project: Darling International Inc

Project Number: ENV-04004-13-02

Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

Darling**2202058-02 (Water)****28-Feb-22 10:30**

Analyte	Result	PQL	Units
---------	--------	-----	-------

Field

EPA 170.1	Prepared: 28-Feb-22	Analyzed: 28-Feb-22		
Temperature		60.1	0.00	°F
SM 4500-H+ B-2011	Prepared: 28-Feb-22	Analyzed: 28-Feb-22		
pH		6.79	0.100	pH Units

ES Pretreatment Compliance2201 Portland Avenue
Tacoma WA, 98421-1801Project: **Darling International Inc**

Project Number: ENV-04004-13-02

Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

Darling
2203012-01 (Water)
02-Mar-22 09:40

Analyte	Result	PQL	Units
Conventional			
EPA 410.4_2_1993	Prepared: 03-Mar-22	Analyzed: 03-Mar-22	
COD	3810	150	mg/L
SM 2540 D-2011	Prepared: 03-Mar-22	Analyzed: 04-Mar-22	
Total Suspended Solids	835	100	mg/L
SM 5210 B-2011	Prepared: 03-Mar-22	Analyzed: 08-Mar-22	
BOD	2180	2.0	mg/L

ES Pretreatment Compliance2201 Portland Avenue
Tacoma WA, 98421-1801Project: **Darling International Inc**

Project Number: ENV-04004-13-02

Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

Darling**2203012-02 (Water)****01-Mar-22 09:25**

Analyte	Result	PQL	Units
---------	--------	-----	-------

Field

EPA 170.1

Prepared: 01-Mar-22

Analyzed: 01-Mar-22

Temperature**70.7****0.00****°F**

SM 4500-H+ B-2011

Prepared: 01-Mar-22

Analyzed: 01-Mar-22

pH**7.01****0.100****pH Units**

ES Pretreatment Compliance2201 Portland Avenue
Tacoma WA, 98421-1801Project: **Darling International Inc**

Project Number: ENV-04004-13-02

Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

Darling
2203013-01 (Water)
03-Mar-22 08:35

Analyte	Result	PQL	Units
Conventional			
EPA 410.4_2_1993	Prepared: 03-Mar-22	Analyzed: 03-Mar-22	
COD	2510	150	mg/L
SM 2540 D-2011	Prepared: 03-Mar-22	Analyzed: 04-Mar-22	
Total Suspended Solids	235	100	mg/L
SM 5210 B-2011	Prepared: 03-Mar-22	Analyzed: 08-Mar-22	
BOD	1660	2.0	mg/L

ES Pretreatment Compliance2201 Portland Avenue
Tacoma WA, 98421-1801Project: **Darling International Inc**

Project Number: ENV-04004-13-02

Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

Darling**2203013-02 (Water)****02-Mar-22 09:45**

Analyte	Result	PQL	Units
---------	--------	-----	-------

Field

EPA 170.1	Prepared: 02-Mar-22	Analyzed: 02-Mar-22		
Temperature		55.0	0.00	°F
SM 4500-H+ B-2011	Prepared: 02-Mar-22	Analyzed: 02-Mar-22		
pH		6.18	0.100	pH Units

ES Pretreatment Compliance2201 Portland Avenue
Tacoma WA, 98421-1801Project: **Darling International Inc**

Project Number: ENV-04004-13-02

Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

Conventional - Quality Control
Environmental Services Laboratory

Sample ID Analyte	Result	MDL	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
----------------------	--------	-----	-------	----------------	------------------	----------------	-----	--------------	-------

Batch BFC0012 - EPA 410.4 2 1993

Blank

Prepared & Analyzed: 02-Mar-22

BFC0012-BLK1

COD 15.0 U 5.0 mg/L

LCS

Prepared & Analyzed: 02-Mar-22

BFC0012-BS1

COD 500 5.0 mg/L 501 100 90-110 20

Batch BFC0013 - SM 5210 B-2011

Blank

Prepared: 02-Mar-22 Analyzed: 07-Mar-22

BFC0013-BLK1

BOD 2.0 U 2.0 mg/L

Reference

Prepared: 02-Mar-22 Analyzed: 07-Mar-22

BFC0013-SRM1

BOD 226 mg/L 198 114 84-115

Batch BFC0033 - EPA 410.4 2 1993

Blank

Prepared & Analyzed: 03-Mar-22

BFC0033-BLK1

COD 15.0 U 5.0 mg/L

LCS

Prepared & Analyzed: 03-Mar-22

BFC0033-BS1

COD 248 5.0 mg/L 251 99 90-110 20

Batch BFC0035 - SM 5210 B-2011

Blank

Prepared: 03-Mar-22 Analyzed: 08-Mar-22

BFC0035-BLK1

BOD 2.0 U 2.0 mg/L

Reference

Prepared: 03-Mar-22 Analyzed: 08-Mar-22

BFC0035-SRM1

BOD 219 mg/L 198 111 84-115

Batch BFC0038 - SM 2540 D-2011

Blank

Prepared: 03-Mar-22 Analyzed: 04-Mar-22

BFC0038-BLK1

City of Tacoma - Environmental Services Lab

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ES Pretreatment Compliance
2201 Portland Avenue
Tacoma WA, 98421-1801

Project: **Darling International Inc**
Project Number: ENV-04004-13-02
Project Manager: Jason Yost

Reported:
09-Mar-22 13:14

Conventional - Quality Control
Environmental Services Laboratory

Sample ID Analyte	Result	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch BFC0038 - SM 2540 D-2011										
Total Suspended Solids	2.00	U	1.00	mg/L						
Duplicate	Source: 2202058-01				Prepared: 03-Mar-22 Analyzed: 04-Mar-22					
BFC0038-DUP1										
Total Suspended Solids	495		50.0	mg/L	485			2	20	
Reference					Prepared: 03-Mar-22 Analyzed: 04-Mar-22					
BFC0038-SRM1										
Total Suspended Solids	188		3.85	mg/L	200	94	85-115			

ES Pretreatment Compliance

2201 Portland Avenue
Tacoma WA, 98421-1801

Project: **Darling International Inc**

Project Number: ENV-04004-13-02

Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

ES Pretreatment Compliance

2201 Portland Avenue
Tacoma WA, 98421-1801

Project: Darling International Inc

Project Number: ENV-04004-13-02
Project Manager: Jason Yost

Reported:

09-Mar-22 13:14

Notes and Definitions

- U Analyte Not Detected at or above the associated value
- J The analyte was positively identified. The associated value is an estimate. For BOD Analysis: The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/l dissolved oxygen depletion. Therefore the reported BOD result is estimated biased high
- UJ Analyte Not Detected at or above the associated estimated value
- ND Analyte NOT DETECTED at or above the reporting limit
- E Analyte was determined above the upper quantitation range of the method. The associated value is an estimate.
- NJ There is evidence the analyte is present. The associated value is an estimate.
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- H The sample dilutions set up for the BOD analysis failed to meet the criteria of a residual dissolved oxygen of at least 1 mg/l. Therefore actual concentration is likely greater than the reported result.

WORK ORDER

2202058

Day 1

Environmental Services Laboratory

Client: ES Pretreatment Compliance
Project: Darling International Inc

Project Manager: ~~Monica Herbert~~ Eric R Bitten
Project Number: ENV-04004-13-02

Report To: Jason Yost

Sampler Settings: Composite Duration (hr): _____ X 60min/ _____ min interval = _____ aliquots Sample Jug: () Plastic, () Glass
Volume (mL) per grab: _____ Length/Suction Head (ft): _____ New Battery () Ice in Sampler () Locks ()

Date Due: 18-Mar-22 15:00 (18 day TAT) Logged In By: Nik Coulter Date Logged In: 24-Feb-22 13:31

Analysis

Comments

2202058-01 Darling [Water]

Sampled Begin (Date/Time) 2-28-22 10:40

Sampled (Date/Time) 3-1-22 9:20

Samplers: _____

(Optional): Relinquished by: _____ Received By: _____ Date/Time: _____

BOD, Total SM5210 B

COD, Total 410.4 Rev 2.0

Solids, Total Suspended SM2540D

2202058-02 Darling [Water]

Sampled Begin (Date/Time) 2-28-22 10:30

Sampled (Date/Time) _____

Samplers: _____

(Optional): Relinquished by: *Michael B* Received By: _____ Date/Time: 2-28-22 10:50

pH FIELD 4500-H+B

Temperature FIELD 170.1

Relinquished By: _____

Date/Time

CUW Received By: _____

Date/Time

Eric R Bitten

030222erb1531

Login Review By

Date/Time

WORK ORDER

2203012

Day 2

Environmental Services Laboratory

Client: ES Pretreatment Compliance
Project: **Darling International Inc**

Project Manager: ~~Monte Herbert~~ Eric R Bitten
Project Number: ENV-04004-13-02

Report To: Jason Yost

Sampler Settings: Composite Duration (hr): X 60min/ min interval = aliquots Sample Jug: () Plastic, () Glass
Volume (mL) per grab: Length/Suction Head (ft): New Battery () Ice in Sampler () Locks ()

Date Due: 19-Mar-22 15:00 (18 day TAT) Logged In By: Nik Coulter Date Logged In: 24-Feb-22 13:31

Analysis

2203012-01 Darling [Water]

Sampled Begin (Date/Time) 3-1-22 9:25

Sampled (Date/Time) 3-2-22 9:40

Samplers:

(Optional): Relinquished by: Received By: Date/Time

BOD, Total SM5210 B

COD, Total 410.4 Rev 2.0

Solids, Total Suspended SM2540D

2203012-02 Darling [Water]

Sampled Begin (Date/Time) 3-1-22 9:20

Sampled (Date/Time) 3-1-22 9:25

Samplers:

(Optional): Relinquished by: Received By: Date/Time

pH FIELD 4500-H+B

Temperature FIELD 170.1

7.01 pH
21.5 °C

Relinquished By

Date/Time

3-2-22 @ 10:10

CUV Received By

Date/Time

Eric R Bitten

030222erb1341

Login Review By

Date/Time

WORK ORDER

2203013

Day 3

Environmental Services Laboratory

Client: ES Pretreatment Compliance
Project: Darling International Inc

Project Manager: Monica Herbert
Project Number: ENV-04004-13-02

Eric Bitten

Report To: Jason Yost

Sampler Settings: Composite Duration (hr): X 60min/ min interval = aliquots Sample Jug: () Plastic, () Glass
Volume (mL) per grab: Length/Suction Head (ft): New Battery () Ice in Sampler () Locks ()

Date Due: 20-Mar-22 15:00 (18 day TAT) Logged In By: Nik Coulter Date Logged In: 24-Feb-22 13:32

Analysis

2203013-01 Darling [Water]

Sampled Begin (Date/Time) 3-2-22 9:45 Sampled (Date/Time) 3-3-22 11:20 Samplers: MB

(Optional): Relinquished by: Received By: Date/Time:

BOD, Total SM5210 B
COD, Total 410.4 Rev 2.0
Solids, Total Suspended SM2540D
2203013-02 Darling [Water]

Sampled Begin (Date/Time) 3-2-22 9:40 Sampled (Date/Time) 3-2-22 9:45 Samplers: Date/Time: 3-2-22

(Optional): Relinquished by: Michael B Received By: Date/Time: 19/10

pH_FIELD_4500-H+B

Temperature_FIELD_170.1

6.18 Ph

12.8%

Michael B 3-3-22 @ 9:00 to SR

Relinquished By: Date/Time: 3/3/22

CUW Received By: Date/Time: Login Review By: Eric R Bitten Date/Time: 030322erb1356



WASTEWATER OPERATIONS-BILLING
2201 PORTLAND AVENUE EAST
TACOMA, WA 98421-2711
253 502 2100



Page 1 of 1.

INVOICE

All incoming payments will be first applied against any existing late charges and penalties on this account.
A late fee of 1% (\$3.00 minimum) may be assessed on delinquent accounts.

ZSD_SMF_SD103_INVOICE

Bill-To-Party	Information
DARLING INTERNATIONAL INC 2041 MARC AVE TACOMA WA 98421-2945	Invoice # 91077979 Date: 03/25/2022 PO # Payment Terms Due 04/24/2022 Customer # 400079130 Account # 300110399 Service Order # Sales Doc # 813471

Description	Quantity	UM	Net Price	Net Amount
Notice of Violation No. 2022-002	1.000	EA	2,000.00	2,000.00
Invoice Subtotal:				\$2,000.00
Taxes:				\$0.00
Amount Due:				\$2,000.00



MAKE CHECKS PAYABLE TO CITY OF TACOMA AND MAIL TO: WASTEWATER OPERATIONS-BILLING
P.O. BOX 11367 TACOMA, WA 98411-0367 2201 PORTLAND AVENUE EAST
PAY WITH INTERACTIVE VOICE SYSTEM (253)534-8486 TACOMA, WA 98421-2711
OR PAY IN PERSON AT 747 MARKET STREET, ROOM 246 253 502 2100

#0003001103993#

Changes?
☐ Name
☐ Address
☐ Telephone
Provide details on
back of stub.

DARLING INTERNATIONAL INC
2041 MARC AVE
TACOMA WA 98421-2945

Account Number:
300110399

Amount Due:
\$2,000.00

Amount Enclosed:
\$

