



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47600 • Olympia, Washington 98504-7600 • 360-407-6000

711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

September 27, 2022

Jeff Cole
Pacific Northern Construction
sent via email

RE: Notice of Termination of Coverage under the Construction Stormwater General Permit

Permit Number: WAR308583
Site Name: Legacy Plaza Senior Living
Location: Auburn, WA (King)

Dear Permittee,

The Washington State Department of Ecology (Ecology) has reviewed your Notice of Termination (NOT) of coverage under the Construction Stormwater General Permit for the construction site shown above. Based on the NOT, Ecology is terminating your coverage under the permit as of August 25, 2022, finding the site has met the termination criteria outlined in the Permit under Special Condition S10.

Please ensure that you retain the Stormwater Pollution Prevention Plan (SWPPP) and copies of all of the application, inspection reports, and all other reports required by this permit for at least five years after the date of final stabilization of the construction site. These documents need to be available to Ecology and to the local government agencies with jurisdiction, upon request.

Appeal of this Action

You have a right to appeal this action. The appeal process is governed by chapter 43.21B RCW and chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal, you must do the following within 30 days of the date of receipt of this letter:

- File your appeal and a copy of the permit cover page with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and the permit cover page on Ecology in paper form - by mail or in person (see addresses below). Email is not accepted.

Jeff Cole
September 27, 2022
Page 2

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Address and Location Information:

Street Addresses:	Mailing Addresses:
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board (PCHB) 1111 Israel Road SW, Suite 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

As required by State law (RCW 90.48.465), Ecology charges a fee for its discharge permits. Although your permit is terminated, you will receive an invoice for entire fiscal year if payment has not been received. Ecology **does not prorate fees** for permits terminated during the fiscal year.

If you would like more information on the fee process, please contact the Permit Fee Unit at (360) 208-3697 or send email to wqfeeunit@ecy.wa.gov.

Sincerely,



Jeff Killelea, Acting Section Manager
Program Development Services Section
Water Quality Program

cc: Ecology/Water Quality Program/Permit Fee Unit