



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Southwest Region Office
PO Box 47775, Olympia, WA 98504-7775 • 360-407-6300

October 4, 2022

Keith Drynan
Toutlodge, Inc
PO Box 1290
Sumner, WA 98390-0260

Re Application for Renewal of National Pollutant Discharge Elimination System (NPDES)
Wastewater Discharge Permit Number WA0039021, Toutco Clear Creek

Dear Keith Drynan:

[Chapter 173-220 Washington Administrative Code \(WAC\)](#) requires a Permittee to file an application for replacement.

Your NPDES Permit No. WA0039021 expires on July 31, 2025. An electronic copy of the application may be downloaded by going to the Environmental Protection Agency (EPA) website: <https://www.epa.gov/npdes/npdes-applications-and-forms-epa-applications>. Please complete the application and return it no later than **April 30, 2023**, to:

Jessica Christensen
Permit Administrator
Department of Ecology
Southwest Regional Office – WQ
PO Box 47775
Olympia, WA 98504-7775

Ecology permit manager for your facility is John Diamant. Review all the questions to determine if applicable areas apply. Please submit any additional information that may help Ecology determine the impact of your discharge to groundwater.

If you file an incomplete or inaccurate submittal, we may proceed with one or more of the following actions:

- Return the application form for completion or additional information.

Keith Drynan

Page 2

- Proceed to issue a permit with limited information. Permits issued under such circumstances typically have more stringent limits, and more monitoring and reporting because of the uncertainty of the discharge situation.
- Issue an enforcement order requiring completion of the permit application. A penalty may be issued if wastewater discharge is occurring without an appropriate permit.

Ecology expects a permit application to be completed and accurate upon submittal. If there are any questions about the application or the permitting process, please contact John Diamant at john.diamant@ecy.wa.gov or (360) 819-3824 (cell). If needed, a meeting can be arranged.

Sincerely,



Jessica Christensen
Permit Administrator
Water Quality Program
Southwest Regional Office

JC(0039021)

Enclosure

SENT ELECTRONICALLY DUE TO COVID-19