



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Central Region Office

1250 West Alder St., Union Gap, WA 98903-0009 • 509-575-2490

April 11, 2023

Ken Stickley-Director Real Estate Sustainability
Intergate Columbia Building A&B
12201 Tukwila International Blvd.
Tukwila, WA 98168-5121

Sent via email only: Kens@sabey.com

RE: Administrative Extension for State Waste Discharge Permit No. ST05011309 for Intergate Columbia Building A&B, Effective 04/01/2023

Dear Ken Stickley:

The Washington State Department of Ecology (Ecology) acknowledges receiving an application for renewal of State Waste Discharge Permit No. ST05011309 on 04/02/2018. The application was reviewed and accepted as complete on 04/02/2018. Your current State Waste Discharge Permit expiration date is 04/01/2023. Renewal of your permit is in process; however, the permit may not be issued by the expiration date.

If your new permit is not issued and effective by the current permit's expiration date, then the current permit and its terms and conditions are hereby administratively extended effective **04/02/2023**, the day following expiration of your existing permit. **It will remain in effect and enforceable until Ecology issues a new permit for your facility.**

That means your facility must continue to comply with the terms and conditions of the previous permit, issued on 04/02/2018. During the permit renewal process, Ecology may determine that additional information is necessary to complete the permit. In order to maintain complete application status, Intergate Columbia Building A&B must provide any additional information Ecology may request in a timely manner.

If you have any questions or need assistance, please feel free to contact Matthew Durkee, your permit manager at 509/379-4384 or matthew.durkee@ecy.wa.gov.

Sincerely,

Damon G. Roberts
Section Manager
Water Quality Program

e-c: Water Quality Fee Unit, Lacey
Matthew Durkee, Ecology