EPA Identification Number	NPDES Permit Number	Facility Name
110016662011	WA0024490	City of Everett WPCF

Form Approved 03/05/19
OMB No. 2040-0004

TABLE F. INDUSTRIAL DISCHARGE INFORMATION

Response space is provided for three SIUs. Copy the table to report information for additional SIUs.

	SIU 7721	SIU 7727	SIU 7738
Name of SIU	Community Transit Hardeson (# 7721)	Dura Coatings (# 7727)	Eckstrom Industries (# 7738)
Mailing address (street or P.O. box)	7000 Hardeson Road		2803 Hewitt Ave
City, state, and ZIP code	Everett, WA 98203		Everett, WA 98201
Description of all industrial processes that affect or contribute to the discharge.	Bus and vehicle maintenance and cleaning	Out of business	Metal finishing, metal blackening
List the principal products and raw materials that affect or contribute to the SIU's discharge.	None		Railings, other parts
Indicate the average daily volume of wastewater discharged by the SIU.	11,000 gpd	gpd	5,000 gpd
How much of the average daily volume is attributable to process flow?	1,300 gpd	gpd	<100 gpd
How much of the average daily volume is attributable to non-process flow?	9,700 gpd	gpd	>4900 gpd
Is the SIU subject to local limits?	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No
Is the SIU subject to categorical standards?	☐ Yes ☑ No	☐ Yes ☐ No	☑ Yes ☐ No

EPA Identification Number	NPDES Permit Number	Facility Name
110016662011	WA0024490	City of Everett WPCF

Form Approved 03/05/19
OMB No. 2040-0004

TABLE F. INDUSTRIAL DISCHARGE INFORMATION

Response space is provided for three SIUs. Copy the table to report information for additional SIUs.

	SIU 7721	SIU 7727	SIU 7738
Under what categories and subcategories is the SIU subject?	403		433.17
Has the POTW experienced problems (e.g., upsets, pass-through interferences) in the past 4.5 years that are attributable to the SIU?	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No
If yes, describe.			

Click to go back to the beginning of Form