



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47600, Olympia, WA 98504-7600 • 360-407-6000

October 16, 2023

Jim Dobrzynski
Sila Nanotechnologies
3741 Road N NE
Moses Lake, WA 98837

RE: Coverage under the Construction Stormwater General Permit

Permit number:	WAR312862	
Site Name:	Sila Nanotechnologies	
Location:	3741 Road N NE	
	Moses Lake	County: Grant
Disturbed Acres:	10	

Dear Jim Dobrzynski:

The Washington State Department of Ecology (Ecology) received your Notice of Intent for coverage under Ecology's Construction Stormwater General Permit (CSWGP). This is your permit coverage letter. Your permit coverage is effective October 16, 2023.

Retain this letter as an official record of permit coverage for your site. You may keep your records in electronic format if you can easily access them from your construction site. You can get the CSWGP, permit forms, and other information at Ecology's [CSWGP eCoverage Packet webpage](#)¹. Contact your Permit Administrator, listed below, if you want a copy of the CSWGP mailed to you. Please read the permit and contact Ecology if you have any questions.

Electronic Discharge Monitoring Reports (WQWebDMR)

This permit requires you to submit monthly discharge monitoring reports (DMRs) for the full duration of permit coverage (from the first full month of coverage to termination). Your first sampling and reporting period will be for the month of **November 2023** and your first DMR must be submitted by **December 15, 2023**.

You must submit your DMRs electronically using Ecology's secure online system, WQWebDMR. To sign up for WQWebDMR go to Ecology's [WQWebPortal guidance webpage](#)². If you have

¹ <http://www.ecology.wa.gov/eCoverage-packet>

² <https://ecology.wa.gov/Regulations-Permits/Guidance-technical-assistance/Water-quality-permits-guidance/WQWebPortal-guidance>

questions, contact the portal staff at (360) 407-7097 (Olympia area), or (800) 633-6193/Option 3, or email WQWebPortal@ecy.wa.gov.

Appeal Process

You have a right to appeal coverage under the general permit to the Pollution Control Hearing Board (PCHB). Appeals must be filed within 30 days of the date of receipt of this letter. Any appeal is limited to the general permit's applicability or non-applicability to a specific discharger. The appeal process is governed by chapter 43.21B RCW and chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2). For more information regarding your right to appeal, please reference Ecology's Focus Sheet: [Appeal of General Permit Coverage](#)³.

Annual Permit Fees

RCW 90.48.465 requires Ecology to recover the costs of managing the permit program. Permit fees are invoiced annually until the permit is terminated. Termination conditions are described in the permit. For permit fee related questions, please contact the Water Quality Fee Unit at wqfeeunit@ecy.wa.gov or (800) 633-6193/Option 2. You can also visit [Water Quality Permit Fees Webpage](#)⁴ for more information.

Ecology Field Inspector Assistance

If you have questions regarding stormwater management at your construction site, please contact your Regional Inspector, Amanda Mars of Ecology's Eastern Regional Office in Spokane at amanda.mars@ecy.wa.gov or (509) 329-3554

Questions or Additional Information

Ecology is here to help. Please review our [Construction Stormwater General Permit webpage](#)⁵ for more information. If you have questions about the Construction Stormwater General Permit, please contact your Permit Administrator, Stacey Britton at stacey.britton@ecy.wa.gov or (360) 764-3727.

Sincerely,



Jeff Killelea, Manager
Permit and Technical Services Section
Water Quality Program

³ <https://apps.ecology.wa.gov/publications/summarypages/1710007.html>

⁴ <https://ecology.wa.gov/Water-Shorelines/Water-quality/Water-quality-permits/Fees>

⁵ www.ecology.wa.gov/constructionstormwaterpermit