



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Southwest Region Office
PO Box 47775, Olympia, WA 98504-7775 • 360-407-6300

November 2, 2023

Robert Martin
Paneltech
2999 John Stevens Way
Hoquiam, WA 98550-4242

Re: Application for Renewal of State Waste Discharge Permit Number ST 0006202,
Paneltech

Dear Robert Martin:

Washington's Water Pollution Control Law, [Chapter 90.48 Revised Code of Washington \(RCW\)](#), requires that your company submit a new permit application prior to expiration of your existing wastewater discharge permit.

Your State Waste Discharge Permit No. ST 0006202 expires on December 31, 2024. An electronic copy of the application may be downloaded from the Ecology website at <https://ecology.wa.gov/Water-Shorelines/Water-quality/Water-quality-permits/Water-Quality-individual-permits#forms>.

Ecology permit manager for your facility is Anna Wallace. If there have been significant changes to the facility or to the character of the wastewater treated (for example, a new industry is discharging to the sewer system), you may need to fill in additional sections. Review all the questions to determine if applicable areas apply. Please submit any additional information that may help Ecology determine the impact of your discharge on the Publicly Owned Treatment Works (POTW).

Please complete the application and return it no later than **December 31, 2023**, to:

Gayle Garbush
Permit Administrator
Department of Ecology
Southwest Region Office – WQ
PO Box 47775
Olympia, WA 98504-7775

Robert Martin
November 2, 2023
Page 2

If you file an incomplete or inaccurate submittal, we may proceed with one or more of the following actions:

- Return the application form for completion or additional information.
- Proceed to issue a permit with limited information. Permits issued under such circumstances typically have more stringent limits, and more monitoring and reporting because of the uncertainty of the discharge situation.
- Issue an enforcement order requiring completion of the permit application. A penalty may be issued if wastewater discharge is occurring without an appropriate permit.

Ecology expects a permit application to be completed and accurate upon submittal. If there are any questions about the application or the permitting process, please contact Anna Wallace at anna.wallace@ecy.wa.gov or by cell at (360) 552-6216. If needed, a meeting can be arranged.

Sincerely,



Gayle Garbush
Permit Administrator
Southwest Region Office
Water Quality Program

GG(0006202)
Enclosure

cc: David Wentworth, Paneltech