



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Southwest Region Office
PO Box 47775, Olympia, WA 98504-7775 • 360-407-6300

March 4, 2024

Todd Pelman
Project Macoma
950 Commercial Street
San Carlos, CA 94070-4017

Re: Conditional Approval of the National Pollutant Discharge Elimination System (NPDES) Permit Application (No. WA0991051, Project Macoma)

Dear Todd Pelman:

We hereby acknowledge receipt of the above-referenced application on February 22, 2024. This application is hereby conditionally accepted.

During the permit issuance process, Ecology may determine that additional information is necessary to complete the permit. In order to maintain complete application status, Project Macoma must provide any additional information Ecology may request in a timely manner.

Ecology is requiring the following additional information by April 15, 2024:

- 1) Revise and resubmit the engineering report which will address:
 - a) Tier II—Protection of waters of higher quality than the standards (WAC173-201-320(4)-Necessary and overriding public interest determinations.)
 - b) A discharger shall be required to fully apply AKART prior to being authorized a mixing zone (WAC-173-201A (400)(2)).
 - c) State Environmental Policy Act (SEPA).
- 2) Complete the Joint Aquatic Resources Permit Application (JARPA) requirements.

If you have any questions regarding this letter, please contact me at amah461@ecy.wa.gov or by phone at (564) 233-9562 (cell).

Sincerely,

Aziz Mahar, P.E.
Permit Manager
Southwest Region Office
Water Quality Program

AM:GG(0991051)