

## Legal Invoice

Date: 04/03/2024

Sound Publishing, Inc.  
Unit Attn: A/R  
PO Box 930  
Everett WA 98206-0930

Peninsula Daily News

**RECEIVED**

APR 12 2024

WA State Department  
of Ecology (SWRO)

**Bill To:**

Department of Ecology - SWRO  
PO Box 47775  
Olympia WA 98504-7775

Customer Account #: 51727522

Legal Description: PDN993945

---

**Legal Description:** Legal Notices General

**Desc:** SIC # F3150

**Legal #:** PDN993945

**Ad Cost:** \$ 260.15

**Ordered By:** RACHEL DEBRULER

**Published:** Peninsula Daily News

**Issues Ordered:** 1

**Start Date:** 04/03/2024 **End Date:** 04/03/2024

**Due:** \$ 260.15

---

Please return this with payment. Questions? Call 1-800-485-4920

Department of Ecology - SWRO  
PO Box 47775  
Olympia WA 98504-7775

**Account #:** 51727522  
**Invoice #:** PDN993945  
**Due:** \$ 260.15

# Peninsula Daily News

## Affidavit of Publication

State of Washington }

County of Clallam/Jefferson } ss

Michael Gates being first duly sworn, upon oath deposes and says: that he/she is the legal representative of the Peninsula Daily News a daily newspaper. The said newspaper is a legal newspaper by order of the superior court in the county in which it is published and is now and has been for more than six months prior to the date of the first publication of the Notice hereinafter referred to, published in the English language continually as a daily newspaper in Clallam/Jefferson County, Washington and is and always has been printed in whole or part in the Peninsula Daily News and is of general circulation in said County, and is a legal newspaper, in accordance with the Chapter 99 of the Laws of 1921, as amended by Chapter 213, Laws of 1941, and approved as a legal newspaper by order of the Superior Court of Clallam/Jefferson County, State of Washington, by order dated June 16, 1941, and that the annexed is a true copy of PDN993945 SIC # F3150 as it was published in the regular and entire issue of said paper and not as a supplement form thereof for a period of 1 issue(s), such publication commencing on 04/03/2024 and ending on 04/03/2024 and that said newspaper was regularly distributed to its subscribers during all of said period.

The amount of the fee for such publication is \$260.15.

Subscribed and sworn before me on this 8<sup>th</sup> day of April, 2024.

Linda Phillips

Notary Public in and for the State of Washington.

Department of Ecology - SWRO | 51727522  
RACHEL DEBRULER



NOTICE: ANNOUNCEMENT AVAILABILITY  
OF APPLICATION AND OF  
THE NECESSARY AND OVERRIDING PUBLIC  
INTEREST DETERMINATION

PERMIT NO: WA0991051

APPLICANT: Project Macoma

950 Commercial Street, San Carlos, CA 94070

FACILITY: Project Macoma

1301 Marine Drive, Terminal 7

Port Angeles, WA 98363

Project Macoma has applied for a National Pollutant Discharge Elimination System (NPDES) Permit in accordance with the provisions of Chapter 90.48 Revised Code of Washington (RCW) and Chapter 173-216 Washington Administrative Code (WAC). The Water Quality Standards for Surface Waters WAC 173-201A-320 Tier II- Protection of waters of higher quality than the standards requires that, whenever a water quality constituent is of a higher quality than a criterion designated for that water, a new discharge that is expected to cause a measurable change in the quality of the water may not be allowed unless the Department of Ecology (Ecology) determines that the lowering of water quality is necessary and in the overriding public interest. Project Macoma is proposing to discharge processed oceanwater from the Port of Port Angeles – Terminal 7 to the Port Angeles Harbor near Port Angeles, Washington. Project Macoma determined, in a Tier II Antidegradation Analysis submitted to Ecology, that the discharge at the boundary of the chronic mixing zone might exceed the antidegradation criteria for pH; therefore, Project Macoma provided information to conduct an analysis to determine if the lowering of water quality is necessary and in the overriding public interest. Ecology has made a tentative determination that it is necessary and in the overriding public interest to permit the discharge. Ecology will not make a final determination until all timely comments received in response to this notice have been evaluated.

PUBLIC COMMENT AND INFORMATION

The Tier II Antidegradation Analysis may be viewed at the Department of Ecology (Ecology) website: <https://apps.ecology.wa.gov/pais/DocumentSearch.aspx>. The application and other related documents are also available at Ecology's Southwest Region Office for inspection and copying between the hours of 8:00 am and 4:30 pm, weekdays. To obtain a copy or to arrange to view copies at the Southwest Region Office, please call 360-407-6365, email [publicdisclosureswro@ecy.wa.gov](mailto:publicdisclosureswro@ecy.wa.gov), or write to the address below. Interested persons are invited to submit written comments regarding the proposed discharge. All comments must be submitted within 30 days after publication of this notice to be considered for the final determination. Comments should be sent to:

Gayle Garbush, Department of Ecology  
Southwest Region Office  
PO Box 47775, Olympia, WA 98504-7775  
Email comments should be sent to [swrowqpermits@ecy.wa.gov](mailto:swrowqpermits@ecy.wa.gov).

Any interested party may request a public hearing on the proposed permit within 30 days of the publication date of this notice. The request for a hearing shall state the interest of the party and the reasons why a hearing is necessary. The request should be sent to the above address. Ecology will hold a hearing if it determines that there is significant public interest. If a hearing is to be held, a public notice will be published at least 30 days in advance of the hearing date. Any party responding to this notice with comments will be mailed a copy of a hearing public notice. All respondents to this notice will receive a copy of the draft permit and fact sheet before the final permit is issued. To request an ADA accommodation, contact Ecology by phone at 360-407-6831 or email at [ecyadacoordinator@ecy.wa.gov](mailto:ecyadacoordinator@ecy.wa.gov). For TTY or Washington Relay Service, call 711 or 877-833-6341. Visit Ecology's website at <https://ecology.wa.gov/About-us/Accountability-transparency/Accessibility> for more information.  
PDN.: April 3, 2024  
Legal No. 993945



**White, Abbe (ECY)**

---

**From:** DeBruler, Rachel (ECY)  
**Sent:** Friday, March 29, 2024 9:51 AM  
**To:** Clenard, Linda  
**Cc:** White, Abbe (ECY); Garbush, Gayle (ECY)  
**Subject:** FW: Classified Proof (Order #993945)  
**Attachments:** REP\_PROOF\_1209\_0329\_07425869.PDF; Project\_Macoma-WA0991051-Public\_Notice\_of\_Application\_Tier\_II.pdf; Project\_Macoma-WA0991051-Public\_Notice\_of\_Application\_Tier\_II.docx

Confirmed for publication. Thank you.

From: Clenard, Linda <[lclenard@sequimgazette.com](mailto:lclenard@sequimgazette.com)>  
 Sent: Friday, March 29, 2024 7:44 AM  
 To: DeBruler, Rachel (ECY) <[rdeb461@ECY.WA.GOV](mailto:rdeb461@ECY.WA.GOV)>  
 Subject: Classified Proof (Order #993945)

External Email

Hello,

This notice has been scheduled to run in the Peninsula Daily News April 3, 2024 as requested. Please review and confirm.

Best,  
~Linda

**From:** DeBruler, Rachel (ECY) <[rdeb461@ECY.WA.GOV](mailto:rdeb461@ECY.WA.GOV)>  
**Sent:** Thursday, March 28, 2024 3:48 PM  
**To:** Sound.classifieds@soundpublishing.com  
**Cc:** White, Abbe (ECY) <[awhi461@ECY.WA.GOV](mailto:awhi461@ECY.WA.GOV)>; Garbush, Gayle (ECY) <[ggar461@ECY.WA.GOV](mailto:ggar461@ECY.WA.GOV)>  
**Subject:** Legal Ad Project Macoma WA0991051 Public Notice of Application Tier II Publication Request  
**Importance:** High

Please run the following ad in *The Peninsula Daily News* on *Wednesday, April 3, 2024*

I need a final confirmation email from you that includes our ad along with the proof and total cost.

Also, we **MUST** receive either the originals or electronic versions of the Affidavit and Tear Sheet along with the Invoice. If either of these are not included with the invoice, the invoice cannot be paid.

Billing Invoice: SIC # F3150 (for our Fiscal Dept. use)

Please remit the bill to:

Department of Ecology – SWRO

**Attn: Abbe White**

PO Box 47775

Olympia, WA 98504-7775

Rachel DeBruler

Administrative Assistant 3

WA State Department of Ecology

Southwest Region Office Water Quality Program

(360) 628-2200 (Cell), (360) 407-6270 (Desk)

Address: PO Box 47775, Olympia, WA 98504-7775

# Classified Proof

Client	201802 - Department of Ecology - SWRO		Phone	(360) 407-0243	
Address	PO Box 47775		E-Mail	rdeb461@ecy.wa.gov	
	Olympia, WA, 98504-7775		Fax		
Order#	993945	Requested By	RACHEL DEBRULER	Order Price	\$260.15
Classification	9935 - PDN/SEQ General Legals	PO #	SIC # F3150	Tax 1	\$0.00
Start Date	04/03/2024	Created By	1209	Tax 2	\$0.00
End Date	04/03/2024	Creation Date	03/29/2024, 07:32:21 am	Total Net	\$260.15
Run Dates	1			Payment	\$0.00
Publication(s)	Peninsula Daily News				
Sales Rep	1209 - Clenard, Linda		Phone	(360) 683-3311	
			E-Mail	lclenard@sequimgazette.com	
			Fax		

NOTICE: ANNOUNCEMENT AVAILABILITY  
OF APPLICATION AND OF  
THE NECESSARY AND OVERRIDING PUBLIC  
INTEREST DETERMINATION

PERMIT NO: WA0991051

APPLICANT: Project Macoma

950 Commercial Street, San Carlos, CA 94070

FACILITY: Project Macoma

1301 Marine Drive, Terminal 7

Port Angeles, WA 98363

Project Macoma has applied for a National Pollutant Discharge Elimination System (NPDES) Permit in accordance with the provisions of Chapter 90.48 Revised Code of Washington (RCW) and Chapter 173-216 Washington Administrative Code (WAC). The Water Quality Standards for Surface Waters WAC 173-201A-320 Tier II- Protection of waters of higher quality than the standards requires that, whenever a water quality constituent is of a higher quality than a criterion designated for that water, a new discharge that is expected to cause a measurable change in the quality of the water may not be allowed unless the Department of Ecology (Ecology) determines that the lowering of water quality is necessary and in the overriding public interest. Project Macoma is proposing to discharge processed oceanwater from the Port of Port Angeles – Terminal 7 to the Port Angeles Harbor near Port Angeles, Washington. Project Macoma determined, in a Tier II Antidegradation Analysis submitted to Ecology, that the discharge at the boundary of the chronic mixing zone might exceed the antidegradation criteria for pH; therefore, Project Macoma provided information to conduct an analysis to determine if the lowering of water quality is necessary and in the overriding public interest. Ecology has made a tentative determination that it is necessary and in the overriding public interest to permit the discharge. Ecology will not make a final determination until all timely comments received in response to this notice have been evaluated.

PUBLIC COMMENT AND INFORMATION

The Tier II Antidegradation Analysis may be viewed at the Department of Ecology (Ecology) website: <https://apps.ecology.wa.gov/pais/DocumentSearch.aspx>. The application and other related documents are also available at Ecology's Southwest Region Office for inspection and copying between the hours of 8:00 am and 4:30 pm, weekdays. To obtain a copy or to arrange to view copies at the Southwest Region Office, please call 360-407-6365, email [publicdisclosureswro@ecy.wa.gov](mailto:publicdisclosureswro@ecy.wa.gov), or write to the address below. Interested persons are invited to submit written comments regarding the proposed discharge. All comments must be submitted within 30 days after publication of this notice to be considered for the final determination. Comments should be sent to:



Gayle Garbush, Department of Ecology  
Southwest Region Office  
PO Box 47775, Olympia, WA 98504-7775  
Email comments should be sent to [swrow@permits  
@ecy.wa.gov](mailto:swrow@permits.ecy.wa.gov).

Any interested party may request a public hearing on the proposed permit within 30 days of the publication date of this notice. The request for a hearing shall state the interest of the party and the reasons why a hearing is necessary. The request should be sent to the above address. Ecology will hold a hearing if it determines that there is significant public interest. If a hearing is to be held, a public notice will be published at least 30 days in advance of the hearing date. Any party responding to this notice with comments will be mailed a copy of a hearing public notice. All respondents to this notice will receive a copy of the draft permit and fact sheet before the final permit is issued. To request an ADA accommodation, contact Ecology by phone at 360-407-6831 or email at [ecyadacoordinator@ecy.wa.gov](mailto:ecyadacoordinator@ecy.wa.gov). For TTY or Washington Relay Service, call 711 or 877-833-6341. Visit Ecology's website at <https://ecology.wa.gov/About-us/Accountability-transparency/Accessibility> for more information.

PDN.: April 3, 2024  
Legal No. 993945

NOTICE: ANNOUNCEMENT AVAILABILITY OF APPLICATION AND OF THE NECESSARY AND OVERRIDING PUBLIC INTEREST  
DETERMINATION

PERMIT NO: WA0991051

APPLICANT: Project Macoma  
950 Commercial Street  
San Carlos, CA 94070

FACILITY: Project Macoma  
1301 Marine Drive, Terminal 7  
Port Angeles, WA 98363

Project Macoma has applied for a National Pollutant Discharge Elimination System (NPDES) Permit in accordance with the provisions of [Chapter 90.48 Revised Code of Washington \(RCW\)](#) and [Chapter 173-216 Washington Administrative Code \(WAC\)](#).

The Water Quality Standards for Surface Waters [WAC 173-201A-320 Tier II- Protection of waters of higher quality than the standards](#) requires that, whenever a water quality constituent is of a higher quality than a criterion designated for that water, a new discharge that is expected to cause a measurable change in the quality of the water may not be allowed unless the Department of Ecology (Ecology) determines that the lowering of water quality is necessary and in the overriding public interest.

Project Macoma is proposing to discharge processed oceanwater from the Port of Port Angeles – Terminal 7 to the Port Angeles Harbor near Port Angeles, Washington. Project Macoma determined, in a Tier II Antidegradation Analysis submitted to Ecology, that the discharge at the boundary of the chronic mixing zone might exceed the antidegradation criteria for pH; therefore, Project Macoma provided information to conduct an analysis to determine if the lowering of water quality is necessary and in the overriding public interest.

Ecology has made a tentative determination that it is necessary and in the overriding public interest to permit the discharge. Ecology will not make a final determination until all timely comments received in response to this notice have been evaluated.

PUBLIC COMMENT AND INFORMATION

The Tier II Antidegradation Analysis may be viewed at the Department of Ecology (Ecology) website: <https://apps.ecology.wa.gov/paris/DocumentSearch.aspx>. The application and other related documents are also available at Ecology's Southwest Region Office for inspection and copying between the hours of 8:00 am and 4:30 pm, weekdays. To obtain a copy or to arrange to view copies at the Southwest Region Office, please call 360-407-6365, email [publicdisclosureswro@ecy.wa.gov](mailto:publicdisclosureswro@ecy.wa.gov), or write to the address below.

Interested persons are invited to submit written comments regarding the proposed discharge. All comments must be submitted within 30 days after publication of this notice to be considered for the final determination. Comments should be sent to:

Gayle Garbush  
Department of Ecology  
Southwest Region Office  
PO Box 47775  
Olympia, WA 98504-7775

Email comments should be sent to [swrowqpermits@ecy.wa.gov](mailto:swrowqpermits@ecy.wa.gov).

Any interested party may request a public hearing on the proposed permit within 30 days of the publication date of this notice. The request for a hearing shall state the interest of the party and the reasons why a hearing is necessary. The request should be sent to the above address. Ecology will hold a hearing if it determines that there is significant public interest. If a hearing is to be held, a public notice will be published at least 30 days in advance of the hearing date. Any party responding to this notice with comments will be mailed a copy of a hearing public notice.

All respondents to this notice will receive a copy of the draft permit and fact sheet before the final permit is issued.

To request an ADA accommodation, contact Ecology by phone at 360-407-6831 or email at [ecyadacoordinator@ecy.wa.gov](mailto:ecyadacoordinator@ecy.wa.gov). For TTY or Washington Relay Service, call 711 or 877-833-6341. Visit Ecology's website at <https://ecology.wa.gov/About-us/Accountability-transparency/Accessibility> for more information.