

2023

ANNUAL REPORT

ZOSTERA JAPONICA CONTROL ON COMMERCIAL

CLAM BEDS IN WILLAPA BAY

NORTHERN OYSTER CO.

Submitted to:

Washington Department of Ecology

December 15, 2023

Author:

David Beugli

WGHOGA

Treatment Information

All treatments occurred within the boundaries of the provided bed corner coordinates, but all acres within these boundaries may not have been treated. Under special condition S4.B when a buffer is not required due to a cooperating land owner that parcel edge is marked with an X indicating a cooperating land owner. In some cases a parcel edge may have a cooperating land owner and a distance from edge of treatment measurement indicating that multiple landowners own land on the property edge. For additional information concerning locations treated, size in acres, treatment dates, distance from the property, parcel or lease boundary and amount of active ingredient applied to the treatment area refer to Table 1.

Table 1. Treatment information for the control of *Zostera japonica* on commercial clam beds in Willapa Bay, WA.


Treatment Dates	Bed Name	Parcel	Corner Coordinates		Distance From Parcel Boundary To Edge of Treatment Site				Cooperating Landowners				Acres	Amount of Pesticide Applied (oz)	Active Ingredient (Total lbs.)	Active Ingredient (oz./acre)
			Latitude	Longitude	North Edge	East Edge	South Edge	West Edge	North Edge	East Edge	South Edge	West Edge				
6/21/2023	TL620	12112255620	46.5081	-124.0257	>10m	>10m	>10m	>10m	X	X	X		5.8	58	0.45	1.21
			46.5081	-124.0238												
			46.5100	-124.0228												
			46.5117	-124.0221												
			46.5117	-124.0233												
			46.5087	-124.0257												
6/22/2023	E215	79005000215	46.5590	-124.0187	12m	0	12m	>50m	X	X	X		15	150	1.17	1.21
			46.5589	-124.0135												
			46.5609	-124.0137												
			46.5610	-124.0127												
			46.5666	-124.0127												
			46.5667	-124.0191												

Monitoring Results

Under special condition S5.A monitoring is required if treatment occurs up to the 10m property line buffer. In 2023 no treatments occurred up to the 10m property line buffer therefore no additional monitoring was required.

Signature Requirements

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of those persons directly responsible for gathering information, the information in the report is, to the best of my knowledge and belief, true, accurate, and complete and will be updated as necessary. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment of knowing violations.



Signature

12-12-23

Date