



# Request for Coverage

## Industrial Stormwater General Permit

NOI Version: 1

Application Type: ☐ New ☒ Renewal

Permit Number: WAR305536

Application Id: 46879

### I. Contact Information

Permittee			
Honorific:	First Name: Rob	Last Name: Fix	
Organization Name:	Port of Bellingham		Title: Executive Director
Mailing Address: PO Box 1677			
City: Bellingham	State: WA	Zip Code: 98227-1677	
Email: robf@portofbellingham.com			
Primary Phone: 360-676-2500	Secondary Phone:		
UBI Number: 371000005			
Site Contact			
Honorific: Mr.	First Name: Dave	Last Name: Warter	
Organization Name:	Port of Bellingham		Title: Marine Terminals Manager
Mailing Address: PO Box 1677			
City: Bellingham	State: WA	Zip Code: 98227-1677	
Email: davew@portofbellingham.com			
Primary Phone: 360-676-2500 X304	Secondary Phone:		360-676-2500
UBI Number: 371000005			

### II. Facility Information

Facility Name: Bellingham Shipping Terminal POB

Street Address: 629 Cornwall Ave

City: Bellingham

County: Whatcom

Zip Code: 98225

Latitude: 48.745430

Longitude: -122.491119

Size of Site: 14.4 acres Date facility began or will begin operation:

List all North American Industry Classification System (NAICS) and Standard Industrial Classification (SIC) codes to cover all industrial activities performed at your facility.

NAICS/SIC	Code	Description	Is Primary
SIC	3441	FABRICATED STRUCTURAL METAL	No
SIC	4221	FARM PRODUCT WAREHOUSING AND STORAGE	No
SIC	4225	GENERAL WAREHOUSING AND STORAGE	No
SIC	4226	SPECIAL WAREHOUSING AND STORAGE, NEC	No
SIC	4449	WATER TRANSPORTATION OF FREIGHT, NEC	No
SIC	4491	MARINE CARGO HANDLING	Yes
SIC	4789	TRANSPORTATION SERVICES, NEC	No
NAICS	332312	Fabricated Structural Metal Manufacturing	No

NAICS	483211	Inland Water Freight Transportation	No
NAICS	488999	All Other Support Activities for Transportation	No
NAICS	488320	Marine Cargo Handling	Yes
NAICS	493110	General Warehousing and Storage	No
NAICS	493130	Farm Product Warehousing and Storage	No
NAICS	493190	Other Warehousing and Storage	No

- ☐ Is this facility a Hazardous Waste Treatment, Storage, and Disposal (TSD) facility regulated under Chapter 17-303 WAC?

For Airport Facilities:

- ☐ At your airport, do you as a single permittee, or a combination of permitted facilities, use more than 100,000 gallons of glycol-based deicing chemicals and/or 100 tons or more of urea on an average annual basis?
- ☐ Does your airport have 1,000 or more annual jet departures ("non-propeller aircraft")?
- ☐ Does the facility discharge wastewater associated with airfield pavement deicing with stormwater?
- ☐ Do you use urea-containing deicers?
- ☐ Does your airport meet the definition of a new source ("new airports")?
- ☐ Does (will) the airport have 10,000 or more annual departures?
- ☐ Is the airport located in a cold climate zone?

Please enter the URL that your Stormwater Pollution Prevention Plan (SWPPP) is located at: (optional)

**Please attach a site map following the requirements of S3.B.1 of the 2020 ISGP.**

Error: Subreport could not be shown.

#### IV. Discharge/Receiving Water

##### Conveyance System

If you discharge to a municipal stormwater system or other stormwater conveyance system (e.g. Kent stormwater drainage system, roadside ditch), identify the system by name or if unnamed, by other identifier (e.g., 145th street ditch)

##### Location of Discharge into Receiving Water (Outfall)

Outfall Number	Outfall Description	Surface Waterbody	Outfall Type	Latitude	Longitude
W1A	BST OF W1A	Bellingham Bay	Surface Water Body	48.745430	-122.491119
W1B	BST OF W1B	BST OF W1B	Surface Water Body	48.745430	-122.491119
B3F	BST MP 3F	BST OF 3F	Surface Water Body	48.745430	-122.491119
B3E	BST OF 3E	BST OF 3E	Surface Water Body	48.745430	-122.491119
B3D	BST OF 3D	BST OF 3D	Surface Water Body	48.745430	-122.491119
B3C	BST OF3C	BST OF3C	Surface Water Body	48.745430	-122.491119
B3B	BST OF 3B	BST OF 3B	Surface Water Body	48.745430	-122.491119
B3A	BST OF 3A	BST OF 3A	Surface Water Body	48.745430	-122.491119
B1D	BST OF 1D	BST OF 1D	Surface Water Body	48.745430	-122.491119
B4A	BST MP 4A	BST MP 4A	Surface Water Body	48.745430	-122.491119
B1C	BST OF 1C sheet flow	BST OF 1C sheet flow	Surface Water Body	48.745430	-122.491119
B2A	BST OF 2A	BST OF 2A	Surface Water Body	48.745430	-122.491119

W1C	BST MP W1C	BST MP W1C	Surface Water Body	45.151890	-126.864182
-----	------------	------------	--------------------	-----------	-------------

#### **Location of Discharge Location (Sampling/Monitoring Point)**

Monitoring Point Code	Monitoring Point Name	Monitoring Point Type	Outfall Number	Active	Latitude / Longitude
W1A	BST OF W1A	Stormwater	W1A	Yes	48.746307 -122.492546
W1B	BST OF W1B	Stormwater	W1B	Yes	48.746250 -122.492683
B3F	BST MP 3F	Stormwater	B3F	Yes	48.743473 -122.491356
B3E	BST OF 3E	Stormwater	B3E	Yes	48.743736 -122.491791
B3D	BST OF 3D	Stormwater	B3D	Yes	48.744003 -122.492188
B3C	BST OF3C	Stormwater	B3C	Yes	48.744400 -122.492752
B3B	BST OF 3B	Stormwater	B3B	Yes	48.744541 -122.493027
B3A	BST OF 3A	Stormwater	B3A	Yes	48.744820 -122.493492
B1D	BST OF 1D	Stormwater	B1D	Yes	48.745453 -122.494049
DRAN	Storm Drain Solids	Storm Drain System Solids	B1D	Yes	48.745430 -122.491119
B4A	BST MP 4A	Stormwater	B4A	Yes	48.745972 -122.491486
B1C	BST OF 1C sheet flow	Stormwater	B1C	Yes	48.746498 -122.492523
B2A	BST OF 2A	Stormwater	B2A	Yes	48.745876 -122.493195
W1C	BST MP W1C	Stormwater	W1C	Yes	48.746124 -122.492714

#### **V. State Environmental Policy Act (SEPA)**

This Notice of Intent (NOI) is incomplete and cannot be approved until the applicable SEPA requirements under Chapter 197-11 WAC are met.

SEPA and Public Notice sections apply only to facilities that began operations after January 1, 2020. If the facility began operations before this date, these sections do not need to be filled out.

#### **VI. Public Notice**

##### **Public Notice applies to facilities that began operations on or after January 1, 2020.**

You must publish a public notice at least **once** a week for **two** consecutive weeks with **seven days** between publications, in at least a **single** newspaper of general circulation in the county in which the facility is located. Ecology cannot grant permit coverage sooner than the end of the 30-day public comment period, which begins on the date of the **second** public notice.

Newspaper Name	First Public Notice Date	Second Public Notice Date

#### **VII. Certification of Permittees**

*"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."*

---

Permittee Signature

5/16/2024

---

Date