

NAICS/SIC	Code	Description	Is Primary
SIC	5032	BRICK, STONE, & RELATED MATERIALS	Yes
NAICS	423320	Brick, Stone, and Related Construction Materia...	Yes

Is this facility a Hazardous Waste Treatment, Storage, and Disposal (TSD) facility regulated under Chapter 17-303 WAC?

For Airport Facilities:

- At your airport, do you as a single permittee, or a combination of permitted facilities, use more than 100,000 gallons of glycol-based deicing chemicals and/or 100 tons or more of urea on an average annual basis?
- Does your airport have 1,000 or more annual jet departures ("non-propeller aircraft")?
- Does the facility discharge wastewater associated with airfield pavement deicing with stormwater?
 - Do you use urea-containing deicers?
- Does your airport meet the definition of a new source ("new airports")?
 - Does (will) the airport have 10,000 or more annual departures?
 - Is the airport located in a cold climate zone?

Please enter the URL that your Stormwater Pollution Prevention Plan (SWPPP) is located at: (optional)

Please attach a site map following the requirements of S3.B.1 of the 2020 ISGP.

Error: Subreport could not be shown.

IV. Discharge/Receiving Water

Conveyance System

If you discharge to a municipal stormwater system or other stormwater conveyance system (e.g. Kent stormwater drainage system, roadside ditch), identify the system by name or if unnamed, by other identifier (e.g., 145th street ditch)

Location of Discharge into Receiving Water (Outfall)

Outfall Number	Outfall Description	Surface Waterbody	Outfall Type	Latitude	Longitude
S2	S2 discharge point	S2 discharge point	Surface Water Body	47.568722	-122.351425
G1	ground infiltration	ground infiltration	Ground	47.568665	-122.351639

Location of Discharge Location (Sampling/Monitoring Point)

Monitoring Point Code	Monitoring Point Name	Monitoring Point Type	Outfall Number	Active	Latitude / Longitude
S2	S2 discharge point	Stormwater	S2	Yes	47.568722 -122.351402
DRAN	Storm Drain Solids	Stormwater	S2	Yes	47.568722 -122.351402
GRND	Discharge to Ground	Stormwater	G1	Yes	47.568665 -122.351639

V. State Environmental Policy Act (SEPA)

This Notice of Intent (NOI) is incomplete and cannot be approved until the applicable SEPA requirements under Chapter 197-11 WAC are met.

SEPA and Public Notice sections apply only to facilities that began operations after January 1, 2020. If the facility began operations before this date, these sections do not need to be filled out.

VI. Public Notice

Public Notice applies to facilities that began operations on or after January 1, 2020.

You must publish a public notice at least **once** a week for **two** consecutive weeks with **seven days** between publications, in at least a **single** newspaper of general circulation in the county in which the facility is located. Ecology cannot grant permit coverage sooner than the end of the 30-day public comment period, which begins on the date of the **second** public notice.

Newspaper Name	First Public Notice Date	Second Public Notice Date

VII. Certification of Permittees

“I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

Permittee Signature

6/18/2024

Date