



Request for Coverage

Industrial Stormwater General Permit

NOI Version: 1

Application Type: ☐ New ☒ Renewal

Permit Number: WAR002511

Application Id: 46320

I. Contact Information

Permittee		
Honorific: Mr.	First Name: John	Last Name: Taylor
Organization Name: King County Wastewater Treatment Division	Title: Director Department of Natural Resources and Parks	
Mailing Address: 201 S Jackson St - MS KSC-NR-0505		
City: Seattle	State: WA	Zip Code: 98104-3854
Email: John-Dir.Taylor@kingcounty.gov		
Primary Phone: 206-477-4602	Secondary Phone:	
UBI Number:		
Site Contact		
Honorific: Mr.	First Name: Jason	Last Name: Karlstrom
Organization Name: King County Wastewater Treatment Division	Title: Process Analyst	
Mailing Address: 1200 Monster Rd SW		
City: Renton	State: WA	Zip Code: 98057-2962
Email: Jason.Karlstrom@kingcounty.gov		
Primary Phone: 206-848-0734	Secondary Phone:	
UBI Number:		
Site Contact		
Honorific: Mr.	First Name: Mike	Last Name: Wohlfert
Organization Name: King County Wastewater Treatment Division	Title: Wastewater Treatment Plant Manager	
Mailing Address: 1200 Monster Rd SW		
City: Renton	State: WA	Zip Code: 98057-2962
Email: Mike.Wohlfert@kingcounty.gov		
Primary Phone: 206-263-1831	Secondary Phone:	
UBI Number:		

Site Contact

Honorific: Mr. **First Name:** Chapin **Last Name:** Brackett
Organization Name: King County Wastewater Treatment Division **Title:** WTD Manager - Process & Environmental Compliance
Mailing Address: 1200 Monster Rd SW
City: Renton **State:** WA **Zip Code:** 98057-2962
Email: cbrackett@kingcounty.gov
Primary Phone: 206-477-3347 **Secondary Phone:**
UBI Number:

II. Facility Information

Facility Name: KING COUNTY SOUTH TREATMENT PLANT

Street Address: 1200 MONSTER RD SW

City: RENTON

County: King

Zip Code: 98057

Latitude: 47.470764

Longitude: -122.241867

Size of Site: 95 acres Date facility began or will begin operation:

List all North American Industry Classification System (NAICS) and Standard Industrial Classification (SIC) codes to cover all industrial activities performed at your facility.

NAICS/SIC	Code	Description	Is Primary
SIC	4952	SEWERAGE SYSTEMS	Yes
NAICS	221320	Sewage Treatment Facilities	Yes

☐ Is this facility a Hazardous Waste Treatment, Storage, and Disposal (TSD) facility regulated under Chapter 17-303 WAC?

For Airport Facilities:

- ☐ At your airport, do you as a single permittee, or a combination of permitted facilities, use more than 100,000 gallons of glycol-based deicing chemicals and/or 100 tons or more of urea on an average annual basis?
- ☐ Does your airport have 1,000 or more annual jet departures ("non-propeller aircraft")?
- ☐ Does the facility discharge wastewater associated with airfield pavement deicing with stormwater?
- ☐ Do you use urea-containing deicers?
- ☐ Does your airport meet the definition of a new source ("new airports")?
- ☐ Does (will) the airport have 10,000 or more annual departures?
- ☐ Is the airport located in a cold climate zone?

Please enter the URL that your Stormwater Pollution Prevention Plan (SWPPP) is located at: (optional)

Please attach a site map following the requirements of S3.B.1 of the 2020 ISGP.

Error: Subreport could not be shown.

IV. Discharge/Receiving Water**Conveyance System**

If you discharge to a municipal stormwater system or other stormwater conveyance system (e.g. Kent stormwater drainage system, roadside ditch), identify the system by name or if unnamed, by other identifier (e.g., 145th street ditch)

Location of Discharge into Receiving Water (Outfall)

Outfall Number	Outfall Description	Surface Waterbody	Outfall Type	Latitude	Longitude
P1	P1 CHANNEL	Black River	Surface Water Body	47.473188	-122.238378

Location of Discharge Location (Sampling/Monitoring Point)

Monitoring Point Code	Monitoring Point Name	Monitoring Point Type	Outfall Number	Active	Latitude / Longitude
P1	Pond 1 Channel to Springbrook Creek	Stormwater	P1	Yes	47.473199 -122.238425

V. State Environmental Policy Act (SEPA)

This Notice of Intent (NOI) is incomplete and cannot be approved until the applicable SEPA requirements under Chapter 197-11 WAC are met.

SEPA and Public Notice sections apply only to facilities that began operations after January 1, 2020. If the facility began operations before this date, these sections do not need to be filled out.

VI. Public Notice

Public Notice applies to facilities that began operations on or after January 1, 2020.

You must publish a public notice at least **once** a week for **two** consecutive weeks with **seven days** between publications, in at least a **single** newspaper of general circulation in the county in which the facility is located. Ecology cannot grant permit coverage sooner than the end of the 30-day public comment period, which begins on the date of the **second** public notice.

Newspaper Name	First Public Notice Date	Second Public Notice Date

VII. Certification of Permittees

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Permittee Signature

6/28/2024

Date