

From: Joy, Shara-Li (ECY)
To: Gina Hoff; mpetersen@landscouncil.org; Mark Wachtel; Cheryl Strange (STRANCE@dshs.wa.gov)
Subject: Application for Renewal - Please Read
Date: Thursday, September 19, 2024 10:27:07 AM

Greetings,

Loon Lake submitted an application for renewal of State Waste Discharge permit ST0008019 for their facility in Moses Lake. Ecology has accepted their application as complete and is preparing to draft a renewal permit. The wastewater information presented in the application showed no changes in the volume or quantity of the discharge, nor were there significant changes from that contained in the previous application submitted by the facility. Therefore, Ecology is not required to publish a notice of application or draft permit before reissuance if there are no increases in volume or characteristics of the wastewater beyond those previously authorized (WAC 173-216-090).

View the application online at <https://apps.ecology.wa.gov/paris/DocumentSearch.aspx?PermitNumber=0008019&FacilityName=&City=&County=&Region=0&PermitType=0&DocumentType=0>

Please direct questions about the application to Charlotte Daskalopoulos at (509) 863-2186 or cdas461@ecy.wa.gov.

*You are receiving this email because you are on Ecology's interested parties list for this facility or because Ecology is required to send notice of the application to other state departments (RCW 90.48.170).

Sincerely,

Shara Joy
Water Quality Program
WA State Department of Ecology
Eastern Regional Office, Spokane, WA
(509) 329-3455
stra461@ecy.wa.gov

This communication is a public record and may be subject to disclosure as per the Washington State Public Records Act, RCW 42.56.

From: [Joy, Shara-Li \(ECY\)](#)
To: [Jilma Meneses \(jilma.meneses@dshs.wa.gov\)](mailto:jilma.meneses@dshs.wa.gov)
Subject: Application for Renewal - Please Read
Date: Thursday, September 19, 2024 10:33:26 AM

Greetings,

Loon Lake submitted an application for renewal of State Waste Discharge permit ST0008019 for their facility in Moses Lake. Ecology has accepted their application as complete and is preparing to draft a renewal permit. The wastewater information presented in the application showed no changes in the volume or quantity of the discharge, nor were there significant changes from that contained in the previous application submitted by the facility. Therefore, Ecology is not required to publish a notice of application or draft permit before reissuance if there are no increases in volume or characteristics of the wastewater beyond those previously authorized (WAC 173-216-090).

View the application online at <https://apps.ecology.wa.gov/paris/DocumentSearch.aspx?PermitNumber=0008019&FacilityName=&City=&County=&Region=0&PermitType=0&DocumentType=0>

Please direct questions about the application to Charlotte Daskalopoulos at (509) 863-2186 or cdas461@ecy.wa.gov.

*You are receiving this email because you are on Ecology's interested parties list for this facility or because Ecology is required to send notice of the application to other state departments (RCW 90.48.170).

Sincerely,

Shara Joy
Water Quality Program
WA State Department of Ecology
Eastern Regional Office, Spokane, WA
(509) 329-3455
stra461@ecy.wa.gov

This communication is a public record and may be subject to disclosure as per the Washington State Public Records Act, RCW 42.56.