



ANALYTICAL REPORT

PREPARED FOR

Attn: McKynzie Clark
Kaiser Aluminum
15000 E Euclid Ave
Spokane Valley, Washington 99216

Generated 3/4/2025 2:20:38 PM

JOB DESCRIPTION

Acute Biomonitoring Q1

JOB NUMBER

192-19066-1


Eurofins Arkansas

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
3/4/2025 2:20:38 PM

Authorized for release by
Alexandria Wyllia, Project Management Assistant I
Alexandria.Wyllia@et.eurofinsus.com
(501)224-5060

Re: Acute Biomonitoring utilizing *Pimephales promelas* (Fathead Minnow)
Outfall 001
Client NPDES Permit No. WA0000892
Control No. 192-19066-1

This report is the analytical results and supporting information for the samples submitted to Eurofins Arkansas. The following results are applicable only to the sample identified by the control number referenced above. Accurate assessment of the data requires access to the entire document. Each section of the report has been reviewed and approved by the Lab Manager or qualified designee.

Testing procedures and Quality Assurance were in accordance with "Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms" EPA-821-R-02-012, Fifth Edition, October 2002. Test results are summarized below:

Acute *Pimephales promelas* (Fathead minnow) Survival Test. The permit requirement is NOEC not less than 40%. The following were concluded from the test:

Survival:	NOEC	LOEC	LC50
	100	>100	>100

The sample therefore **PASSED** the Fathead minnow test.

Table of Contents

I.	Introduction and Summary
II.	Control Acceptance Criteria
III.	Outlined Report
	A. Introduction
	B. Effluent Samples
	C. Dilution Water Samples
	D. Test Methods
	E. Test Organisms
	F. Quality Assurance
	G. Organism History
IV.	Results Summary
	<i>Pimephales promelas</i>
	Appendix (Data)
	<i>Pimephales promelas</i> Survival
	Appendix (Reference Toxicant)
	Appendix (Water Chemistry)

I. Introduction and Summary

96-hour renewal definitive toxicity *Pimephales promelas* were performed.

The *Pimephales promelas* test was conducted from February 12, 2025 at 1409 to February 16, 2025 at 1444.

The tests were performed in accordance with EPA-821-R-02-012. Statistical analyses were performed on the observed data.

The tests were conducted in temperature and light cycle controlled environmental chamber. The test temperature was 25 degrees C +/- 1 degree for the *Pimephales promelas*.

II. Control Acceptance Criteria

ORGANISM	CRITERIA	RESULTS	PASS/FAIL
<i>Pimephales promelas</i>	Control Survival $\geq 90\%$	100	PASS
<i>Pimephales promelas</i>	Control Dilution CV ≤ 40	0.00	PASS
<i>Pimephales promelas</i>	Critical Dilution CV ≤ 40	0.00	PASS

*EPA region 6 requirement consult permit

III. Outlined Report

A. Introduction

Permit Number:

Test Requirements: 96-hour renewal definitive toxicity test using:
Pimephales promelas

B. Effluent Samples:

Sampling Point: Outfall 001

Chemical Data:

Analysis	Result
Dissolved oxygen (mg/l)	9.10
pH (standard units)	7.82
Alkalinity (mg/l as CaCO ₃)	180
Hardness (mg/l as CaCO ₃)	180
Conductivity (umhos/cm)	381
Residual Chlorine (mg/l)	<0.05
Ammonia (mg/l)	<0.10

C. Dilution Water Samples: Synthetic Moderately Hard

Chemical Data:

Analysis	192-18983-A-3	192-18983-A-1
Dissolved oxygen (mg/l)	9.10	8.99
pH (standard units)	7.87	7.88
Alkalinity (mg/l as CaCO ₃)	58	63
Hardness (mg/l as CaCO ₃)	85	92
Conductivity (umhos/cm)	290	312
Residual Chlorine (mg/l)	<0.05	<0.05
Ammonia (mg/l)	NA	NA

D. Test Methods

Methods for Measuring the Acute Toxicity of Effluents to Freshwater and Marine Organisms, (Fifth Ed.), EPA-821-R-02-012, 48-hour acute definitive test.

Endpoints:

Death; the criteria employed to establish death are:

No movement

No reaction to gentle prodding

Criteria	<i>Pimephales promelas</i>
Type and Volume of Test Chamber	500 ml disposable beaker
Volume of Sample	250 ml
Organisms per chamber	10
Replicates per dilution	4
Test Temperature	25 deg. C
Test Initiated	February 12, 2025 at 1409
Test Terminated	February 16, 2025 at 1444
Feeding	None required
Age of Test Organisms	24 hours

E. Test Organisms

Pimephales promelas

F. Quality Assurance - Toxicity Tests

Reference Toxicant: Sodium Chloride

Date of test:

Pimephales promelas: 1/22/2025

Synthetic moderately hard dilution water used

Organism	LC50	Warning Limits
<i>Pimephales promelas</i>	7.42 g/l	6.50-9.18 g/l

G. Organism History

Pimephales promelas (Fathead minnow)

Date: February 12, 2025 at 1409

Age: 24 hours

Source: In-house culture

IV. Results Summary

Pimephales promelas are exposed in a static renewal system to different concentrations of effluent and dilution water. Effluent dilutions for this test were 2.5%, 4.9%, 25%, 40%, 100%. The low-flow concentration was 40%. Test results were based on survival.

Pimephales promelas

The *Pimephales promelas* test was conducted from February 12, 2025 at 1409 to February 16, 2025 at 1444.

Concentration	24 hour % Survival	48 hour % Survival	72 hour % Survival	96 hour % Survival
Control	100	100	100	100
2.5%	97.5	97.5	92.5	92.5
4.9%	97.5	97.5	97.5	97.5
25%	100	100	97.5	97.5
40%	100	100	100	100
100%	95	95	92.5	87.5

Appendix (Data)

Pimephales promelas Survival Data

Number of organisms per chamber: 10
Volume of test chamber: 500 ml


Age of organisms: 24 hours
Volume of test solution: 250 ml

Effluent Concentration		Number of Survivors				% Survival	CV %
		24 Hours	48 Hours	72 Hours	96 Hours		
Control	rep. A	10	10	10	10	100	0.00
	rep. B	10	10	10	10		
	rep. C	10	10	10	10		
	rep. D	10	10	10	10		
2.5%	rep. A	10	10	10	10	92.5	16.22
	rep. B	10	10	10	10		
	rep. C	9	9	7	7		
	rep. D	10	10	10	10		
4.9%	rep. A	10	10	10	10	97.5	5.13
	rep. B	9	9	9	9		
	rep. C	10	10	10	10		
	rep. D	10	10	10	10		
25%	rep. A	10	10	10	10	97.5	5.13
	rep. B	10	10	10	10		
	rep. C	10	10	10	10		
	rep. D	10	10	9	9		
40%	rep. A	10	10	10	10	100	0.00
	rep. B	10	10	10	10		
	rep. C	10	10	10	10		
	rep. D	10	10	10	10		
100%	rep. A	9	9	8	6	87.5	21.63
	rep. B	9	9	9	9		
	rep. C	10	10	10	10		
	rep. D	10	10	10	10		

CV = Coefficient of variance = standard deviation X 100/mean

Appendix (Reference Toxicant)

Acute Reference Toxicant, *Pimephales promelas* (Fathead Minnow)



Appendix (Water Chemistry)

Chemical Data for *Pimephales promelas*

Day 1		Control	2.5%	4.9%	25%	40%	100%
DO, mg/l	Initial	9.10	9.04	9.09	9.13	9.28	9.10
DO, mg/l	Final	9.06	9.05	9.16	9.06	9.07	9.14
pH, su	Initial	7.87	7.85	7.85	7.86	7.84	7.82
pH, su	Final	7.65	7.70	7.79	7.92	8.02	8.29
Alkalinity, mg/l		58	NA	NA	NA	NA	180
Hardness, mg/l		85	NA	NA	NA	NA	180
Conductivity, umho/cm		290	291	292	309	322	381
Residual Chlorine, mg/l		<0.05	NA	NA	NA	NA	<0.05

Day 2		Control	2.5%	4.9%	25%	40%	100%
DO, mg/l	Final	9.01	8.91	8.98	9.06	8.97	9.01
pH, su	Final	7.82	7.79	7.84	7.98	8.08	8.34

Day 3		Control	2.5%	4.9%	25%	40%	100%
DO, mg/l	Initial	8.99	8.93	9.07	9.24	9.28	9.50
DO, mg/l	Final	8.59	8.38	8.49	8.44	8.46	8.43
pH, su	Initial	7.88	7.85	7.86	7.91	7.96	7.98
pH, su	Final	7.71	7.75	7.83	7.95	8.05	8.33
Alkalinity, mg/l		63	NA	NA	NA	NA	NA
Hardness, mg/l		92	NA	NA	NA	NA	NA
Conductivity, umho/cm		312	313	314	327	338	383
Residual Chlorine, mg/l		<0.05	NA	NA	NA	NA	NA

Day 4		Control	2.5%	4.9%	25%	40%	100%
DO, mg/l	Final	8.75	8.79	9.10	8.82	8.85	8.77
pH, su	Final	7.88	7.87	7.92	8.04	8.15	8.40

CETIS Summary Report

Report Date: 27 Feb-25 16:21 (p 1 of 1)
Test Code/ID: 19066_FH / 06-9963-0428

Fathead Minnow 96-h Acute Survival Test

Eurofins Arkansas

Batch ID:	18-3993-8312	Test Type:	Survival (96h)	Analyst:	
Start Date:	12 Feb-25 14:09	Protocol:	EPA/821/R-02-012 (2002)	Diluent:	Mod-Hard Synthetic Water
Ending Date:	16 Feb-25 14:44	Species:	Pimephales promelas	Brine:	
Test Length:	4d 1h	Taxon:	Actinopterygii	Source:	In-House Culture
				Age:	1D

Sample ID:	13-8404-9066	Code:	19066	Project:	
Sample Date:	11 Feb-25 09:15	Material:	POTW Effluent	Source:	Kaiser Aluminum (WA0000892)
Receipt Date:	12 Feb-25 09:45	CAS (PC):		Station:	Outfall 001
Sample Age:	29h	Client:			

Multiple Comparison Summary

Analysis ID	Endpoint	Comparison Method	NOEL	LOEL	TOEL	PMSD	TU
08-3749-5465	96h Survival Rate	Steel Many-One Rank Sum Test	100	>100	---	15.1%	1

Point Estimate Summary

Analysis ID	Endpoint	Point Estimate Method	Level	%	95% LCL	95% UCL	TU
10-7679-6381	96h Survival Rate	Linear Interpolation (ICPIN)	LC50	>100	---	---	<1

Test Acceptability

Analysis ID	Endpoint	Attribute	Test Stat	TAC Limits		Overlap	Decision
				Lower	Upper		
08-3749-5465	96h Survival Rate	Control Resp	1	0.9	>>	Yes	Passes Criteria
10-7679-6381	96h Survival Rate	Control Resp	1	0.9	>>	Yes	Passes Criteria

96h Survival Rate Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
0	D	4	1.0000	1.0000	1.0000	1.0000	1.0000	0.0000	0.0000	0.00%	0.00%
2.5		4	0.9250	0.6863	1.0000	0.7000	1.0000	0.0750	0.1500	16.22%	7.50%
4.9		4	0.9750	0.8954	1.0000	0.9000	1.0000	0.0250	0.0500	5.13%	2.50%
25		4	0.9750	0.8954	1.0000	0.9000	1.0000	0.0250	0.0500	5.13%	2.50%
40		4	1.0000	1.0000	1.0000	1.0000	1.0000	0.0000	0.0000	0.00%	0.00%
100		4	0.8750	0.5738	1.0000	0.6000	1.0000	0.0947	0.1893	21.63%	12.50%

96h Survival Rate Detail

MD5: C6A4FB1ECFD1C9655A3E06CB9A46F580

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4
0	D	1.0000	1.0000	1.0000	1.0000
2.5		1.0000	1.0000	0.7000	1.0000
4.9		1.0000	0.9000	1.0000	1.0000
25		1.0000	1.0000	1.0000	0.9000
40		1.0000	1.0000	1.0000	1.0000
100		0.6000	0.9000	1.0000	1.0000

96h Survival Rate Binomials

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4
0	D	10/10	10/10	10/10	10/10
2.5		10/10	10/10	7/10	10/10
4.9		10/10	9/10	10/10	10/10
25		10/10	10/10	10/10	9/10
40		10/10	10/10	10/10	10/10
100		6/10	9/10	10/10	10/10

CETIS Analytical Report

Report Date: 27 Feb-25 16:20 (p 1 of 2)
 Test Code/ID: 19066_FH / 06-9963-0428

Fathead Minnow 96-h Acute Survival Test

Eurofins Arkansas

Analysis ID: 08-3749-5465	Endpoint: 96h Survival Rate	CETIS Version: CETIS v2.1.5
Analyzed: 27 Feb-25 16:19	Analysis: Nonparametric-Control vs Treatments	Status Level: 1
Edit Date: 27 Feb-25 0:00	MD5 Hash: C6A4FB1ECFD1C9655A3E06CB9A46F580	Editor ID: 009-809-445-9
Batch ID: 18-3993-8312	Test Type: Survival (96h)	Analyst:
Start Date: 12 Feb-25 14:09	Protocol: EPA/821/R-02-012 (2002)	Diluent: Mod-Hard Synthetic Water
Ending Date: 16 Feb-25 14:44	Species: Pimephales promelas	Brine:
Test Length: 4d 1h	Taxon: Actinopterygii	Source: In-House Culture Age: 1D
Sample ID: 13-8404-9066	Code: 19066	Project:
Sample Date: 11 Feb-25 09:15	Material: POTW Effluent	Source: Kaiser Aluminum (WA0000892)
Receipt Date: 12 Feb-25 09:45	CAS (PC):	Station: Outfall 001
Sample Age: 29h	Client:	

Data Transform	Alt Hyp	NOEL	LOEL	TOEL	Tox Units	MSDu	PMSD
Angular (Corrected)	C > T	100	>100	---	1	0.1506	15.06%

Steel Many-One Rank Sum Test

Control	vs	Conc-%	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)
Dilution Water		2.5	6	16	10	1	CDF	0.6105	Non-Significant Effect
		4.9	6	16	10	1	CDF	0.6105	Non-Significant Effect
		25	6	16	10	1	CDF	0.6105	Non-Significant Effect
		40	6	18	10	1	CDF	0.8333	Non-Significant Effect
		100	6	14	10	1	CDF	0.3451	Non-Significant Effect

Test Acceptability Criteria

TAC Limits					
Attribute	Test Stat	Lower	Upper	Overlap	Decision
Control Resp	1	0.9	>>	Yes	Passes Criteria

ANOVA Table

Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)
Between	0.0903235	0.0180647	5	0.9103	0.4962	Non-Significant Effect
Error	0.357203	0.0198446	18			
Total	0.447527		23			

ANOVA Assumptions Tests

Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)
Variance	Bartlett Equality of Variance Test				Indeterminate
Distribution	Shapiro-Wilk W Normality Test	0.8038	0.884	0.0003	Non-Normal Distribution

96h Survival Rate Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
0	D	4	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.0000	0.00%	0.00%
2.5		4	0.9250	0.6863	1.0000	1.0000	0.7000	1.0000	0.0750	16.22%	7.50%
4.9		4	0.9750	0.8954	1.0000	1.0000	0.9000	1.0000	0.0250	5.13%	2.50%
25		4	0.9750	0.8954	1.0000	1.0000	0.9000	1.0000	0.0250	5.13%	2.50%
40		4	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.0000	0.00%	0.00%
100		4	0.8750	0.5738	1.0000	0.9500	0.6000	1.0000	0.0947	21.63%	12.50%

Angular (Corrected) Transformed Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
0	D	4	1.4120	1.4120	1.4120	1.4120	1.4120	1.4120	0.0000	0.00%	0.00%
2.5		4	1.3070	0.9720	1.6420	1.4120	0.9912	1.4120	0.1052	16.10%	7.45%
4.9		4	1.3710	1.2420	1.5010	1.4120	1.2490	1.4120	0.0407	5.94%	2.89%
25		4	1.3710	1.2420	1.5010	1.4120	1.2490	1.4120	0.0407	5.94%	2.89%
40		4	1.4120	1.4120	1.4120	1.4120	1.4120	1.4120	0.0000	0.00%	0.00%
100		4	1.2400	0.8452	1.6340	1.3310	0.8861	1.4120	0.1240	20.00%	12.20%

CETIS Analytical Report

Report Date: 27 Feb-25 16:20 (p 2 of 2)
Test Code/ID: 19066_FH / 06-9963-0428

Fathead Minnow 96-h Acute Survival Test

Eurofins Arkansas

Analysis ID: 08-3749-5465 Endpoint: 96h Survival Rate CETIS Version: CETIS v2.1.5
Analyzed: 27 Feb-25 16:19 Analysis: Nonparametric-Control vs Treatments Status Level: 1
Edit Date: 27 Feb-25 0:00 MD5 Hash: C6A4FB1ECFD1C9655A3E06CB9A46F580 Editor ID: 009-809-445-9

96h Survival Rate Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4
0	D	1.0000	1.0000	1.0000	1.0000
2.5		1.0000	1.0000	0.7000	1.0000
4.9		1.0000	0.9000	1.0000	1.0000
25		1.0000	1.0000	1.0000	0.9000
40		1.0000	1.0000	1.0000	1.0000
100		0.6000	0.9000	1.0000	1.0000



Angular (Corrected) Transformed Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4
0	D	1.4120	1.4120	1.4120	1.4120
2.5		1.4120	1.4120	0.9912	1.4120
4.9		1.4120	1.2490	1.4120	1.4120
25		1.4120	1.4120	1.4120	1.2490
40		1.4120	1.4120	1.4120	1.4120
100		0.8861	1.2490	1.4120	1.4120

96h Survival Rate Binomials

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4
0	D	10/10	10/10	10/10	10/10
2.5		10/10	10/10	7/10	10/10
4.9		10/10	9/10	10/10	10/10
25		10/10	10/10	10/10	9/10
40		10/10	10/10	10/10	10/10
100		6/10	9/10	10/10	10/10

Graphics



CETIS Analytical Report

Report Date: 27 Feb-25 16:20 (p 1 of 2)
Test Code/ID: 19066_FH / 06-9963-0428

Fathead Minnow 96-h Acute Survival Test

Eurofins Arkansas

Analysis ID:	10-7679-6381	Endpoint:	96h Survival Rate	CETIS Version:	CETIS v2.1.5
Analyzed:	27 Feb-25 16:20	Analysis:	Linear Interpolation (ICPIN)	Status Level:	1
Edit Date:	27 Feb-25 0:00	MD5 Hash:	C6A4FB1ECFD1C9655A3E06CB9A46F580	Editor ID:	009-809-445-9
Batch ID:	18-3993-8312	Test Type:	Survival (96h)	Analyst:	
Start Date:	12 Feb-25 14:09	Protocol:	EPA/821/R-02-012 (2002)	Diluent:	Mod-Hard Synthetic Water
Ending Date:	16 Feb-25 14:44	Species:	Pimephales promelas	Brine:	
Test Length:	4d 1h	Taxon:	Actinopterygii	Source:	In-House Culture
				Age:	1D
Sample ID:	13-8404-9066	Code:	19066	Project:	
Sample Date:	11 Feb-25 09:15	Material:	POTW Effluent	Source:	Kaiser Aluminum (WA0000892)
Receipt Date:	12 Feb-25 09:45	CAS (PC):		Station:	Outfall 001
Sample Age:	29h	Client:			

Linear Interpolation Options

X Transform	Y Transform	Seed	Resamples	Exp 95% CL	Method
Linear	Linear	1378177	1000	Yes	Two-Point Interpolation

Test Acceptability Criteria

		TAC Limits			
Attribute	Test Stat	Lower	Upper	Overlap	Decision
Control Resp	1	0.9	>>	Yes	Passes Criteria

Point Estimates

Level	%	95% LCL	95% UCL	Tox Units	95% LCL	95% UCL
LC50	>100	---	---	<1	---	---

96h Survival Rate Summary

			Calculated Variate(A/B)							Isotonic Variate	
Conc.-%	Code	Count	Mean	Median	Min	Max	CV%	%Effect	ΣA/ΣB	Mean	%Effect
0	D	4	1.0000	1.0000	1.0000	1.0000	0.00%	0.00%	40/40	1.0000	0.00%
2.5		4	0.9250	1.0000	0.7000	1.0000	16.22%	7.50%	37/40	0.9688	3.12%
4.9		4	0.9750	1.0000	0.9000	1.0000	5.13%	2.50%	39/40	0.9688	3.12%
25		4	0.9750	1.0000	0.9000	1.0000	5.13%	2.50%	39/40	0.9688	3.12%
40		4	1.0000	1.0000	1.0000	1.0000	0.00%	0.00%	40/40	0.9688	3.12%
100		4	0.8750	0.9500	0.6000	1.0000	21.63%	12.50%	35/40	0.8750	12.50%

96h Survival Rate Detail

Conc.-%	Code	Rep 1	Rep 2	Rep 3	Rep 4
0	D	1.0000	1.0000	1.0000	1.0000
2.5		1.0000	1.0000	0.7000	1.0000
4.9		1.0000	0.9000	1.0000	1.0000
25		1.0000	1.0000	1.0000	0.9000
40		1.0000	1.0000	1.0000	1.0000
100		0.6000	0.9000	1.0000	1.0000

96h Survival Rate Binomials

Conc.-%	Code	Rep 1	Rep 2	Rep 3	Rep 4
0	D	10/10	10/10	10/10	10/10
2.5		10/10	10/10	7/10	10/10
4.9		10/10	9/10	10/10	10/10
25		10/10	10/10	10/10	9/10
40		10/10	10/10	10/10	10/10
100		6/10	9/10	10/10	10/10

CETIS Analytical Report


Report Date: 27 Feb-25 16:20 (p 2 of 2)
Test Code/ID: 19066_FH / 06-9963-0428

Fathead Minnow 96-h Acute Survival Test


Eurofins Arkansas

Analysis ID:	10-7679-6381	Endpoint:	96h Survival Rate	CETIS Version:	CETIS v2.1.5
Analyzed:	27 Feb-25 16:20	Analysis:	Linear Interpolation (ICPIN)	Status Level:	1
Edit Date:	27 Feb-25 0:00	MD5 Hash:	C6A4FB1ECFD1C9655A3E06CB9A46F580	Editor ID:	009-809-445-9

Graphics



Chain of Custody Record



Client Information		Sampler: Zack Castillo da Silva		Lab PK: Bradford, Steve	
Client Contact: McKynzie Clark		Phone: (501) 944-5344		E-Mail: steve.bradford@eurofins.com	
Company: Kaiser Aluminum		PWSID: _____		Carrier Tracking No(s): UPS-UDA	
Address: 15000 E Euclid Ave		Due Date Requested: _____		State of Origin: WA	
City: Spokane Valley		TAT Requested (days): _____		Page: Page 1 of 1	
State, Zip: WA, 99216		Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Job #: _____	
Phone: _____		PO #: P24-111328		Preservation Codes: N - None	
Email: MCClark@haleyvaldich.com		WO #: _____		Other: _____	
Project Name: Acute Biomonitoring Q1 & Q3		Project #: 19200838		Total Number of Containers: 2	
Site: Kaiser Trentwood		SSOW#: _____		Special Instructions/Note: _____	
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix (W=Water, S=solid, O=soil, A=air)
Outfall 001		09/11/25	0915	C	Water
Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		2000_96FHNH - Acute 96 Hr. P. promelas Non-Renewal	
<input checked="" type="checkbox"/> Yes		<input checked="" type="checkbox"/> Yes		<input checked="" type="checkbox"/> Yes	
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		Return To Client <input type="checkbox"/>		Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Possible Hazard Identification		Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological <input type="checkbox"/>		Special Instructions/QC Requirements: _____	
Deliverable Requested: I, II, III, IV, Other (specify)		Empty Kit Relinquished by: _____		Date: _____	
Relinquished by: Zack Castillo da Silva		Date/Time: 09/11/25 1000		Company: HA	
Relinquished by: _____		Date/Time: _____		Company: _____	
Relinquished by: _____		Date/Time: _____		Company: _____	
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: _____		Cooler Temperature(s) °C and Other Remarks: _____	