

Column Software PBC  
PO Box 208098  
Dallas, TX 75320-8098  
[help.column.us](http://help.column.us)

Bill to  
Attn: Abbe White

Invoice number 2594DD1B-0004  
Notice ID 1q1YDJE1O3PcGOGGf6Nj  
Publisher Longview Daily News  
Date of issue Apr 8, 2025  
Date due May 8, 2025  
**Amount due \$503.98**

Description	Qty	Unit price	Amount
04/15/2025: General Legal Notice	1	483.98	483.98
Publish Fee	1	20.00	20.00

=== Notes ===

Notice Name: F3150  
Order Number: COL-WA-100813

Net Subtotal \$503.98

Tax 0.00

=== How to pay this invoice ===

Column Software PBC accepts online payment via credit or debit card, or ACH bank transfers. Please click here to pay online:  
<https://www.column.us/invoices/pvpRw1LCpHrqQh2Bu0T9/pay>

Amount due \$503.98

Please note that, once paid, the merchant name on your billing statements will be Column Software PBC.

Select organizations may also pay via check. Checks will result in processing delays and should not be used if your notice requires upfront payment. Please pay the exact amount due, write your invoice number 2594DD1B-0004 on the memo, include a printed copy of your Invoice PDF, make the check payable to Column Software PBC, and mail to the address above.

**RECEIVED**

APR 16 2025

WA State Department  
of Ecology (SWRO)

Pay here: <https://www.column.us/invoices/pvpRw1LCpHrqQh2Bu0T9/pay>

**AFFIDAVIT OF PUBLICATION**

Longview Daily News  
770 11th Ave  
(360) 577-2525

State of New Jersey, County of Burlington, ss:

India Johnston, being first duly sworn, deposes and says: That (s)he is a duly authorized signatory of Column Software, PBC, duly authorized agent of Longview Daily News, published in Cowlitz county, has been approved as a Legal newspaper by order of the Superior court of the State of Washington of Cowlitz County, and that the Annexed printed copy is a true copy of the notice in the above entitled matter as it was printed in the regular entire issue of said paper and online at [www.tdn.com](http://www.tdn.com) , for publication dates as listed below, and that said newspaper was regularly distributed to its subscribers during all of said period, and that said notice was published in said paper and not in a supplement form. That the full amount of the fee charged for said forgoing publication is as listed below, and is \$3.50 per line for the first insertion and \$3.00 per line for each subsequent insertion. There is also an additional charge of \$10.00 for every additional affidavit copy over two copies.

**PUBLICATION DATES:** April. 15 2025

**NOTICE ID:** 1qIYDjE1O3PcGOGGf6Nj  
**PUBLISHER ID:** COL-WA-100813  
**NOTICE NAME:** F3150  
**Publication Fee:** \$503.98

*India Johnston*

(Signed) \_\_\_\_\_

**VERIFICATION**

State of New Jersey  
County of Burlington

LIZA ORTIZ  
NOTARY PUBLIC  
STATE OF NEW JERSEY  
My Commission Expires November 27, 2028

Subscribed in my presence and sworn to before me on this: 04/16/2025

*Liza Ortiz*

Notary Public

Notarized remotely online using communication technology via Proof.

**NOTICE: ANNOUNCEMENT  
OF AVAILABILITY OF DRAFT  
PERMIT**

PERMIT WA0037770  
NO:  
APPLI- Cowlitz County Public  
CANT: Works

1600 13 th Ave  
Kelso, WA 98626  
FACILITY: Toutle Waste-  
water Treatment Plant  
200 S Toutle Rd  
Toutle, WA 98649

Cowlitz County Public Works has applied for a National Pollutant Discharge Elimination System (NPDES) Permit in accordance with the provisions of Chapter 90.48 Revised Code of Washington (RCW) , Chapter 173-216 Washington Administrative Code (WAC) , and Federal Clean Water Act .

Cowlitz County Public Works presently owns or operates an oxidation ditch wastewater treatment plant which is designed to handle a maximum monthly flow of 0.25 million gallons per day. The wastewater, following treatment, must meet the requirements of the Washington State Water Pollution Control Act (Chapter 90.48 RCW) and applicable regulations for a permit to be issued.

Following evaluation of the application and other available information, a draft permit has been developed which would allow the discharge of treated municipal wastewater from Toutle Wastewater Treatment Plant to the Toutle River.

A tentative determination has been made on the effluent limitations and special permit conditions that will prevent and control pollution. A final determination will not be made until all timely comments received in response to this notice have been evaluated.

**PUBLIC COMMENT AND  
INFORMATION**

The draft permit and fact sheet may be viewed at the Department of Ecology (Ecology) website: <https://apps.ecology.wa.gov/paris/DocumentSearch.aspx> . The application, fact sheet, proposed permit, and other related documents are also available at Ecology's Southwest Regional Office for inspection and copying between the hours of 8:00 am and 4:30 pm, weekdays. To obtain a copy or to arrange to view copies at the Southwest Region Office, please call (360) 407-6365, email [publicdisclosureswro@ecy.wa.gov](mailto:publicdisclosureswro@ecy.wa.gov) , or write to the address below. Interested persons are invited to submit written comments regarding the proposed permit. All comments must be submitted by May 16, 2025, at 11:59 p.m. be considered for the final determination . Comments should be sent to:  
Allisha McKittrick  
Department of Ecology  
Southwest Region Office  
PO Box 47775  
Olympia, WA 98504-7775  
Email comments should be sent

to [swrowqpermits@ecy.wa.gov](mailto:swrowqpermits@ecy.wa.gov) .  
Any interested party may request a public hearing on the proposed permit within 30 days of the publication date of this notice. The request for a hearing shall state the interest of the party and the reasons why a hearing is necessary. The request should be sent to the above address. Ecology will hold a hearing if it determines that there is significant public interest. If a hearing is to be held, a public notice will be published at least 30 days in advance of the hearing date. Any party responding to this notice with comments will be mailed a copy of a hearing public notice.  
To request an ADA accommodation, contact Ecology by phone at 360-407-6831 or email at [ecyadacoordinator@ecy.wa.gov](mailto:ecyadacoordinator@ecy.wa.gov) . For TTY or Washington Relay Service, call 711 or 877-833-6341. Visit Ecology's website at <https://ecology.wa.gov/About-us/Accountability-transparency/Accessibility> for more information.  
4/15 COL-WA-100813

## White, Abbe (ECY)

---

**From:** DeBruler, Rachel (ECY)  
**Sent:** Wednesday, April 16, 2025 1:14 PM  
**To:** White, Abbe (ECY)  
**Subject:** FW: Your affidavit for F3150  
**Attachments:** column\_affidavit\_1qIYDjE1O3PcGOGGf6Nj.pdf

Hi Abbe, please see attached for Toutle public notice. Many thanks!

**From:** Column Support <[support@column.us](mailto:support@column.us)>  
**Sent:** Wednesday, April 16, 2025 12:57 PM  
**To:** DeBruler, Rachel (ECY) <[rdeb461@ECY.WA.GOV](mailto:rdeb461@ECY.WA.GOV)>  
**Subject:** Your affidavit for F3150



Hi Rachel,

The affidavit for F3150 is now available. **Please find a copy of the affidavit attached to this email.**

**Notice Name:** F3150  
**Notice ID:** 1qIYDjE1O3PcGOGGf6Nj  
**Publisher:** Longview Daily News  
**Publication Dates:** 04/15/25

To review the uploaded affidavit in Column, click **View Notice**.

[View Notice](#)

---

Supported by Column

If you'd like to unsubscribe from any emails from Column, you can do so in your user settings.

DN 4/15

**White, Abbe (ECY)**

---

**From:** DeBruler, Rachel (ECY)  
**Sent:** Tuesday, April 8, 2025 2:43 PM  
**To:** White, Abbe (ECY)  
**Cc:** Mckittrick, Alisha K. (ECY)  
**Subject:** FW: Longview Daily News submitted a notice for you!  
**Attachments:** notice\_1qIYDjE1O3PcGOGGf6Nj\_proof.pdf; WA0037770-Toutle-STP-Public-Notice.pdf; WA0037770-Toutle-STP-Public-Notice.docx

Attached is the proof with cost for Toutle Public Notice. Thanks!

**From:** Column Support <[support@column.us](mailto:support@column.us)>  
**Sent:** Tuesday, April 8, 2025 1:17 PM  
**To:** DeBruler, Rachel (ECY) <[rdeb461@ECY.WA.GOV](mailto:rdeb461@ECY.WA.GOV)>  
**Subject:** Longview Daily News submitted a notice for you!

**From:** DeBruler, Rachel (ECY) <[rdeb461@ECY.WA.GOV](mailto:rdeb461@ECY.WA.GOV)>  
**Sent:** Tuesday, April 8, 2025 2:42 PM  
**To:** [leelegals@column.us](mailto:leelegals@column.us)  
**Cc:** White, Abbe (ECY) <[awhi461@ECY.WA.GOV](mailto:awhi461@ECY.WA.GOV)>; Mckittrick, Alisha K. (ECY) <[almc461@ECY.WA.GOV](mailto:almc461@ECY.WA.GOV)>  
**Subject:** RE: Legal Ad-WA0037770 Toutle STP Public Notice Publication Request

Approved. As an FYI, I have tried to create an account using the link below and other links in other emails I have been sent. I continue to receive error messages when attempting to load the website. I also have reached out a couple times requesting assistance and not received that. Please advise. Thank you.

**From:** Morgan Creekmore <[leelegals@column.us](mailto:leelegals@column.us)>  
**Sent:** Tuesday, April 8, 2025 1:18 PM  
**To:** DeBruler, Rachel (ECY) <[rdeb461@ECY.WA.GOV](mailto:rdeb461@ECY.WA.GOV)>  
**Cc:** White, Abbe (ECY) <[awhi461@ECY.WA.GOV](mailto:awhi461@ECY.WA.GOV)>; Mckittrick, Alisha K. (ECY) <[almc461@ECY.WA.GOV](mailto:almc461@ECY.WA.GOV)>  
**Subject:** Re: Legal Ad-WA0037770 Toutle STP Public Notice Publication Request

Your notice is scheduled to be published in the Longview Daily News on April 15, 2025.  
Your Notice ID is: 1qIYDjE1O3PcGOGGf6Nj

You will be receiving a notification from Column Support with your proof. If you don't see it, check your spam folder and any email restrictions you may have.

For the fastest and most reliable placement process, use [column.us](https://column.us) to quickly place notices yourself, get proofs, view pricing, and access your invoices and affidavits. Visit our [help center](#) for tips, or sign up for one of our [training webinars](#).

If you have any questions or concerns, please don't hesitate to let us know so we can look into it!

// Morgan Creekmore  
// Column Pro Representative  
// **Important: it's highly advised that you use Column's self-serve portal to place your legal ads.**  
Column lets you review your ad before submission, receive your proof, and ensure accuracy. Go to [column.us/place](https://column.us/place) to start.

**From:** DeBruler, Rachel (ECY) <rdeb461@ECY.WA.GOV>  
**Sent:** Tuesday, April 8, 2025 1:05 PM  
**To:** legal@tdn.com  
**Cc:** White, Abbe (ECY) <awhi461@ECY.WA.GOV>; Mckittrick, Alisha K. (ECY) <almc461@ECY.WA.GOV>  
**Subject:** Legal Ad-WA0037770 Toutle STP Public Notice Publication Request  
**Importance:** High

Please run the following ad in *The Daily News* on *Tuesday, April 15, 2025*.

**I need a final confirmation email** from you that **includes our ad along with the proof and total cost.**

Also, we **MUST** receive either the originals or electronic versions of the Affidavit and Tear Sheet along with the Invoice. If either of these are not included with the invoice, the invoice cannot be paid.

Billing Invoice: SIC # F3150 (for our Fiscal Dept. use)

Please remit the bill to:

Department of Ecology – SWRO

**Attn: Abbe White**  
PO Box 47775  
Olympia, WA 98504-7775

Rachel DeBruler  
Administrative Assistant 3  
WA State Department of Ecology  
Southwest Region Office Water Quality Program  
(360) 628-2200 (Cell), (360) 407-6270 (Desk)  
Address: PO Box 47775, Olympia, WA 98504-7775



## INTERIM AD DRAFT

This is the proof of your ad scheduled to run in **Longview Daily News** on the dates indicated below.

If changes are needed, please contact us prior to deadline at (360) 577-2525.

Notice ID: 1qIYDjE1O3PcGOGGf6Nj | **Proof Updated: Apr. 08, 2025 at 01:17pm PDT**

Notice Name: F3150

See Proof on Next Page

This is not an invoice. Below is an estimated price, and it is subject to change. You will receive an invoice with the final price upon invoice creation by the publisher.

**FILER**

Rachel Debruler  
rdeb461@ecy.wa.gov

**FILING FOR**

Longview Daily News

Columns Wide: 1      Ad Class: Legals  
Total Column Inches: 11.7  
Number of Lines: 119

04/15/2025: General Legal	483.98
Publish Fee	20.00

Subtotal	\$503.98
Tax	\$0.00
Processing Fee	\$0.00
<b>Total</b>	<b>\$503.98</b>

**NOTICE: ANNOUNCEMENT  
OF AVAILABILITY OF DRAFT  
PERMIT**

PERMIT WA0037770

NO:  
APPLI- Cowlitz County Public  
CANT: Works

1600 13 th Ave  
Kelso, WA 98626  
FACILITY: Toutle Waste-  
water Treatment Plant  
200 S Toutle Rd  
Toutle, WA 98649

Cowlitz County Public Works has  
applied for a National Pollutant  
Discharge Elimination System  
(NPDES) Permit in accordance  
with the provisions of Chapter  
90.48 Revised Code of Wash-  
ington (RCW), Chapter 173-216  
Washington Administrative Code  
(WAC), and Federal Clean Wa-  
ter Act.

Cowlitz County Public Works  
presently owns or operates an  
oxidation ditch wastewater treat-  
ment plant which is designed  
to handle a maximum monthly  
flow of 0.25 million gallons per  
day. The wastewater, following  
treatment, must meet the re-  
quirements of the Washington  
State Water Pollution Control Act  
(Chapter 90.48 RCW) and appli-  
cable regulations for a permit to  
be issued.

Following evaluation of the appli-  
cation and other available infor-  
mation, a draft permit has been  
developed which would allow the  
discharge of treated municipal  
wastewater from Toutle Waste-  
water Treatment Plant to the  
Toutle River.

A tentative determination has  
been made on the effluent  
limitations and special permit  
conditions that will prevent and  
control pollution. A final determi-  
nation will not be made until all  
timely comments received in re-  
sponse to this notice have been  
evaluated.

**PUBLIC COMMENT AND  
INFORMATION**

The draft permit and fact sheet  
may be viewed at the Depart-  
ment of Ecology (Ecology)  
website: <https://apps.ecology.wa.gov/pais/DocumentSearch.aspx>. The application, fact  
sheet, proposed permit, and oth-  
er related documents are also  
available at Ecology's South-  
west Regional Office for inspec-  
tion and copying between the  
hours of 8:00 am and 4:30 pm,  
weekdays. To obtain a copy or  
to arrange to view copies at the  
Southwest Region Office, please  
call (360) 407-6365, email [publicdisclosureswro@ecy.wa.gov](mailto:publicdisclosureswro@ecy.wa.gov)  
or write to the address below.

Interested persons are invited  
to submit written comments re-  
garding the proposed permit. All  
comments must be submitted  
by May 16, 2025, at 11:59 p.m.  
be considered for the final de-  
termination. Comments should  
be sent to:

Alisha Mckittrick  
Department of Ecology  
Southwest Region Office  
PO Box 47775  
Olympia, WA 98504-7775  
Email comments should be sent

to [swrowgpermits@ecy.wa.gov](mailto:swrowgpermits@ecy.wa.gov).

Any interested party may request a  
public hearing on the proposed per-  
mit within 30 days of the publica-  
tion date of this notice. The request for a  
hearing shall state the interest of the  
party and the reasons why a hearing  
is necessary. The request should be  
sent to the above address. Ecology  
will hold a hearing if it determines  
that there is significant public inter-  
est. If a hearing is to be held, a pub-  
lic notice will be published at least  
30 days in advance of the hearing  
date. Any party responding to this  
notice with comments will be mailed  
a copy of a hearing public notice.

To request an ADA accommodation,  
contact Ecology by phone at 360-  
407-6831 or email at [ecyadacoordinator@ecy.wa.gov](mailto:ecyadacoordinator@ecy.wa.gov). For TTY or  
Washington Relay Service, call 711  
or 877-633-6341. Visit Ecology's  
website at <https://ecology.wa.gov/About-us/Accountability-Transparency/Accessibility> for more informa-  
tion.

4/15 #####



NOTICE: ANNOUNCEMENT OF AVAILABILITY OF DRAFT PERMIT

PERMIT NO: WA0037770

APPLICANT: Cowlitz County Public Works  
1600 13<sup>th</sup> Ave  
Kelso, WA 98626

FACILITY: Toutle Wastewater Treatment Plant  
200 S Toutle Rd  
Toutle, WA 98649

Cowlitz County Public Works has applied for a National Pollutant Discharge Elimination System (NPDES) Permit in accordance with the provisions of Chapter 90.48 Revised Code of Washington (RCW), Chapter 173-216 Washington Administrative Code (WAC), and Federal Clean Water Act.

Cowlitz County Public Works presently owns or operates an oxidation ditch wastewater treatment plant which is designed to handle a maximum monthly flow of 0.25 million gallons per day. The wastewater, following treatment, must meet the requirements of the Washington State Water Pollution Control Act (Chapter 90.48 RCW) and applicable regulations for a permit to be issued.

Following evaluation of the application and other available information, a draft permit has been developed which would allow the discharge of treated municipal wastewater from Toutle Wastewater Treatment Plant to the Toutle River.

A tentative determination has been made on the effluent limitations and special permit conditions that will prevent and control pollution. A final determination will not be made until all timely comments received in response to this notice have been evaluated.

PUBLIC COMMENT AND INFORMATION

The draft permit and fact sheet may be viewed at the Department of Ecology (Ecology) website: <https://apps.ecology.wa.gov/paris/DocumentSearch.aspx>. The application, fact sheet, proposed permit, and other related documents are also available at Ecology's Southwest Regional Office for inspection and copying between the hours of 8:00 am and 4:30 pm, weekdays. To obtain a copy or to arrange to view copies at the Southwest Region Office, please call (360) 407-6365, email [publicdisclosureswro@ecy.wa.gov](mailto:publicdisclosureswro@ecy.wa.gov), or write to the address below.

Interested persons are invited to submit written comments regarding the proposed permit. **All comments must be submitted by May 16, 2025, at 11:59 p.m. be considered for the final determination.** Comments should be sent to:

Alisha Mckittrick  
Department of Ecology  
Southwest Region Office  
PO Box 47775  
Olympia, WA 98504-7775

Email comments should be sent to [swrowqpermits@ecy.wa.gov](mailto:swrowqpermits@ecy.wa.gov).

Any interested party may request a public hearing on the proposed permit within 30 days of the publication date of this notice. The request for a hearing shall state the interest of the party and the reasons why a hearing is necessary. The request should be sent to the above address. Ecology will hold a hearing if it determines that there is significant public interest. If a hearing is to be held, a public notice will be published at least 30 days in advance of the hearing date. Any party responding to this notice with comments will be mailed a copy of a hearing public notice.

To request an ADA accommodation, contact Ecology by phone at 360-407-6831 or email at [ecyadacoordinator@ecy.wa.gov](mailto:ecyadacoordinator@ecy.wa.gov). For TTY or Washington Relay Service, call 711 or 877-833-6341. Visit Ecology's website at <https://ecology.wa.gov/About-us/Accountability-transparency/Accessibility> for more information.