



General Information

☒ Update Permit Information | ☐ Renewal | ☐ New Permit Application

Zip + 4: 98227

Size of Site in Acres:

NAICS Codes	a					b					c					d				
-------------	---	--	--	--	--	---	--	--	--	--	---	--	--	--	--	---	--	--	--	--

ECY 070-558 (11/2024)

C. Is this facility a Hazardous Waste Treatment, Storage, and Disposal (TSD) facility regulated under Chapter 173-303 WAC? ☐ Yes ☐ No

D. For Airport Facilities:

1. Is the facility located at an airport where a single facility, or a combination of facilities, use more than 100,000 gallons of glycol-based deicing chemicals and/or 100 tons or more of urea on an average annual basis? ☐ Yes ☐ No

If yes, identify the sampling points that collect runoff from deicing activities:

2. How many annual jet departures take place at your airport?

☐ 10,000 or more (contact your Permit Administrator)

☐ 1,000 or more, less than 10,000 (go to 2a)

☐ Less than 1000 (go to Section III)

2a. On airports with 1,000 or more annual jet departures; does the facility discharge wastewater associated with airfield pavement deicing with stormwater? ☐ Yes (go to 2b) ☐ No (go to Section III).

2b. If yes, do you use urea containing deicers? ☐ Yes ☐ No

III. Other Permits Check all that apply.

☐ NPDES Permit (Individual or General) Permit No.

☐ State Waste Discharge Permit (Individual or General) Permit No.

IV. Site Information

A. Indicate where your site's stormwater could enter waters of the state, directly and/or indirectly:

☐ Water will discharge directly or indirectly (through a stormwater drainage system or roadside ditch) into one or more surface waterbodies (wetlands, creeks, lakes, and all other surface waters and water courses).

☐ Water will discharge to ground with 100% infiltration, with no potential to reach surface waters under any conditions. (If checked, skip to section V.)

B. Discharge Point(s) Latitude and Longitude: Provide latitude and longitude for each of your facility's discharge point(s). List **all** discharge points. Use an extra sheet of paper if necessary. For sites with 100% infiltration, identify provide the location where the water collects for infiltration **or** the center of the facility if no stormwater collects onsite.

For the discharge identifier, list the name, number, or letter used on your site map to identify the point(s) of discharge. The identifier can be a maximum of three characters long and must be unique for each discharge point.

If you identify more than one discharge point, mark the discharge point(s) you will sample to comply with the permit sampling requirements by checking the Sample Point box.

NOTE: Ecology uses the unique identifier given to identify the sampling point in WQWebDMR.

Discharge identifier. These cannot be symbols. (maximum of three characters e.g., 01A)			Latitude	Longitude	Sample Point	Location description

C. Receiving Water Latitude / Longitude: Provide latitude and longitude of your facility's discharge where it enters the lake, river, stream, or pond. List all receiving waters for the site. Use an extra sheet of paper if necessary.

Receiving Waterbody	Latitude	Longitude

You must submit monthly discharge monitoring reports using Ecology's WQWebDMR system. To sign up for WQWebDMR, or to register a new site, go to [Department of Ecology Industrial Stormwater Permit Webpage²](#), and click on the "Industrial Permit" link. You will find information on WebDMR under the "WQWebDMR and PARIS" link on the right-hand side.

To have the ability to use the system immediately, **you must submit the Electronic Signature Agreement with your application.** If you have questions on this process, contact Ecology's WebDMR staff at WQWebDMR-Stormwater@ecy.wa.gov or 360-407-7097.

If you are unable to submit your DMRs electronically, you may contact Ecology to request a waiver. Ecology will generally only grant waiver requests to those permittees without internet access. Only a permittee or representative, designated in writing, may request access to or a waiver from WebDMR.

V. State Environmental Policy Act (SEPA)

Applies only to facilities that began operations after January 2, 2015.

Has a SEPA review been completed? ☐ Yes ☐ No ☐ Exempt

Type of SEPA determination: ☐ Determination of Non-Significance (DNS) ☐ Final Environmental Impact Statement (EIS) ☐ Mitigated DNS (MDNS)

Agency issuing DNS, MDNS, Final EIS, or Exemption:

Date:

² <https://ecology.wa.gov/water-shorelines/water-quality/runoff-pollution/stormwater>

VI. Public Notice

New Facilities beginning operations after **January 2, 2015**, and new dischargers (see instructions) must publish a public notice at least **once** a week for **two** consecutive weeks with **seven days** in between publications, in a **single** newspaper of general circulation in the county in which the facility is located. Ecology cannot grant permit coverage earlier than the end of the 30-day public comment period, which begins on the date of the second public notice.

Submit the application to Ecology **on** or **before** the date of the **first** public notice. If you email the application to Ecology, you must follow up with hard copy by mail within 10 days.

Date of first public notice:

Date of second public notice: (Begins 30-day public comment period)

Example: Date of first public notice: 01/02/2015

Date of second public notice: 01/08/2015

Name of the newspaper that will publish the public notices:

Complete this template using site-specific information. The **bold** language is required by WAC 173-226-130 and must be included in its entirety. (Either use the fill-in template below or attach on a separate sheet of paper, if necessary.)

_____ is seeking coverage under the Washington State Department of Ecology's Industrial Stormwater NPDES and State Waste Discharge General Permit.

The industrial site, known as _____ is located at _____ in _____. Operations will start up on/started on (select one) _____. Industrial activities include _____.

Stormwater from the site discharges to _____.

Any persons desiring to present their views to the Washington State Department of Ecology regarding this application, or interested in Ecology's action on this application, may notify Ecology in writing no later than 30 days of the last date of publication of this notice.

Ecology will review all public comments regarding Tier II antidegradation and consider whether discharges from this facility are expected to cause a measurable change in the quality of the receiving water and, if so, whether such change is necessary and in the overriding public interest.

Comments can be sent to:

Washington Dept of Ecology
Water Quality Program – Industrial Stormwater
PO Box 47696
Olympia, WA 98504-7696

VII. Certification of Permittee* "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Printed Name/Company

Title

Tiffany DeSimone Port of Bellingham

Interim Executive Director

Signature

Date



6/18/25

***Federal regulations require this application is signed by one of the following:**

- A. In the case of corporations, by a principal executive officer of at least the level of vice president.
- B. In the case of a partnership, by a general partner of a partnership.
- C. In the case of sole proprietorship, by the proprietor.
- D. In the case of a municipality, state, federal, or other public facility: by either a principal executive officer or ranking elected official.

To request ADA accommodation including materials in a format for the visually impaired, call the Water Quality Program at 360-407-6600 or visit [Department of Ecology's Accessibility & the Americans with Disabilities Act \(ADA\) Webpage](#)³. People with impaired hearing may call Washington Relay Service at 711. People with speech disability may call TYY at 877-833-6341.

Please sign and email a copy of the completed form and attachments to ecyrewqiano@ecy.wa.gov, then mail this **ORIGINAL** document to the following address:

Department of Ecology
Attn: Water Quality Program, Industrial Stormwater
PO Box 47696
Olympia, WA 98504-7696

If you have questions, please contact the appropriate permit administrator based on project location. Contact information can be found at: [Industrial Stormwater permit - Washington State Department of Ecology](#)⁴

³ <https://ecology.wa.gov/about-us/accessibility-equity/accessibility>

⁴ <https://ecology.wa.gov/regulations-permits/permits-certifications/stormwater-general-permits/industrial-stormwater-permit#contact>