



Notice of Intent

Construction Stormwater General Permit

NOI Version: 1

I. Contact Information

Applicant		
Honorific:	First Name: Gina	Last Name: Austin
Company Name: City of Bellingham		Title: Project Engineer
Mailing Address: 3424 Meridian St		
City: Bellingham	State: WA	Zip Code: 98225-1764
Email: gaustin@cob.org		
Business Phone: 360-778-7000	Fax: 360-778-7001	Cell Phone: 360-927-1601
UBI Number:		
Permittee		
Honorific:	First Name: Gina	Last Name: Austin
Company Name: City of Bellingham		Title: Project Engineer
Mailing Address: 3424 Meridian St		
City: Bellingham	State: WA	Zip Code: 98225-1764
Email: gaustin@cob.org		
Business Phone: 360-778-7000	Fax: 360-778-7001	Cell Phone: 360-927-1601
UBI Number:		
Site Contact		
Honorific:	First Name: Gina	Last Name: Austin
Company Name: City of Bellingham		Title: Project Engineer
Mailing Address: 3424 Meridian St		
City: Bellingham	State: WA	Zip Code: 98225-1764
Email: gaustin@cob.org		
Business Phone: 360-778-7000	Fax: 360-778-7001	Cell Phone: 360-927-1601
UBI Number:		
Site Owner		
Honorific:	First Name: Gina	Last Name: Austin
Company Name: City of Bellingham		Title: Project Engineer
Mailing Address: 3424 Meridian St		
City: Bellingham	State: WA	Zip Code: 98225-1764
Email: gaustin@cob.org		
Business Phone: 360-778-7000	Fax: 360-778-7001	Cell Phone: 360-927-1601
UBI Number:		

II. Electronic Discharge Monitoring Reporting

You must submit monthly discharge monitoring reports using Ecology's Electronic Discharge Monitoring Reporting (WQWebDMR) system. To sign up for WQWebDMR, or to register a new site, go to www.ecy.wa.gov/stormwater, and click on the "Construction Stormwater" link. You will find information on WQWebDMR under the "WQWebDMR and PARIS" link on the right-hand side. If you are unable to submit your DMRs electronically, you may contact Ecology to request a waiver. Ecology will generally only grant waiver requests to those permittees without internet access. Only a permittee or representative, designated in writing, may request access to or a waiver from WQWebDMR. To have the ability to use the system immediately, you must submit the Electronic Signature Agreement with your application. If you have questions on this process, contact Ecology's WQWebDMR staff at WQWebPortal@ecy.wa.gov or 360-407-7097.

III. Site Information

Site Project Name: Boulevard Park Shoreline Improvements

Street Address or Location Description: 470 Bayview Road

City: Bellingham

County: Whatcom

Zip Code: 98225

Latitude: 48.731938

Longitude: -122.502491

Type of Construction Activity:

- Residential
- Commercial
- Industrial
- Highway or Road (city, county, state)
- Utilities (specify):
- Other (specify): beach restoration

Will any engineered soils be used? Yes No

Site Acreage

Total size of your site/project: 1.4 acres

Total area of soil disturbance for your site/project over the life of the project: 1.4 acres

Concrete/Engineered Soils

How many yards of concrete will be poured over the life of the project? 17 cubic yards

How many yards of recycled concrete will be used over the life of the project? 0 cubic yards

Estimated project start date: 6/1/2013

Estimated project completion date: 10/14/2013

IV. Existing Site Conditions

1. Are you aware of contaminated soils on this site? Yes No
2. Are you aware of groundwater contamination located within the site boundary? Yes No
3. If you answered yes to question 1 or 2, will any contaminated soils be disturbed or will any contaminated groundwater be discharged due to the proposed construction activity? Yes No

If you answered yes to question 3, please explain in detail the locations, contaminants, and concentrations, and pollution prevention and/or treatment BMPs proposed to control the discharge of soil/groundwater contaminants. Ecology may request a copy of your SWPPP.

The site borders MTCA cleanup site ID# 2865. However, no contaminated soils are anticipated to be disturbed as part of this project.

V. Stormwater Pollution Prevention Plan (SWPPP)

You must develop a SWPPP prior to starting construction. Do not submit your SWPPP with your application. The exception is that Ecology may request a copy of your SWPPP if you answered yes to the questions in Part IV.

VI. Best Management Practices (BMPs)

You must use the BMPs listed in the Stormwater Management Manual for Western Washington or the Stormwater Management Manual for Eastern Washington or other manuals approved by Ecology. Alternatively, you may use demonstrably equivalent BMPs on the basis of permit condition S9.C.4. If you intend to use a BMP at your site that is not included in these manuals, but that you believe meets the definition of a demonstrably equivalent BMP, you must notify the appropriate regional office. (See Definitions in the Construction Stormwater General Permit).*

<http://www.ecy.wa.gov/programs/wq/stormwater/construction/contacts.html>

**Note that if you receive permit coverage without indicating the preference for a demonstrably equivalent BMP and later decide to use one, you must provide Ecology with notice of the selection of an equivalent BMP no less than 60 days before the intended use of the equivalent BMP.*

VII. Discharge/Receiving Water Information

Indicate whether your site’s stormwater and/or dewatering water could enter surface waters, directly and/or indirectly:

Water will discharge directly or indirectly (through a storm drain system or roadside ditch) into one or more surface waterbodies (wetlands, creeks, lakes, and all other surface waters and water courses).

If your discharge is to a storm sewer system, provide the name of the operator of the storm sewer system:

City of Bellingham

(NOTE: If your stormwater discharges to a storm sewer system operated by the City of Seattle, King County, Snohomish County, City of Tacoma, Pierce County, or Clark County, you must also submit a copy of this NOI to the appropriate jurisdiction.)

Water will discharge to ground with 100% infiltration, with no potential to reach surface waters under any conditions.

If your project includes dewatering, you must include dewatering plans and discharge locations in your site Stormwater Pollution Prevention Plan.

Location of Discharge into Surface Waterbody

Outfall Number	Outfall Description	Outfall Type	Latitude	Longitude
1	Bellingham Bay	Surface Water Body	48.731952	-122.502491

VIII. State Environmental Policy Act (SEPA)

This Notice of Intent (NOI) is incomplete and cannot be approved until the applicable SEPA requirements under Chapter 197-11 WAC are met.

Who is the SEPA lead agency on your site? City of Bellingham

Has the SEPA lead agency issued a final decision on your checklist? Yes No Exempt

If No: The NOI is incomplete. Ecology will hold the application until a final SEPA decision is made or the Construction Stormwater NOI public comment period ends, whichever is later. **You must notify Ecology once the lead agency has issued a determination.**

If Yes: Type of SEPA decision issued: DNS

Date of final SEPA decision: 1/15/2013

Date when all SEPA-related comment & appeal periods are exhausted: 11/26/2012

If Exempt:

- Watershed Restoration & Fish Habitat Enhancement Exemption (RCW 43.21C.0382).
- Infill Development Exemption (RCW 43.21C.229).
- Planned Action Exemption (RCW 43.21C.031).
- Categorical Exemption. Under what section of the SEPA Rule (WAC 197-11-800) is it exempt?

Section: _____

IX. Public Notice

You must publish a public notice at least **once** a week for **two** consecutive weeks with **seven days** between publications, in at least a **single** newspaper of general circulation in the county in which the construction is to take place. Ecology cannot grant permit coverage sooner than the end of the 30-day public comment period, which begins on the date of the **second** public notice.

Newspaper Name	First Public Notice Date	Second Public Notice Date
Bellingham - The Bellingham Herald	3/14/2013	3/21/2013
Bellingham - The Bellingham Herald	3/14/2013	3/21/2013

X. Certification of Permittees

“I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

 Permittee Signature

3/15/2013

 Date