


# Eagle US 2 Water Quality Permit



## Submit comments:

Online at  
<http://ws.ecology.commentinput.com/?id=c5jTQ>

Or by mail to:  
Kelsey Holbrook  
Industrial Section  
P.O. Box 47600  
Olympia, WA 98504

## Document review locations:

Longview Public Library  
1600 Louisiana Street  
Longview, WA 98632  
Phone: 360-442-5300

Department of Ecology  
Industrial Section  
300 Desmond Drive SE  
Lacey, WA 98503  
Phone: 360-407-6916  
Hours: Mon. – Fri. 8 a.m. – 5 p.m.

## Webpage:

<https://fortress.wa.gov/ecy/industrial/UIPermit/DraftPermits.aspx>

## Comment period: July 9 – August 9, 2019

The Department of Ecology (Ecology) invites you to comment on the draft National Pollutant Discharge Elimination System (NPDES) water quality permit for Eagle US 2.

## Permit information

The facility currently discharges wastewater under water quality State Waste Discharge permit ST0006199. Changes to the permit include:

- Changing it to a NPDES permit.
- Increasing monitoring and adding new benchmarks for several pollutants.

See the permit's fact sheet for more information.

## Commenting

Effective comments tell us if we correctly applied current laws, rules, and regulations to this action.

Effective comments:

- Are specific. Tell us what your concern is and how you think the permit should change.
- Are focused. Refer to the conditions and requirements in the permit.
- Describe the state or federal rules and regulations you think have not been applied correctly.

When the comment period ends, we'll review the comments received and make a final decision, which may include changes to the permits.

---

You may request a public hearing to ask questions and submit verbal comments. To request a hearing, contact:

Angie Fritz  
Industrial Section  
P.O. Box 47600  
Olympia, WA 98504-7600  
angela.fritz@ecy.wa.gov

Your request must include your interest in the permits and reasons why a hearing should be held.

If we determine there is significant public interest during this comment period to hold a hearing, we will extend the comment period to allow at least 30 days notice and publish the time, date and location of the hearing.

When the comment period ends, we'll review the comments received and make a final decision, which may include changes to the order.

## Facility information

Eagle US 2 is a chlor-alkali plant located at 3541 Industrial Way, Longview, WA. It processes salt to make about 229 tons of chemical products, including chlorine and sodium hydroxide, each day. It sends treated wastewater to the Nippon Dynawave Packaging Company, LLC pulp and paper mill for additional treatment. The mill then sends the treated wastewater to the Columbia River.

Se está llevando a cabo un periodo de comentario. Usted puede revisar y comentar sobre los borradores de los documentos del permiso. Estos describen los requisitos ambientales con los que debe cumplir una instalación industrial. Comuníquese con Angie Fritz al 360-407-7393 o [angela.fritz@ecy.wa.gov](mailto:angela.fritz@ecy.wa.gov) para obtener más información. Para información en Español, por favor envíe un correo electrónico a [preguntas@ecy.wa.gov](mailto:preguntas@ecy.wa.gov) o comuníquese con Gustavo Ordóñez al 360-407-6619.

**Accommodation Requests:** To request ADA accommodation including materials in a format for the visually impaired, call Ecology at 360-407-6831 or visit <https://ecology.wa.gov/accessibility>. People with impaired hearing may call Washington Relay Service at 711. People with speech disability may call TTY at 800-833-6388.