



DEPARTMENT OF
ECOLOGY
State of Washington

2020 Ambient Air Monitoring Network Plan

June 2020

Publication 20-02-017

Publication and Contact Information

This document is available on the Department of Ecology's website at:
<https://fortress.wa.gov/ecy/publications/summarypages/2002017.html>

For more information contact:

Air Quality Program
P.O. Box 47600
Olympia, WA 98504-7600
Phone: 360-407-6000

Washington State Department of Ecology — www.ecology.wa.gov

- Headquarters, Olympia 360-407-6000
- Northwest Regional Office, Bellevue 425-649-7000
- Southwest Regional Office, Olympia 360-407-6300
- Central Regional Office, Union Gap 509-575-2490
- Eastern Regional Office, Spokane 509-329-3400

The Department of Ecology is committed to providing people with disabilities access to information and services by meeting or exceeding the requirements of the Americans with Disabilities Act (ADA), Section 504 and 508 of the Rehabilitation Act, and Washington State Policy #188.

To request an ADA accommodation, contact Ecology by phone at 360-407-6800 or email at jill.schulte@ecy.wa.gov. For Washington Relay Service or TTY call 711 or 877-833-6341. Visit Ecology's website for more information.

2020 Ambient Air Monitoring Network Plan

Prepared by

Jill Schulte

Air Monitoring Coordinator

Air Quality Program

Washington State Department of Ecology

Olympia, Washington

This page is purposely left blank

Table of Contents

| | |
|--|-----|
| 2020 Ambient Air Monitoring Network Plan..... | i |
| 2020 Ambient Air Monitoring Network Plan..... | i |
| Table of Contents..... | i |
| List of Figures and Tables..... | iii |
| Figures..... | iii |
| Tables..... | iii |
| Acronyms..... | v |
| Executive Summary..... | 1 |
| Purpose..... | 1 |
| Network modifications..... | 1 |
| Introduction..... | 6 |
| Background Information..... | 7 |
| Monitoring Objectives..... | 7 |
| Network Evaluation..... | 9 |
| Washington Core-Based Statistical Areas..... | 10 |
| Maintenance Areas..... | 12 |
| Monitoring Network Design..... | 14 |
| Carbon monoxide (CO, 42101)..... | 17 |
| Nitrogen dioxide (NO ₂ , 42602/42612)..... | 18 |
| Ozone (O ₃ , 44201)..... | 20 |
| Sulfur dioxide (SO ₂ , 42401)..... | 22 |
| Particulate matter 2.5 (PM _{2.5} , 88101/88502)..... | 23 |
| Particulate matter 10 (PM ₁₀ , 81102)..... | 35 |
| Meteorological monitoring (61101/61102/61103/61104/62101)..... | 38 |
| Lead (Pb)..... | 39 |
| Chemical Speciation Network (CSN)..... | 40 |
| National Core (NCore)..... | 42 |
| National Air Toxics Trends Station (NATTS)..... | 42 |
| Photochemical Assessment Monitoring Station (PAMS)..... | 42 |
| References..... | 44 |

Appendices.....45
Appendix A. Criteria Pollutant Design Values.....45
Appendix B. Monitoring Waivers.....50
Appendix C. EPA Response to 2019 Annual Network Plan58
Appendix D. Detailed Site and Monitor Information60
Appendix E. Interstate Memorandum of Understanding161
Appendix F. Public Comment Period164

List of Figures and Tables

Page

Figures

| | |
|--|----|
| Figure 1. Washington's Core-Based Statistical Areas (CBSAs), U.S. Census Bureau 2013..... | 11 |
| Figure 2. Map of all Washington Network monitoring sites. | 14 |
| Figure 3. Map of Washington Network CO monitoring sites..... | 17 |
| Figure 4. Map of Washington Network NO ₂ and Trace NO _y -NO monitoring sites | 19 |
| Figure 5. Map of Washington Network ozone monitoring sites..... | 21 |
| Figure 6. Map of Washington Network SO ₂ monitoring sites..... | 23 |
| Figure 7. Map of Washington Network PM _{2.5} monitoring sites | 25 |
| Figure 8. Comparison in diurnal PM _{2.5} patterns between Spokane-E Broadway Ave and Spokane-Augusta Ave (heating season only) | 30 |
| Figure 9. Scatterplot of 24-hour PM _{2.5} concentrations, Augusta Ave and E Broadway Ave | 31 |
| Figure 10. Map of Washington Network nephelometer monitoring sites | 35 |
| Figure 11. Map of Washington Network PM ₁₀ monitoring sites..... | 36 |
| Figure 12. Map of Washington Network meteorological monitoring sites | 39 |
| Figure 13. Map of Washington Chemical Speciation Network monitoring sites | 41 |

Tables

| | |
|--|----|
| Table 1. Summary of applicable spatial scales for criteria pollutants and monitoring objectives. 9 | |
| Table 2. Washington's CBSA populations over 50,000 (U.S. Census Bureau)..... | 12 |
| Table 3. Washington PM ₁₀ maintenance areas and methods of demonstrating NAAQS attainment..... | 12 |
| Table 4. Summary of parameters monitored at Washington Network monitoring sites | 14 |
| Table 5. Washington Network CO monitoring sites..... | 17 |
| Table 6. Washington Network NO ₂ and Trace NO _y -NO monitoring sites | 18 |
| Table 7. Washington Network ozone monitoring sites..... | 20 |
| Table 8. EPA minimum monitoring requirements for ozone | 21 |
| Table 9. Washington Network SO ₂ monitoring sites..... | 22 |
| Table 10. Washington Network PM ₁₀ monitoring sites..... | 36 |
| Table 11. EPA minimum monitoring requirements for PM ₁₀ | 37 |

| | |
|--|----|
| Table 12. Washington Network PM _{2.5} monitoring sites | 24 |
| Table 13. EPA minimum monitoring requirements for FRM/FEM PM _{2.5} | 25 |
| Table 14. PM _{2.5} collocation requirements..... | 26 |
| Table 15. Washington Network nephelometer monitoring sites | 32 |
| Table 16. Washington Network meteorological monitoring sites | 38 |
| Table 17. Washington Network Chemical Speciation Network monitoring sites | 40 |
| Table 18. Chemical Speciation Network monitoring parameters | 41 |
| Table 19. NCore parameters monitored at Cheeka Peak and Seattle-Beacon Hill | 42 |
| Table 20. Required PAMS parameters and implementation schedule | 43 |
| Table 21. Carbon monoxide (CO) 2018 design values..... | 45 |
| Table 22. Nitrogen dioxide (NO ₂) 2018 design values (ppb) | 45 |
| Table 23. Ozone (O ₃) 2018 design values (ppm)..... | 45 |
| Table 24. Sulfur dioxide (SO ₂) 2018 design values (ppb)..... | 46 |
| Table 25. PM ₁₀ 2018 design values (µg/m ³)..... | 49 |
| Table 26. PM _{2.5} 2018 24-hour design values and pseudo-design values (µg/m ³) | 46 |
| Table 27. PM _{2.5} 2018 annual design values and pseudo-design values..... | 47 |

Acronyms

| | |
|----------------------|--|
| AQS | EPA's Air Quality System database |
| BAM | Beta Attenuation Monitor |
| BCAA | Benton County Clean Air Agency |
| CBSA | Core-Based Statistical Area |
| CFR | Code of Federal Regulations |
| CO | Carbon Monoxide |
| CSA | Combined Statistical Area |
| CSN | Chemical Speciation Network |
| DV | Design Value |
| Ecology | Washington State Department of Ecology |
| EPA | U.S. Environmental Protection Agency |
| FDMS | Filter Dynamic Measurement System |
| FEM | Federal Equivalent Method |
| FRM | Federal Reference Method |
| IMPROVE | Interagency Monitoring of Protected Visual Environments |
| MSA | Metropolitan Statistical Area |
| NAAQS | National Ambient Air Quality Standard |
| NATTS | National Air Toxics Trends Station |
| NCore | National Core |
| NO | Nitrogen Oxide |
| NO ₂ | Nitrogen Dioxide |
| NO _x | Oxides of Nitrogen |
| NO _y | Total Reactive Oxides of Nitrogen |
| NWCAA | Northwest Clean Air Agency |
| O ₃ | Ozone |
| ORCAA | Olympic Region Clean Air Agency |
| Pb | Lead |
| PM _{2.5} | Particulate matter ≤ 2.5 micrometers in diameter |
| PM ₁₀ | Particulate matter ≤ 10 micrometer in diameter |
| PM _{10-2.5} | Particulate matter ≤10 microns and > 2.5 micrometers in diameter |
| ppb | parts per billion |
| ppm | parts per million |
| PAMS | Photochemical Assessment Monitoring Station |
| PQAO | Primary Quality Assurance Organization |
| PSCAA | Puget Sound Clean Air Agency |
| PSD | Prevention of Significant Deterioration |
| QA | Quality Assurance |
| QA | Quality Control |
| SLAMS | State or Local Air Monitoring Station |
| SO ₂ | Sulfur Dioxide |
| SPMS | Special Purpose Monitoring Site |
| SRCAA | Spokane Region Clean Air Agency |
| SWCAA | Southwest Clean Air Agency |
| STN | Speciation Trends Network |
| TEOM | Tapered Element Oscillating Microbalance |
| TSP | Total Suspended Particulate |
| µg/m ³ | micrograms per cubic meter |
| VOC | Volatile Organic Compound |
| YRCAA | Yakima Region Clean Air Agency |

Executive Summary

Purpose

In accordance with the requirements described in 40 C.F.R. Part 58.10, Ecology reviews its ambient air monitoring network each year to ensure that it collects adequate, representative, and useful air quality data on which to base policy decisions. This report summarizes the results of the 2020 review. The annual review process includes:

- Documenting Ecology's ambient air quality monitoring needs, goals and priorities;
- Identifying modifications to Ecology's ambient air monitoring network since the previous annual network plan; and
- Identifying proposed modifications to the network in the upcoming 18 months.

Network modifications

Recent modifications

In March 2020, Ecology made a number of necessary modifications to routine monitoring operations in response to the COVID-19 outbreak and guidance from statewide officials. Ecology coordinated with EPA, local clean air agencies, tribes, and partner analytical laboratories in order to modify operations to reduce nonessential travel and potential exposures for operational staff. As of March 16, 2020, Ecology temporarily suspended sample-based air monitoring activities, which affected the following monitoring programs:

- Filter-based PM₁₀ and PM_{2.5} monitoring
- National Air Toxics Trends Station (NATTS) monitoring
- PM_{2.5} Chemical Speciation Monitoring

This temporary suspension of sample-based monitoring activities will result in some loss of data from the PM_{2.5}, NATTS, and CSN networks but was necessary in order to protect the safety of operational staff and to comply with guidance from statewide officials. At the time of publication of this document, the temporary suspension was still in effect.

Regulatory PM_{2.5} (88101)

In November 2019, a permanent FEM BAM 1020 PM_{2.5} monitor was added to the Colville-E 1st St site (530650005). The FEM replaced the non-regulatory nephelometer previously used for PM_{2.5} reporting.

Non-regulatory PM_{2.5} (88502)

The Colville-E 1st St (530650005) nephelometer was discontinued in December 2019 and replaced with an FEM BAM 1020 PM_{2.5} monitor.

A new tribal nephelometer monitoring site was added at Tulalip-Totem Beach Road (530610021) in October 2019.

Two temporary non-FEM BAM 1022 PM_{2.5} monitors were operated at Clarkston-13th St (530030004) and Pullman-Dexter SE (530750003) for several months during winter 2019-2020 to verify nephelometer correlations for PM_{2.5} reporting.

Planned modifications

Regulatory PM_{2.5} (88101)

Tacoma-L St FRM relocation and reduction in sampling frequency

Ecology and the Puget Sound Clean Air Agency (PSCAA) propose to relocate the primary and collocated FRM samplers from the Tacoma-L St site (530530029) to the Seattle-Duwamish (530330057) site. The Tacoma-L St site would retain an FEM BAM 1020 PM_{2.5} monitor for continuous, regulatory PM_{2.5} reporting. The primary FRM sampler has operated at Tacoma-L St since 1999 and the collocated since 2012. As the Tacoma-L St aerosol has been extensively studied and characterized over the past two decades, and the correlations between the FRM samplers and the collocated BAM 1020 PM_{2.5} monitor are very consistent, continuing to run the daily FRM in Tacoma provides little additional scientific information of value. Relocating the FRM to Seattle-Duwamish will allow Ecology and PSCAA to collect valuable data on the FRM/FEM relationship in a more industrial environment whose aerosol properties have previously been difficult to characterize. The FRM would become the primary monitor at Seattle-Duwamish, and the collocated FRM would be used to meet the collocation requirement for method 145.

In addition, Ecology and PSCAA request approval to reduce the sampling frequency of the primary FRM from daily to one-in-six. Sampling frequency at Tacoma-L St was increased to daily due to elevated design values in 2010, but daily sampling would no longer be required at Tacoma-L St or Seattle-Duwamish since both have continuous FEM PM_{2.5} monitors. As allowed by 40 C.F.R. Part 58.12 (d)(1)(ii), Ecology requests Regional Administrator approval to reduce the sampling frequency to one-in-six based on the presence of a continuous FEM PM_{2.5} monitor at Seattle-Duwamish.

Auburn-M St site relocation

Puget Sound Clean Air Agency, which operates the Auburn-M St PM_{2.5} monitoring site (530330089), was recently notified that the elementary school where the site is located will be renovated starting in May 2020, which will require relocating the site. PSCAA plans to work with the school district to identify a replacement site in the Auburn area, but they do not yet have a proposed location or timeline for establishing a replacement site. The existing Auburn-M St site will cease to be operational in May 2020.

Spokane regulatory site relocation

The Spokane Regional Clean Air Agency (SRCAA) notified Ecology of planned construction of the North Spokane Corridor, a major elevated freeway construction project in the vicinity of the

existing Spokane-Augusta regulatory PM_{2.5} and PM₁₀ monitoring site (530630021). As planned, the nearest lane of traffic will be located approximately 108 meters from the existing PM_{2.5} and PM₁₀ monitors and elevated 45 feet above ground, with a traffic volume of approximately 45,200 annual average daily traffic (AADT) by 2040. The site will no longer meet siting criteria for neighborhood-scale monitoring due to its proximity to this high-volume freeway if construction proceeds as planned.

Construction of the proximate segment of the North Spokane Corridor is currently stalled due to pending issues with Washington's transportation budget as well as construction delays due to the 2020 COVID-19 response. In spite of this uncertainty, Ecology and SRCAA seek to identify an alternative monitoring site in the Spokane area in the event that construction resumes.

Efforts to identify an alternative monitoring location within the immediate vicinity (1-2 miles) of the existing Spokane-Augusta monitoring site have been unsuccessful. SRCAA operates a PM_{2.5} BAM 1020 monitor outside of the Washington Network on E Broadway Ave (47.663537, -117.257205), approximately 5 miles east of the Spokane-Augusta Ave site. Data collected at E Broadway Ave in 2018 and 2019 indicate that annual 98th percentile 24-hour average concentrations at E Broadway Ave are within 3 µg/m³ of those at Augusta Ave and annual means are within 1 µg/m³.

Based on the relatively close agreement between the two sites, Ecology proposes to add Spokane-E Broadway Ave to the Washington Network and discontinue the Spokane-Augusta Ave monitoring site, in the event that construction of the proximate section of the North Spokane Corridor resumes. Ecology and SRCAA plan to continue monitoring at Spokane-Augusta Ave as long as practical until it no longer meets neighborhood-scale siting criteria due to construction impacts.

Additional analysis comparing the two sites is provided in the Monitoring Network Design section of this document.

Linking current and former Bellingham PM_{2.5} sites in AQS

Ecology requests that EPA Region 10 link the previous Bellingham-Yew St PM_{2.5} monitoring site (53-073-0015) to the relocated Bellingham-Pacific St PM_{2.5} monitoring site (53-073-0019) in AQS to allow for design value calculations from the combined data. In December 2017, the Bellingham-Yew St site operated by the Northwest Clean Air Agency was relocated to a new location at Bellingham-Pacific St 0.68 miles west, due to safety concerns around access to the previous site. The new site is located in an area of comparable zoning and development with a similar mix of sources. Ecology documented the site relocation in its 2018 Ambient Air Monitoring Network Plan, which was approved by EPA in a letter dated August 13, 2018.

Though the sites did not operate concurrently, there was no statistically significant change in monthly mean wintertime concentrations between the two years preceding the site move (2016 and 2017) and the two years following the site move (2018 and 2019). Based on this analysis, we are confident that the two sites are measuring similar air quality conditions and representative of the same airshed. Given that the sites are less than a mile apart, located in similar

neighborhoods and represent comparable PM_{2.5} conditions, Ecology requests that the sites be linked in AQS. The availability of a complete design value will allow Ecology and its local partners to better communicate air quality information to the public.

Non-regulatory PM_{2.5} (88502)

The temporary White Salmon nephelometer monitoring site (530390006) will be discontinued by the end of September 2020.

The temporary Pomeroy nephelometer monitoring site (530230001) will be designated a permanent SLAMS site in summer 2020.

PM₁₀ (81102)

Cheney-Turnbull

As requested in EPA's response to Ecology's 2019 Ambient Air Monitoring Network Plan, Ecology plans to add Cheney-Turnbull (530630001) as a Washington Network PM₁₀ monitoring site in 2020. A PM₁₀ monitor has been operated at the site by the Spokane Regional Clean Air Agency (SRCAA) for several years outside of the Washington Network, but the data have not been submitted to AQS. The start date for adding the monitor to the Washington Network has been delayed due to travel restrictions associated with the 2020 COVID-19 response, but Ecology plans to add the site to the Washington Network and begin submitting data to AQS by the end of 2020.

Spokane-Augusta Ave

As described in the Regulatory PM_{2.5} section above, planned construction of the North Spokane Corridor will impact both the PM_{2.5} and PM₁₀ monitors at the current Spokane-Augusta Ave monitoring site (530630021). Ecology and SRCAA propose to relocate both the PM₁₀ and PM_{2.5} monitors from Augusta Ave to E Broadway Ave in the event that construction of the proximate section of the North Spokane Corridor resumes. Though PM₁₀ data from E Broadway Ave are not available for comparison, the relatively close agreement in PM_{2.5} concentrations measured at both sites indicates that the sites are representative of comparable air quality conditions. The Spokane-E Broadway monitor would replace Spokane-Augusta Ave as the representative monitor for the Spokane PM₁₀ maintenance area and would be used to verify continued eligibility for the limited maintenance plan option and continued attainment of the PM₁₀ NAAQS.

Meteorological monitoring (61101/61102/61103/61104/62101)

Due to a planned construction project on the property of the Vancouver-Blairmont monitoring site (530110011) from 2020-2022, the site will be relocated to a temporary shelter without access to a meteorological tower. Meteorological monitoring will be temporarily suspended from May 2020-April 2022.

Photochemical Assessment Monitoring Stations (PAMS)

On January 8, 2020, EPA published a final rule in the federal register extending the start date for new required Photochemical Assessment Monitoring Stations (PAMS) from June 1, 2019, to June 1, 2021. Ecology is required to add PAMS measurements to the Seattle-Beacon Hill NCore site (530330080), as PAMS measurements are required at each NCore site in a core-based statistical area (CBSA) with population 1,000,000 or more (40 C.F.R. Part 58 Appendix D).

In 2019, EPA provided Ecology an automated gas chromatograph (auto-GC) to conduct the hourly speciated volatile organic compound (VOC) measurements required for PAMS monitoring. Ecology plans to operate the auto-GC on a trial basis during summer 2020 to ensure that the system will be ready for data collection by the required PAMS start date of June 1, 2021.

EPA has indicated plans to also purchase ceilometers for PAMS monitoring agencies through a national contract. Ecology does not plan to collect mixing height measurements until June 1, 2021 or until the necessary equipment is provided by EPA.

Introduction

This document summarizes Ecology's annual review of the Washington Ambient Air Monitoring Network (Washington Network) in accordance with 40 C.F.R. Part 58.10.

EPA's ambient air quality surveillance regulations in 40 C.F.R. Part 58 require states to establish air quality surveillance systems in their State Implementation Plans (SIPs). An air quality surveillance system consists of a network of State and Local Air Monitoring Stations (SLAMS). These stations measure ambient concentrations of those air pollutants for which 40 C.F.R. Part 50 sets standards. SLAMS must meet the requirements of 40 C.F.R. Part 58 contained in:

- Appendix A (Quality Assurance Requirements)
- Appendix C (Ambient Air Quality Monitoring Methodology)
- Appendix D (Network Design Criteria)
- Appendix E (Probe and Path Siting Criteria)

States determine if they conform to Appendices A and C in part through periodic system and performance audits. States conform to Appendices D and E by conducting an annual network review of their air quality surveillance systems. This review is documented in an annual network plan that meets the following requirements:

- The plan describes any network modifications planned in the upcoming 18 months. Network modifications are subject to approval of the EPA Regional Administrator.
- For each existing and proposed monitoring site, the plan includes the following information:
 - The AQS site number
 - Geographic information, including street address, geographic coordinates, and the represented MSA, CBSA, CSA or other area
 - The monitoring objective, special scale, sampling and analysis method, and operating schedule for each monitor
- The plan outlines the state's approach to implementing PAMS monitoring requirements where required at National Core (NCore) network sites by June 1, 2019 (now June 1, 2021).
- The plan must be made available for public inspection and comment for at least 30 days prior to submission to the EPA. The final plan includes and addresses comments received through the public notification process.

Background Information

Monitoring Objectives

The Washington Network was designed to meet the three monitoring objectives defined in 40 C.F.R. Part 58 Appendix D:

- 1. Provide air pollution data to the public in a timely manner.** Ecology provides timely air quality data to the public in a variety of ways:
 - Near-real-time data are available on Ecology's monitoring website.
 - Ecology conducts public outreach and issues alerts and bulletins when air quality is compromised.
- 2. Support compliance with National Ambient Air Quality Standards (NAAQS) and development of pollution control strategies.** Ambient air quality data are used to:
 - Determine compliance with the NAAQS
 - Determine the location of maximum pollutant concentrations
 - Track the progress of SIPs
 - Determine the effectiveness of air pollution control programs
 - Develop responsible and cost-effective emission control strategies
 - Assist with permitting work
- 3. Support air pollution research.** Ecology and its partners use ambient air quality data to improve our understanding of air pollution and its consequences. Research applications of air quality include:
 - Improving air quality forecasting
 - Evaluating the effects of air pollution on public health
 - Informing dispersion models
 - Identifying air quality trends and emerging pollution issues
 - Analyzing pollution episodes

In order to meet these three objectives, 40 C.F.R. Part 58 Appendix D calls for the design of SLAMS networks to include several different types of monitors. These general types are sites that:

1. Determine the highest pollutant concentrations expected in the area covered by the network.
2. Determine representative pollutant concentrations in areas of high population density.

3. Determine the impact of significant sources or source categories on pollutant concentrations in the ambient air.
4. Determine general background pollutant concentrations.
5. Determine the regional extent of pollutant transport between populated areas.
6. Determine the impacts on visibility or vegetation (welfare impacts) in more rural and remote areas.

Appendix D also provides guidance on spatial scales of representativeness for stations in a SLAMS network. Ideally, the station is located so that its sample represents the air quality across the scale that the station is intended to represent. Appendix D defines the following spatial scales:

1. **Microscale:** Area dimensions between several and 100 meters.
2. **Middle scale:** Areas between 100 and 500 meters, typically several city blocks.
3. **Neighborhood scale:** Areas between 0.5 and 4 kilometers with relatively uniform land use.
4. **Urban scale:** Areas with city-like dimensions between 4 and 50 kilometers. Urban and neighborhood scales can overlap considerably. Heterogeneous urban areas may not have a single representative site.
5. **Regional scale:** Areas from tens to hundreds of kilometers with relatively homogeneous geography and no large sources.
6. **National and global scales:** Scales representing the nation or globe as a whole.

Table 1 summarizes the appropriate spatial scales for each criteria pollutant and applicable site types.

Table 1. Summary of applicable spatial scales for criteria pollutants and monitoring objectives

| Scale | SO ₂ | CO | O ₃ | NO ₂ | Pb | PM ₁₀ | PM _{2.5} | Site Types |
|---------------------|-----------------|----|----------------|-----------------|----|------------------|-------------------|--|
| Micro | ✓ | ✓ | | ✓ | ✓ | | ✓ | Highest concentration; source impact |
| Middle | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | Highest concentration; source impact |
| Neighborhood | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | Highest concentration; population; source impact; general/background |
| Urban | ✓ | | ✓ | ✓ | | | ✓ | Highest concentration; population; general/background; regional transport; welfare-related impacts |
| Regional | ✓ | | ✓ | | | | ✓ | General/background; regional transport; welfare-related impacts |

Other ambient monitoring data needs

In addition to its network of criteria pollutant monitoring sites, Ecology also uses nephelometers throughout Washington to estimate PM_{2.5} concentrations and inform the public of air quality conditions in communities where criteria pollutant monitoring is not required. Typically, nephelometer monitoring sites use site-specific PM_{2.5} correlations developed from collocated Federal Reference Method (FRM) or Federal Equivalent Method (FEM) monitor data. Lower concentration sites may use generalized regional correlations developed at sites with similar geographic and source characteristics. These sites are operated in accordance with 40 C.F.R. Part 58 Appendix A requirements for quality assurance and quality control. At nephelometer sites where PM_{2.5} concentrations are consistently measured at or greater than 80 percent of the NAAQS, Ecology transitions to FEM monitoring.

Network Evaluation

Ecology uses a variety of tools to evaluate how well its monitoring network is meeting these goals and objectives. These tools include:

- EPA minimum monitoring requirements in 40 C.F.R. Part 58 Appendix D
- Results of Ecology’s most recent 5-year Ambient Air Quality Monitoring Network Assessment

- Analyses of historic monitoring data
- Census data on population density and demographics
- Dispersion and air quality forecast models
- Planning requirements, including SIPs and maintenance plans
- Jurisdictional boundaries
- Results of special monitoring studies

The suitability of individual monitoring sites is evaluated according to the probe and monitoring path siting criteria described in 40 C.F.R. Part 58 Appendix E.

Washington Core-Based Statistical Areas

The minimum monitoring requirements listed in 40 C.F.R. Part 58 Appendix D are based on the core-based statistical areas (CBSAs) defined by the U.S. Office of Management and Budget. Washington's CBSAs are shown in the map in Figure 1 (U.S. Census Bureau, 2013). Note that since publication of this map, Pend Oreille County has been removed from the Spokane-Spokane Valley MSA. Population estimates throughout this document are based on the latest available census figures in these CBSAs (2019 Annual Estimates of the Resident Population, U.S. Census Bureau, 2020). The populations of CBSAs in Washington over 50,000 people are listed in Table 2.




Figure 1. Washington's Core-Based Statistical Areas (CBSAs), U.S. Census Bureau 2013

Table 2. Washington's CBSA populations over 50,000 (U.S. Census Bureau)

| Core-Based Statistical Area | 2019 Population |
|---------------------------------------|-----------------|
| Seattle-Tacoma-Bellevue, WA | 3,979,845 |
| Portland-Vancouver-Hillsboro, OR-WA | 2,492,412 |
| Spokane-Spokane Valley, WA | 568,521 |
| Kennewick-Richland, WA | 299,612 |
| Olympia-Lacey-Tumwater, WA | 290,536 |
| Bremerton-Silverdale-Port Orchard, WA | 271,473 |
| Yakima, WA | 250,873 |
| Bellingham, WA | 229,247 |
| Mount Vernon-Anacortes, WA | 129,205 |
| Wenatchee, WA | 120,629 |
| Longview, WA | 110,593 |
| Moses Lake, WA | 97,733 |
| Oak Harbor, WA | 85,141 |
| Centralia, WA | 80,707 |
| Port Angeles, WA | 77,331 |
| Aberdeen, WA | 75,061 |
| Shelton, WA | 66,768 |
| Lewiston, ID-WA | 62,990 |
| Walla Walla, WA | 60,760 |

Washington shares the Portland-Vancouver-Hillsboro CBSA with the state of Oregon. The minimum monitoring requirements for PM₁₀, PM_{2.5} and ozone in this CBSA are met through a combination of monitors operated by Ecology and the Oregon Department of Environmental Quality (DEQ). Ecology and Oregon DEQ established a Memorandum of Understanding on May 20, 2019 to formalize this arrangement (Appendix E).

Maintenance Areas

Washington has ten maintenance areas for criteria pollutants. Maintenance areas demonstrate continued attainment of the NAAQS either through monitoring or through EPA-approved alternate methods. These methods are summarized in Table 3.

Table 3. Washington PM₁₀ maintenance areas and methods of demonstrating NAAQS attainment

| Maintenance Area (Pollutant) | End of Maintenance Period | NAAQS Attainment Method |
|------------------------------|---------------------------|--|
| Seattle (PM ₁₀) | 5/14/2021 | Estimated PM ₁₀ from Seattle-Duwamish PM _{2.5} (530330057) |

| Maintenance Area (Pollutant) | End of Maintenance Period | NAAQS Attainment Method |
|-------------------------------------|---------------------------|---|
| Kent (PM ₁₀) | 5/14/2021 | Estimated PM ₁₀ from Kent-Central & James PM _{2.5} (530332004) |
| Tacoma (PM ₁₀) | 5/14/2021 | Estimated PM ₁₀ from Tacoma-Alexander nephelometer PM _{2.5} (530530031) |
| Thurston County (PM ₁₀) | 12/4/2020 | Estimated PM ₁₀ from Lacey-College St nephelometer PM _{2.5} (530670013) |
| Wallula (PM ₁₀) | 9/26/2025 | Burbank-Maple St PM ₁₀ monitor (530710006) |
| Spokane (PM ₁₀) | 8/30/2025 | Spokane-Augusta PM ₁₀ monitor (530630021) |
| Yakima (PM ₁₀) | 3/10/2025 | Yakima-4 th Ave S PM ₁₀ monitor (530770009) |
| Tacoma (PM _{2.5}) | 3/12/2035 | Tacoma-L St PM _{2.5} monitor (530530029) |
| Yakima (CO) | 12/31/2022 | Modeled CO vehicle emissions |
| Spokane (CO) | 8/30/2025 | Modeled onroad, nonroad and residential wood combustion CO emissions |

Washington has several maintenance areas that fall within the jurisdiction of local air agencies. In accordance with the maintenance plans, the local air agencies submitted design values to Ecology for the maintenance areas in their jurisdiction. These design values and their underlying calculations can be found in the document “Verification of Continued Attainment in Limited Maintenance Areas (2020)” submitted concurrently with this plan.

Monitoring Network Design

On January 1, 2020, Ecology and its partners operated 76 monitoring sites that were part of the Washington Network. Those sites are shown on the map in Figure 2, and the parameters monitored are summarized in Table 4. Detailed site information is provided in Appendix D. All monitoring sites described in this plan are operated under the Ecology Primary Quality Assurance Organization (PQAO). Other monitoring sites, such as IMPROVE sites, are operated in Washington as part of separate PQAOs, but those networks are outside the scope of this document.




Figure 2. Map of all Washington Network monitoring sites.

Table 4. Summary of parameters monitored at Washington Network monitoring sites

| Site Name | AQS ID | CO | NO ₂ / NO _y | O ₃ | SO ₂ | PM _{2.5} (FRM/FEM) | PM _{2.5} (Non- FRM/FEM) | PM ₁₀ | Meteorological | Other |
|----------------------|-----------|----|--------------------------------------|----------------|-----------------|--------------------------------|--|------------------|----------------|-------|
| Aberdeen-Division St | 530272002 | | | | | | ✓ | | | |
| Anacortes-202 O Ave | 530570011 | | | ✓ | ✓ | ✓ | | | | |
| Auburn-M St | 530330089 | | | | | ✓ | | | | |
| Bellevue-SE 12th St | 530330031 | | | | | | ✓ | | | |

2020 Ambient Air Monitoring Network Plan

| Site Name | AQS ID | CO | NO ₂ / NO _y | O ₃ | SO ₂ | PM _{2.5} (FRM/FEM) | PM _{2.5} (Non- FRM/FEM) | PM ₁₀ | Meteorological | Other |
|----------------------------------|-----------|----|--------------------------------------|----------------|-----------------|--------------------------------|--|------------------|----------------|---------------------|
| Bellingham-Pacific St | 530730019 | | | | | ✓ | | | | |
| Bremerton-Spruce Ave | 530350007 | | | | | ✓ | | | | |
| Burbank-Maple St | 530710006 | | | | | | | ✓ | ✓ | |
| Cheeka Peak | 530090013 | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | |
| Chehalis-Market Blvd | 530410004 | | | | | | ✓ | | | |
| Chelan-Woodin Ave | 530070007 | | | | | | ✓ | | | |
| Cheney-Turnbull | 530630001 | | | ✓ | | | | | | |
| Clarkston-13th St | 530030004 | | | | | | ✓ | | | |
| Colville-E 1st St | 530650005 | | | | | ✓ | | ✓ | ✓ | |
| Custer-Loomis | 530730005 | | | ✓ | | | | | | |
| Darrington-Fir St | 530610020 | | | | | ✓ | | | | |
| Dayton-W Main St | 530130002 | | | | | | ✓ | | | |
| Ellensburg-Ruby St | 530370002 | | | | | ✓ | ✓ | | | |
| Enumclaw-Mud Mtn. | 530330023 | | | ✓ | | | | | ✓ | |
| Ferndale-Kickerville Road | 530730013 | | | | ✓ | | | | | |
| Ferndale-Mountain View Rd | 530730017 | | | | ✓ | | | | ✓ | |
| Issaquah-Lake Sammamish | 530330010 | | | ✓ | | | | | | |
| Kennewick-Metaline | 530050002 | | | | | | ✓ | ✓ | ✓ | |
| Kennewick-S Clodfelter Rd | 530050003 | | | ✓ | | | | | | |
| Kent-Central & James | 530332004 | | | | | ✓ | | | | |
| Lacey-College St | 530670013 | | | | | | ✓ | | | |
| LaCrosse-Hill St | 530750005 | | | | | | ✓ | | | |
| Lake Forest Park | 530330024 | | | | | | ✓ | | | |
| Leavenworth-Evans St | 530070010 | | | | | | ✓ | | | |
| Longview-30th Ave | 530150015 | | | | | | ✓ | | | |
| Malaga-Malaga Hwy | 530070012 | | | | ✓ | | | | ✓ | |
| Marysville-7th Ave | 530611007 | | | | | ✓ | | | | |
| Mesa-Pepiot Way | 530210002 | | | | | | ✓ | | | |
| Moses Lake-Balsam St | 530251002 | | | | | | ✓ | | | |
| Mt Rainier-Jackson Visitors Ctr | 530530012 | | | ✓ | | | | | | |
| Mt Vernon-S Second St | 530570015 | | | | | | ✓ | | | |
| Neah Bay-Makah Tribe | 530090015 | | | | | | ✓ | | | |
| North Bend-North Bend Way | 530330017 | | | ✓ | | | ✓ | | ✓ | |
| Omak-Colville Tribe | 530470013 | | | | | ✓ | | | ✓ | |
| Pomeroy (Temporary) | 530230001 | | | | | | ✓ | | | |
| Port Angeles- E 5th St | 530090017 | | | | | | ✓ | | | |
| Port Townsend-San Juan Ave | 530310003 | | | | | | ✓ | | | |
| Pullman-Dexter SE | 530750003 | | | | | | ✓ | | | |
| Puyallup-128th St | 530531018 | | | | | | ✓ | | | |
| Quincy-3rd Ave NE (Temporary) | 530251003 | | | | | | ✓ | | ✓ | |
| Ritzville-Alder St | 530010003 | | | | | | ✓ | | | |
| Rosalia-Josephine St | 530750006 | | | | | | ✓ | | | |
| Seattle-10th & Weller | 530330030 | ✓ | ✓ | | | ✓ | | | ✓ | CSN |
| Seattle-Beacon Hill | 530330080 | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | CSN, NATTS, PAMS |
| Seattle-Duwamish | 530330057 | | | | | ✓ | | | | |
| Seattle-South Park | 530331011 | | | | | | ✓ | | | |
| Shelton-W Franklin | 530450007 | | | | | | ✓ | | | |
| Spokane-Augusta Ave | 530630021 | | | | | ✓ | | ✓ | ✓ | |
| Spokane-Greenbluff | 530630046 | | | ✓ | | | | | | |
| Spokane-Monroe St | 530630047 | | | | | | ✓ | | | |
| Sunnyside-S 16th St | 530770005 | | | | | | ✓ | | | |
| Tacoma- L Street | 530530029 | | | | | ✓ | | | | CSN |
| Tacoma-Alexander Ave | 530530031 | | | | | | ✓ | | | |
| Tacoma-S 36th St | 530530024 | | ✓ | | | ✓ | | | ✓ | |

| Site Name | AQS ID | CO | NO ₂ / NO _y | O ₃ | SO ₂ | PM _{2.5} (FRM/FEM) | PM _{2.5} (Non- FRM/FEM) | PM ₁₀ | Meteorological | Other |
|--------------------------|-----------|----|--------------------------------------|----------------|-----------------|--------------------------------|--|------------------|----------------|-------|
| Tacoma-Tower Dr | 530531016 | | | | | | | | ✓ | |
| Taholah-Quinault Tribe | 530270011 | | | | | | ✓ | | | |
| Toppenish-Yakama Tribe | 530770015 | | | | | ✓ | | | ✓ | |
| Tukwila Allentown | 530330069 | | | | | | ✓ | | | |
| Tulalip-Totem Beach Rd | 530610021 | | | | | | ✓ | | | |
| Twisp-Glover St | 530470009 | | | | | | ✓ | | | |
| Vancouver NE 84th Ave | 530110024 | | | | | ✓ | | | | |
| Vancouver-Blairmont Dr | 530110011 | | | ✓ | | | | | ✓ | |
| Walla Walla-12th St | 530710005 | | | | | | ✓ | | | |
| Wellpinit-Spokane Tribe | 530650002 | | | | | | ✓ | | | |
| Wenatchee-Fifth St | 530070011 | | | | | | ✓ | | ✓ | |
| White Salmon (Temporary) | 530390006 | | | | | | ✓ | | | |
| White Swan-Yakama Tribe | 530770016 | | | | | | ✓ | | ✓ | |
| Winthrop-Chewuch Rd | 530470010 | | | | | | ✓ | | | |
| Yacolt-Yacolt Rd | 530110022 | | | | | | ✓ | | | |
| Yakima-4th Ave | 530770009 | | | | | ✓ | | ✓ | | CSN |
| Yelm-Northern Pacific | 530670005 | | | ✓ | | | | | | |

Carbon monoxide (CO, 42101)

There are three CO monitoring sites in the Washington Network. All Washington Network CO monitoring sites collect data under method code 593 (Teledyne API 300 EU). For detailed site and monitor information, see Appendix D.

Table 5. Washington Network CO monitoring sites

| AQS ID | Site Name | Established | Type | Scale |
|-----------|-----------------------------------|-------------|------------------|------------|
| 530090013 | Cheeka Peak | 05/2006 | SLAMS, NCore | Regional |
| 530330030 | Seattle-10 th & Weller | 04/2014 | SLAMS, Near-road | Microscale |
| 530330080 | Seattle-Beacon Hill | 03/2007 | SLAMS, NCore | Urban |




Figure 3. Map of Washington Network CO monitoring sites

Minimum monitoring requirements

Ecology is required to operate a CO monitor collocated with one required near-road NO₂ monitor in CBSAs with a population of 1,000,000 or more. In the Seattle-Tacoma-Bellevue MSA, this requirement is met at the Seattle-10th & Weller near-road monitoring site (530330030).

Recommended/proposed modifications: None.

Nitrogen dioxide (NO₂, 42602/42612)

There are three NO₂ (42602) monitoring sites in the Washington Network and two sites that monitor trace NO_y-NO (42612). Seattle-Beacon Hill monitors both area-wide NO₂ and trace NO_y-NO. For detailed site and monitor information, see Appendix D.

Table 6. Washington Network NO₂ and Trace NO_y-NO monitoring sites

| AQS ID | Site Name | NO ₂ | Trace NO _y -NO | Established | Type | Scale | Method |
|-----------|-----------------------------------|-----------------|---------------------------|-------------|------------------|------------|---|
| 530090013 | Cheeka Peak | | ✓ | 01/2011 | SLAMS, NCore | Regional | Teledyne API 200 EU (699) |
| 530330030 | Seattle-10 th & Weller | ✓ | | 04/2014 | SLAMS, Near-road | Microscale | Teledyne API 200 EU (599) |
| 530330080 | Seattle-Beacon Hill | ✓ | ✓ | 08/2013 | SLAMS, NCore | Urban | NO ₂ : Teledyne API T500U (212); Trace NO _y -NO: Thermo 42C (674) |
| 530530024 | Tacoma-S 36 th | ✓ | | 01/2016 | SLAMS, Near-road | Microscale | Teledyne API 200 EU (599) |




Figure 4. Map of Washington Network NO₂ and Trace NO_y-NO monitoring sites

Minimum monitoring requirements

Ecology is required to monitor both near-road and area-wide NO₂ in each CBSA with a population of 1,000,000 or greater. In CBSAs with a population of 2,500,000 or more, two near-road NO₂ monitoring sites are required. Ecology fulfills the near-road monitoring requirements at the Seattle-10th & Weller (530330030) and Tacoma-S 36th St (530530024) near-road sites. Seattle-Beacon Hill (530330080) fulfills the requirement for area-wide NO₂ monitoring.

Ozone (O₃, 44201)

There are 13 ozone monitoring sites in the Washington Network. All Washington Network ozone sites collect data under method code 087 (UV Absorbance) using Teledyne API 400 analyzers. For detailed site and monitor information, see Appendix D.

Table 7. Washington Network ozone monitoring sites

| AQS ID | Site Name | Established | Type | Scale |
|-----------|---------------------------------|-------------|-----------------|--------------|
| 530570011 | Anacortes-202 O Ave | 05/2012 | SLAMS | Neighborhood |
| 530090013 | Cheeka Peak | 05/2006 | SLAMS, NCore | Regional |
| 530630001 | Cheney-Turnbull | 05/1999 | SLAMS | Urban |
| 530730005 | Custer-Loomis | 04/1989 | SLAMS | Regional |
| 530330023 | Enumclaw-Mud Mtn | 07/1998 | SLAMS | Urban |
| 530330010 | Issaquah-Lake Sammamish | 12/1975 | SLAMS | Urban |
| 530050003 | Kennewick-S Clodfelter Rd | 06/2015 | SLAMS | Urban |
| 530530012 | Mt Rainier-Jackson Visitors Ctr | 07/1998 | SLAMS | Regional |
| 530330017 | North Bend-North Bend Way | 06/1998 | SLAMS | Neighborhood |
| 530330080 | Seattle-Beacon Hill | 03/2007 | SLAMS, NCore | Urban |
| 530630046 | Spokane-Greenbluff | 04/1990 | SLAMS | Urban |
| 530110011 | Vancouver-Blairmont | 05/1988 | SLAMS | Urban |
| 530670005 | Yelm-Northern Pacific | 05/2006 | SLAMS | Urban |




Figure 5. Map of Washington Network ozone monitoring sites

Minimum monitoring requirements

The Washington Network meets the minimum monitoring requirements for ozone defined in 40 C.F.R. Part 58 Appendix D. In each CBSA, the number of existing ozone monitors meets or exceeds the number of required monitors, as summarized in Table 8. The design values listed are the maximum valid design value of all sites within the CBSA. For a full list of design values at all ozone sites in the Washington Network, see Appendix A.

Table 8. EPA minimum monitoring requirements for ozone

| CBSA | 2019 Population Estimate | 2019 Design Value (ppm) | Number of Required Monitors | Number of Existing Monitors |
|-------------------------------------|--------------------------|-------------------------|-----------------------------|-----------------------------|
| Seattle-Tacoma-Bellevue, WA | 3,979,845 | 0.075 | 2 | 5 |
| Portland-Vancouver-Hillsboro, OR-WA | 2,492,412 | 0.072 | 2 | 6 |
| Spokane-Spokane Valley, WA | 568,521 | 0.065 | 2 | 2 |

| CBSA | 2019 Population Estimate | 2019 Design Value (ppm) | Number of Required Monitors | Number of Existing Monitors |
|----------------------------|--------------------------|-------------------------|-----------------------------|-----------------------------|
| Kennewick-Richland, WA | 299,612 | 0.069 | 1 | 1 |
| Olympia-Lacey-Tumwater, WA | 290,536 | 0.060 | 1 | 1 |
| Bellingham, WA | 229,247 | 0.052 | 0 | 1 |
| Mount Vernon-Anacortes, WA | 129,205 | 0.040 | 0 | 1 |
| Port Angeles, WA | 77,331 | 0.054 | 0 | 1 |

Washington shares the Portland-Vancouver-Hillsboro CBSA with the state of Oregon. The minimum monitoring requirements for ozone in this CBSA are met through a combination of monitors operated by Ecology and Oregon DEQ. Ecology and Oregon DEQ established a Memorandum of Understanding on May 20, 2019 to formalize this arrangement (Appendix E).

Recommended/proposed modifications: None.

Sulfur dioxide (SO₂, 42401)

There are six SO₂ monitoring sites in the Washington Network. For detailed site and monitor information, see Appendix D.

Table 9. Washington Network SO₂ monitoring sites

| AQS ID | Site Name | Established | Type | Scale | Method |
|-----------|---------------------------|-------------|--------------|--------------|-------------------|
| 530570011 | Anacortes-202 O Ave | 01/2013 | SLAMS | Neighborhood | TAPI 100 EU (600) |
| 530090013 | Cheeka Peak | 05/2006 | SLAMS, NCore | Regional | TAPI 100 EU (600) |
| 530730013 | Ferndale-Kickerville Rd | 01/2017 | SLAMS | Microscale | TAPI 100 (077) |
| 530730017 | Ferndale-Mountain View Rd | 01/2017 | SLAMS | Microscale | TAPI 100 (077) |
| 530070012 | Malaga-Malaga Hwy | 01/2017 | SLAMS | Microscale | TAPI 100 (077) |
| 530330080 | Seattle-Beacon Hill | 03/2007 | SLAMS, NCore | Urban | TAPI 100 EU (600) |




Figure 6. Map of Washington Network SO₂ monitoring sites

Minimum monitoring requirements

The Seattle-Beacon Hill NCore site (530330080) is used to satisfy the minimum monitoring requirement for a CBSA with minimally required monitors based on the Population Weighted Emissions Index.

Recommended/proposed modifications: None.

Particulate matter 2.5 (PM_{2.5}, 88101/88502)

FRM/FEM PM_{2.5} (88101)

There are 19 sites in the Washington Network that monitor PM_{2.5} with FRM or Class III FEM monitors. Sites operated with EPA funding through the Section 103 grant for PM_{2.5} are noted in Table 10 below. For detailed site and monitor information, see Appendix D.

Table 10. Washington Network PM_{2.5} monitoring sites

| AQS ID | Site Name | Est. | Type | Scale | Method | PM _{2.5} Grant Funded |
|-----------|--------------------------------|---------|------------------|--------------|---|--------------------------------|
| 530570011 | Anacortes-202 O Ave | 10/2011 | SLAMS | Neighborhood | Met One BAM 1020 (170) | |
| 530330089 | Auburn-M St | 01/2019 | SLAMS | Neighborhood | Met One BAM 1020 (170) | ✓ |
| 530730019 | Bellingham-Pacific St | 01/2018 | SLAMS | Neighborhood | Met One BAM 1020 (170) | ✓ |
| 530350007 | Bremerton-Spruce Ave | 05/2012 | SLAMS | Neighborhood | Met One BAM 1020 (170) | ✓ |
| 530650005 | Colville- E 1 st St | 11/2019 | SLAMS | Neighborhood | Met One BAM 1020 (170) | |
| 530610020 | Darrington-Fir St | 12/2010 | SLAMS | Neighborhood | Met One BAM 1020 (170) | ✓ |
| 530370002 | Ellensburg-Ruby St | 10/2007 | SLAMS | Neighborhood | Met One BAM 1020 (170) | |
| 530332004 | Kent-Central & James | 12/2010 | SLAMS | Neighborhood | Met One BAM 1020 (170) | ✓ |
| 530611007 | Marysville-7th Ave | 02/2010 | SLAMS | Neighborhood | Met One BAM 1020 (170) | ✓ |
| 530470013 | Omak-Colville Tribe | 10/2010 | Tribal | Neighborhood | Met One BAM 1020 (170) | |
| 530330030 | Seattle-10th & Weller | 06/2014 | SLAMS, Near-road | Microscale | Met One BAM 1020 (170) | ✓ |
| 530330080 | Seattle-Beacon Hill | 02/2010 | SLAMS, NCore | Urban | Met One BAM 1020 (Primary) (170); R&P 2025 (Collocated) (145) | ✓ |
| 530330057 | Seattle-Duwamish | 12/2009 | SLAMS | Neighborhood | Met One BAM 1020 (170) | ✓ |
| 530630021 | Spokane-Augusta Ave | 03/2013 | SLAMS | Neighborhood | Met One BAM 1020 (170) | ✓ |
| 530530029 | Tacoma- L Street | 01/2010 | SLAMS | Neighborhood | R&P 2025 (Primary and Collocated) (145); Met One BAM 1020 (170) | ✓ |
| 530530024 | Tacoma-S 36th St | 01/2016 | SLAMS, Near-road | Microscale | Met One BAM 1020 (170) (Primary and Collocated) | |
| 530770015 | Toppenish-Yakama Tribe | 08/2008 | Tribal | Neighborhood | Met One BAM 1020 (170) | |
| 530110024 | Vancouver NE 84th Ave | 12/2014 | SLAMS | Neighborhood | Met One BAM 1020 (170) | ✓ |
| 530770009 | Yakima-4th Ave | 05/2011 | SLAMS | Neighborhood | Met One BAM 1020 (Primary) (170); R&P 2025 (Collocated) (145) | ✓ |




Figure 7. Map of Washington Network PM_{2.5} monitoring sites

Minimum monitoring requirements

Minimum monitoring requirements for PM_{2.5} are defined in 40 C.F.R. Part 58 Appendix D. Table 11 below summarizes the number of required and existing monitors in each of Washington’s CBSAs where monitoring is conducted. The design values listed are the maximum valid design value of all sites within the CBSA. The Washington Network is currently meeting the minimum monitoring requirements in all CBSAs.

For a full list of design values at all Washington Network PM_{2.5} monitoring sites, see Appendix A.

Table 11. EPA minimum monitoring requirements for FRM/FEM PM_{2.5}

| CBSA | 2019 Population Estimate | 2019 Design Value (µg/m ³) | Number of Required Monitors | Number of Existing Monitors |
|-----------------------------|--------------------------|--|-----------------------------|-----------------------------|
| Seattle-Tacoma-Bellevue, WA | 3,979,845 | 35 | 3 | 9 |

| CBSA | 2019 Population Estimate | 2019 Design Value ($\mu\text{g}/\text{m}^3$) | Number of Required Monitors | Number of Existing Monitors |
|-------------------------------------|--------------------------|--|-----------------------------|-----------------------------|
| Portland-Vancouver-Hillsboro, OR-WA | 2,492,412 | 30 | 2 | 4 |
| Spokane-Spokane Valley, WA | 568,521 | 41 | 2 | 2 |
| Bremerton-Silverdale, WA | 271,473 | 20 | 0 | 1 |
| Yakima, WA | 250,873 | 44 | 1 | 2 |
| Bellingham, WA | 229,247 | 21 | 0 | 1 |
| Mount Vernon-Anacortes, WA | 129,205 | 18 | 0 | 1 |
| Ellensburg, WA | 47,935 | 38 | 0 | 1 |

Washington shares the Portland-Vancouver-Hillsboro CBSA with the state of Oregon. The minimum monitoring requirements for $\text{PM}_{2.5}$ in this CBSA are met through a combination of monitors operated by Ecology and the Oregon DEQ. Ecology and Oregon DEQ established a Memorandum of Understanding on May 20, 2019 to formalize this arrangement (Appendix E).

Collocation requirements

The monitoring sites listed in Table 12 are used to fulfill the collocation requirements described in 40 C.F.R. Part 58 Appendix A.

Table 12. $\text{PM}_{2.5}$ collocation requirements

| Method Code | # Primary Monitors | # Required Collocated Monitors | # Active Collocated Monitors | Site |
|-------------|--------------------|--------------------------------|------------------------------|---|
| 145 | 1 | 1 | 1 | Tacoma-L St (530530029) |
| 170 | 18 | 3 | 3 | Tacoma-S 36 th (530530024); Seattle-Beacon Hill (530330080) Yakima-4 th Ave S (530770009) |

Recommended/proposed modifications:

Tacoma-L St FRM relocation and reduction in sampling frequency

Ecology and the Puget Sound Clean Air Agency (PSCAA) propose to relocate the primary and collocated FRM samplers from the Tacoma-L St site (530530029) to the Seattle-Duwamish (530330057) site. The Tacoma-L St site would retain an FEM BAM 1020 $\text{PM}_{2.5}$ monitor for continuous, regulatory $\text{PM}_{2.5}$ reporting. The primary FRM sampler has operated at Tacoma-L St since 1999 and the collocated since 2012. As the Tacoma-L St aerosol has been extensively studied and characterized over the past two decades, and the correlations between the FRM samplers and the collocated BAM 1020 $\text{PM}_{2.5}$ monitor are very consistent, continuing to run the daily FRM in Tacoma provides little additional scientific information of value. This relationship is shown in the $\text{PM}_{2.5}$ Continuous Monitor Comparability Assessment in Figure 8. Relocating

the FRM to Seattle-Duwamish will allow Ecology and PSCAA to collect valuable data on the FRM/FEM relationship in a more industrial environment whose aerosol properties have previously been difficult to characterize. The FRM would become the primary monitor at Seattle-Duwamish, and the collocated FRM would be used to meet the collocation requirement for method 145.




Figure 8. PM_{2.5} continuous monitor comparability assessment for BAM 1020 at Tacoma-L St

In addition, Ecology and PSCAA request approval to reduce the sampling frequency of the primary FRM from daily to one-in-six. Sampling frequency at Tacoma-L St was increased to daily due to elevated design values in 2010, but daily sampling would no longer be required at Tacoma-L St or Seattle-Duwamish since both have continuous FEM PM_{2.5} monitors. As allowed by 40 C.F.R. Part 58.12 (d)(1)(ii), Ecology requests Regional Administrator approval to reduce

the sampling frequency to one-in-six based on the presence of a continuous FEM PM_{2.5} monitor at Seattle-Duwamish.

Auburn-M St site relocation

Puget Sound Clean Air Agency, which operates the Auburn-M St PM_{2.5} monitoring site (530330089), was recently notified that the elementary school where the site is located will be renovated starting in May 2020, which will require relocating the site. PSCAA plans to work with the school district to identify a replacement site in the Auburn area, but they do not yet have a proposed location or timeline for establishing a replacement site. The existing Auburn-M St site will cease to be operational in May 2020.

Spokane regulatory site relocation

The Spokane Regional Clean Air Agency (SRCAA) notified Ecology of planned construction of the North Spokane Corridor, a major elevated freeway construction project in the vicinity of the existing Spokane-Augusta regulatory PM_{2.5} and PM₁₀ monitoring site (530630021). As planned, the nearest lane of traffic will be located approximately 108 meters from the existing PM_{2.5} and PM₁₀ monitors and elevated 45 feet above ground, with a traffic volume of approximately 45,200 annual average daily traffic (AADT) by 2040. The site will no longer meet siting criteria for neighborhood-scale monitoring due to its proximity to this high-volume freeway if construction proceeds as planned.

Construction of the proximate segment of the North Spokane Corridor is currently stalled due to pending issues with Washington's transportation budget as well as construction delays due to the 2020 COVID-19 response. In spite of this uncertainty, Ecology and SRCAA seek to identify an alternative monitoring site in the Spokane area in the event that construction resumes.

Efforts to identify an alternative monitoring location within the immediate vicinity (1-2 miles) of the existing Spokane-Augusta monitoring site have been unsuccessful. SRCAA operates a PM_{2.5} BAM 1020 monitor outside of the Washington Network on E Broadway Ave (47.663537, -117.257205), approximately 5 miles east of the Spokane-Augusta Ave site. The Spokane-E Broadway Ave site is located at an elementary school surrounded by a residential neighborhood. In contrast, the Spokane-Augusta Ave site is located at the intersection of a residential, commercial and light industrial area.

Table 13 provides a summary of the 98th percentile and annual mean 24-hour average PM_{2.5} concentrations observed at the two sites during 2018 and 2019 when the sites ran concurrently, both with BAM 1020 PM_{2.5} monitors.

Table 13. Summary of design value metrics at Spokane-Augusta Ave and Spokane-E Broadway Ave

| | 2018 98th Percentile ($\mu\text{g}/\text{m}^3$) | 2019 98th Percentile ($\mu\text{g}/\text{m}^3$) | 2018 Annual Mean ($\mu\text{g}/\text{m}^3$) | 2019 Annual Mean ($\mu\text{g}/\text{m}^3$) |
|------------------------|---|---|---|---|
| Spokane-Augusta Ave | 49.5 | 25.1 | 10.4 | 7.6 |
| Spokane-E Broadway Ave | 49.6 | 22.4 | 9.4 | 7.9 |

The annual 98th percentile 24-hour average concentrations at E Broadway Ave are within 3 $\mu\text{g}/\text{m}^3$ of those at Augusta Ave and annual means are within 1 $\mu\text{g}/\text{m}^3$.

A comparison of the diurnal patterns in hourly $\text{PM}_{2.5}$ concentrations shows that Spokane-Broadway Ave routinely records slightly higher $\text{PM}_{2.5}$ concentrations than Spokane-Augusta during the evening hours. This is consistent with the difference in zoning between the two sites. As Spokane-E Broadway Ave is surrounded by residential area, we expect concentrations to be highest in the evenings when residential wood combustion is common. Spokane-E Broadway’s location in a residential area is well-suited to population-oriented, neighborhood scale monitoring.

Figure 9 shows the mean $\text{PM}_{2.5}$ concentration by hour at the two sites during the heating seasons (October – March) of 2018 and 2019. The shaded bands indicate the 95% confidence interval in the mean.




Figure 9. Comparison in diurnal PM_{2.5} patterns between Spokane-E Broadway Ave and Spokane-Augusta Ave (heating season only)

Figure 10 shows a comparison between 24-hour average concentrations at the two sites in 2018 and 2019. The scatterplot on the left shows all data, including several wildfire smoke-influenced days with concentrations over 100 µg/m³. The scatterplot on the right shows the same data but

with the axes limited to [0,50] in order to highlight the range of concentrations typically observed at the sites.




Figure 10. Scatterplot of 24-hour PM_{2.5} concentrations, Augusta Ave and E Broadway Ave

During the 2018-2019 comparison period, 24-hour average concentrations at E Broadway Ave were higher than those at Augusta Ave on 50.4% of days, and concentrations at Augusta Ave were higher on 49.6% of days. During the heating season months, E Broadway Ave was higher on 53.7% of days and Augusta Ave was higher on 46.3% of days. There were 11 exceedances of the 24-hour PM_{2.5} standard observed at Augusta Ave and 10 at E Broadway Ave during this two-year period. No exceedances were observed at either site during the heating season.

Based on the relatively close agreement between the two sites, and the suitable location of Spokane-E Broadway Ave in a residential area, Ecology proposes to add Spokane-E Broadway Ave to the Washington Network and discontinue the Spokane-Augusta Ave monitoring site, in the event that construction of the proximate section of the North Spokane Corridor resumes. Ecology and SRCAA plan to continue monitoring at Spokane-Augusta Ave as long as practical until it no longer meets neighborhood-scale siting criteria due to construction impacts.

Linking current and former Bellingham PM_{2.5} sites in AQS

Ecology requests that EPA Region 10 link the previous Bellingham-Yew St PM_{2.5} monitoring site (53-073-0015) to the relocated Bellingham-Pacific St PM_{2.5} monitoring site (53-073-0019) in AQS to allow for design value calculations from the combined data. In December 2017, the Bellingham-Yew St site operated by the Northwest Clean Air Agency was relocated to a new

location at Bellingham-Pacific St 0.68 miles west, due to safety concerns around access to the previous site. The new site is located in an area of comparable zoning and development with a similar mix of sources. Ecology documented the site relocation in its 2018 Ambient Air Monitoring Network Plan, which was approved by EPA in a letter dated August 13, 2018.

Though the sites did not operate concurrently, there was no statistically significant change in monthly mean wintertime concentrations between the two years preceding the site move (2016 and 2017) and the two years following the site move (2018 and 2019). Based on this analysis, we are confident that the two sites are measuring similar air quality conditions and representative of the same airshed. Given that the sites are less than a mile apart, located in similar neighborhoods and represent comparable PM_{2.5} conditions, Ecology requests that the sites be linked in AQS. The availability of a complete design value will allow Ecology and its local partners to better communicate air quality information to the public.

Nephelometer PM_{2.5} (88502)

Ecology and its partners operate 42 monitoring sites with correlated nephelometers to report estimated PM_{2.5} concentrations and provide timely information on air quality conditions to the public. Sites operated with EPA funding through the Section 103 grant for PM_{2.5} are noted in Table 14.

Table 14. Washington Network nephelometer monitoring sites

| AQS ID | Site Name | Est. | Type | Scale | Method | PM _{2.5} Grant Funded |
|-----------|----------------------|---------|-----------------|--------------|------------------------------|--------------------------------|
| 530272002 | Aberdeen-Division St | 08/2002 | SLAMS | Neighborhood | Radiance Research M903 (771) | ✓ |
| 530330031 | Bellevue-SE 12th St | 12/2016 | SLAMS | Neighborhood | Radiance Research M903 (771) | ✓ |
| 530090013 | Cheeka Peak | 05/2006 | SLAMS, NCore | Regional | Radiance Research M903 (771) | |
| 530410004 | Chehalis-Market Blvd | 12/2009 | SLAMS | Neighborhood | Radiance Research M903 (771) | |
| 530070007 | Chelan-Woodin Ave | 12/2002 | Non-EPA Federal | Neighborhood | Radiance Research M903 (771) | |
| 530030004 | Clarkston-13th St | 03/2007 | SLAMS | Neighborhood | Radiance Research M903 (771) | |
| 530130002 | Dayton-W Main St | 02/2009 | SLAMS | Neighborhood | Radiance Research M903 (771) | ✓ |
| 530050002 | Kennewick-Metaline | 08/2004 | SLAMS | Neighborhood | Radiance Research M903 (771) | ✓ |
| 530670013 | Lacey-College St | 09/1990 | SLAMS | Neighborhood | Radiance Research M903 (771) | |
| 530750005 | LaCrosse-Hill St | 10/2002 | SLAMS | Neighborhood | Radiance Research M903 (771) | ✓ |
| 530330024 | Lake Forest Park | 10/2003 | SLAMS | Neighborhood | Ecotech M9003 (812) | ✓ |

2020 Ambient Air Monitoring Network Plan

| AQS ID | Site Name | Est. | Type | Scale | Method | PM _{2.5} Grant Funded |
|-----------|-------------------------------|---------|-----------------|--------------|-----------------------------|--------------------------------|
| 530070010 | Leavenworth-Evans St | 07/2005 | Non-EPA Federal | Neighborhood | Radianc Research M903 (771) | |
| 530150015 | Longview-30th Ave | 03/2003 | SLAMS | Neighborhood | Radianc Research M903 (771) | ✓ |
| 530210002 | Mesa-Pepiot Way | 01/2003 | SLAMS | Neighborhood | Radianc Research M903 (771) | ✓ |
| 530251002 | Moses Lake-Balsam St | 01/2004 | SLAMS | Neighborhood | Radianc Research M903 (771) | ✓ |
| 530570015 | Mt Vernon-S Second St | 07/2005 | SLAMS | Neighborhood | Radianc Research M903 (771) | ✓ |
| 530090015 | Neah Bay-Makah Tribe | 02/2010 | Tribal | Neighborhood | Radianc Research M903 (771) | |
| 530330017 | North Bend-North Bend Way | 03/2003 | SLAMS | Neighborhood | Radianc Research M903 (771) | ✓ |
| 530230001 | Pomeroy (Temporary) | 05/2017 | SPMS | Neighborhood | Radianc Research M903 (771) | |
| 530090017 | Port Angeles- E 5th St | 04/2015 | SLAMS | Neighborhood | Radianc Research M903 (771) | ✓ |
| 530310003 | Port Townsend-San Juan Ave | 10/2002 | SLAMS | Neighborhood | Radianc Research M903 (771) | |
| 530750003 | Pullman-Dexter SE | 10/2002 | SLAMS | Neighborhood | Radianc Research M903 (771) | ✓ |
| 530531018 | Puyallup-128th St | 10/2003 | SLAMS | Neighborhood | Ecotech M9003 (812) | ✓ |
| 530251003 | Quincy-3rd Ave NE (temporary) | 06/2017 | SPMS | Neighborhood | Radianc Research M903 (771) | |
| 530010003 | Ritzville-Alder St | 03/2001 | SLAMS | Neighborhood | Radianc Research M903 (771) | ✓ |
| 530750006 | Rosalia-Josephine St | 10/2002 | SLAMS | Neighborhood | Radianc Research M903 (771) | ✓ |
| 530331011 | Seattle-South Park | 10/2003 | SLAMS | Microscale | Ecotech M9003 (812) | |
| 530450007 | Shelton-W Franklin | 04/2011 | SLAMS | Neighborhood | Radianc Research M903 (771) | |
| 530630047 | Spokane-Monroe St | 05/2004 | SLAMS | Neighborhood | Radianc Research M903 (771) | ✓ |
| 530770005 | Sunnyside-S 16th St | 09/2015 | SLAMS | Neighborhood | Radianc Research M903 (771) | |
| 530530031 | Tacoma-Alexander Ave | 10/2003 | SLAMS | Neighborhood | Ecotech M9003 (812) | ✓ |
| 530270011 | Taholah-Quinault Tribe | 04/2004 | Tribal | Neighborhood | Radianc Research M903 (771) | |
| 530330069 | Tukwila Allentown | 07/2017 | SLAMS | Neighborhood | Ecotech M9003 (812) | |
| 530610021 | Tulalip-Totem Beach Rd | 10/2019 | Tribal | Neighborhood | Radianc Research M903 (771) | |

| AQS ID | Site Name | Est. | Type | Scale | Method | PM _{2.5} Grant Funded |
|-----------|--------------------------|---------|-----------------|--------------|------------------------------|--------------------------------|
| 530470009 | Twisp-Glover St | 11/2003 | Non-EPA Federal | Neighborhood | Radiance Research M903 (771) | |
| 530710005 | Walla Walla-12th St | 10/2002 | SLAMS | Neighborhood | Radiance Research M903 (771) | ✓ |
| 530650002 | Wellpinit-Spokane Tribe | 10/2008 | Tribal | Neighborhood | Radiance Research M903 (771) | |
| 530070011 | Wenatchee-Fifth St | 11/2012 | SLAMS | Neighborhood | Radiance Research M903 (771) | |
| 530390006 | White Salmon (temporary) | 6/2018 | SPMS | Neighborhood | Radiance Research M903 (771) | |
| 530770016 | White Swan-Yakama Tribe | 10/2009 | Tribal | Neighborhood | Radiance Research M903 (771) | |
| 530470010 | Winthrop-Chewuch Rd | 11/2003 | Non-EPA Federal | Neighborhood | Radiance Research M903 (771) | |
| 530110022 | Yacolt-Yacolt Rd | 07/2003 | SLAMS | Neighborhood | Radiance Research M903 (771) | |




Figure 11. Map of Washington Network nephelometer monitoring sites

Recommended/proposed modifications:

The temporary White Salmon (530390006) SPMS will be discontinued by the end of September 2020.

The temporary Pomeroy nephelometer monitoring site (530230001) will be designated a permanent SLAMS site in summer 2020.

Particulate matter 10 (PM₁₀, 81102)

There are six PM₁₀ monitoring sites in the Washington Network. For detailed site and monitor information, see Appendix D.

Table 15. Washington Network PM₁₀ monitoring sites

| AQS ID | Site Name | Established | Type | Scale | Method |
|-----------|-------------------------------|-------------|--------------|--------------|------------------------|
| 530710006 | Burbank-Maple St | 08/2017 | SLAMS | Neighborhood | BAM 1020 (122) |
| 530650005 | Colville-E 1 st St | 10/2015 | SLAMS | Neighborhood | BAM 1020 (122) |
| 530050002 | Kennewick-Metaline | 10/1994 | SLAMS | Neighborhood | BAM 1020 (122) |
| 530330080 | Seattle-Beacon Hill | 03/2003 | SLAMS, NCore | Urban | R&P 2025 (127) |
| 530630021 | Spokane-Augusta Ave | 03/2009 | SLAMS | Neighborhood | TEOM-Gravimetric (079) |
| 530770009 | Yakima-4 th Ave S | 04/2000 | SLAMS | Neighborhood | BAM 1020 (122) |




Figure 12. Map of Washington Network PM₁₀ monitoring sites

The Washington Network is currently not meeting the PM₁₀ minimum monitoring requirements defined in 40 C.F.R. Part 58 Appendix D in four metropolitan areas, as summarized in Table 16, though EPA Region 10 has approved waivers for the unmet monitoring requirements.

Table 16. EPA minimum monitoring requirements for PM₁₀

| Metropolitan/Micropolitan Statistical Area | 2019 Population Estimate | Annual Average Expected Exceedances (2017-2019) | Number of Required Monitors | Number of Existing Monitors |
|--|--------------------------|---|-----------------------------|-----------------------------|
| Seattle-Tacoma-Bellevue, WA | 3,979,845 | 0 | 2 | 1 |
| Portland-Vancouver-Hillsboro, OR-WA | 2,492,412 | 0 | 2 | 5 |
| Spokane-Spokane Valley, WA | 568,521 | 2 | 4 | 2 |
| Kennewick-Richland, WA | 299,612 | 2 | 3 | 1 |
| Olympia-Lacey-Tumwater, WA | 290,536 | 0 | 0 | 0 |
| Bremerton-Silverdale-Port Orchard, WA | 271,473 | 0 | 0 | 0 |
| Yakima, WA | 250,873 | 1.6 | 3 | 1 |

On April 2, 2019, Ecology submitted to EPA Region 10 a request for a waiver for the unmet minimum monitoring requirements in the Seattle-Tacoma-Bellevue, Spokane-Spokane Valley, Kennewick-Richland and Yakima MSAs. EPA issued Ecology a waiver for the unmet monitoring requirements in the Yakima and Kennewick-Richland MSAs on April 18, 2019. These waivers are provided in Appendix B. In a letter dated February 7, 2020 (Appendix C), EPA Region 10 also approved Ecology’s request for a monitoring waiver for the unmet PM₁₀ monitoring requirement in the Seattle-Tacoma-Bellevue MSA and one of the two unmet PM₁₀ monitoring requirements in the Spokane-Spokane Valley MSA. In order to meet the remaining requirement for a third PM₁₀ monitor in the Spokane-Spokane Valley MSA, EPA requested that data from the PM₁₀ monitor that SRCAA operates at Cheney-Turnbull (530630001) be submitted to AQS.

Recommended/proposed modifications: Ecology plans to add Cheney-Turnbull (530630001) as a Washington Network PM₁₀ monitoring site in 2020. The start date for adding the monitor to the Washington Network has been delayed due to travel restrictions associated with the 2020 COVID-19 response, but Ecology plans to add the site to the Washington Network and begin submitting data to AQS by the end of 2020.

As described in the Regulatory PM_{2.5} section above, planned construction of the North Spokane Corridor will impact both the PM_{2.5} and PM₁₀ monitors at the current Spokane-Augusta Ave monitoring site (530630021). Ecology and SRCAA propose to relocate both the PM₁₀ and PM_{2.5} monitors from Augusta Ave to E Broadway Ave in the event that construction of the proximate section of the North Spokane Corridor resumes. Though PM₁₀ data from E Broadway Ave are not available for comparison, the relatively close agreement in PM_{2.5} concentrations measured at

both sites indicates that the sites are representative of comparable air quality conditions. The Spokane-E Broadway monitor would replace Spokane-Augusta Ave as the representative monitor for the Spokane PM₁₀ maintenance area and would be used to verify continued eligibility for the limited maintenance plan option and continued attainment of the NAAQS.

Meteorological monitoring (61101/61102/61103/61104/62101)

There are 19 meteorological monitoring sites in the Washington Network. All Washington Network meteorological monitoring sites collect scalar and vector wind speed and direction using RM Young or Vaisala sonic anemometers (method codes 062 and 060, respectively) and ambient temperature under method code 040 (electronic or machine average). All Washington Network meteorological sites follow EPA's monitoring guidelines for prevention of significant deterioration (PSD). For detailed site and monitor information, see Appendix D.

Table 17. Washington Network meteorological monitoring sites

| AQS ID | Site Name | Established | Type | Scale |
|-----------|---------------------------|-------------|---------------------|-------|
| 530710006 | Burbank-Maple St | 03/2018 | SLAMS | Urban |
| 530090013 | Cheeka Peak | 08/2007 | SLAMS, NCore | Urban |
| 530650005 | Colville-E 1st St | 05/2016 | SLAMS | Urban |
| 530330023 | Enumclaw-Mud Mtn. | 02/2004 | SLAMS | Urban |
| 530730017 | Ferndale-Mountain View Rd | 01/2017 | SLAMS | Urban |
| 530050002 | Kennewick-Metaline | 08/2012 | SLAMS | Urban |
| 530070012 | Malaga-Malaga Hwy | 01/2017 | SLAMS | Urban |
| 530330017 | North Bend-North Bend Way | 01/2000 | SLAMS | Urban |
| 530470013 | Omak-Colville Tribe | 10/2010 | Tribal | Urban |
| 530251003 | Quincy-3rd Ave NE | 06/2017 | SPMS | Urban |
| 530330030 | Seattle-10th & Weller | 04/2014 | SLAMS, Near-road | Urban |
| 530330080 | Seattle-Beacon Hill | 01/1991 | SLAMS, NCore | Urban |
| 530630021 | Spokane-Augusta Ave | 07/2009 | SLAMS | Urban |
| 530530024 | Tacoma-S 36th St | 02/2016 | SLAMS, Near-road | Urban |
| 530531016 | Tacoma-Tower Dr | 01/1991 | SLAMS | Urban |
| 530770015 | Toppenish-Yakama Tribe | 06/2009 | Tribal | Urban |
| 530110011 | Vancouver-Blairmont Dr | 12/2007 | SLAMS | Urban |
| 530070011 | Wenatchee-Fifth St | 11/2012 | SLAMS | Urban |
| 530770016 | White Swan-Yakama Tribe | 11/2009 | Tribal | Urban |




Figure 13. Map of Washington Network meteorological monitoring sites

Recommended/proposed modifications: Due to a planned construction project on the property of the Vancouver-Blairmont monitoring site (530110011) from 2020-2022, the site will be relocated to a temporary shelter without access to a meteorological tower. Meteorological monitoring will be temporarily suspended from May 2020-April 2022.

Lead (Pb)

Ecology reports Pb in PM₁₀ concentrations as part of the National Air Toxics Trends Station (NATTS) monitoring at Seattle-Beacon Hill (530330080). At the request of EPA, Ecology ceased reporting to parameter code 85129 and began reporting to parameter code 85128 as of January 1, 2019.

As described in 40 C.F.R. Part 58, Appendix D § 4.5, source-oriented lead monitoring is required in the vicinity of sources that emit 0.5 tons per year or more of lead. According to the 2017 National Emissions Inventory, Washington's only source above this threshold is Ardagh Glass in Seattle. Ecology modeled the impact of this facility on ambient air and demonstrated that it would not contribute to a maximum Pb concentration in ambient air above 50 percent of the

NAAQS. On April 18, 2019, EPA issued Ecology a waiver for lead monitoring at Ardagh Glass based on the modeling results. This waiver is provided in Appendix B.

Recommended/proposed modifications: None.

Chemical Speciation Network (CSN)

Ecology and its partners operate 6 speciation monitoring sites as part of the national Chemical Speciation Network. Four of these sites are ongoing, including one Speciation Trends Network (STN) site and three supplemental CSN sites. The remaining two speciation sites are operating for special studies funded by state or local partners from 2018-2021.*

Table 18. Washington Network Chemical Speciation Network monitoring sites

| AQS ID | Site Name | Established | Type | Scale |
|-----------|-----------------------------------|-------------|---|--------------|
| 530330030 | Seattle-10 th & Weller | 11/2014 | Supplemental CSN | Microscale |
| 530330080 | Seattle-Beacon Hill | 02/2000 | Speciation Trends Network (STN) | Urban |
| 530330057 | Seattle-Duwamish | 08/2018 | Special study (funded by Puget Sound Clean Air Agency)* | Neighborhood |
| 530530031 | Tacoma-Alexander | 08/2018 | Special study (funded by Washington State legislature)* | Neighborhood |
| 530530029 | Tacoma-L St | 01/2006 | Supplemental CSN | Neighborhood |
| 530770009 | Yakima-4 th Ave S | 11/2007 | Supplemental CSN | Neighborhood |

*With the passage of the Washington State 2018 supplemental operating budget (Engrossed Substitute Senate Bill 6032), Ecology was directed to use state funding to conduct a multiyear source apportionment study at the monitoring site closest to the Port of Tacoma. Ecology began conducting PM_{2.5} speciation monitoring at PSCAA's Tacoma-Alexander Ave (530530031) monitoring site on August 6, 2018. Puget Sound Clean Air Agency is conducting a parallel speciation study at the Seattle-Duwamish monitoring site (530330057) concurrently with the Tacoma study. These studies will continue until August 2021.




Figure 14. Map of Washington Chemical Speciation Network monitoring sites

Each speciation site samples the following parameters:

Table 19. Chemical Speciation Network monitoring parameters

| Code | Parameter | Code | Parameter | Code | Parameter | Code | Parameter |
|-------|-----------|-------|------------|-------|-----------------------|-------|-----------------------------------|
| 88102 | Antimony | 88126 | Iron | 88167 | Zinc | 88370 | OC CSN Rev Unadjusted |
| 88103 | Arsenic | 88128 | Lead | 88168 | Strontium | 88374 | OC1 CSN Rev Unadjusted |
| 88104 | Aluminum | 88131 | Indium | 88169 | Sulfur | 88375 | OC2 CSN Rev Unadjusted |
| 88107 | Barium | 88132 | Manganese | 88176 | Rubidium | 88376 | OC3 CSN Rev Unadjusted |
| 88109 | Bromine | 88136 | Nickel | 88180 | Potassium | 88377 | OC4 CSN Rev Unadjusted |
| 88110 | Cadmium | 88140 | Magnesium | 88184 | Sodium | 88378 | OP CSN Rev Unadjusted |
| 88111 | Calcium | 88152 | Phosphorus | 88185 | Zirconium | 88380 | EC CSN Rev Unadjusted |
| 88112 | Chromium | 88154 | Selenium | 88301 | Ammonium Ion | 88383 | EC1 CSN Rev Unadjusted |
| 88113 | Cobalt | 88160 | Tin | 88302 | Sodium Ion | 88384 | EC2 CSN Rev Unadjusted |
| 88114 | Copper | 88161 | Titanium | 88303 | Potassium Ion | 88385 | EC3 CSN Rev Unadjusted |
| 88115 | Chlorine | 88164 | Vanadium | 88306 | Total Nitrate | 88388 | OP CSN Rev Unadjusted |
| 88117 | Cerium | 88165 | Silicon | 88355 | OC CSN Rev Unadjusted | 88403 | Sulfate |
| 88118 | Cesium | 88166 | Silver | 88357 | EC CSN Rev Unadjusted | 88502 | PM _{2.5} Speciation Mass |

Recommended/proposed modifications: None.

National Core (NCore)

There are two NCore sites in the Washington Network: Seattle-Beacon Hill (530330080) is an urban NCore site, and Cheeka Peak (530090013) is a rural NCore site. The parameters monitored at each site are summarized in Table 20.

Table 20. NCore parameters monitored at Cheeka Peak and Seattle-Beacon Hill

| Parameter | Cheeka Peak | Seattle-Beacon Hill |
|---|-------------|---------------------|
| Trace CO (42101) | ✓ | ✓ |
| Trace NO _y (42600) | ✓ | ✓ |
| Area-wide NO ₂ (42602) | | ✓ |
| Ozone (44201) | ✓ | ✓ |
| Trace SO ₂ (42401) | ✓ | ✓ |
| Filter-based PM ₁₀ (81102) | | ✓ |
| Filter-based PM _{2.5} (88101) | | ✓ |
| Continuous FEM PM _{2.5} (88101) | | ✓ |
| Nephelometer PM _{2.5} (88502) | ✓ | |
| Meteorological (61101/61102/61103/61104/62101/64101/62201) | ✓ | ✓ |
| PM _{2.5} speciation | | ✓ |
| PM _{10-2.5} (86101) | | ✓ |

Recommended/proposed modifications: None.

National Air Toxics Trends Station (NATTS)

Seattle-Beacon Hill (530330080) is a National Air Toxics Trends Station (NATTS) as well as a CSN, NCore and SLAMS site.

Recommended/proposed modifications: None.

Photochemical Assessment Monitoring Station (PAMS)

On January 8, 2020, EPA published a final rule in the federal register extending the start date for new required Photochemical Assessment Monitoring Stations (PAMS) from June 1, 2019, to June 1, 2021. Ecology is required to add PAMS measurements to the Seattle-Beacon Hill NCore site (530330080), as PAMS measurements are required at each NCore site in a core-based statistical area (CBSA) with population 1,000,000 or more (40 C.F.R. Part 58 Appendix D). Several of the required PAMS parameters are already collected at Seattle-Beacon Hill through the NCore program.

In 2019, EPA provided Ecology an automated gas chromatograph (auto-GC) to conduct the hourly speciated volatile organic compound (VOC) measurements required for PAMS monitoring. Ecology plans to operate the auto-GC on a trial basis during summer 2020 to ensure that the system will be ready for data collection by the required PAMS start date of June 1, 2021.

EPA has indicated plans to also purchase ceilometers for PAMS monitoring agencies through a national contract. Ecology does not plan to collect mixing height measurements until June 1, 2021 or until the necessary equipment is provided by EPA.

Table 21 summarizes the required PAMS parameters and Ecology’s schedule for implementing new monitoring requirements. Parameters that are already monitored at Seattle-Beacon Hill are marked “existing.”

Table 21. Required PAMS parameters and implementation schedule

| Parameter | Implementation Schedule |
|--|--|
| Hourly averaged VOCs | Ecology will operate the auto-GC on a trial basis from June-August 2020 to prepare for the June 1, 2021 start date. |
| Three 8-hour averaged carbonyl samples per day on a 1/3 schedule | Carbonyl sampling is already conducted; Ecology has delayed modification to sampling schedule pending funding for additional laboratory costs. |
| Hourly averaged O ₃ | Existing |
| Hourly averaged NO, true nitrogen dioxide (NO ₂), and total reactive nitrogen (NO _y) | Existing |
| Hourly averaged ambient temperature | Existing |
| Hourly vector-averaged wind direction | Existing |
| Hourly vector-averaged wind speed | Existing |
| Hourly average atmospheric pressure | Existing |
| Hourly averaged relative humidity | Existing |
| Hourly precipitation | Existing but not submitted to AQS. Data will be submitted to AQS starting June 2021. |
| Hourly averaged mixing height | Implementation delayed until equipment or funding provided by EPA. |
| Hourly averaged solar radiation | Will be installed and operational by June 2021. |
| Hourly averaged ultraviolet radiation | Will be installed and operational by June 2021. |

References

- Ambient Air Monitoring Reference and Equivalent Methods, 40 C.F.R. Part 53, 2011.
- Ambient Air Quality Surveillance, 40 C.F.R. Part 58, 2020.
- Ambient Monitoring Guidelines for Prevention of Significant Deterioration (PSD), EPA-450/4-87-007, May 1987.
- National Primary and Secondary Ambient Air Quality Standards, 40 C.F.R. Part 50, 2015.
- United States Census Bureau. “Metropolitan and Micropolitan Statistical Areas Population Totals and Components of Change: 2010-2019.” <https://www.census.gov/data/tables/time-series/demo/popest/2010s-total-metro-and-micro-statistical-areas.html> (March 26, 2020).
- United States Census Bureau. “State-based Metropolitan and Micropolitan Statistical Areas Maps.” <https://www.census.gov/geo/maps-data/maps/statecbsa.html> (February 2013).

Appendices

Appendix A. Criteria Pollutant Design Values

Tables 22-28 show criteria pollutant design values for all sites in the Washington Network.

Table 22. Carbon monoxide (CO) 2019 design values

| Site | AQS ID | 2019 Exceedances |
|-----------------------|-----------|------------------|
| Cheeka Peak | 530090013 | 0 |
| Seattle 10th & Weller | 530330030 | 0 |
| Seattle Beacon Hill | 530330080 | 0 |

Table 23. Nitrogen dioxide (NO₂) 2019 design values (ppb)

| Site | AQS ID | 2017 98 th Percentile | 2018 98 th Percentile | 2019 98 th Percentile | 2019 Design Value |
|-----------------------|-----------|----------------------------------|----------------------------------|----------------------------------|-------------------|
| Seattle 10th & Weller | 530330030 | NA | 63.7 | 57.2 | NA |
| Seattle Beacon Hill | 530330080 | NA | 44.5 | 42.8 | NA |
| Tacoma S 36th | 530530024 | 43.8 | 46.4 | 40.3 | 44 |

Table 24. Ozone (O₃) 2019 design values (ppm)

| Site | AQS ID | 2017 4th Highest D8M* | 2018 4th Highest D8M | 2019 4th Highest D8M | 2019 Design Value |
|---------------------------------|-----------|-----------------------|----------------------|----------------------|-------------------|
| Anacortes 202 Avenue | 530570011 | 0.041 | 0.041 | 0.040 | 0.040 |
| Cheeka Peak | 530090013 | 0.056 | 0.056 | 0.051 | [0.054] |
| Cheney Turnbull | 530630001 | 0.065 | 0.063 | 0.054 | 0.060 |
| Custer Loomis | 530730005 | 0.050 | 0.062 | 0.044 | 0.052 |
| Enumclaw Mud Mtn | 530330023 | 0.094 | 0.077 | 0.055 | 0.075 |
| Issaquah Lake Sammamish | 530330010 | 0.076 | 0.067 | 0.052 | 0.065 |
| Kennewick S Clodfelter | 530050003 | 0.074 | 0.073 | 0.061 | [0.069] |
| Mt Rainier Jackson Visitors Ctr | 530530012 | 0.069 | 0.067 | 0.056 | 0.064 |
| North Bend North Bend Way | 530330017 | 0.073 | 0.071 | 0.053 | 0.065 |
| Seattle Beacon Hill | 530330080 | 0.047 | 0.045 | 0.046 | 0.046 |
| Spokane Greenbluff | 530630046 | 0.068 | 0.072 | 0.057 | 0.065 |
| Vancouver Blairmont Dr | 530110011 | 0.071 | 0.062 | 0.058 | 0.063 |
| Yelm Northern Pacific | 530670005 | 0.067 | 0.063 | 0.052 | 0.060 |

*D8M is the daily maximum 8-hour average concentration.

Design values in brackets do not meet minimum data completeness requirements.

Table 25. Sulfur dioxide (SO₂) 2019 design values (ppb)

| Site | AQS ID | 2017 99 th Percentile | 2018 99 th Percentile | 2019 99 th Percentile | 2019 Design Value |
|---------------------------|-----------|----------------------------------|----------------------------------|----------------------------------|-------------------|
| Anacortes 202 Ave | 530570011 | 2.5 | 2.4 | 3.4 | 3 |
| Cheeka Peak | 530090013 | NA | 1 | 1 | NA |
| Ferndale-Kickerville Rd | 530730013 | 70.0 | 73.7 | 69.6 | 71 |
| Ferndale-Mountain View Rd | 530730017 | 113.6 | 101.3 | 104.5 | 106 |
| Malaga-Malaga Hwy | 530070012 | 1.1 | 1.2 | 1.0 | 1 |
| Seattle-Beacon Hill | 530330080 | NA | 8 | 6 | NA |

Table 26. PM_{2.5} 2019 24-hour design values and pseudo-design values (µg/m³)

Design values from FRM and FEM monitoring sites are shaded. Pseudo-design values from nephelometer sites are estimates only and cannot be used to determine compliance with the NAAQS. DVs in brackets are estimated from fewer than three years of available data. In years with one or more quarters less than 50% complete, 98th percentiles are not reported.

| Site | AQS ID | 98th Percentile 2017 | 98th Percentile 2018 | 98th Percentile 2019 | 24-Hour Design Value 2019 |
|-------------------------------|-----------|----------------------|----------------------|----------------------|---------------------------|
| Aberdeen Division St | 530272002 | 14.5 | 12.4 | NA | [13] |
| Anacortes 202 Avenue | 530570011 | 13.5 | 27.7 | 12 | 18 |
| Auburn M St | 530330089 | NA | NA | 16.9 | [17] |
| Bellevue SE 12 th | 530330031 | 22.9 | 9.2 | 9.4 | 14 |
| Bellingham Yew St | 530730015 | 27.7 | 24 | 12.2 | 21 |
| Bremerton Spruce Ave | 530350007 | 24 | 24 | 11.6 | 20 |
| Cheeka Peak | 530090013 | 35.4 | 27.4 | 5.2 | 23 |
| Chehalis Market Blvd | 530410004 | 25.2 | 28.5 | 13.7 | 22 |
| Chelan Woodin Ave | 530070007 | 29.1 | 137.8 | 12.4 | 60 |
| Clarkston 13th St | 530030004 | 63.9 | 37.8 | 22.8 | 42 |
| Colville E 1 st St | 530650005 | 41.8 | 73.3 | 24.3 | 46 |
| Darrington Fir St | 530610020 | 44 | 41.9 | 22.8 | 36 |
| Dayton W Main St | 530130002 | 37.8 | 37.3 | 15.4 | 30 |
| Ellensburg Ruby St | 530370002 | 47.8 | 46.5 | 18.8 | 38 |
| Kennewick Metaline | 530050002 | 35.8 | 32.6 | 18.6 | 29 |
| Kent Central & James | 530332004 | 36 | 32.8 | 17.8 | 29 |
| Lacey College St | 530670013 | 28.2 | 29.6 | 18.1 | 25 |
| LaCrosse Hill St | 530750005 | NA | 38.4 | 11.8 | [25] |
| Lake Forest Park | 530330024 | NA | 50.7 | 18.1 | [34] |
| Leavenworth Evans St | 530070010 | 24.4 | 60 | 19.6 | 35 |
| Longview 30th Ave | 530150015 | 16.4 | 24.8 | 16.7 | 19 |
| Marysville 7th Ave | 530611007 | 30.8 | 31.2 | 28 | [30] |
| Mesa Pepiot Way | 530210002 | 45.9 | 32.5 | 16 | 31 |
| Moses Lake Balsam St | 530251002 | 38.6 | 37.3 | 14.7 | 30 |
| Mt Vernon S Second St | 530570015 | NA | 14.5 | 7.6 | [11] |
| Neah Bay 2 Makah Tribe | 530090015 | 11.3 | 22.2 | NA | [17] |
| North Bend North Bend Way | 530330017 | 43 | 34.6 | 12.2 | 30 |
| Omak Colville Tribe | 530470013 | 64.7 | 93.5 | 21.3 | 60 |
| Pomeroy (Temporary) | | NA | 25.4 | 12.6 | [19] |

2020 Ambient Air Monitoring Network Plan

| Site | AQS ID | 98th Percentile 2017 | 98th Percentile 2018 | 98th Percentile 2019 | 24-Hour Design Value 2019 |
|-------------------------------|-----------|----------------------|----------------------|----------------------|---------------------------|
| Port Angeles E 5th St | 530090017 | 27.2 | 41.9 | 14.6 | 28 |
| Port Townsend San Juan Ave | 530310003 | 15.6 | 28.3 | 10.1 | 18 |
| Pullman Dexter SE | 530750003 | 30.7 | NA | 8.2 | [19] |
| Puyallup 128th St | 530531018 | 51.2 | 37.5 | 18.4 | 36 |
| Quincy 3 rd Ave NE | 530251003 | NA | 58.4 | 12.8 | [36] |
| Ritzville Alder St | 530010003 | 39.1 | 44.3 | 11.6 | 32 |
| Rosalia Josephine St | 530750006 | 37.2 | 36 | 12 | 28 |
| Seattle 10th & Weller | 530330030 | 34.4 | 35.5 | 16.5 | 29 |
| Seattle Beacon Hill | 530330080 | 29.9 | 37 | 11.9 | 26 |
| Seattle Duwamish | 530330057 | 35 | 41.7 | 20.2 | 32 |
| Seattle South Park | 530331011 | 50.1 | 43.8 | 16.3 | 37 |
| Shelton W Franklin | 530450007 | 20.1 | 25.7 | 14.5 | 20 |
| Spokane Augusta Ave | 530630021 | 48.2 | 49.5 | 25.1 | 41 |
| Spokane Monroe St | 530630047 | 54.4 | 51 | 23.3 | 43 |
| Sunnyside S 16th | 530770005 | 48.3 | 62.4 | 31.3 | 47 |
| Tacoma Alexander Ave | 530530031 | 23.5 | 35.1 | 15.3 | 25 |
| Tacoma L Street | 530530029 | 38.7 | 37.5 | 27.5 | 35 |
| Tacoma S 36 th | 530530024 | 30 | 29.4 | 19.2 | 26 |
| Taholah Quinault Tribe | 530270011 | 21.6 | 25.6 | NA | [24] |
| Toppenish Yakama Tribe | 530770015 | 54.6 | 50.4 | 34.4 | 46 |
| Tukwila Allentown | 530330069 | NA | 51.5 | 16.6 | [34] |
| Twisp Glover St | 530470009 | 67.5 | NA | 20.7 | [44] |
| Vancouver NE 84th Ave | 530110024 | 35.1 | 30 | 24.9 | 30 |
| Walla Walla 12th St | 530710005 | 38.1 | 37.7 | 16.5 | 31 |
| Wellpinit Spokane Tribe | 530650002 | 39.8 | 46.5 | 15.1 | 34 |
| Wenatchee Fifth St | 530070011 | 74.4 | 90.1 | 18.6 | 61 |
| White Salmon (Temporary) | 530390006 | NA | NA | 18.4 | [18] |
| White Swan Yakama Tribe | 530770016 | 46.2 | 51.6 | 21.9 | 40 |
| Winthrop Chewuch Rd | 530470010 | 69.8 | 71.7 | 15.7 | 52 |
| Yacolt Yacolt Rd | 530110022 | 30.8 | 18.4 | 17.4 | 22 |
| Yakima 4th Ave | 530770009 | 52.2 | 47.5 | 31.8 | 44 |

Table 27. PM_{2.5} 2019 annual design values and pseudo-design values

| Site | AQS ID | Annual Mean 2017 | Annual Mean 2018 | Annual Mean 2019 | Annual Design Value 2019 |
|-------------------------------|-----------|------------------|------------------|------------------|--------------------------|
| Aberdeen Division St | 530272002 | 5.47 | 4.99 | NA | [5.2] |
| Anacortes 202 Avenue | 530570011 | 5.74 | 6.25 | 5.47 | 5.8 |
| Auburn M St | 530330089 | NA | NA | 5.71 | [5.7] |
| Bellevue SE 12 th | 530330031 | 4.14 | 3.59 | 3.90 | 3.9 |
| Bellingham Yew St | 530730015 | 5.24 | 5.29 | 4.64 | 5.1 |
| Bremerton Spruce Ave | 530350007 | 4.89 | 4.82 | 4.86 | 4.9 |
| Cheeka Peak | 530090013 | 3.50 | 3.96 | 2.00 | 3.2 |
| Chehalis Market Blvd | 530410004 | 6.51 | 6.93 | 5.86 | 6.4 |
| Chelan Woodin Ave | 530070007 | 6.30 | 12.98 | 4.80 | 8 |
| Clarkston 13th St | 530030004 | 11.74 | 9.36 | 8.01 | 9.7 |
| Colville E 1 st St | 530650005 | 11.08 | 12.24 | 8.85 | 10.7 |

| Site | AQS ID | Annual Mean 2017 | Annual Mean 2018 | Annual Mean 2019 | Annual Design Value 2019 |
|-------------------------------|-----------|------------------|------------------|------------------|--------------------------|
| Darrington Fir St | 530610020 | 8.30 | 6.67 | 5.95 | 7 |
| Dayton W Main St | 530130002 | 7.41 | 6.00 | 5.20 | 6.2 |
| Ellensburg Ruby St | 530370002 | 10.98 | 7.07 | 6.99 | 8.3 |
| Kennewick Metaline | 530050002 | 8.52 | 7.09 | 6.40 | 7.3 |
| Kent Central & James | 530332004 | 7.71 | 7.04 | 5.87 | 6.9 |
| Lacey College St | 530670013 | 6.53 | 5.94 | 6.18 | 6.2 |
| LaCrosse Hill St | 530750005 | NA | 5.92 | 4.44 | [5.2] |
| Lake Forest Park | 530330024 | NA | 8.83 | 7.25 | [8.0] |
| Leavenworth Evans St | 530070010 | 6.29 | 8.98 | 6.65 | 7.3 |
| Longview 30th Ave | 530150015 | 6.09 | 6.24 | 5.47 | 5.9 |
| Marysville 7th Ave | 530611007 | 7.98 | 8.13 | 8.66 | 8.3 |
| Mesa Peplot Way | 530210002 | 7.58 | 6.53 | 4.82 | 6.3 |
| Moses Lake Balsam St | 530251002 | 8.14 | 7.54 | 5.55 | 7.1 |
| Mt Vernon S Second St | 530570015 | NA | 3.50 | 2.81 | [3.2] |
| Neah Bay 2 Makah Tribe | 530090015 | 4.00 | 4.51 | NA | [4.3] |
| North Bend North Bend Way | 530330017 | 5.50 | 4.68 | 3.55 | 4.6 |
| Omak Colville Tribe | 530470013 | NA | 13.41 | 7.36 | [10.4] |
| Pomeroy (Temporary) | | NA | 5.53 | 4.76 | [5.1] |
| Port Angeles E 5th St | 530090017 | 8.61 | 9.18 | 6.75 | 8.2 |
| Port Townsend San Juan Ave | 530310003 | 5.51 | 6.36 | 5.14 | 5.7 |
| Pullman Dexter SE | 530750003 | 6.63 | NA | 3.25 | [4.9] |
| Puyallup 128th St | 530531018 | 7.19 | 7.11 | 5.82 | 6.7 |
| Quincy 3 rd Ave NE | 530251003 | NA | 7.34 | 4.19 | [5.8] |
| Ritzville Alder St | 530010003 | 6.58 | 6.06 | 4.00 | 5.5 |
| Rosalia Josephine St | 530750006 | 6.88 | 6.54 | 4.76 | 6.1 |
| Seattle 10th & Weller | 530330030 | 8.11 | 9.33 | 7.37 | 8.3 |
| Seattle Beacon Hill | 530330080 | 7.09 | 6.51 | 5.21 | 6.3 |
| Seattle Duwamish | 530330057 | 9.69 | 8.94 | 8.27 | 9 |
| Seattle South Park | 530331011 | 9.51 | 9.60 | 8.43 | 9.2 |
| Shelton W Franklin | 530450007 | 6.36 | 6.79 | 5.94 | 6.4 |
| Spokane Augusta Ave | 530630021 | 10.85 | 10.33 | 7.54 | 9.6 |
| Spokane Monroe St | 530630047 | 10.38 | 9.45 | 7.07 | 9 |
| Sunnyside S 16th | 530770005 | 14.07 | 11.92 | 10.77 | 12.3 |
| Tacoma Alexander Ave | 530530031 | 7.46 | 8.06 | 6.78 | 7.4 |
| Tacoma L Street | 530530029 | 8.19 | 8.23 | 8.11 | 8.2 |
| Tacoma S 36 th | 530530024 | 8.37 | 7.89 | 7.15 | 7.8 |
| Taholah Quinault Tribe | 530270011 | 4.79 | 5.54 | NA | [5.2] |
| Toppenish Yakama Tribe | 530770015 | 13.50 | 10.42 | 9.80 | [11.2] |
| Tukwila Allentown | 530330069 | NA | 8.70 | 7.28 | [8.0] |
| Twisp Glover St | 530470009 | 12.50 | NA | 7.73 | [10.1] |
| Vancouver NE 84th Ave | 530110024 | 8.87 | 7.35 | 7.04 | 7.8 |
| Walla Walla 12th St | 530710005 | 8.21 | 7.11 | 6.21 | 7.2 |
| Wellpinit Spokane Tribe | 530650002 | 7.68 | 8.12 | 5.19 | 7 |
| Wenatchee Fifth St | 530070011 | 12.06 | 11.25 | 6.72 | 10 |
| White Salmon (Temporary) | 530390006 | NA | NA | 6.03 | [6.0] |
| White Swan Yakama Tribe | 530770016 | 6.23 | 7.39 | 5.94 | 6.5 |
| Winthrop Chewuch Rd | 530470010 | 9.43 | 10.90 | 6.07 | 8.8 |
| Yacolt Yacolt Rd | 530110022 | 6.25 | 4.76 | 5.01 | 5.3 |
| Yakima 4th Ave | 530770009 | 10.30 | 10.54 | 9.24 | 10 |

Table 28. PM₁₀ 2019 design values (µg/m³)

| Site | AQS ID | 2017 Expected Exceedances | 2018 Expected Exceedances | 2019 Expected Exceedances | 3-Year Estimated Exceedances |
|-------------------------------|---------------|--|--|--|---|
| Burbank Maple St | 530710006 | NA | 2 | 0 | NA |
| Colville E 1 st St | 530650005 | 1 | 1.2 | 0 | 0.7 |
| Kennewick Metaline | 530050002 | 3 | 3 | 0 | 2 |
| Seattle Beacon Hill | 530330080 | 0 | 0 | 0 | 0 |
| Spokane Augusta | 530630021 | 4 | 2 | 0 | 2 |
| Yakima 4th Ave S | 530770009 | 4.7 | 0 | 0 | 1.6 |

Appendix B. Monitoring Waivers

Lead (Pb)

In 2014, EPA approved the use of lead in PM₁₀ measurements as a surrogate for lead in TSP at Seattle-Beacon Hill (530330080). Ecology met this requirement through lead analysis of low-vol PM₁₀ filters analyzed through the NATTS program. In 2016, EPA discontinued the requirement for lead monitoring at NCore sites. Ecology continues to report measurements of lead in PM₁₀ at Seattle-Beacon Hill as a NATTS parameter. In 2017, at the request of EPA Region 10, Ecology redesignated the Seattle-Beacon Hill lead monitor a “NAAQS-exclusion” type monitor. At the further request of EPA, Ecology ceased reporting to parameter code 85129 and began reporting to parameter code 85128 as of January 1, 2019. It is no longer used to demonstrate compliance with the NAAQS.

On April 18, 2019, EPA issued Ecology a waiver for the source-oriented lead monitoring requirement at Ardagh Glass in Seattle. That waiver is provided below.

2019 Ardagh Glass Pb Waiver Approval

The U.S. Environmental Protection Agency has completed our review of your supporting information for waiving ambient air lead monitoring for the Ardagh Glass facility in Seattle, Washington (EIS ID: 4985311). Based on the information you provided in Attachment E of your correspondence and the available data in AQS, Region 10 agrees that the ambient air lead monitoring for this facility based on the results of the AERMOD dispersion modeling conducted by your staff meet the regulatory requirements for waiving ambient air lead monitoring for this facility.

According to 40 CFR Part 58, Appendix D §4.5(a)(ii), the Regional Administrator may waive the requirement for lead source monitoring if the state can demonstrate that the source will not contribute to a maximum lead concentration in ambient air in excess of 50 percent of the NAAQS. The modeling approach and protocol for the Ardagh Glass facility conducted by the Department of Ecology was consistent with the EPA's guidance and modeling requirements found in 40 CFR Part 51, Appendix W. The results of this modeling demonstrate that the maximum ambient air 3-month rolling average lead concentration at the facility does not exceed 50 percent of the lead NAAQS.

Monitoring regulations require that this waiver must be renewed every five years. As such, this waiver will be due for renewal in calendar year 2023 if the NEI emission estimates for this facility continue to be above 0.5 tons/year. The EPA reserves the right to rescind this waiver should a future need arise (e.g., increased production or emissions at the facility, monitoring regulation changes, or revisions to the NAAQS).

Enclosure 3

Yakima CO

In 2006, EPA approved the discontinuation of the Yakima CO monitor based on the low concentrations measured at the monitor and predicted reductions in onroad mobile source emissions in Yakima. Below is the approval letter from EPA approving discontinuation of the monitor.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 Sixth Avenue
Seattle, WA 98101

MAR 03 2006

Reply to
Attn Of: OAWT-107

Mr. Mike Ragan
Air Monitoring Coordinator
Air Quality Program
P.O. Box 47600
Olympia, WA 98504-7600

Re: Approval of the Washington 2006 Ambient Monitoring Network

Dear Mr. Ragan:

We have evaluated the Washington 2005 Ambient Air Monitoring Network Assessment and Ecology's proposed monitoring network for 2006. As you know, in December 2005 EPA proposed a lower 24-hour PM_{2.5} monitoring standard of 35 ug/m³, and a new 24-hour PM_{coarse} standard of 70 ug/m³ to replace the current PM₁₀ standard. The implementation of these new standards will have a significant effect on the future number and locations of PM monitors in the State's monitoring network. This should be a major consideration in your 2006 annual monitoring network assessment. In order to ensure continued PM_{2.5} monitoring at sites required by population (40 CFR Part 58), and at sites reporting values near or above the proposed PM_{2.5} standard, Region 10 developed a list of monitoring priorities for a "core" PM_{2.5} monitoring network (Attachment 1). In response to these monitoring priorities, Ecology has proposed to discontinue PM_{2.5} FRM monitors at the following sites:

| <u>Monitoring Site</u> | <u>AIRS#</u> |
|-------------------------------|--------------|
| 1. Moose Lodge -- Vancouver | 530110013 |
| 2. Benton County -- Kennewick | 530050002 |
| 3. Monroe Street - Spokane | 530630047 |

The PM_{2.5} design values for these sites, based on monitoring data collected over the past 3 years, are below the current PM_{2.5} and proposed PM_{2.5} standards. Therefore, I approve the discontinuation of these PM_{2.5} FRM monitors. Ecology is authorized to operate all PM_{2.5} "core" monitors for 2006 including:

1. PM_{2.5} FRMs (or FEMs, if approved) at the Beacon Hill, Duwamish (primary and co-located), Crown Zellerbach (primary and co-located), and Tacoma/L Street sites.
2. PM_{2.5} speciation monitors located at the following sites:
 - a. Beacon Hill
 - b. Spokane
 - c. Duwamish
 - d. Tacoma



e. Lake Forest Park


3. Pre-cursor gas monitors operated at the Beacon Hill site

Operation of any additional PM2.5 monitors, in addition to the PM2.5 “core” network, are authorized as funding permits. Ecology is authorized to operate all ozone, SO2, NOx, other CO, and PM10 monitors identified in the 2005 Washington Ambient Air Monitoring Network Review.

The Yakama Regional Clean Air Authority has requested permission to discontinue operations of its CO monitor at the Tattoo Parlor site in Yakama. The rationale for discontinuing this monitor is that CO 8-hour design values at this site have decreased from a value of 5.1 ppm in 1998-1999, to a value of 3.5 ppm in 2002-2003. In addition, EPA’s MOBILE6.2 model predicts that on-road mobile source emissions of CO in Yakama will decrease by 12.4% compared to the 1999 mobile source emissions. This should ensure that the 8-hour CO design values remain substantially below the CO standard of 9 ppm. Therefore, I approve the discontinuation of this CO monitor.

If you have any questions about our approval of the WA monitoring network, please contact Keith Rose at (206) 553-1949.

Sincerely,



Mahbubul Islam, Manager
State and Tribal Program Unit
Office of Air, Waste and Toxics

cc: William Puckett, OEA

Spokane CO

On July 14, 2016, Federal Register #81 FR 45417, the EPA approved an alternate method of verification of attainment of the CO NAAQS in Spokane and qualification for the limited maintenance plan option under 40 C.F.R. Part 58.14(c) in the Spokane Maintenance Area. Under this alternative, EPA considers the limited maintenance plan criteria met and continued verification of attainment of the CO NAAQS if the total of the three predominant CO emission source categories calculated as part of the triennial emissions inventory (onroad mobile, nonroad, and residential wood combustion) remain below the corresponding total of the 2002 emission inventory source categories approved at the time the Spokane area was redesignated to attainment. SRCAA and Ecology will compare future year 2017, 2020 and 2023 triennial emission analysis results to the baseline 2002.

PM₁₀

In the summers of 2017 and 2018, Washington experienced extended smoke events from regional wildfires in the Pacific Northwest. These smoke events caused repeated exceedances of the PM₁₀ standard in Yakima and Kennewick, which triggered additional monitoring requirements as detailed in 40 C.F.R. Part 58 Appendix D, Table D-4. In addition, Kennewick routinely experiences high wind dust events that cause exceedances of the PM₁₀ standard. Due to the regional and exceptional nature of these events, EPA issued Ecology waivers for the unmet PM₁₀ monitoring requirements in the Yakima and Kennewick-Richland MSAs on April 18, 2019. In its February 7, 2020 response to Ecology's 2019 Annual Network Plan, EPA approved Ecology's waiver request for the remaining unmet monitoring requirement in the Seattle-Tacoma-Bellevue and one of the unmet monitoring requirements in the Spokane-Spokane Valley MSA. The waivers and Annual Network Plan response are provided below.

Yakima PM10 Waiver Approval

The U.S. Environmental Protection Agency has completed our review of your supporting information for waiving additional PM₁₀ monitoring in the Yakima MSAs. Based on the information you provided in Attachment C of your correspondence and the available data in AQS, Region 10 agrees that the high concentration PM₁₀ air quality episodes were broad scale events driven by wildfires. As such, Region 10 also concurs that the existing PM₁₀ monitor in the Yakima MSA (AQS ID: 53-077-0009) is adequate for characterizing the PM₁₀ air quality trends and spatial geographical patterns in this MSA. Per 40 CFR Part 58, Appendix D §4.6(a), Region 10 waives the minimum PM₁₀ network size specified by Table D-4 of 40 CFR Part 58, Appendix D for the Yakima MSA and allows the Department of Ecology to use the existing PM₁₀ monitor (AQS ID: 53-077-0009) for meeting minimum regulatory monitoring requirements for this MSA.

This monitoring waiver is effective for five years and may need to be renewed in calendar year 2023 to keep the minimum monitoring requirements set at a single PM₁₀ monitor. The EPA reserves the right to reinstate the additional PM₁₀ monitoring requirements in the MSA sooner than five years should a future need arise (e.g., changes in air quality due to local sources, monitoring regulation changes, or revisions to the NAAQS).

Enclosure 1

2019 Kennewick PM10 Waiver Approval

The U.S. Environmental Protection Agency has completed our review of your supporting information for waiving additional PM₁₀ monitoring in the Kennewick-Richland MSAs. Based on the information you provided in Attachment B of your correspondence and the available data in AQS, Region 10 agrees that the high concentration PM₁₀ air quality episodes were broad scale events driven by high winds and wildfires. As such, Region 10 also concurs that the existing PM₁₀ monitor in the Kennewick-Richland MSA (AQS ID: 53-005-0002) is adequate for characterizing the PM₁₀ air quality trends and spatial geographical patterns in this MSA. Per 40 CFR Part 58, Appendix D §4.6(a), Region 10 waives the minimum PM₁₀ network size specified by Table D-4 of 40 CFR Part 58, Appendix D for the Kennewick-Richland MSA and allows the Department of Ecology to use the existing PM₁₀ monitor (AQS ID: 53-005-0002) for meeting minimum regulatory monitoring requirements for this MSA.

This monitoring waiver is effective for five years and may need to be renewed in calendar year 2023 to keep the minimum monitoring requirements set at a single PM₁₀ monitor. The EPA reserves the right to reinstate the additional PM₁₀ monitoring requirements in the MSA sooner than five years should a future need arise (e.g., changes in air quality due to local sources, monitoring regulation changes, or revisions to the NAAQS).

Enclosure 2

Appendix C. EPA Response to 2019 Annual Network Plan



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 REGION 10
 1200 Sixth Avenue, Suite 155
 Seattle, WA 98101-3123

AIR & RADIATION
 DIVISION

FEB - 7 2020

Ms. Jill Schulte
 Ambient Air Monitoring Coordinator
 Department of Ecology
 State of Washington
 P.O. Box 47600
 Olympia, Washington 98504-7600

Dear Ms. Schulte:

The U.S. Environmental Protection Agency, Region 10 evaluated the Washington Department of Ecology's 2019 Annual Monitoring Network Plan (ANP) dated June 25, 2019. This approval letter documents Region 10's findings from the review of this ANP. Based on our review of the ANP, we did not identify any monitoring deficiencies for Washington State's ambient air monitoring network other than the PM₁₀ network size that was previously identified by Ecology in the ANP. The ANP's description of modifications for the Washington State network was helpful in our review and is appreciated.

On April 2, 2019, Ecology requested a waiver from the minimum PM₁₀ network size requirements for the following MSAs: Seattle-Tacoma-Bellevue, Spokane-Spokane Valley, Kennewick-Richland, and Yakima. On April 18, 2019, Region 10 approved Ecology's waiver request with the exception of the PM₁₀ monitoring for the Seattle-Tacoma-Bellevue and Spokane-Spokane Valley MSAs. For these MSAs, EPA delayed its decision pending further review as these requests presented unique issues for consideration.

We have completed our assessment of the information Ecology provided on April 2, 2019. For the Seattle-Tacoma-Bellevue MSA, we agree with Ecology's conclusions from the April 2, 2019, correspondence to our office regarding the limited benefit of operating additional PM₁₀ monitors in this MSA. As such, pursuant to 40 CFR Part 58, Appendix D §4.6(a), EPA approves your waiver request to limit the required PM₁₀ SLAMS monitoring for the Seattle-Tacoma-Bellevue MSA to the single station located at the Beacon Hill NCore station. The EPA accepts your assertion that PM₁₀ monitoring at Seattle-Beacon Hill is sufficient to characterize emissions across the MSA and concludes that expanding the size of the network at this time would provide limited additional information that is disproportionate to the costs associated with a network expansion.

While the EPA has flexibility to adjust the minimum monitoring requirements for MSAs in Region 10, the monitoring regulations do not provide provisions to waive the data reporting requirements of 40 CFR §§ 58.16 and 58.20. We understand that some local air agencies in Washington State operate more FRM/FEM monitors than are reported to AQS. The data from these additional monitoring stations are reported to the public through Washington's AQI webpage services and also submitted by Ecology to the EPA's AIRNow AQI system. However, in addition to these two data reporting systems, ambient air quality measurements obtained from FRM and FEM monitors are required to be submitted to AQS. As such, we request that all data from FRM and FEM monitors in the Washington State network be

uploaded to AQS going forward. Accordingly, data from the FEM PM₁₀ monitor at Turnbull National Wildlife Refuge in the Spokane-Spokane Valley MSA should be reported to AQS.

For the Spokane-Spokane Valley MSA, in addition to reporting all FRM/FEM data to AQS, we also request that the FEM PM₁₀ monitor at Turnbull National Wildlife Refuge in this MSA be designated as SLAMS. As such the monitor will count toward the minimum monitoring requirements for this MSA. The designation of the Turnbull PM₁₀ monitor as a SLAMS for the Spokane-Spokane Valley MSA will bring the total number of SLAMS PM₁₀ stations to three. Ecology has requested a waiver from the requirement to maintain a minimum of four SLAMS PM₁₀ network monitoring stations in the Spokane-Spokane Valley MSA. To address your concerns expressed in your waiver request that expanding the PM₁₀ network beyond the size of the existing network would adversely impact the statewide PM_{2.5} network, EPA through this network approval letter waives the requirement to operate the fourth PM₁₀ station in the Spokane-Spokane Valley MSA.

This PM₁₀ network size waiver for reducing the monitoring requirements in the Seattle-Tacoma-Bellevue MSA to one station and the Spokane-Spokane Valley MSA to three stations is in effect for five years from the date of this correspondence. We ask that you reference this waiver approval in future ANPs. We also ask that Ecology evaluate whether additional PM₁₀ monitors continue to provide limited air quality value relative to their operational costs for these MSAs during the network assessment and future Annual Network Plan submittals to our office. Additionally, changes to the air quality concentrations in the Spokane-Spokane Valley MSA may warrant reducing or modifying this network in the future.

The EPA appreciates Ecology's establishment of a MOU with the Oregon Department of Environmental Quality for jointly meeting the criteria pollutant monitoring requirements for the Portland-Vancouver-Hillsboro OR-WA MSA. Through this network approval letter, as provided by 40 CFR Part 58, Appendix D §2(e), Region 10 allows the minimum network size requirements for this MSA to be satisfied jointly by Ecology and the Oregon Department of Environmental Quality. The EPA requests that Ecology and the Oregon Department of Environmental Quality review and reaffirm this MOU periodically and renew the request from Region 10 to waive full monitoring requirements by Ecology for this MSA every five years.

Region 10 approves the State of Washington's 2019 ANP. Region 10 appreciates the timeliness and detail provided in the ANP. Please notify us when Ecology has determined the location for the second PM_{2.5} SLAMS for the Spokane MSA and notify Region 10 when the supplemental Chemical Speciation Network (CSN) sampling at the 10th and Weller (53-033-0030) and/or L-Street (53-053-0029) stations ceases or is relocated. Since these monitoring stations are supplemental CSN stations and not members of the national Speciation Trends Network (STN), these approvals can be made by our Regional Office. If you have any questions about our approval of the ANP, please contact me or Doug Jager at (206) 553-2961.

Sincerely,



Debra Suzuki, Manager
Air Planning, State/Tribal Coordination Branch

Appendix D. Detailed Site and Monitor Information

The tables below describe the detailed site and monitor information for each monitoring site in the Washington Network. This information demonstrates compliance with the probe and monitoring path siting criteria described in 40 C.F.R. Part 58 Appendix E.

| Aberdeen-Division St | Site Information | |
|---|---|---|
| | AQS ID | 530272002 |
| | Street Address | 359 N Division St (Harbor High School) |
| | Zip Code | 98520 |
| | Latitude | 46.97228 |
| | Longitude | -123.83173 |
| | Date Site Established | 20021001 |
| | MSA/CBSA/CSA Represented | Aberdeen |
| | County | Grays Harbor |
| | Distance from roadway (m) | 200 |
| | Traffic count (AADT) | 12000 |
| | Ground cover | Asphalt |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20021001 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 5 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| Changes in next 18 months? | No | |
| Suitable for NAAQS comparison? | No | |

2020 Ambient Air Monitoring Network Plan

| Anacortes-202 Ave | | Site Information |
|--|---|---|
| | AQS ID | 530570011 |
| | Street Address | 202 O Ave |
| | Zip Code | 98221 |
| | Latitude | 48.52059 |
| | Longitude | -122.61428 |
| | Date Site Established | 20120501 |
| | MSA/CBSA/CSA Represented | Mount Vernon-Anacortes |
| | County | Skagit |
| | Distance from roadway (m) | 135 |
| | Traffic count (AADT) | 410 |
| | Ground cover | Asphalt, gravel |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 20111012 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Northwest Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | May-Oct |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Tygon |
| | Residence time (sec) (sec) | 9.5 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20111012 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Northwest Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |

| Anacortes-202 Ave | Site Information | |
|--------------------------------------|---|---|
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |
| Sulfur Dioxide (42401, POC 2) | Sampling/Analysis Method | TAPI 100 EU (600) |
| | Parameter Begin Date | 20111012 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Northwest Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) (sec) | 9.5 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

| Auburn-M St | Site Information | |
|--|---|---|
| | AQS ID | 530330089 |
| | Street Address | 2301 M Street SE |
| | Zip Code | 98002 |
| | Latitude | 48.2875 |
| | Longitude | -122.2144 |
| | Date Site Established | 20190101 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 25 |
| | Traffic count (AADT) | 5548 |
| | Ground cover | Grass |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20190101 |
| | Monitor Type Begin Date | 20190101 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Monitoring start date | 20190101 |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 5 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

| Bellevue-SE 12th | Site Information | |
|---|---|---|
| | AQS ID | 530330031 |
| | Street Address | 14310 SE 12th St |
| | Zip Code | 98007 |
| | Latitude | 47.600863 |
| | Longitude | -122.148397 |
| | Date Site Established | 20161201 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 200 |
| | Traffic count (AADT) | 11000 |
| | Ground cover | Asphalt, concrete, grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20161201 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 2 |
| | Distance from supporting structure (m) | 2 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | 30 |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Bellingham-Pacific St | Site Information | |
|--|---|---|
| | AQS ID | 530730019 |
| | Street Address | 2221 Pacific Street |
| | Zip Code | 98229 |
| | Latitude | 48.760036 |
| | Longitude | -122.456463 |
| | Date Site Established | 20180102 |
| | MSA/CBSA/CSA Represented | Bellingham |
| | County | Skagit |
| | Distance from roadway (m) | 25 |
| | Traffic count (AADT) | 2399 |
| | Ground cover | Roof |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20180102 |
| | Monitor Type Begin Date | 20180102 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Northwest Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Monitoring start date | 20180101 |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

| Bremerton-Spruce | Site Information | |
|--|---|---|
| | AQS ID | 530350007 |
| | Street Address | 3250 Spruce Ave |
| | Zip Code | 98310 |
| | Latitude | 47.592675 |
| | Longitude | -122.627397 |
| | Date Site Established | 20120501 |
| | MSA/CBSA/CSA Represented | Bremerton-Silverdale |
| | County | Kitsap |
| | Distance from roadway (m) | 160 |
| | Traffic count (AADT) | 35000 |
| | Ground cover | Grass |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20120501 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 150 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

| Burbank-Maple St Site Information | | |
|--|---|---|
| | AQS ID | 530710006 |
| | Street Address | 755 Maple Street (Columbia High School) |
| | Zip Code | 99323 |
| | Latitude | 46.199901 |
| | Longitude | -119.008329 |
| | Date Site Established | 20021105 |
| | MSA/CBSA/CSA Represented | Walla Walla |
| | County | Walla Walla |
| | Distance from roadway (m) | 80 |
| | Traffic count (AADT) | 669 |
| | Ground cover | Asphalt |
| PM₁₀ (81102, POC 3) | Sampling/Analysis Method | Met One BAM 1020 (122) |
| | Parameter Begin Date | 20170815 |
| | Monitor Type Begin Date | 20170815 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | N/A |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| Unrestricted airflow (deg) | 360 | |
| Changes in next 18 months? | No | |
| Suitable for NAAQS comparison? | Yes | |
| Meteorological | Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| | Parameter Begin Date | 20180301 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Urban |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| Probe height (m) | 10 | |

| Burbank-Maple St | Site Information | |
|-------------------------|---|-----|
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |

2020 Ambient Air Monitoring Network Plan

| Cheeka Peak | Site Information | |
|--|---|---|
| | AQS ID | 530090013 |
| | Street Address | Located In A Tree Farm (Cheeka Peak) |
| | Zip Code | 98381 |
| | Latitude | 48.29786 |
| | Longitude | -124.62491 |
| | Date Site Established | 20060517 |
| | MSA/CBSA/CSA Represented | Port Angeles |
| | County | Clallam |
| | Distance from roadway (m) | 8500 |
| | Traffic count (AADT) | 1000 |
| | Ground cover | Shrubs, grass, gravel/dirt |
| Trace NO_y (42600/42601/42612, POC 2) | Sampling/Analysis Method | TAPI 200 EU (699) |
| | Parameter Begin Date | 20110101 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Regional Scale |
| | Monitor type | SLAMS, NCore |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 8 |
| | Distance from supporting structure (m) | 0.3 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 21 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 175 |
| | Probe material | Teflon |
| | Residence time (sec) | 1.6 |
| | Changes in next 18 months? | No |
| Suitable for NAAQS comparison? | No | |
| Carbon Monoxide (42101, POC 2) | Sampling/Analysis Method | TAPI 300 EU (593) |
| | Parameter Begin Date | 20080101 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Regional Scale |
| | Monitor type | SLAMS, NCore |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |

| Cheeka Peak | Site Information | |
|---|---|---|
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | 0.3 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 21 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 175 |
| | Probe material | Teflon |
| | Residence time (sec) | 1.9 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |
| Meteorological | Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| | Parameter Begin Date | 20110101 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Regional Scale |
| | Monitor type | SLAMS, NCore |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 40 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20060517 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Regional Scale |

2020 Ambient Air Monitoring Network Plan

| Cheeka Peak | Site Information | |
|--------------------------------------|---|---|
| | Monitor type | SLAMS, NCore |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | 0.3 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 21 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 175 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 20101217 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Regional Scale |
| | Monitor type | SLAMS, NCore |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | 0.3 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 21 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 175 |
| | Probe material | Teflon |
| | Residence time (sec) | 1.9 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |
| Sulfur Dioxide (42401, POC 2) | Sampling/Analysis Method | TAPI 100 EU (600) |
| | Parameter Begin Date | 20110101 |

| Cheeka Peak | Site Information | |
|--------------------|---|---|
| | Monitor Objective | General/Background |
| | Measurement Scale | Regional Scale |
| | Monitor type | SLAMS, NCore |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | 0.3 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 21 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 175 |
| | Probe material | Teflon |
| | Residence time (sec) | 5.8 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

| Chehalis-Market Blvd | Site Information | |
|---|---|---|
| | AQS ID | 530410004 |
| | Street Address | 350 N Market Blvd |
| | Zip Code | 98532 |
| | Latitude | 46.66409 |
| | Longitude | -122.96732 |
| | Date Site Established | 20091229 |
| | MSA/CBSA/CSA Represented | Centralia |
| | County | Lewis |
| | Distance from roadway (m) | 30 |
| | Traffic count (AADT) | 3769 |
| | Ground cover | Roof |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20091229 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | 0.3 |
| | Distance from obstruction on roof (m) | 11 |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 25 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Chelan-Woodin Ave | Site Information | |
|---|--|---|
| | AQS ID | 530070007 |
| | Street Address | 428 W Woodin Ave. , Chelan, WA (Chelan Ranger Station) |
| | Zip Code | 98816 |
| | Latitude | 47.83861 |
| | Longitude | -120.023076 |
| | Date Site Established | 20020915 |
| | MSA/CBSA/CSA Represented | Wenatchee |
| | County | Chelan |
| | Distance from roadway (m) | 275 |
| | Traffic count (AADT) | 5100 |
| | Ground cover | Grass, dirt |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20160906 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Neighborhood |
| | Monitor type | Non-EPA federal |
| | Collecting agency | USDA Forest Service |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 10 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Cheney-Turnbull Site Information | | |
|---|---|---|
| | AQS ID | 530630001 |
| | Street Address | S 26010 Smith Road (Turnbull Slough National Wildlife Refuge) |
| | Zip Code | 99004 |
| | Latitude | 47.41645 |
| | Longitude | -117.52997 |
| | Date Site Established | 19710701 |
| | MSA/CBSA/CSA Represented | Spokane-Spokane Valley |
| | County | Spokane |
| | Distance from roadway (m) | 1900 |
| | Traffic count (AADT) | 992 |
| | Ground cover | Grass, dirt |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 19990501 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | May-Oct |
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | 70 |
| | Distance from trees (m) | 100 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 3.8 |
| | Changes in next 18 months? | No |
| Suitable for NAAQS comparison? | Yes | |

| Clarkston-13th St | Site Information | |
|---|---|---|
| | AQS ID | 530030004 |
| | Street Address | 13Th St And Port Way (Clarkston Stp) |
| | Zip Code | 99403 |
| | Latitude | 46.425416 |
| | Longitude | -117.060445 |
| | Date Site Established | 19930616 |
| | MSA/CBSA/CSA Represented | Lewiston |
| | County | Asotin |
| | Distance from roadway (m) | 600 |
| | Traffic count (AADT) | 8200 |
| | Ground cover | Grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20070307 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| Changes in next 18 months? | No | |
| Suitable for NAAQS comparison? | Yes | |

2020 Ambient Air Monitoring Network Plan

| Colville-E 1st St | Site Information | |
|--|---|---|
| | AQS ID | 530650005 |
| | Street Address | 261 E 1St St |
| | Zip Code | 99114 |
| | Latitude | 48.544448 |
| | Longitude | -117.903425 |
| | Date Site Established | 20151025 |
| | MSA/CBSA/CSA Represented | Spokane-Spokane Valley |
| | County | Spokane |
| | Distance from roadway (m) | 190 |
| | Traffic count (AADT) | 7300 |
| | Ground cover | Roof |
| Meteorological | Sampling/Analysis Method | Vaisala WMT700 Ultrasonic Sensor (060) |
| | Parameter Begin Date | 20160520 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 50 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20191105 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 8 |

| Colville-E 1st St | Site Information | |
|---------------------------------------|---|---|
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 50 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |
| PM₁₀ (81102, POC 3) | Sampling/Analysis Method | Met One BAM 1020 (122) |
| | Parameter Begin Date | 20151025 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 15 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 50 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

| Custer-Loomis | Site Information | |
|-----------------------------|---|---|
| | AQS ID | 530730005 |
| | Street Address | 1330 Loomis Trail Rd |
| | Zip Code | 98240 |
| | Latitude | 48.95074 |
| | Longitude | -122.55441 |
| | Date Site Established | 19890413 |
| | MSA/CBSA/CSA Represented | Bellingham |
| | County | Whatcom |
| | Distance from roadway (m) | 65 |
| | Traffic count (AADT) | 837 |
| | Ground cover | Grass |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 20090606 |
| | Monitor Objective | Regional Transport |
| | Measurement Scale | Regional Scale |
| | Monitor type | SLAMS |
| | Collecting agency | Northwest Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 130 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 9 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

| Darrington-Fir St | Site Information | |
|--|---|---|
| | AQS ID | 530610020 |
| | Street Address | 1085 Fir St |
| | Zip Code | 98241 |
| | Latitude | 48.2469 |
| | Longitude | -121.6031 |
| | Date Site Established | 20060721 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | Snohomish |
| | Distance from roadway (m) | 1000 |
| | Traffic count (AADT) | 3800 |
| | Ground cover | Asphalt |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20101228 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | 25 |
| | Distance from trees (m) | 200 |
| | Distance from furnace or incinerator flue (m) | 200 |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

| Dayton-W Main | Site Information | |
|---|---|---|
| | AQS ID | 530130002 |
| | Street Address | 206 W Main St |
| | Zip Code | 99328 |
| | Latitude | 46.318 |
| | Longitude | -117.985 |
| | Date Site Established | 20090205 |
| | MSA/CBSA/CSA Represented | Walla Walla |
| | County | Walla Walla |
| | Distance from roadway (m) | 27 |
| | Traffic count (AADT) | 5500 |
| | Ground cover | Gravel, asphalt |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20090205 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Ellensburg-Ruby St | Site Information | |
|---|---|---|
| | AQS ID | 530370002 |
| | Street Address | 201 N. Ruby |
| | Zip Code | 98926 |
| | Latitude | 46.99364 |
| | Longitude | -120.545 |
| | Date Site Established | 19951104 |
| | MSA/CBSA/CSA Represented | Ellensburg |
| | County | Kittitas |
| | Distance from roadway (m) | 35 |
| | Traffic count (AADT) | 3625 |
| | Ground cover | Roof |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20141001 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20180401 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 2 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |

2020 Ambient Air Monitoring Network Plan

| Ellensburg-Ruby St | Site Information | |
|---------------------------|---|-----|
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Enumclaw-Mud Mtn | Site Information | |
|-----------------------------|---|---|
| | AQS ID | 530330023 |
| | Street Address | 30525 Se Mud Mountain Road |
| | Zip Code | 98022 |
| | Latitude | 47.1411 |
| | Longitude | -121.9379 |
| | Date Site Established | 19980708 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 3300 |
| | Traffic count (AADT) | 2600 |
| | Ground cover | Gravel, dirt, grass |
| Meteorological | Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| | Parameter Begin Date | 20040201 |
| | Monitor Objective | Regional Transport |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 19980708 |
| | Monitor Objective | Regional Transport |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | May-Oct |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 0.5 |
| | Distance from obstruction on roof (m) | N/A |

2020 Ambient Air Monitoring Network Plan

| Enumclaw-Mud Mtn | Site Information | |
|-------------------------|---|--------|
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 5.7 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

Ferndale-Kickerville Rd Site Information

| | | |
|--------------------------------------|---|---|
| | AQS ID | 530730013 |
| | Street Address | 6036 Kickerville Road |
| | Zip Code | 98248 |
| | Latitude | 48.855274 |
| | Longitude | -122.7047 |
| | Date Site Established | 20170101 |
| | MSA/CBSA/CSA Represented | Bellingham |
| | County | Whatcom |
| | Distance from roadway (m) | 28 |
| | Traffic count (AADT) | 777 |
| | Ground cover | Grass, gravel |
| Sulfur Dioxide (42401, POC 2) | Sampling/Analysis Method | TAPI 100 (077) |
| | Parameter Begin Date | 20170101 |
| | Monitor Objective | Source Oriented |
| | Measurement Scale | Microscale |
| | Monitor type | SLAMS |
| | Collecting agency | Intalco |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 15 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

**Ferndale-Mountain
View Rd**

| | | Site Information |
|--|---|---|
| | AQS ID | 530730017 |
| | Street Address | 4050 Mountain View Rd |
| | Zip Code | 98248 |
| | Latitude | 48.848065 |
| | Longitude | -122.688888 |
| | Date Site Established | 20170101 |
| | MSA/CBSA/CSA Represented | Bellingham |
| | County | Whatcom |
| | Distance from roadway (m) | 460 |
| | Traffic count (AADT) | 1001 |
| | Ground cover | Grass |
| Meteorological | Sampling/Analysis Method | Vaisala WMT700 Ultrasonic Sensor (060) |
| | Parameter Begin Date | 20170101 |
| | Monitor Objective | Source Oriented |
| | Measurement Scale | Microscale |
| | Monitor type | SLAMS |
| | Collecting agency | Intalco |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 55 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| Changes in next 18 months? | No | |
| Suitable for NAAQS comparison? | N/A | |
| Sulfur Dioxide (42401, POC 2) | Sampling/Analysis Method | TAPI 100 (077) |
| | Parameter Begin Date | 20170101 |
| | Monitor Objective | Source Oriented |
| | Measurement Scale | Microscale |
| | Monitor type | SLAMS |
| | Collecting agency | Intalco |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| Probe height (m) | 3 | |
| Distance from supporting structure (m) | 1 | |

**Ferndale-Mountain
View Rd**

| Site Information | |
|---|--------|
| Distance from obstruction on roof (m) | N/A |
| Distance from obstruction not on roof (m) | N/A |
| Distance from trees (m) | 55 |
| Distance from furnace or incinerator flue (m) | N/A |
| Unrestricted airflow (deg) | 360 |
| Probe material | Teflon |
| Residence time (sec) | 15 |
| Changes in next 18 months? | No |
| Suitable for NAAQS comparison? | Yes |

**Issaquah-Lake
Sammamish**

Site Information

| | | |
|-----------------------------|--|--|
| | AQS ID | 530330010 |
| | Street Address | 2000 NW Sammamish Rd |
| | Zip Code | 98027 |
| | Latitude | 47.5525 |
| | Longitude | -122.064722 |
| | Date Site Established | 19751201 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 65 |
| | Traffic count (AADT) | 10901 |
| | Ground cover | Gravel, grass |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 19810101 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | May-Oct |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 2.8 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

| Kennewick-Metaline | Site Information | |
|---|---|---|
| | AQS ID | 530050002 |
| | Street Address | 5929 W Metaline (Kennewick Skills Center) |
| | Zip Code | 99336 |
| | Latitude | 46.21835 |
| | Longitude | -119.204153 |
| | Date Site Established | 19941001 |
| | MSA/CBSA/CSA Represented | Kennewick-Richland |
| | County | Benton |
| | Distance from roadway (m) | 150 |
| | Traffic count (AADT) | 8476 |
| | Ground cover | Roof |
| Meteorological | Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| | Parameter Begin Date | 20120807 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | 18 |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 66 |
| | Distance from furnace or incinerator flue (m) | |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20051019 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Benton Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |

2020 Ambient Air Monitoring Network Plan

| Kennewick-Metaline | Site Information | |
|---------------------------------------|---|---|
| | Probe height (m) | 7 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | 18 |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 66 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |
| PM₁₀ (81102, POC 3) | Sampling/Analysis Method | Met One BAM 1020 (122) |
| | Parameter Begin Date | 20041001 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Benton Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 7 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | 18 |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 66 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

**Kennewick-S
Clodfelter**

Site Information

| | | |
|-----------------------------|---|--|
| | AQS ID | 530050003 |
| | Street Address | 526 S Clodfelter Rd |
| | Zip Code | 99336 |
| | Latitude | 46.204582 |
| | Longitude | -119.243743 |
| | Date Site Established | 20150610 |
| | MSA/CBSA/CSA Represented | Kennewick-Richland |
| | County | Benton |
| | Distance from roadway (m) | 90 |
| | Traffic count (AADT) | 12261 |
| | Ground cover | Grass, asphalt |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 20150610 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Benton Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | May-Oct |
| | Probe height (m) | 15 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 9 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

Kent-James & Central Site Information

| | | |
|--|---|---|
| | AQS ID | 530332004 |
| | Street Address | 614 Railroad Ave N, Kent |
| | Zip Code | 98030 |
| | Latitude | 47.386111 |
| | Longitude | -122.230278 |
| | Date Site Established | 19870702 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 65 |
| | Traffic count (AADT) | 24100 |
| | Ground cover | Asphalt |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20101217 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 120 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

| Lacey-College St | Site Information | |
|---|---|--|
| | AQS ID | 530670013 |
| | Street Address | 1900 College St Se (Mountain View Elementary School) |
| | Zip Code | 98503 |
| | Latitude | 47.029396 |
| | Longitude | -122.821548 |
| | Date Site Established | 19840401 |
| | MSA/CBSA/CSA Represented | Olympia-Tumwater |
| | County | Thurston |
| | Distance from roadway (m) | 65 |
| | Traffic count (AADT) | 21346 |
| | Ground cover | Grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20140401 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | 2 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| LaCrosse-Hill St | Site Information | |
|---|---|---|
| | AQS ID | 530750005 |
| | Street Address | 111 Hill Street, Lacrosse, WA |
| | Zip Code | 99143 |
| | Latitude | 46.8153 |
| | Longitude | -117.8739 |
| | Date Site Established | 20020719 |
| | MSA/CBSA/CSA Represented | Pullman |
| | County | Whitman |
| | Distance from roadway (m) | 2000 |
| | Traffic count (AADT) | 1800 |
| | Ground cover | Grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20021001 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Lake Forest Park | Site Information | |
|---|---|---|
| | AQS ID | 530330024 |
| | Street Address | 17171 Bothell Way NE |
| | Zip Code | 98155 |
| | Latitude | 47.7550 |
| | Longitude | -122.2806 |
| | Date Site Established | 20171211 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 230 |
| | Traffic count (AADT) | 42000 |
| | Ground cover | Grass, asphalt |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Ecotech M9003 Aurora (812) |
| | Parameter Begin Date | 20171211 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Middle |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 8 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Leavenworth-Evans St | Site Information | |
|---|---|---|
| | AQS ID | 530070010 |
| | Street Address | 330 Evans St (Cascade School District) |
| | Zip Code | 98826 |
| | Latitude | 47.598863 |
| | Longitude | -120.664702 |
| | Date Site Established | 20050202 |
| | MSA/CBSA/CSA Represented | Wenatchee |
| | County | Chelan |
| | Distance from roadway (m) | 375 |
| | Traffic count (AADT) | 10000 |
| | Ground cover | Grass, dirt |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20050701 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Neighborhood |
| | Monitor type | Non-EPA federal |
| | Collecting agency | USDA Forest Service |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 12 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | 5 |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 25 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Longview-30th Ave | Site Information | |
|---|---|---|
| | AQS ID | 530150015 |
| | Street Address | 1324 30th Ave (Olympic Elementary School) |
| | Zip Code | 98632 |
| | Latitude | 46.139444 |
| | Longitude | -122.961944 |
| | Date Site Established | 20010401 |
| | MSA/CBSA/CSA Represented | Longview |
| | County | Cowlitz |
| | Distance from roadway (m) | 900 |
| | Traffic count (AADT) | 23000 |
| | Ground cover | Grass, asphalt |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20030306 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Southwest Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 20 |
| | Distance from supporting structure (m) | 0.5 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Malaga-Malaga Hwy | Site Information | |
|--------------------------------------|---|---|
| | AQS ID | 530070012 |
| | Street Address | 8100 Malaga Alcoa Highway |
| | Zip Code | 98831 |
| | Latitude | 47.33444 |
| | Longitude | -120.095544 |
| | Date Site Established | 20170101 |
| | MSA/CBSA/CSA Represented | Wenatchee |
| | County | Chelan |
| | Distance from roadway (m) | 910 |
| | Traffic count (AADT) | 8800 |
| | Ground cover | Grass, gravel |
| Meteorological | Sampling/Analysis Method | Vaisala WMT700 Ultrasonic Sensor (060) |
| | Parameter Begin Date | 20170101 |
| | Monitor Objective | Source Oriented |
| | Measurement Scale | Microscale |
| | Monitor type | SLAMS |
| | Collecting agency | Intalco |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| Sulfur Dioxide (42401, POC 2) | Sampling/Analysis Method | TAPI 100 (077) |
| | Parameter Begin Date | 20170101 |
| | Monitor Objective | Source Oriented |
| | Measurement Scale | Microscale |
| | Monitor type | SLAMS |
| | Collecting agency | Intalco |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |

| Malaga-Malaga Hwy | Site Information | |
|-------------------|---|--------|
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 15 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

| Marysville-7th Ave | Site Information | |
|--|---|---|
| | AQS ID | 530611007 |
| | Street Address | 1799 7th St |
| | Zip Code | 98270 |
| | Latitude | 48.054315 |
| | Longitude | -122.171529 |
| | Date Site Established | 19910927 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | Snohomish |
| | Distance from roadway (m) | 275 |
| | Traffic count (AADT) | 23000 |
| | Ground cover | Grass |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20110106 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 75 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

| Mesa-Pepiot Way | Site Information | |
|---|---|---|
| | AQS ID | 530210002 |
| | Street Address | 200 Pepiot Way (Mesa Elementary School) |
| | Zip Code | 99343 |
| | Latitude | 46.5754 |
| | Longitude | -119.0021 |
| | Date Site Established | 20030115 |
| | MSA/CBSA/CSA Represented | Kennewick-Richland |
| | County | Franklin |
| | Distance from roadway (m) | 150 |
| | Traffic count (AADT) | 4800 |
| | Ground cover | Grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20030115 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | 33 |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Moses Lake-Balsam St | Site Information | |
|---|---|---|
| | AQS ID | 530251002 |
| | Street Address | 412 S Balsam St, Moses Lake, WA |
| | Zip Code | 98837 |
| | Latitude | 47.1303 |
| | Longitude | -119.2737 |
| | Date Site Established | 20030119 |
| | MSA/CBSA/CSA Represented | Moses Lake-Othello, WA |
| | County | Grant |
| | Distance from roadway (m) | 280 |
| | Traffic count (AADT) | 17000 |
| | Ground cover | Grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20040101 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | 2 |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 25 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

**Mt Rainier-
Jackson Visitor
Ctr**

| Site Information | |
|--|--|
| AQS ID | 530530012 |
| Street Address | Jackson Visitor's Center Mt Rainier, WA |
| Zip Code | 98321 |
| Latitude | 46.7841 |
| Longitude | -121.740367 |
| Date Site Established | 19980710 |
| MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| County | Pierce |
| Distance from roadway (m) | 14000 |
| Traffic count (AADT) | 1100 |
| Ground cover | Asphalt, rock, snow |
| Ozone (44201, POC 1) | |
| Sampling/Analysis Method | UV Absorption (087) |
| Parameter Begin Date | 19980710 |
| Monitor Objective | General/Background |
| Measurement Scale | Regional Scale |
| Monitor type | SLAMS |
| Collecting agency | Washington State Department of Ecology (1136)/National Park Service |
| Analytical lab | N/A |
| Reporting agency | Washington State Department of Ecology (1136) |
| Sampling frequency | Continuous |
| Sampling season | Year-round |
| Probe height (m) | 6 |
| Distance from supporting structure (m) | 1 |
| Distance from obstruction on roof (m) | N/A |
| Distance from obstruction not on roof (m) | 1 |
| Distance from trees (m) | 35 |
| Distance from furnace or incinerator flue (m) | N/A |
| Unrestricted airflow (deg) | 180 |
| Probe material | Teflon |
| Residence time (sec) | 4 |
| Changes in next 18 months? | No |
| Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

| Mt Vernon-Second Ave | Site Information | |
|---|---|---|
| | AQS ID | 530570015 |
| | Street Address | 1600 South Second Street |
| | Zip Code | 98273 |
| | Latitude | 48.4102 |
| | Longitude | -122.3376 |
| | Date Site Established | 20020807 |
| | MSA/CBSA/CSA Represented | Mount Vernon-Anacortes |
| | County | Skagit |
| | Distance from roadway (m) | 25 |
| | Traffic count (AADT) | 14040 |
| | Ground cover | Roof |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20050701 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Northwest Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Neah Bay 2-Makah Tribe | Site Information | |
|---|---|---|
| | AQS ID | 530090015 |
| | Street Address | 1321 Bay View Avenue, Neah Bay |
| | Zip Code | 98381 |
| | Latitude | 48.366058 |
| | Longitude | -124.610045 |
| | Date Site Established | 20100216 |
| | MSA/CBSA/CSA Represented | Port Angeles |
| | County | Clallam |
| | Distance from roadway (m) | 100 |
| | Traffic count (AADT) | 1000 |
| | Ground cover | Grass, dirt |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20100216 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | Tribal |
| | Collecting agency | Makah Nation |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 9 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 270 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| North Bend-North Bend Way | | Site Information |
|---|---|---|
| | AQS ID | 530330017 |
| | Street Address | 42404 Se North Bend Way |
| | Zip Code | 98045 |
| | Latitude | 47.49022 |
| | Longitude | -121.77278 |
| | Date Site Established | 19980601 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 175 |
| | Traffic count (AADT) | 3149 |
| | Ground cover | Grass |
| Meteorological | Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| | Parameter Begin Date | 20000111 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 20 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20030310 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |

| North Bend-North Bend Way | Site Information | |
|----------------------------------|---|---|
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 20 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 19980601 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | May-Oct |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 20 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 2.8 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

**Omak-Colville
Tribe**

| Site Information | | |
|--|---|---|
| | AQS ID | 530470013 |
| | Street Address | Corner of 8th Ave & Omak Okanogan E |
| | Zip Code | 98841 |
| | Latitude | 48.39999 |
| | Longitude | -119.51896 |
| | Date Site Established | 20101020 |
| | MSA/CBSA/CSA Represented | NA |
| | County | Okanogan |
| | Distance from roadway (m) | 420 |
| | Traffic count (AADT) | 6900 |
| | Ground cover | Grass, dirt |
| Meteorological | Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| | Parameter Begin Date | 20101020 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | Tribal |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| Changes in next 18 months? | No | |
| Suitable for NAAQS comparison? | N/A | |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20161011 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | Tribal |
| | Collecting agency | Colville Tribe |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| Probe height (m) | 2 | |
| Distance from supporting structure (m) | N/A | |

| Omak-Colville Tribe | Site Information | |
|--------------------------------|---|-----|
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 100 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

| Pomeroy (Temporary) | Site Information | |
|---|---|--|
| | AQS ID | 530230001 |
| | Street Address | 572 Pataha St |
| | Zip Code | 99347 |
| | Latitude | 46.474438 |
| | Longitude | -117.614764 |
| | Date Site Established | 20170504 |
| | MSA/CBSA/CSA Represented | NA |
| | County | Garfield |
| | Distance from roadway (m) | 225 |
| | Traffic count (AADT) | 1900 |
| | Ground cover | Asphalt, grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radianc Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20170504 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SPMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | Temporary site may be relocated in 2019 or 2020. |
| | Suitable for NAAQS comparison? | No |

Statement of Purpose: This temporary nephelometer monitoring SPMS monitoring site was established in 2017 to evaluate the need for ongoing monitoring in a previously unmonitored community.

| Port Angeles-5th St | Site Information | |
|---|---|---|
| | AQS ID | 530090017 |
| | Street Address | 102 E 5th St |
| | Zip Code | 98362 |
| | Latitude | 48.115 |
| | Longitude | -123.436434 |
| | Date Site Established | 20150406 |
| | MSA/CBSA/CSA Represented | Port Angeles |
| | County | Clallam |
| | Distance from roadway (m) | 110 |
| | Traffic count (AADT) | 8300 |
| | Ground cover | Asphalt, grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radianc Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20150406 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 15 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Port Townsend-San Juan | Site Information | |
|---|---|---|
| | AQS ID | 530310003 |
| | Street Address | 3939 San Juan Ave (Blue Heron Middle School) |
| | Zip Code | 98368 |
| | Latitude | 48.12919 |
| | Longitude | -122.77897 |
| | Date Site Established | 20000113 |
| | MSA/CBSA/CSA Represented | NA |
| | County | Jefferson |
| | Distance from roadway (m) | 85 |
| | Traffic count (AADT) | 3450 |
| | Ground cover | Grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20021001 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 12 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Pullman-Dexter Ave | Site Information | |
|---|---|---|
| | AQS ID | 530750003 |
| | Street Address | 240 SE Dexter (Pullman Administration Building) |
| | Zip Code | 99163 |
| | Latitude | 46.72447 |
| | Longitude | -117.18014 |
| | Date Site Established | 20000119 |
| | MSA/CBSA/CSA Represented | Pullman |
| | County | Whitman |
| | Distance from roadway (m) | 410 |
| | Traffic count (AADT) | 15000 |
| | Ground cover | Asphalt, grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20150101 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 5 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | 20 |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Puyallup-128th St | Site Information | |
|---|---|---|
| | AQS ID | 530531018 |
| | Street Address | 9616 128th St E |
| | Zip Code | 98373 |
| | Latitude | 47.14 |
| | Longitude | -122.3003 |
| | Date Site Established | 19911207 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | Pierce |
| | Distance from roadway (m) | 560 |
| | Traffic count (AADT) | 44000 |
| | Ground cover | Gravel, grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Ecotech M9003 Aurora (812) |
| | Parameter Begin Date | 20051116 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 80 |
| | Distance from furnace or incinerator flue (m) | 100 |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Quincy-3rd Ave NE | Site Information | |
|---|---|---|
| | AQS ID | 530251003 |
| | Street Address | 330 3rd Ave NE |
| | Zip Code | 98848 |
| | Latitude | 47.241153 |
| | Longitude | -119.847824 |
| | Date Site Established | 20170601 |
| | MSA/CBSA/CSA Represented | Moses Lake-Othello, WA |
| | County | Grant |
| | Distance from roadway (m) | 800 |
| | Traffic count (AADT) | 13000 |
| | Ground cover | Grass |
| Meteorological | Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| | Parameter Begin Date | 20170601 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SPMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20170601 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SPMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |

| Quincy-3rd Ave NE | Site Information | |
|-------------------|---|-----|
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

Statement of Purpose: The Quincy SPMS was established for a 1-year study to evaluate markers of diesel exhaust pollution. The small town of Quincy has a number of diesel exhaust sources, including two state highways, an active rail line, and a number of data centers with diesel-powered generators. Due to ongoing interest in the meteorological data, the meteorological and nephelometer data collection was extended until at least December 2020.

| Ritzville-Alder | Site Information | |
|---|---|---|
| | AQS ID | 530010003 |
| | Street Address | 109 W Alder, Ritzville, WA |
| | Zip Code | 99169 |
| | Latitude | 47.12 |
| | Longitude | -118.3819 |
| | Date Site Established | 20001021 |
| | MSA/CBSA/CSA Represented | Moses Lake-Othello, WA |
| | County | Adams |
| | Distance from roadway (m) | 1730 |
| | Traffic count (AADT) | 14000 |
| | Ground cover | Asphalt, gravel |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radianc Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20021001 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 8 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Rosalia-Josephine | Site Information | |
|---|---|--|
| | AQS ID | 530750006 |
| | Street Address | 906 South Josephine Avenue (Rosalia Elementary School) |
| | Zip Code | 99170 |
| | Latitude | 47.23136 |
| | Longitude | -117.36856 |
| | Date Site Established | 20020619 |
| | MSA/CBSA/CSA Represented | Pullman |
| | County | Whitman |
| | Distance from roadway (m) | 750 |
| | Traffic count (AADT) | 5000 |
| | Ground cover | Asphalt |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20021001 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 2 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | 15 |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Seattle-10th & Weller | | Site Information |
|---------------------------------------|---|---|
| | AQS ID | 530330030 |
| | Street Address | 10th & Weller |
| | Zip Code | 98104 |
| | Latitude | 47.597222 |
| | Longitude | -122.319722 |
| | Date Site Established | 20140401 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 13 |
| | Traffic count (AADT) | 150000 |
| | Ground cover | Concrete, grass |
| Carbon Monoxide (42101, POC 2) | Sampling/Analysis Method | TAPI 300 EU (593) |
| | Parameter Begin Date | 20140401 |
| | Monitor Objective | Source Oriented |
| | Measurement Scale | Microscale |
| | Monitor type | SLAMS, Near-road |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 3 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 1.6 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |
| Meteorological | Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| | Parameter Begin Date | 20140416 |
| | Monitor Objective | Source Oriented |
| | Measurement Scale | Microscale |
| | Monitor type | SLAMS, Near-road |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |

2020 Ambient Air Monitoring Network Plan

| Seattle-10th & Weller | Site Information | | |
|----------------------------------|--------------------------------|---|---|
| | | Sampling season | Year-round |
| | | Probe height (m) | 10 |
| | | Distance from supporting structure (m) | N/A |
| | | Distance from obstruction on roof (m) | N/A |
| | | Distance from obstruction not on roof (m) | N/A |
| | | Distance from trees (m) | N/A |
| | | Distance from furnace or incinerator flue (m) | N/A |
| | | Unrestricted airflow (deg) | 360 |
| | | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A | |
| Nitrogen Dioxide (42602, POC 1) | | Sampling/Analysis Method | TAPI 200 EU (599) |
| | | Parameter Begin Date | 20140401 |
| | | Monitor Objective | Source Oriented |
| | | Measurement Scale | Microscale |
| | | Monitor type | SLAMS, Near-road |
| | | Collecting agency | Washington State Department of Ecology (1136) |
| | | Analytical lab | N/A |
| | | Reporting agency | Washington State Department of Ecology (1136) |
| | | Sampling frequency | Continuous |
| | | Sampling season | Year-round |
| | | Probe height (m) | 3 |
| | | Distance from supporting structure (m) | 1 |
| | | Distance from obstruction on roof (m) | N/A |
| | | Distance from obstruction not on roof (m) | N/A |
| | | Distance from trees (m) | N/A |
| | | Distance from furnace or incinerator flue (m) | N/A |
| | | Unrestricted airflow (deg) | 360 |
| | | Probe material | Teflon |
| | | Residence time (sec) | 3.2 |
| | | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes | |
| PM _{2.5} (88101, POC 5) | | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | | Parameter Begin Date | 20140519 |
| | | Monitor Objective | Source Oriented |
| | | Measurement Scale | Microscale |
| | | Monitor type | SLAMS, Near-road |
| | | Collecting agency | Washington State Department of Ecology (1136) |
| | | Analytical lab | N/A |
| | | Reporting agency | Washington State Department of Ecology (1136) |
| | | Sampling frequency | Continuous |

| Seattle-10th & Weller | Site Information | |
|-----------------------|---|------------|
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

| Seattle-Beacon Hill | Site Information | |
|--|---|---|
| | AQS ID | 530330080 |
| | Street Address | 4103 Beacon Hill S |
| | Zip Code | 98108 |
| | Latitude | 47.568236 |
| | Longitude | -122.308628 |
| | Date Site Established | 19790604 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 110 |
| | Traffic count (AADT) | 12000 |
| | Ground cover | Grass, gravel |
| Trace NO_y (42600/42601/42612, POC 2) | Sampling/Analysis Method | Thermo 42C (674) |
| | Parameter Begin Date | 20100801 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS, NCore |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | 10 |
| | Distance from trees (m) | 20 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 5.5 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |
| Carbon Monoxide (42101, POC 2) | Sampling/Analysis Method | TAPI 300 EU (593) |
| | Parameter Begin Date | 20070207 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS, NCore |

| Seattle-Beacon Hill | Site Information | |
|----------------------------|---|---|
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | 20 |
| | Distance from trees (m) | 20 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 15 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |
| Meteorological | Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| | Parameter Begin Date | 20110101 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS, NCore |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |

2020 Ambient Air Monitoring Network Plan

| Seattle-Beacon Hill | Site Information | |
|---------------------------------|---|---|
| | Suitable for NAAQS comparison? | N/A |
| Nitrogen Dioxide (42602) | Sampling/Analysis Method | TAPI 200 EU (599) |
| | Parameter Begin Date | 20120801 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS, NCore |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | 20 |
| | Distance from trees (m) | 20 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 3.7 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 20080208 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS, NCore |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |

| Seattle-Beacon Hill | | Site Information | |
|--------------------------------------|---|---|---|
| | Distance from obstruction not on roof (m) | 20 | |
| | Distance from trees (m) | 20 | |
| | Distance from furnace or incinerator flue (m) | N/A | |
| | Unrestricted airflow (deg) | 360 | |
| | Probe material | Teflon | |
| | Residence time (sec) | 15 | |
| | Changes in next 18 months? | No | |
| | Suitable for NAAQS comparison? | Yes | |
| PM_{2.5} (88101) | | Primary (POC 5) | Collocated (POC 1) |
| | Sampling/Analysis Method | Met One BAM 1020 | R & P 2025 (145) |
| | Parameter Begin Date | 19981101 | 19981101 |
| | Monitor Objective | General/Background | General/Background |
| | Measurement Scale | Urban Scale | Urban Scale |
| | Monitor type | SLAMS, NCore | SLAMS, NCore |
| | Collecting agency | Washington State Department of Ecology (1136) | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A | Washington State Department of Ecology (1136) |
| | Reporting agency | Washington State Department of Ecology (1136) | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous | 1/3 |
| | Sampling season | Year-round | Year-round |
| | Probe height (m) | 4 | 2 |
| | Distance from supporting structure (m) | N/A | 2 |
| | Distance from obstruction on roof (m) | N/A | N/A |
| | Distance from obstruction not on roof (m) | N/A | N/A |
| | Distance from trees (m) | N/A | N/A |
| | Distance from furnace or incinerator flue (m) | N/A | N/A |
| | Unrestricted airflow (deg) | 360 | 360 |
| | Changes in next 18 months? | No | No |
| | Suitable for NAAQS comparison? | Yes | Yes |
| Sulfur Dioxide (42401, POC 2) | Sampling/Analysis Method | TAPI 100 EU (600) | |
| | Parameter Begin Date | 20000214 | |
| | Monitor Objective | General/Background | |
| | Measurement Scale | Urban Scale | |
| | Monitor type | SLAMS, NCore | |

2020 Ambient Air Monitoring Network Plan

| Seattle-Beacon Hill | Site Information | |
|---------------------|---|---|
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | 20 |
| | Distance from trees (m) | 20 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 15 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

| Seattle-Duwamish | Site Information | |
|--|---|---|
| | AQS ID | 530330057 |
| | Street Address | 4700 East Marginal Way South |
| | Zip Code | 98134 |
| | Latitude | 47.55975 |
| | Longitude | -122.338265 |
| | Date Site Established | 19710802 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 80 |
| | Traffic count (AADT) | 52400 |
| | Ground cover | Asphalt |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20101227 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

| Seattle-South Park | Site Information | |
|---|---|---|
| | AQS ID | 530331011 |
| | Street Address | 8201 10th Avenue South |
| | Zip Code | 98108 |
| | Latitude | 47.53091 |
| | Longitude | -122.3208 |
| | Date Site Established | 20030106 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 1.5 |
| | Traffic count (AADT) | N/A |
| | Ground cover | Asphalt |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Ecotech M9003 Aurora (812) |
| | Parameter Begin Date | 20030106 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Microscale |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 180 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Shelton-W Franklin | Site Information | |
|---|---|---|
| | AQS ID | 530450007 |
| | Street Address | 122 W Franklin |
| | Zip Code | 98584 |
| | Latitude | 47.21355 |
| | Longitude | -123.10081 |
| | Date Site Established | 20110420 |
| | MSA/CBSA/CSA Represented | Shelton |
| | County | Mason |
| | Distance from roadway (m) | 100 |
| | Traffic count (AADT) | 3800 |
| | Ground cover | Roof |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20110420 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Olympic Region Clean Air Agency (0815) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 15 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 10 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 320 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

Spokane-Augusta Ave

| Site Information | |
|---|---|
| AQS ID | 530630021 |
| Street Address | 3104 E Augusta Ave |
| Zip Code | 99207 |
| Latitude | 47.672482 |
| Longitude | -117.364852 |
| Date Site Established | 20090329 |
| MSA/CBSA/CSA Represented | Spokane-Spokane Valley |
| County | Spokane |
| Distance from roadway (m) | 70 |
| Traffic count (AADT) | 12700 |
| Ground cover | Roof |
| Meteorological | |
| Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| Parameter Begin Date | 20090713 |
| Monitor Objective | Population Exposure |
| Measurement Scale | Neighborhood |
| Monitor type | SLAMS |
| Collecting agency | Washington State Department of Ecology (1136) |
| Analytical lab | N/A |
| Reporting agency | Washington State Department of Ecology (1136) |
| Sampling frequency | Continuous |
| Sampling season | Year-round |
| Probe height (m) | 10 |
| Distance from supporting structure (m) | N/A |
| Distance from obstruction on roof (m) | N/A |
| Distance from obstruction not on roof (m) | N/A |
| Distance from trees (m) | N/A |
| Distance from furnace or incinerator flue (m) | N/A |
| Unrestricted airflow (deg) | 360 |
| Changes in next 18 months? | Site will be relocated by 2021 due to highway construction. |
| Suitable for NAAQS comparison? | N/A |
| PM₁₀ (81102, POC 3) | |
| Sampling/Analysis Method | TEOM-Gravimetric (079) |
| Parameter Begin Date | 20120620 |
| Monitor Objective | Population Exposure |
| Measurement Scale | Neighborhood |
| Monitor type | SLAMS |
| Collecting agency | Spokane Regional Clean Air Agency |
| Analytical lab | N/A |
| Reporting agency | Washington State Department of Ecology (1136) |
| Sampling frequency | Continuous |
| Sampling season | Year-round |
| Probe height (m) | 6 |

| Spokane-Augusta Ave | Site Information | | |
|--|---|---|-----|
| | Distance from supporting structure (m) | 0.5 | |
| | Distance from obstruction on roof (m) | N/A | |
| | Distance from obstruction not on roof (m) | N/A | |
| | Distance from trees (m) | N/A | |
| | Distance from furnace or incinerator flue (m) | N/A | |
| | Unrestricted airflow (deg) | 360 | |
| | Changes in next 18 months? | Site will be relocated by 2021 due to highway construction. | |
| | Suitable for NAAQS comparison? | Yes | |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) | |
| | Parameter Begin Date | 20090329 | |
| | Monitor Objective | Population Exposure | |
| | Measurement Scale | Neighborhood | |
| | Monitor type | SLAMS | |
| | Collecting agency | Spokane Regional Clean Air Agency | |
| | Analytical lab | N/A | |
| | Reporting agency | Washington State Department of Ecology (1136) | |
| | Sampling frequency | Continuous | |
| | Sampling season | Year-round | |
| | Probe height (m) | 2 | |
| | | Distance from supporting structure (m) | 1 |
| | | Distance from obstruction on roof (m) | N/A |
| | | Distance from obstruction not on roof (m) | N/A |
| | | Distance from trees (m) | N/A |
| | | Distance from furnace or incinerator flue (m) | N/A |
| | | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | Site will be relocated by 2021 due to highway construction. | |
| | Suitable for NAAQS comparison? | Yes | |

2020 Ambient Air Monitoring Network Plan

| Spokane-Greenbluff | Site Information | |
|-----------------------------|---|---|
| | AQS ID | 530630046 |
| | Street Address | E 9814 Greenbluff Rd, Greenbluff |
| | Zip Code | 99005 |
| | Latitude | 47.82728 |
| | Longitude | -117.27422 |
| | Date Site Established | 19900401 |
| | MSA/CBSA/CSA Represented | Spokane-Spokane Valley |
| | County | Spokane |
| | Distance from roadway (m) | 41 |
| | Traffic count (AADT) | 334 |
| | Ground cover | Grass, gravel |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 19900401 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 5.7 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

| Spokane-Monroe St | Site Information | |
|---|---|---|
| | AQS ID | 530630047 |
| | Street Address | N 4601 Monroe St |
| | Zip Code | 99205 |
| | Latitude | 47.69978 |
| | Longitude | -117.42635 |
| | Date Site Established | 19890101 |
| | MSA/CBSA/CSA Represented | Spokane-Spokane Valley |
| | County | Spokane |
| | Distance from roadway (m) | 35 |
| | Traffic count (AADT) | 15800 |
| | Ground cover | Roof |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20040517 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 12 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 40 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Sunnyside-S 16th | Site Information | |
|---|---|---|
| | AQS ID | 530770005 |
| | Street Address | 810 16th St (Harrison Middle School) |
| | Zip Code | 98944 |
| | Latitude | 46.31932 |
| | Longitude | -119.999677 |
| | Date Site Established | 19980821 |
| | MSA/CBSA/CSA Represented | Yakima |
| | County | Yakima |
| | Distance from roadway (m) | 1450 |
| | Traffic count (AADT) | 3900 |
| | Ground cover | Roof |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20150915 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Yakima Region Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 2 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Tacoma-Alexander Ave | Site Information | |
|---|---|---|
| | AQS ID | 530530031 |
| | Street Address | 2301 Alexander Ave, Tacoma, WA |
| | Zip Code | 98421 |
| | Latitude | 47.2656 |
| | Longitude | -122.3858 |
| | Date Site Established | 19870101 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | Pierce |
| | Distance from roadway (m) | 65 |
| | Traffic count (AADT) | 638 |
| | Ground cover | Grass, gravel |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Ecotech M9003 Aurora (812) |
| | Parameter Begin Date | 20030101 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| Unrestricted airflow (deg) | 360 | |
| Changes in next 18 months? | No | |
| Suitable for NAAQS comparison? | No | |

2020 Ambient Air Monitoring Network Plan

**Tacoma-L
St**

Site Information

| | | | | |
|-------------------------------------|---|---|---|------------------------------|
| | AQS ID | 530530029 | | |
| | Street Address | 7802 South L Street | | |
| | Zip Code | 98408 | | |
| | Latitude | 47.1864 | | |
| | Longitude | -122.4517 | | |
| | Date Site Established | 19991003 | | |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue | | |
| | County | Pierce | | |
| | Distance from roadway (m) | 570 | | |
| | Traffic count (AADT) | 14349 | | |
| | Ground cover | Asphalt, grass | | |
| PM_{2.5} (88101) | | Primary (POC 1) | Collocated (POC 2) | Collocated (POC 5) |
| | Sampling/Analysis Method | R & P 2025 (145) | R & P 2025 (145) | Met One BAM 1020 (170) |
| | Parameter Begin Date | 19991003 | 19991003 | 19991003 |
| | Monitor Type Begin Date | 19991003 | | |
| | Monitor Objective | Population Exposure | Population Exposure | Population Exposure |
| | Measurement Scale | Neighborhood | Neighborhood | Neighborhood |
| | Monitor type | SLAMS | SLAMS | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency | Puget Sound Clean Air Agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A | N/A | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) | Washington State Department of Ecology (1136) | N/A |
| | Sampling frequency | 1/1 | 1/12 | Continuous |
| | Sampling season | Year-round | Year-round | Year-round |
| | Probe height (m) | 2 | 2 | 3 |
| | Distance from supporting structure (m) | N/A | N/A | N/A |
| | Distance from obstruction on roof (m) | N/A | N/A | N/A |
| | Distance from obstruction not on roof (m) | N/A | N/A | N/A |
| | Distance from trees (m) | 60 | 60 | 60 |
| | Distance from furnace or incinerator flue (m) | N/A | N/A | N/A |
| | Unrestricted airflow (deg) | 360 | 360 | 360 |
| | Changes in next 18 months? | No | No | No |
| | Suitable for NAAQS comparison? | Yes | Yes | Yes |

| Tacoma-S 36th | | Site Information |
|--|---|---|
| | AQS ID | 530530024 |
| | Street Address | 1802 S 36Th St |
| | Zip Code | 98408 |
| | Latitude | 47.22634 |
| | Longitude | -122.46256 |
| | Date Site Established | 20160101 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | Pierce |
| | Distance from roadway (m) | 15 |
| | Traffic count (AADT) | 134000 |
| | Ground cover | Asphalt, grass |
| Meteorological | Sampling/Analysis Method | Vaisala WMT700 Ultrasonic Sensor |
| | Parameter Begin Date | 20160204 |
| | Monitor Objective | Source Oriented |
| | Measurement Scale | Microscale |
| | Monitor type | SLAMS, Near-road |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| Nitrogen Dioxide (42602, POC 1) | Sampling/Analysis Method | TAPI 200 EU (599) |
| | Parameter Begin Date | 20160101 |
| | Monitor Objective | Source Oriented |
| | Measurement Scale | Microscale |
| | Monitor type | SLAMS, Near-road |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |

2020 Ambient Air Monitoring Network Plan

| Tacoma-S 36th | Site Information | |
|----------------------|---|------------|
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 3.2 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

| PM_{2.5} (88101) | | Primary (POC 5) | Collocated (POC 6) |
|---------------------------------|---|---|---|
| | Sampling/Analysis Method | Met One BAM 1020 (170) | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20160204 | 20190301 |
| | Monitor Objective | Highest Concentration | Highest Concentration |
| | Measurement Scale | Microscale | Microscale |
| | Monitor type | SLAMS, Near-road | SLAMS, Near-road |
| | Collecting agency | Washington State Department of Ecology (1136) | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous | Continuous |
| | Sampling season | Year-round | Year-round |
| | Probe height (m) | 4 | 4 |
| | Distance from supporting structure (m) | 1 | 1 |
| | Distance from obstruction on roof (m) | N/A | N/A |
| | Distance from obstruction not on roof (m) | N/A | N/A |
| | Distance from trees (m) | N/A | N/A |
| | Distance from furnace or incinerator flue (m) | N/A | N/A |
| | Unrestricted airflow (deg) | 360 | 360 |
| | Changes in next 18 months? | No | No |
| | Suitable for NAAQS comparison? | Yes | Yes |

| Tacoma-Tower Dr | Site Information | |
|------------------------|---|---|
| | AQS ID | 530531016 |
| | Street Address | 5225 Tower Drive Ne |
| | Zip Code | 98422 |
| | Latitude | 47.304444 |
| | Longitude | -122.412 |
| | Date Site Established | 19910101 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | Pierce |
| | Distance from roadway (m) | 33 |
| | Traffic count (AADT) | N/A |
| | Ground cover | Asphalt, shrubs |
| Meteorological | Sampling/Analysis Method | Vaisala WMT700 Ultrasonic Sensor |
| | Parameter Begin Date | 19910101 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Urban |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |

2020 Ambient Air Monitoring Network Plan

| Taholah-Quinault Tribe | Site Information | |
|---|---|---|
| | AQS ID | 530270011 |
| | Street Address | Chitwin Drive, Taholah, WA |
| | Zip Code | 98571 |
| | Latitude | 47.20637 |
| | Longitude | -124.1722 |
| | Date Site Established | 20040428 |
| | MSA/CBSA/CSA Represented | Aberdeen |
| | County | Grays Harbor |
| | Distance from roadway (m) | 340 |
| | Traffic count (AADT) | 1300 |
| | Ground cover | Grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20150818 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | Tribal |
| | Collecting agency | Quinault Tribe |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

**Toppenish-Yakama
Tribe**

Site Information

| | | |
|--|---|---|
| | AQS ID | 530770015 |
| | Street Address | 141 Ward Rd., Toppenish, WA |
| | Zip Code | 98948 |
| | Latitude | 46.38024 |
| | Longitude | -120.33266 |
| | Date Site Established | 20060131 |
| | MSA/CBSA/CSA Represented | Yakima |
| | County | Yakima |
| | Distance from roadway (m) | 310 |
| | Traffic count (AADT) | 14000 |
| | Ground cover | Grass |
| Meteorological | Sampling/Analysis Method | Vaisala WMT700 Ultrasonic Sensor |
| | Parameter Begin Date | 20090608 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | Tribal |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| PM_{2.5} (88101, POC 5) | Sampling/Analysis Method | Met One BAM 1020 (170) |
| | Parameter Begin Date | 20151105 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | Tribal |
| | Collecting agency | Yakama Tribe |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |

2020 Ambient Air Monitoring Network Plan

| Toppenish-Yakama Tribe | Site Information | |
|-----------------------------------|---|-----|
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

| Tukwila-Allentown | Site Information | |
|---|---|---|
| | AQS ID | 530330069 |
| | Street Address | 11675 44th Ave S, Tukwila |
| | Zip Code | 98168 |
| | Latitude | 47.498535 |
| | Longitude | -122.278385 |
| | Date Site Established | 20170622 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | King |
| | Distance from roadway (m) | 300 |
| | Traffic count (AADT) | 32000 |
| | Ground cover | Grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Ecotech M9003 Aurora (812) |
| | Parameter Begin Date | 20170701 |
| | Monitor Type Begin Date | 20170701 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Puget Sound Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Tulalip-Totem Beach Rd | Site Information | |
|---|---|---|
| | AQS ID | 530610021 |
| | Street Address | 7525 Totem Beach Road |
| | Zip Code | 98271 |
| | Latitude | 48.065339 |
| | Longitude | -122.285194 |
| | Date Site Established | 20191023 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue, WA |
| | County | Snohomish |
| | Distance from roadway (m) | 371 |
| | Traffic count (AADT) | 7546 |
| | Ground cover | Grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20191023 |
| | Monitor Type Begin Date | 20191023 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | Tribal |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | NA |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 1 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Twisp-Glover St | Site Information | |
|---|---|---|
| | AQS ID | 530470009 |
| | Street Address | 118 S Glover St |
| | Zip Code | 98856 |
| | Latitude | 48.36451 |
| | Longitude | -120.121113 |
| | Date Site Established | 20031105 |
| | MSA/CBSA/CSA Represented | NA |
| | County | Okanogan |
| | Distance from roadway (m) | 100 |
| | Traffic count (AADT) | 4000 |
| | Ground cover | Roof |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20031105 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Neighborhood |
| | Monitor type | Non-EPA federal |
| | Collecting agency | USDA Forest Service |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 6 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 25 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Vancouver-Blairmont | | Site Information |
|-----------------------------|---|--|
| | AQS ID | 530110011 |
| | Street Address | 1500 SE Blairmont Dr (Mountain View High School) |
| | Zip Code | 98683 |
| | Latitude | 45.616667 |
| | Longitude | -122.516667 |
| | Date Site Established | 19880501 |
| | MSA/CBSA/CSA Represented | Portland-Vancouver-Hillsboro |
| | County | Clark |
| | Distance from roadway (m) | 520 |
| | Traffic count (AADT) | 8939 |
| | Ground cover | Grass, asphalt |
| Meteorological | Sampling/Analysis Method | Vaisala WMT700 Ultrasonic Sensor |
| | Parameter Begin Date | 20071220 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 19880501 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | May-Oct |
| | Probe height (m) | 10 |

**Vancouver-
Blairmont**

Site Information

| | | |
|--|---|--------|
| | Distance from supporting structure (m) | 0.5 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 12 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 15 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

2020 Ambient Air Monitoring Network Plan

Vancouver-NE 84th Ave

| Site Information | |
|---|---|
| AQS ID | 530110024 |
| Street Address | 2722 Ne 84th Ave |
| Zip Code | 98662 |
| Latitude | 45.64336 |
| Longitude | -122.58737 |
| Date Site Established | 20140901 |
| MSA/CBSA/CSA Represented | Portland-Vancouver-Hillsboro |
| County | Clark |
| Distance from roadway (m) | 365 |
| Traffic count (AADT) | 11559 |
| Ground cover | Grass |
| PM_{2.5} (88101, POC 5) | |
| Sampling/Analysis Method | Met One BAM 1020 (170) |
| Parameter Begin Date | 20151125 |
| Monitor Objective | Population Exposure |
| Measurement Scale | Neighborhood |
| Monitor type | SLAMS |
| Collecting agency | Southwest Clean Air Agency |
| Analytical lab | N/A |
| Reporting agency | Washington State Department of Ecology (1136) |
| Sampling frequency | Continuous |
| Sampling season | Year-round |
| Probe height (m) | 3 |
| Distance from supporting structure (m) | 0.5 |
| Distance from obstruction on roof (m) | N/A |
| Distance from obstruction not on roof (m) | 25 |
| Distance from trees (m) | 31 |
| Distance from furnace or incinerator flue (m) | N/A |
| Unrestricted airflow (deg) | 360 |
| Changes in next 18 months? | No |
| Suitable for NAAQS comparison? | Yes |

| Walla Walla-12th St | Site Information | |
|---|---|---|
| | AQS ID | 530710005 |
| | Street Address | 200 S 12th, Walla Walla, WA |
| | Zip Code | 99362 |
| | Latitude | 46.05881 |
| | Longitude | -118.35147 |
| | Date Site Established | 19890501 |
| | MSA/CBSA/CSA Represented | Walla Walla |
| | County | Walla Walla |
| | Distance from roadway (m) | 415 |
| | Traffic count (AADT) | 19000 |
| | Ground cover | Roof |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20021001 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 2 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Wellpinit-Spokane Tribe | Site Information | |
|---|---|---|
| | AQS ID | 530650002 |
| | Street Address | 6208 Ford Wellpinit Road, Wellpinit, WA |
| | Zip Code | 99040 |
| | Latitude | 47.88528 |
| | Longitude | -117.98865 |
| | Date Site Established | 20061010 |
| | MSA/CBSA/CSA Represented | Spokane-Spokane Valley |
| | County | Spokane |
| | Distance from roadway (m) | 10200 |
| | Traffic count (AADT) | 1200 |
| | Ground cover | Asphalt, gravel |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20081015 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | Tribal |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 4 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Wenatchee-Fifth St | | Site Information |
|---|---|---|
| | AQS ID | 530070011 |
| | Street Address | 1300 Fifth Street |
| | Zip Code | 98801 |
| | Latitude | 47.43061 |
| | Longitude | -120.34195 |
| | Date Site Established | 20121105 |
| | MSA/CBSA/CSA Represented | Wenatchee |
| | County | Chelan |
| | Distance from roadway (m) | 90 |
| | Traffic count (AADT) | 10691 |
| | Ground cover | Gravel, grass |
| Meteorological | Sampling/Analysis Method | RM Young Sonic Anemometer 85004 (062) |
| | Parameter Begin Date | 20121105 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 10 |
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | N/A |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20170401 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 3 |

2020 Ambient Air Monitoring Network Plan

| Wenatchee-Fifth St | Site Information | |
|---------------------------|---|-----|
| | Distance from supporting structure (m) | N/A |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

**White Swan-Yakama
Tribe**

| Site Information | |
|---|---|
| AQS ID | 530770016 |
| Street Address | 321 Signal Peak Rd, White Swan |
| Zip Code | 98952 |
| Latitude | 46.37543 |
| Longitude | -120.72932 |
| Date Site Established | 20091027 |
| MSA/CBSA/CSA Represented | Yakima |
| County | Yakima |
| Distance from roadway (m) | 25000 |
| Traffic count (AADT) | 16000 |
| Ground cover | Grass |
| Meteorological | Sampling/Analysis Method |
| | Vaisala WMT700 Ultrasonic Sensor |
| | Parameter Begin Date |
| | 20091109 |
| | Monitor Objective |
| | Population Exposure |
| | Measurement Scale |
| | Neighborhood |
| | Monitor type |
| | Tribal |
| | Collecting agency |
| | Washington State Department of Ecology (1136) |
| | Analytical lab |
| | N/A |
| | Reporting agency |
| | Washington State Department of Ecology (1136) |
| | Sampling frequency |
| | Continuous |
| | Sampling season |
| | Year-round |
| | Probe height (m) |
| | 10 |
| | Distance from supporting structure (m) |
| | N/A |
| | Distance from obstruction on roof (m) |
| | N/A |
| | Distance from obstruction not on roof (m) |
| | N/A |
| | Distance from trees (m) |
| | N/A |
| | Distance from furnace or incinerator flue (m) |
| | N/A |
| | Unrestricted airflow (deg) |
| | 360 |
| | Changes in next 18 months? |
| | No |
| | Suitable for NAAQS comparison? |
| | N/A |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method |
| | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date |
| | 20091027 |
| | Monitor Objective |
| | Population Exposure |
| | Measurement Scale |
| | Neighborhood |
| | Monitor type |
| | Tribal |
| | Collecting agency |
| | Yakama Tribe |
| | Analytical lab |
| | N/A |
| | Reporting agency |
| | Washington State Department of Ecology (1136) |
| | Sampling frequency |
| | Continuous |
| | Sampling season |
| | Year-round |
| | Probe height (m) |
| | 2 |
| | Distance from supporting structure (m) |
| | N/A |

2020 Ambient Air Monitoring Network Plan

| White Swan-Yakama Tribe | Site Information | |
|------------------------------------|---|-----|
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

| Winthrop-Chewuch Rd | Site Information | |
|---|---|---|
| | AQS ID | 530470010 |
| | Street Address | 24 West Chewuch Rd |
| | Zip Code | 98862 |
| | Latitude | 48.47724 |
| | Longitude | -120.19057 |
| | Date Site Established | 20031106 |
| | MSA/CBSA/CSA Represented | NA |
| | County | Okanogan |
| | Distance from roadway (m) | 50 |
| | Traffic count (AADT) | 2700 |
| | Ground cover | Roof |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20031106 |
| | Monitor Type Begin Date | 20031106 |
| | Monitor Objective | General/Background |
| | Measurement Scale | Neighborhood |
| | Monitor type | Non-EPA federal |
| | Collecting agency | USDA Forest Service |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 5 |
| | Distance from supporting structure (m) | 1 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | 1 |
| | Distance from trees (m) | 7 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 180 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

2020 Ambient Air Monitoring Network Plan

| Yacolt-Yacolt Rd | Site Information | |
|---|---|---|
| | AQS ID | 530110022 |
| | Street Address | 406 W Yacolt Rd |
| | Zip Code | 98675 |
| | Latitude | 45.8639 |
| | Longitude | -122.410889 |
| | Date Site Established | 20030717 |
| | MSA/CBSA/CSA Represented | Portland-Vancouver-Hillsboro |
| | County | Clark |
| | Distance from roadway (m) | 4700 |
| | Traffic count (AADT) | 2900 |
| | Ground cover | Asphalt, grass |
| Non-compliance PM_{2.5} (88502, POC 4) | Sampling/Analysis Method | Radiance Research M903 Nephelometer (771) |
| | Parameter Begin Date | 20070502 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Neighborhood |
| | Monitor type | SLAMS |
| | Collecting agency | Southwest Clean Air Agency |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | Year-round |
| | Probe height (m) | 18 |
| | Distance from supporting structure (m) | 0.5 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | N/A |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | No |

**Yakima-
4th Ave S**

Site Information

| | | | |
|------------------------------------|---|---|--------------------------------|
| | AQS ID | 530770009 | |
| | Street Address | 402 South 4Th Ave | |
| | Zip Code | 98901 | |
| | Latitude | 46.598056 | |
| | Longitude | -120.499167 | |
| | Date Site Established | 20000421 | |
| | MSA/CBSA/CSA Represented | Yakima | |
| | County | Yakima | |
| | Distance from roadway (m) | 65 | |
| | Traffic count (AADT) | 7372 | |
| | Ground cover | Roof | |
| PM₁₀ (81102) | Sampling/Analysis Method | Met One BAM 1020 (122)BAM 1020 | |
| | Parameter Begin Date | 20150916 | |
| | Monitor Objective | Population Exposure | |
| | Measurement Scale | Neighborhood | |
| | Monitor type | SLAMS | |
| | Collecting agency | Yakima Region Clean Air Agency | |
| | Analytical lab | N/A | |
| | Reporting agency | Washington State Department of Ecology (1136) | |
| | Sampling frequency | Continuous | |
| | Sampling season | Year-round | |
| | Probe height (m) | 14 | |
| | Distance from supporting structure (m) | N/A | |
| | Distance from obstruction on roof (m) | 7 | |
| | Distance from obstruction not on roof (m) | N/A | |
| | Distance from trees (m) | 34 | |
| | Distance from furnace or incinerator flue (m) | N/A | |
| | Unrestricted airflow (deg) | 360 | |
| | Changes in next 18 months? | No | |
| | Suitable for NAAQS comparison? | Yes | |
| | PM_{2.5} (88101) | | Primary (POC 5) |
| Sampling/Analysis Method | | Met One BAM 1020 (170) | R & P 2025 (145) |
| Parameter Begin Date | | 20070202 | 20070202 |
| Monitor Objective | | Population Exposure | Population Exposure |
| Measurement Scale | | Neighborhood | Neighborhood |
| Monitor type | | SLAMS | SLAMS |
| Collecting agency | | Yakima Region Clean Air Agency | Yakima Region Clean Air Agency |
| Analytical lab | | N/A | N/A |

2020 Ambient Air Monitoring Network Plan

| Yakima- 4th Ave S | Site Information | Washington State Department of Ecology (1136) | Washington State Department of Ecology (1136) |
|----------------------|--|--|--|
| | Reporting agency | Washington State Department of Ecology (1136) | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous | 1/3 |
| | Sampling season | Year-round | Year-round |
| | Probe height (m) | 16 | 16 |
| | Distance from supporting structure (m) | 1 | 1 |
| | Distance from obstruction on roof (m) | 7 | 7 |
| | Distance from obstruction not on roof (m) | N/A | N/A |
| | Distance from trees (m) | 34 | 34 |
| | Distance from furnace or incinerator flue (m) | N/A | N/A |
| | Unrestricted airflow (deg) | 360 | 360 |
| | Changes in next 18 months? | No | No |
| | Suitable for NAAQS comparison? | Yes | Yes |

Yelm-Northern Pacific

Site Information

| | | |
|-----------------------------|---|---|
| | AQS ID | 530670005 |
| | Street Address | 931 Northern Pacific Road |
| | Zip Code | 98597 |
| | Latitude | 46.952562 |
| | Longitude | -122.59527 |
| | Date Site Established | 20060501 |
| | MSA/CBSA/CSA Represented | Seattle-Tacoma-Bellevue |
| | County | Thurston |
| | Distance from roadway (m) | 1250 |
| | Traffic count (AADT) | 14000 |
| | Ground cover | Gravel, grass |
| Ozone (44201, POC 1) | Sampling/Analysis Method | UV Absorption (087) |
| | Parameter Begin Date | 20060501 |
| | Monitor Objective | Population Exposure |
| | Measurement Scale | Urban Scale |
| | Monitor type | SLAMS |
| | Collecting agency | Washington State Department of Ecology (1136) |
| | Analytical lab | N/A |
| | Reporting agency | Washington State Department of Ecology (1136) |
| | Sampling frequency | Continuous |
| | Sampling season | May-Oct |
| | Probe height (m) | 3 |
| | Distance from supporting structure (m) | 0.7 |
| | Distance from obstruction on roof (m) | N/A |
| | Distance from obstruction not on roof (m) | N/A |
| | Distance from trees (m) | 50 |
| | Distance from furnace or incinerator flue (m) | N/A |
| | Unrestricted airflow (deg) | 360 |
| | Probe material | Teflon |
| | Residence time (sec) | 4.4 |
| | Changes in next 18 months? | No |
| | Suitable for NAAQS comparison? | Yes |

Appendix E. Interstate Memorandum of Understanding

Memorandum of Understanding
Between
Oregon Department of Environmental Quality
And
Washington Department of Ecology

I. PURPOSE

This Memorandum of Understanding (MOU) is entered into by and between the Oregon Department of Environmental Quality Air Quality Program, hereinafter referred to as ODEQ, and the Washington Department of Ecology Air Quality Program, hereinafter referred to as WDOE.

The purpose of this MOU is to agree in principle to cooperate with shared resources to collectively meet the United States Environmental Protection Agency (US EPA) minimum monitoring requirements for criteria air pollutants in the Portland-Vancouver-Hillsboro, OR-WA Metropolitan Statistical Area (MSA).

II. STATEMENT OF MUTUAL BENEFITS AND INTEREST

The Portland-Vancouver-Hillsboro, OR-WA MSA consists of Clackamas, Columbia, Multnomah, Washington, and Yamhill Counties in Oregon and Clark and Skamania Counties in Washington. The network design criteria for ambient air quality monitoring described in 40 C.F.R § 58 Appendix D require that in areas where metropolitan statistical areas (MSAs) cross jurisdictional boundaries, “full monitoring requirements apply separately to each affected State or local agency in the absence of an agreement between the affected agencies and the EPA Regional Administrator.” This MOU establishes an agreement that ODEQ and WDOE cooperatively meet the minimum monitoring requirements in the Portland-Vancouver-Hillsboro, OR-WA MSA.

The Portland-Vancouver-Hillsboro, OR-WA MSA had an estimated population of 2,478,810 as of July 1, 2018. Based on 40 C.F.R § 58 Appendix D, the following minimum monitoring requirements for criteria pollutants apply to an MSA of this population size:

| Pollutant | Minimum Number of Required Monitors |
|--|--|
| Ozone (O ₃) | 2 |
| Carbon Monoxide (CO) | 2 |
| Nitrogen Dioxide (NO ₂) | 2* |
| Sulfur Dioxide (SO ₂) | 1 |
| Particulate Matter ≤10µm (PM ₁₀) | 2 |
| Fine Particulate Matter (PM _{2.5}) | 3 |

* An additional NO₂ monitor will be required if the population of the MSA grows above 2,500,000 people.

As of January 1, 2019, the minimum monitoring requirements were met or exceeded in the Portland-Vancouver-Hillsboro, OR-WA MSA for each of the criteria pollutants listed above.

III. GENERAL ROLES

ODEQ and WDOE formally agree to collectively provide adequate criteria pollutant monitoring as required by 40 C.F.R § 58 Appendix D. Each agency shall inform the other agency at its earliest convenience via telephone or email of any monitoring changes within the Portland-Vancouver-Hillsboro, OR-WA MSA that impact the minimum monitoring requirements. In the event that new minimum monitoring requirements are imposed after the execution of this MOU, ODEQ and WDOE agree to consult and jointly determine how to meet the new requirements.

IV. IT IS MUTUALLY AGREED AND UNDERSTOOD BY AND BETWEEN THE SAID PARTIES THAT:

- A. This instrument is neither a fiscal nor a funds obligation document. Any endeavor involving reimbursement or contribution of funds between the parties to this instrument will be handled in accordance with applicable laws, regulations, and procedures, including those for government procurement and printing. Such endeavors will be outlined in separate agreements that shall be made in writing by representatives of the parties, and shall be independently authorized by appropriate statutory authority. This instrument does not provide such authority.
- B. This instrument in no way restricts ODEQ or WDOE from participating in similar activities with other public or private agencies, organizations, and individuals.
- C. Pursuant to Section 22, Title 41, United States Code, no Member of, or Delegate to, Congress shall be admitted to any share or part of this instrument, or any benefits that may arise therefrom.
- D. Nothing in this MOU shall be construed as obligating either party to expend funds or to make any contract or other obligation for the future payment of money in excess of appropriations authorized by law and administratively allocated for this purpose.
- E. Modifications within the scope of this instrument shall be made by mutual consent of the parties, by the issuance of a written modification, signed and dated by both parties.
- F. Either party(s), in writing, may terminate the MOU in whole, or in part, at any time before the date of expiration provided that written notice is sent to the other party at least 120 calendar days prior to the termination date.
- G. This MOU shall be effective upon execution by both parties and shall remain in effect for a period of 5 years unless otherwise modified. This agreement can be extended if mutually agreed to by both parties.


H. The principal contacts for this instrument are:

Oregon Department of Environmental Quality
Anthony Barnack, Ambient Monitoring Coordinator
7202 NE Evergreen Parkway, Suite 150
Hillsboro, OR 97124-6166
(503)693-5708

Washington Department of Ecology
Jill Schulte, Air Monitoring Coordinator
PO Box 47600
Olympia, WA 98504-7600
(360) 407-6877


In Witness whereof, the parties hereto have executed this MOU as of the last date written below:

5/13/19 
Date Tom Roick
Air Quality Monitoring Manager
Oregon Department of Environmental Quality

5/20/19 
Date Kathy Taylor
Deputy Program Manager
Air Quality Program
Washington Department of Ecology

Appendix F. Public Comment Period

The 2020 Ambient Air Monitoring Network Plan was posted for public comment from May 1-May 31, 2020, on Ecology's webpage. No comments were received.



COMMENT PERIOD

Draft Annual Air Quality Monitoring Network Plan

Air quality monitoring network

May 1, 2020 - May 31, 2020, 11:59 p.m.

Ecology's draft annual air quality monitoring network plan is available for review.

This report describes:

- Washington's air quality monitoring network, including air monitoring stations.
- Recent and planned changes to the network.
- How Ecology will operate its air monitoring stations in the next year.

Ecology reviews its air quality monitoring network every year to make sure that it collects adequate, representative, and useful air quality data. We use this data to make science-based policy decisions.

Documents for review:

- [Draft 2020 Annual Air Quality Network Plan](#)
- [2020 Verification of Continued Attainment in Limited Maintenance Areas](#)

Background

Ecology, EPA, tribes, and local clean air agencies maintain a [network of air monitoring stations](#) to measure air pollution in the state. Using continuous monitoring data, we can let you know when air pollution reaches unhealthy levels. Based on this information, people can adjust their daily activities to minimize unhealthy effects.



Comment online

- Use our [online comment form](#)



Comment by mail

Jill Schulte
Washington Department of Ecology
Air Quality Program
P.O. Box 7600
Olympia, WA 98504-7600



Questions

Jill Schulte
Air Monitoring Coordinator
jill.schulte@ecy.wa.gov
360-407-6877

To request ADA accommodation, contact Ecology's ADA Coordinator by email at ecyadaordinator@ecy.wa.gov, or call 360-407-6831, 711 (relay service), or 877-833-6341 (TTY). More about our [accessibility services](#).