



**Response to Comments Hanford  
Emergency Management Plan  
and Building Emergency Plan  
permit modification  
(8C.2019.2D)  
February 10 through  
March 25, 2020**

*Summary of a public comment period  
and responses to comments*

June 2020

Publication no. 20-05-019

## **Publication and Contact Information**

This publication is available on the Department of Ecology's (Ecology) website at <https://fortress.wa.gov/ecy/publications/SummaryPages/2005019.html>

For more information, contact:

Mandy Jones, Permit Coordinator  
Nuclear Waste Program  
3100 Port of Benton Boulevard  
Richland, WA 99354  
Phone: 509-372-7950  
Email: [Hanford@ecy.wa.gov](mailto:Hanford@ecy.wa.gov)

Washington State Department of Ecology – [www.ecology.wa.gov](http://www.ecology.wa.gov)

- Headquarters, Lacey 360-407-6000
- Northwest Regional Office, Bellevue 425-649-7000
- Southwest Regional Office, Lacey 360-407-6300
- Central Regional Office, Yakima 509-575-2490
- Eastern Regional Office, Spokane 509-329-3400

Ecology publishes this document to meet the requirements of [Washington Administrative Code 173-303-840 \(9\)](#).

*The Department of Ecology is committed to providing people with disabilities access to information and services by meeting or exceeding the requirements of the Americans with Disabilities Act (ADA), Section 504 and 508 of the Rehabilitation Act, and Washington State Policy #188.*

*To request an ADA accommodation, contact Ecology by phone at 509-372-7950 or email at [Daina.McFadden@ecy.wa.gov](mailto:Daina.McFadden@ecy.wa.gov). For Washington Relay Service or TTY call 711 or 877-833-6341. Visit [Ecology's website](#) for more information.*

## **Response to Comments**

---

*Hanford Emergency Management Plan and  
Building Emergency Plan permit modification (8C.2019.2D)  
February 10 through March 25, 2020*

Nuclear Waste Program  
Washington State Department of Ecology  
Richland, Washington

*This page is purposely left blank.*

## **Table of contents**

Introduction.....	1
Reasons for issuing the permit.....	1
Public involvement actions.....	4
List of Commenters.....	5
Attachment 1: Comments and responses	
Appendix A: Copies of all public notices	

## Introduction

The Washington State Department of Ecology’s Nuclear Waste Program (Ecology) manages dangerous waste within the state by writing permits to regulate its treatment, storage, and disposal. When a new permit or a significant modification to an existing permit is proposed, Ecology holds a public comment period to allow the public to review the change and provide formal feedback. (See [Washington Administrative Code \[WAC\] 173-303-830](#) for types of permit changes.)

This Response to Comment document is being issued to address public comments received during the comment period held February 10 through March 25, 2020.

The Response to Comments is the last step before issuing the final permit, and its purpose is to:

- Specify which provisions, if any, of a permit will become effective upon issuance of the final permit, providing reasons for those changes.
- Describe and document public involvement actions.
- List and respond to all significant comments received during the public comment period and any related public hearings.

### **This Response to Comments is prepared for:**

Comment period:	Hanford Emergency Management Plan and Building Emergency Plan permit modification (8C.2019.2D), February 10 through March 25, 2020.
Permit:	<i>Hanford Facility Resource Conservation and Recovery Act (RCRA) Permit for the Treatment, Storage, and Disposal of Dangerous Waste, (WA7890008967)</i>
Permittee(s):	<i>U.S. Department of Energy, Richland Operations and U.S. Department of Energy, Office of River Protection</i>
Original issuance date:	<i>September 27, 1994</i>
Draft effective date:	<i>July 23, 2020</i>

To see more information related to the Hanford Site and nuclear waste in Washington, please visit our website: <https://www.ecology.wa.gov/Hanford>.

## Reasons for issuing the permit

The Permittees formally submitted this permit modification as required to satisfy Agreed Order DE 10156, Exhibit A, “Required Actions Under Chapter 173-303-WAC,” item 1.1.2.

The Agreed Order resulted from the settlement of enforcement action at Hanford’s Central Waste Complex (CWC) and the Waste Receiving and Processing (WRAP) Facility. The order specified that the actions taken at CWC and WRAP must also be implemented at T Plant.

Required Action 1.1.2 listed two changes to be made:

1. Change the Permit Applicability Matrix (Permit Attachment 9) to make the “Facility Contingency Plan” applicable to Interim Status treatment, storage, and disposal (TSD) units.

The changes to the Permit Applicability Matrix will make emergency preparedness and response requirements apply to those interim status units.

2. Change Appendix A of DOE/RL-94-02, Hanford Emergency Management Plan (Permit Attachment 4) to include a description of how each requirement of WAC 173-303-340, -350, -355, and -360 are met for TSD units operating to Interim Status Standards.

The changes the Hanford Emergency Management Plan help define how the plan meets requirements in dangerous waste regulations at those interim status units for:

- Preparedness and preparation
- Contingency plans
- Emergency procedures
- Emergencies
- Coordinating with local emergency planning committees established under Superfund

Since 2014, Ecology and the Permittees have worked collaboratively to perform a comprehensive evaluation and review of the Hanford contingency planning documentation. The comprehensive evaluation led to the proposed modifications of the existing permitted documents and creation of new documents to ensure that the Permittees are in compliance with the contingency plan and emergency requirements detailed in WAC 173-303-340, -350, -355, and -360.

Ecology and the Permittees agreed to modify the unit group specific Building Emergency Plans (BEPs) or Facility Response Plans (FRPs) (whichever document is appropriate), to include the details required in WAC 173-303-350. Based on these discussions, the Permittees submitted updated BEPs and an FRP to Ecology to be included as part of this permit modification to replace the existing Contingency Plans. The BEPs and an FRP, in combination with the Hanford Emergency Management Plan (Permit Attachment 4), will serve as the Contingency Plan.

The proposed draft permit modification, 8C.2019.2D, included the following documents for public comment:

*Response to Comments*  
*HEMP and BEP permit modification*

- Revised Part I and II Permit Conditions
- Changes to the Hanford Emergency Management Plan (DOE/RL-94-02, Rev 7 Draft)
- New Attachment 4A to the Hanford Site Wide Permit (Qualified Building Emergency Directors and Building Wardens)
- Updates to Attachment 9 – Applicability Matrix
- New Building Emergency Plans (BEP) and Facility Emergency Plan (FRP) for the following facilities:
  - Liquid Effluent Retention Facility and 200 Area Treatment Facility
  - 242-A Evaporator
  - 325 Hazardous Waste Treatment Units
  - 400 Area Waste Management Unit
  - PUREX Storage Tunnels

The individual Building Emergency Plans or Facility Response Plans for the Waste Treatment and Immobilization Plant (OUG 10) and the Integrated Disposal Facility (OUG 11) were not included with this Permit Modification because they were both concurrently out for public comment in support of other Facility Specific Permit Modifications.

The Building Emergency Plan for the Waste Treatment Plant (WTP) was not included in this public comment period because it was previously submitted for public comment during the WTP Low-Activity Waste and Effluent Management Facilities Class 3 Public comment period that ran from July 1 to August 30, 2019.

The Building Emergency Plan for the Integrated Disposal Facility (IDF) was not included in this public comment period because it was previously submitted for public comment to support the IDF Operations Class 3 Permit Modification public comment period that ran from December 16, 2019, through February 14, 2020.



## **Public involvement actions**

Ecology encouraged public comment on the Class 3 permit modification on the draft Hanford Emergency Management Plan, Building Emergency Plans and associated permit documents during a 45-day public comment period held February 10 through March 25, 2020.

The following actions were taken to notify the public:

- Mailed a public notice announcing the comment period to 1184 members of the public. Copies of the public notice were distributed to members of the public at Hanford Advisory Board meetings.
- Placed a public announcement legal classified notice was placed in the *Tri-City Herald* on February 9, 2020.
- Emailed a notice announcing the start of the comment period to the [Hanford-Info email list](#), which has 1348 recipients.
- Posted the comment period as an event on the Washington Department of Ecology – Hanford’s Facebook and Twitter pages.

The Hanford information repositories located in Richland, Spokane, and Seattle, Washington, and Portland, Oregon, received the following documents for public review:

- Public notice (focus sheet)
- Transmittal letter
- Fact Sheet for the proposed HEMP and BEP Permit Modification (8C.2019.2D)
- Draft HEMP and BEP Permit Modification (8C.2019.2D)

The following public notices for this comment period are in [Appendix A](#) of this document:

- Public notice (focus sheet)
- Classified advertisement in the *Tri-City Herald*
- Notice sent to the Hanford-Info email list
- Event posted on the Washington Department of Ecology – Hanford’s Facebook and Twitter pages

## **List of Commenters**

The table below lists the names of organizations or individuals who submitted a comment on the Hanford Emergency Management Plan and Building Emergency Plan permit modification. The comments and responses are in [Attachment 1](#).

<b>Commenter</b>	<b>Organization</b>
Mike Conlan	Citizen
U.S. Department of Energy	US Government

# **Attachment 1: Comments and responses**

## **Description of comments:**

Ecology accepted comments from February 10 through March 25, 2020. This section provides a summary of comments that we received during the public comment period and our responses, as required by RCW 34.05.325(6)(a)(iii). Comments are grouped by individual and each comment is addressed separately.

## **I-1: MIKE CONLAN**

### **Comment I-1-1**

1. Remove all nuclear waste,
2. Do not allow anymore nuclear waste into the facility,
3. Replace all the single storage tanks,
4. Stop all the nuclear leakage entering the Columbia River
5. Glassification!

### **Response to I-1-1**

*Ecology is working to ensure that long-term storage, treatment and disposal of the waste is protective of human health and the environment.*

*The proposed permit changes are not to allow new waste, but to better manage the waste already at Hanford.*

*Single-shell tanks are not in the scope of this comment period. Ecology does agree the tanks pose a threat. We believe a better approach to addressing it is to transfer waste from the single shell tanks to the double-shell tanks to prepare for eventual treatment in the Waste Treatment Plant. Stopping any potential nuclear waste from impacting the Columbia River is not within the scope of this permit modification. Prevention of groundwater and surface water impacts are addressed in operations associated with other units. Ecology is working to ensure the Waste Treatment and Immobilization Plant is completed so tank wastes can be safely processed and meet disposal requirements.*

## **A-1: US DEPARTMENT OF ENERGY**

### **Comment A-1-1**

Permit Section: Attachment 4, Appendix A, Reqt Source: WAC 173-303- 350(3)(d).  
Change Requested: DOE/RL-94-02, Sections 2.2 and 2.2.1.1, discusses personnel job titles, which will fill duties and responsibilities of the Emergency Coordinator, described in WAC 173-303-360. A list of current assigned or "on-call" BEDs/BWs is maintained at the Patrol Operations Center per II.A.4. A list of BEDs/BWs for each Hanford TSD unit required to have an emergency coordinator is maintained in Permit Attachment 4A. Changing BEDs/BWs is a Class 1 modification, self implemented. The stricken text relates to WAC 173- 303-201(9)(b) generator requirements, not WAC 173-303-350 TSD unit requirements. The WAC 173-303-201(9)(b) generator requirements and associated implementation processes are addressed in another portion of Appendix A. Pertinent elements of the stricken text need to be relocated to the WAC 173-303-201(9)(b) portion of Attachment 4, Appendix A. These changes are needed to accommodate recent Dangerous Waste regulation changes described in Ecology Publication 19-04-005 and also to align with II.A conditions. Attachment 4, Appendix A is published by the DOE and a copy is provided to Ecology for incorporation into the permit. DOE intends to incorporate the changes shown. Does Ecology have any concerns with incorporating the changes shown?

### **Response to A-1-1**

*Thank you for your comment. Ecology supports DOE making the necessary changes to Appendix A of the Hanford Emergency Management Plan (DOE/RL-94-02). We also anticipate you will make the necessary corresponding updates to the Appendices associated with each Facility specific Building Emergency Plan. We look forward to receiving your updated documents for incorporation into the Hanford Sitewide permit.*

### **Comment A-1-2**

Permit Section: Attachment 4, Appendix A, Reqt Source: WAC 173-303- 201(9)(b).  
Changes Requested: DOE/RL-94-02, Sections 2.2 and 2.2.1.1 discusses personnel job titles, which will fill duties and responsibilities of the Emergency Coordinator, described in WAC 173-303-201(13). A list of current assigned or "on-call" BEDs/BWs is maintained at the Patrol Operations Center per II.A.4. A list of BEDs/BWs for central accumulation areas and satellite accumulation areas is maintained in Permit Attachment 4A. Changing BEDs/BWs on this list is not subject to permit modification requirements. Updates to the list will be provided to Ecology per II.A.4.a. These changes are needed to accommodate recent Dangerous Waste regulation changes described in Ecology Publication 19-04-005 and also to align with II.A conditions. Attachment 4, Appendix A is published by the DOE and a copy of the revised document will be provided to Ecology for incorporation into the permit. DOE intends to incorporate the changes shown. Does Ecology have any concerns with incorporating the changes shown?

### **Response to A-1-2**

*Thank you for your comment. Ecology supports DOE making the necessary changes to Appendix A of the Hanford Emergency Management Plan (DOE/RL-94-02). We also anticipate you will make the necessary corresponding updates to the Appendices associated with each Facility specific Building Emergency Plan. We look forward to receiving your updated documents for incorporation into the Hanford Sitewide permit.*

### **Comment A-1-3**

Permit Section: Condition II.A.5.  
Changes Requested: The proposed/draft changes eliminate text published in: 8C.2019.Q2 (PCN-HFSW-2019-03) 8C.2019.Q3 8C.2019.Q4. The permittee requests Ecology relocate the original II.A.5 text to a new section (i.e., II.A.7).

### **Response to A-1-3**

*Thank you for your comment. The removal of this permit condition was an editorial mistake by Ecology. We will add the required text in as Permit Condition II.A.7.*

## **Appendix A: Copies of all public notices**

Public notices for this comment period:

- Public notice (focus sheet)
- Classified advertisement in the *Tri-City Herald*
- Notice sent to the Hanford-Info email list
- Event posted on Washington Department of Ecology – Hanford’s Facebook and Twitter pages

# Hanford Emergency Management Plan and Building Emergency Plan permit modification



## Public comment period

February 10 through March 25, 2020

Please submit comments

Electronically (preferred) via:

<http://wt.ecology.commentinput.com/?id=p9NmW>

By U.S. Mail, or hand-delivery:

Daina McFadden  
3100 Port of Benton Blvd  
Richland WA 99354

## Public hearing

A public hearing is not scheduled, but if there is enough interest, we will consider holding one. To request a hearing or for more information, contact:

Daina McFadden  
509-372-7950  
[Hanford@ecy.wa.gov](mailto:Hanford@ecy.wa.gov)

## Special accommodations

To request ADA accommodation including materials in a format for the visually impaired, call Ecology at 360-407-6831 or visit <https://ecology.wa.gov/accessibility>.

People with impaired hearing may call Washington Relay Service at 711. People with speech disability may call TTY at 877-833-6341.

## Public comment invited

The Washington State Department of Ecology (Ecology) invites public comment a proposed modification to the *Hanford Facility Resource Conservation and Recovery Act Permit for the Treatment, Storage, and Disposal of Dangerous Waste, Revision 8c* (Permit).

The changes affect the Hanford Emergency Management Plan, associated facility-specific Building Emergency Plans, and other associated permit files for operating and closing units in the Permit.

Ecology invites you to comment on this new modification February 10 through March 25, 2020.

The Permittees are:

U.S. Department of Energy  
Office of River Protection  
P.O. Box 450  
Richland, WA 99352

Bechtel National, Inc.  
2435 Steven's Center Place  
Richland, WA 99354

Washington River Protection  
Services LLC  
P.O. Box 850  
Richland, WA 99352

CH2M Hill Plateau Remediation  
Company  
P.O. Box 1600  
Richland, WA 99352

U.S. Department of Energy  
Richland Operations  
P.O. Box 550  
Richland, WA 99352

Mission Support Alliance  
P.O. Box 650  
Richland, WA 99352

Pacific Northwest National  
Laboratory  
P.O. Box 999  
Richland, WA 99352

## Background

On September 5, 2014, the United States Department of Energy (USDOE) initiated a Class 2 modification to revise the Contingency Plan requirements in the Permit (Letter 14-ESQ-0111).

The Class 2 modification was submitted as required by Agreed Order and Stipulated Penalty, Docket No. DE 10156, Hanford Solid Waste Operations Complex (Agreed Order). Exhibit A, Section 1.1.2 of the Agreed Order states:

“By January 30, 2015, USDOE will submit to Ecology a Class 2 permit modification request. The permit modification request will include two changes. One change will be to the Permit Applicability Matrix (Permit Attachment 9) to make ‘Facility Contingency Plan’ applicable to Interim Status TSD Units (the SWOC units are operating to Interim Status Standards). The second change will be to Appendix A of DOE/RL-94-02, Hanford Emergency Management Plan (Permit Attachment 4), to describe how each requirement of WACs 173-303-340, -350, -355, and -360 are met for TSD units operating to Interim Status Standards.”

At the conclusion of the 2014 public comment period for the Class 2 modification, Ecology determined that additional changes needed to be made to the attachments, the associated Hanford site contingency planning documents, and the Part I and II Permit Conditions. Ecology issued Letter 14-NWP-244, dated December 12, 2014, notifying the Permittees that we would reclassify the permit modification to a Class 3 permit modification.

## Overview of the Proposed Changes

Since 2014, Ecology and the Permittees have worked collaboratively to perform a comprehensive evaluation and review of the Hanford contingency planning documentation. The comprehensive evaluation led to the proposed modifications of the existing permitted documents and creation of new documents to ensure that the Permittees are in compliance with the contingency plan and emergency requirements detailed in WAC 173-303-340, -350, -355, and -360.

Ecology and the Permittees agreed to modify the unit group specific Building Emergency Plans (BEPs) or Facility Response Plans (FRPs) (whichever document is appropriate), to include the details required in WAC 173-303-350. Based on these discussions, the Permittees submitted updated BEPs and an FRP to Ecology to be included as part of this permit modification to replace the existing Contingency Plans. The BEPs and an FRP, in combination with the Hanford Emergency Management Plan (Permit Attachment 4), will serve as the Contingency Plan.

This permit modification includes the following documents for public comment.

- Revised Part I and II Permit Conditions
- Changes to the Hanford Emergency Management Plan (DOE/RL-94-02, Rev 7 Draft)
- New Attachment 4A to the Hanford Site Wide Permit (Qualified Building Emergency Directors and Building Wardens)
- Updates to Attachment 9 – Applicability Matrix
- New Building Emergency Plans (BEP) and Facility Emergency Plan (FRP) for the following facilities:
  - Liquid Effluent Retention Facility and 200 Area Treatment Facility
  - 242-A Evaporator
  - 325 Hazardous Waste Treatment Units
  - 400 Area Waste Management Unit
  - PUREX Storage Tunnels

The Building Emergency Plan for the Waste Treatment Plant (WTP) is not included in this public comment period because it was previously submitted for public comment during the WTP Low-Activity Waste and Effluent Management Facilities Class 3 Public comment period that ran from July 1 to August 30, 2019.

The Building Emergency Plan for the Integrated Disposal Facility (IDF) is not included in this public comment period because it is currently out for public comment to support the IDF Operations Class 3 Permit Modification, which is open for public comment December 16, 2019, through February 14, 2020.



## Why it matters

A robust and compliant Contingency Plan ensures that the Hanford Facility operates in a way that protects human health and the environment. The modifications were made to:


- Ensure consistency among the unit-specific Building Emergency Plans.
- Improve criteria for implementation of contingency plans.
- Ensure that all applicable regulatory requirements are correctly outlined and referenced in Appendix A of the Hanford Site Wide Permit.

## Reviewing the proposed changes

Ecology invites you to review and comment on this proposed permit modification for the Hanford Emergency Management Plan and associated Building Emergency Plans. See page 1 for comment period dates and information on how to submit comments.

Copies of the application for the proposed permit and supporting documentation will be available during the public comment period online at Ecology's website at <https://www.ecology.wa.gov/Waste-Toxics/Nuclear-waste/Public-comment-periods>. The documents will also be available at the Hanford Public Information Repositories listed on the last page.

Ecology will consider and respond to all significant comments received during the public comment period. We will document our responses and issue a response to comments document when we make our final permitting decision.





DEPARTMENT OF  
**ECOLOGY**  
State of Washington

Nuclear Waste Program  
3100 Port of Benton Blvd  
Richland, WA 99354

### Hanford's Information Repositories and Document Review Locations

#### Washington

##### **Richland**

Ecology Nuclear Waste Program  
Resource Center  
3100 Port of Benton Blvd.  
Richland, WA 99354  
509-372-7950

U.S. Department of Energy  
Administrative Record  
2440 Stevens Drive, Room 1101  
Richland, WA 99354  
509-376-2530

Washington State University Tri-Cities  
Department of Energy Reading Room  
2770 Crimson Way, Room 101L  
Richland, WA 99354  
509-375-7443

#### **Seattle**

University of Washington  
Suzzallo Library  
P.O. Box 352900  
Seattle, WA 98195  
206-543-5597

#### **Spokane**

Gonzaga University  
Foley Center  
502 E Boone Avenue  
Spokane, WA 99258  
509-313-6110

#### **Oregon**

##### **Portland**

Portland State University  
Millar Library  
1875 SW Park Avenue  
Portland, OR 97207  
503-725-4542



**From:** [McFadden, Daina \(ECY\)](#)  
**To:** [HANFORD-INFO@LISTSERV.ECOLOGY.WA.GOV](mailto:HANFORD-INFO@LISTSERV.ECOLOGY.WA.GOV)  
**Subject:** Upcoming comment period - 30-day advance notice  
**Date:** Friday, January 10, 2020 11:35:09 AM

---

## 30-Day Advance Notice for the Hanford Emergency Management Plan and Building Emergency Plan permit modification

The Washington State Department of Ecology is providing notification of a 45-day public comment period starting early to mid-February 2020. This comment period will address proposed modifications on the Hanford Emergency Management Plan, associated facility specific Building Emergency Plans, and other associated permit files for operating and closing units in the Hanford Facility Resource Conservation and Recovery Act (RCRA), Revision 8C. The Permittees are the U.S. Department of Energy, Office of River Protection, U.S. Department of Energy, Richland Operations, Bechtel National, Inc., Mission Support Alliance, Washington River Protection Services LLC, Pacific Northwest National Laboratory, and CH2M Hill Plateau Remediation Company. The Hanford Site is located in southeastern Washington.

### What Changes are Being Proposed?

This modification includes revised Part I and II Permit Conditions, changes to the Hanford Emergency Management Plan (DOE/RL-94-02, Rev 7 Draft), a new Attachment 4A to the Hanford Site Wide Permit (Qualified Building Emergency Directors and Building Wardens), updates to Attachment 9 – Applicability Matrix, and new Building Emergency Plans (BEP) and Facility Emergency Plan (FRP) for five unit groups in the Hanford Site Wide Permit.

### Public Hearing

A public hearing is not scheduled, but if there is enough interest, we will consider holding one. To request a hearing or for more information, contact:

Daina McFadden  
[Hanford@ecy.wa.gov](mailto:Hanford@ecy.wa.gov)  
509-372-7950

---

Ecology logo



Visit us on the [web](#) and follow our [news and social media](#).

[Subscribe](#) or [Unsubscribe](#)

**From:** [McFadden, Daina \(ECY\)](#)  
**To:** [HANFORD-INFO@LISTSERV.ECOLOGY.WA.GOV](mailto:HANFORD-INFO@LISTSERV.ECOLOGY.WA.GOV)  
**Subject:** 45-day public comment period begins today for the Hanford Emergency Management Plan  
**Date:** Monday, February 10, 2020 11:23:00 AM

---

## Hanford Emergency Management Plan and Building Emergency Plan permit modification public comment period notification

The Washington State Department of Ecology is providing notification of a 45-day public comment period starting Feb. 10 – March 25, 2020. This comment period will address proposed modifications to the *Hanford Facility Resource Conservation and Recovery Act Permit for the Treatment, Storage, and Disposal of Dangerous Waste, Revision 8c (Permit)*. The Permittees are U.S. Department of Energy, Office of River Protection, U.S. Department of Energy, Richland Operations, Bechtel National, Inc., Mission Support Alliance, Washington River Protection Services, LLC, Pacific Northwest National Laboratory, and CH2M Hill Plateau Remediation. The Hanford Site is located in southeastern Washington.

### What Changes are Being Proposed?

This permit modification includes the following documents for public comment.

- Revised Part I and II Permit Conditions
- Changes to the Hanford Emergency Management Plan (DOE/RL-94-02, Rev 7 Draft)
- New Attachment 4A to the Hanford Site Wide Permit (Qualified Building Emergency Directors and Building Wardens)
- Updates to Attachment 9 – Applicability Matrix
- New Building Emergency Plans (BEP) and Facility Emergency Plan (FRP) for the following facilities:
  - Liquid Effluent Retention Facility and 200 Area Treatment Facility
  - 242-A Evaporator
  - 325 Hazardous Waste Treatment Units
  - 400 Area Waste Management Unit
  - PUREX Storage Tunnels

The Building Emergency Plan for the Waste Treatment Plant (WTP) is not included in this public comment period because it was previously submitted for public comment during the WTP Low-Activity Waste and Effluent Management Facilities Class 3 Public comment period that ran from July 1 to August 30, 2019.

The Building Emergency Plan for the Integrated Disposal Facility (IDF) is not included in this public comment period because it is currently out for public comment to support the IDF Operations Class 3 Permit Modification, which is open for public comment December 16, 2019, through February 14, 2020.

## How to Comment

Ecology invites you to review and comment on this proposed Revision 8C permit modification. Copies of the proposed modification are located in the [Administrative Record and Information Repositories](#). In addition, the proposed modification is online at <https://ecology.wa.gov/Waste-Toxics/Nuclear-waste/Public-comment-periods>.

Please submit comments by **March 25, 2020**.

[Electronic](#) submission (preferred) or mail or hand-deliver to:

Daina McFadden  
3100 Port of Benton Blvd  
Richland WA 99354  
Fax 509-372-7971

## Public Hearing

A public hearing is not scheduled, but if there is enough interest, we will consider holding one. To request a hearing or for more information, contact:

Daina McFadden  
[Hanford@ecy.wa.gov](mailto:Hanford@ecy.wa.gov)  
509-372-7950

---

Ecology logo



Visit us on the [web](#) and follow our [news and social media](#).

[Subscribe](#) or [Unsubscribe](#)



Washington Department of Ecology - Hanford  
Published by Ryan Ecology Miller (2) · 5 mins

We're looking for your input on two new public comment periods beginning today, involving Direct-Feed Low-Activity Waste and the Hanford Emergency Management Plan, ending March 26 and March 25, respectively.

Learn more about the comment periods, review documents, and submit comments by visiting our public comment periods page: <https://ecology.wa.gov/.../Nuclear-was.../Public-comment-periods>.



Boost Post

- Like
- Comment
- Share



Ecology - Hanford  
@ecyHanford

We're looking for input on two new comment periods starting today, about Direct-Feed Low-Activity Waste & the #Hanford Emergency Management Plan, ending March 26 & 25, respectively. Read more & submit comments here: [ecology.wa.gov/Waste-Toxics/N...](https://ecology.wa.gov/Waste-Toxics/N...)  
[@EcologyWA](#) [@EPAnorthwest](#) [@HanfordSite](#)



12:51 PM · Feb 10, 2020 · Twitter Web App

View Tweet activity

- Retweet
- Reply
- Share