

ECOLOGICAL BASELINE AND MONITORING PROJECT

FINAL REPORT

PART 2: ROUTINE WATER QUALITY SAMPLING
AND INTENSIVE SURVEYS DATA FROM
PORT GARDNER, WASHINGTON

by

Timothy A. Determan
Will Kendra
Dale K. Clark

Washington State Department of Ecology
Water Quality Investigations Section
Olympia WA 98504-6811

May 1986

PREFACE

The Ecological Baseline and Monitoring (ECOBAM) project was conducted in the Everett/Port Gardner area from 1972 through 1981. Most of the earlier work was published in the ECOBAM Summary Report (November 1976). Draft reports of the later work were prepared several years ago, but never finalized. Recent interest in the Port Gardner area has prompted finalization of this historical information.

Completion of the reports was not possible in all cases. Some of the researchers originally involved were no longer available and questions concerning methods, station locations, etc. could not be answered. However, four reports were completed and together they constitute the final report for the ECOBAM project. The four parts of the final report are:

- Part 1: Livebox Bioassay Studies in Port Gardner, Washington by D. Clark.
- Part 2: Routine Water Quality Sampling and Intensive Surveys Data from Port Gardner, Washington by T. Determan, W. Kendra, and D. Clark.
- Part 3: Distribution and Abundance of Benthic Macrofauna Adjacent to a Sulfite Pulp Mill Discharge Pipeline in Port Gardner, Washington, 1974 through 1976 by D. Kisker.
- Part 4: The Effects of Pulp Mill Load Reductions on Water Quality in Port Gardner, Washington by T. Determan.

INTRODUCTION

The following data compendia contain records from two major ECOBAM programs. The first includes routine sampling done in Port Gardner/East Waterway from May 1974 through March 1981, together with data from nearby Ambient Monitoring Program sites maintained by the Washington State Department of Ecology (Ecology). The second includes data from several intensive surveys carried out near the end of ECOBAM.

Routine Water Quality Data Summary

This summary contains data from nine ECOBAM sites (ECB101 - 104 and ECB201 - 205) and five nearby Ecology Ambient Monitoring Program sites (PSS008, -009, -015, -019, -020) (see Figures 1 and 2). ECOBAM sites were sampled at about monthly intervals from May 1974 through March 1981. The Ecology ambient sites have varying periods of record.

At ECOBAM sites, temperature, salinity, and conductivity were measured with a Kahlsico induction salinometer. Transparency readings were taken at deepwater sites (ECB201 - 205 starting in April 1976 using a 20-cm diameter Secchi disk. Dissolved oxygen was determined with the Azide modification of the Winkler titration (APHA, 1975). Turbidity, pH, and spent sulfite liquor (SSL) samples were iced and shipped to the Ecology laboratory for analysis within 24 hours. SSL (shown as SWL on data summaries) was estimated using Barnes, et al. (1963).

Biological data were obtained by seining. Replicate samples were taken with a purse seine at the five deepwater sites, and a beach seine at four beach sites (ECB101 - 104).

The data were stored in the U.S. Environmental Protection Agency's STORET data management system. The record for each ECOBAM site (Tables 1 - 9) has three parts. Part a) is unanalyzed data arranged in parameter versus sampling date format. Part b) contains a statistical summary of data collected during a calendar year. Part c) similarly summarizes data stored by month. The record for each ambient site (Tables 10 - 14) contains yearly summaries only.

The statistical analyses were prepared on a Wang 2200 VP computer using a program developed by J. Hileman and R. Pederson of EPA Region X and modified by Robert James of Ecology.

Intensive Water Quality Survey Data Summary

Intensive surveys were conducted at Port Gardner in June and September 1980, and March 1981, and the data never analyzed.

Receiving water samples were collected at 16 stations (Figure 3). Concomitant point-source samples were collected for wastewater effluent from the Scott and Weyerhaeuser Paper Companies, Everett STP, and the tideland-fill area.

Receiving water quality was surveyed during both low and high tides (Table 15). Water samples were collected at surface, mid-water, and depth using a

winch-operated, 3-liter Van Dorn bottle. Temperature, salinity, and conductivity were measured with a Kahlsico salinometer. Dissolved oxygen was determined using an IBC dissolved oxygen meter and/or Winkler titrametric methods (APHA, 1980). Samples for remaining parameters were iced and shipped to the Ecology laboratory within 24 hours for analysis as per APHA (1980).

Receiving water transparency was measured at all stations using a 20 cm (diameter) oceanographic Secchi disk. Light attenuation with depth was determined with a Kahlsico underwater irradiator (Table 16). Vertical extinction coefficients were estimated from submarine photometer readings using the following relationship:

$$K = [\ln I_0 (\Sigma Z) - [Z (\ln I_z)]] / \Sigma Z^2,$$

where K = vertical extinction coefficient
ln = natural logarithm
 I_0 = light intensity at depth 0
Z = depth
 I_z = light intensity at depth Z

Data from point sources were collected via both grab and 24-hour composite samples (Table 17). All samples were iced and shipped to the Ecology laboratory for analysis as described above. Paper company and STP flows were provided by plant operators. Runoff from the tideland-fill area was estimated with a bucket and stopwatch.

REFERENCES

- American Public Health Association, 1975. Standard Methods for the Examination of Water and Wastewater. 14th Ed. Washington, D.C. 1193 pp.
- American Public Health Association, 1980. Standard Methods for the Examination of Water and Wastewater. 15th Ed. Washington, D.C. 1134 pp.
- Barnes, C.A., E.E. Collias, V.F. Felicetta, O. Goldschmid, B.F. Hrutfiord, A. Livingston, J.L. McCarthy, G.L. Toombs, M. Waldichuk, and R. Westley, 1963. A standardized Pearl-Benson, or nitroso, method recommended for estimation of spent sulfite liquor or sulfite waste liquor concentration in waters. Tappi 46(6): 347-351.




FIGURE 1. PORT GARDNER AND POSSESSION SOUND SHOWING THE LOCATIONS OF BEACH STATIONS USED DURING ECOBAM SAMPLING. Adapted from NOAA chart 18444.




FIGURE 2. EVERETT EAST WATERWAY SHOWING THE LOCATIONS OF ECOBAM DEEP STATIONS AND PRESENT AND PAST DISCHARGES. Adapted from NOAA chart 18083.




Figure 3. Map of ECOBAM intensive survey study area, showing location of receiving water sampling sites (●) and point source outfalls (x).

Table 1a.

ECB101 ECOBAM SO END WEYERHAEUSER T M

DATE FROM TO	TIME	00010 WATER TEMP DEPTH METERS DEG-C	00300 DISSOLVED OXYGEN mg/l	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SML PBT mg/l	70305 SALINITY CONDUCTIVITY g/l	00301 DO PERCENT SATURATH	99001 SHANNON DIVERSITY INDEX	99002 OFFSHORE LOAD lb/day	99003 NEARSHORE LOAD lb/day	99004 TOTAL LOAD lb/day
74/05/14	1240	9.9	10.4		5.0	100	11.0	97.7	1.436	576750	32612	609360
74/06/13	1400	19.0	9.7	7.3	5.0	20	6.0	107.1	2.424	630160	37651	667820
74/07/15	1450	16.3	8.9	7.5	2.0	35	18.0	99.8	1.928	552340	51662	604000
74/08/13	0830	15.5		7.4	3.0	0	12.0		2.391	520930	34069	555000
74/09/18	1310	17.6	5.8	7.2	5.0	82	28.2	71.0	0.658	656580	37866	694450
74/10/16	1550	12.0	4.3	7.4	2.0	38	28.0	47.1	0.414	589280	39980	929260
74/11/14	1125	10.5	6.6	7.1	5.0	35	22.0	67.4	1.863	533400	37615	571010
74/12/18	1415	8.1	7.8		3.0	73	25.7	77.5	1.749	524490	38149	562640
75/01/15	1245	5.6	10.7	7.4	25.0	40	16.6	94.3	1.784	583710	40396	624100
75/02/19	1330	15.1	10.2	7.4	19.0	43	19.9	113.0	0.490	497630	31126	528760
75/03/19	1315	9.9	9.1	7.1	5.0	32	19.9	90.5	1.758	537120	30281	567400
75/04/22	1015	8.8	9.1	7.3	7.0	54	29.0	93.5	2.504	444710	28176	472890
75/05/13	1525	14.1	9.7	7.6	17.0	18	10.2	99.3	1.268	258730	25880	284610
75/06/12	1600	19.0	9.0	8.4	5.0	59	9.2	101.1	2.194	158040	31867	189890
75/07/23	1015	18.4	13.0	7.8	5.0	23	22.2	155.8	0.803	81462	24682	106140
75/08/13	1420	20.1	11.0	7.6	3.0	15	24.7	138.2	0.752	300060	30855	330920
75/09/18	0955	14.0	10.4	8.0	3.0	9	26.0	117.1	1.223	258260	30351	288610
75/10/17	0850	12.0	7.1	7.8	16.0	28	27.0	77.3	1.572	330620	31824	362450
75/11/20	2145	6.6	9.0	7.8	3.0		16.4	81.1	1.355	52343	23060	75403
75/12/17	2100	7.0	10.8	7.3	10.0	9	9.6	94.1	1.357	309960	34008	343070
76/01/22	1355	6.5	10.1	7.6	4.0	0	19.8	92.9	2.158	257980	37931	295910
76/02/18	1245	6.7	6.6	7.4	4.0	14	20.8	80.6	1.357	350480	36370	387050
76/03/17	1350	7.7	10.3	7.7	3.0	9	26.4	101.9	1.923	290100	24330	314430
76/04/15	1030	7.2	12.5	7.3	47.0	18	19.1	116.3	2.236	299130	43345	342470
76/05/20	1535	13.5	11.8	8.2	5.0	9	12.0	120.6	2.891	232080	38852	270940
76/06/08	0945	11.5	9.3	7.0	5.0	9	13.3	91.8	1.753	307740	34301	342040
76/07/21	0820	14.6	10.0	7.6	5.0	5	23.3	112.0	1.410	247320	44970	292290
76/08/25	0915	13.2	7.8	7.8	4.0	14	21.5	84.0	1.828	329740	37782	367520
76/09/17	0715	14.1	10.0	7.9	3.0	8	23.4	111.0	1.956	271720	38857	310580
76/10/22	0815	9.8	5.3	7.4	4.0	32	28.0	55.5	1.450	347530	34650	382180
76/11/23	2300	8.4	6.4	7.0	1.0	18	20.6	81.8	1.866	278930	36926	315660
76/12/15	1845	7.9	7.0	6.6	6.0	14	27.6	70.1	1.567	231890	38167	270050
77/01/13	1620	7.1	6.5	7.4	1.0	18	28.6	64.4	1.826	202780	40523	243310
77/02/25	1400	9.5	8.0	7.0	2.0	32	24.4	81.2	0.736	148870	35414	184280
77/03/23	1445	7.5	8.9	7.6	5.0	14	28.0	88.4	1.937	273810	39883	313690
77/04/28	1030	12.5	9.0	7.6	4.0	28		99.0	0.779	256750	37174	293920
77/05/18	1415	13.4	12.4	8.0	1.0	9	20.3	133.1	0.019	262530	42365	304890
77/06/14	0950	16.3	9.1	8.2	54.0	14	18.2	102.2	0.214	307880	44010	351390
77/07/20	1250	19.5	8.8	7.8	4.0	18	25.2	109.7	1.741	302040	44978	347020
77/08/17	1315	21.1	10.3	7.1	1.0	9	25.9	132.9	1.938	323610	58518	379130
77/09/14	1320	15.3	8.0	7.7	2.0	41	25.4	92.1	1.224	245870	42412	288280
77/10/13	1045	11.5	6.5	7.6	4.0	36	24.9	69.1	1.226	219620	24391	244010
77/11/09	0810	10.7	6.2	7.7	3.0	0	30.4	67.3	0.927	242350	48725	291070
77/12/20	1955	4.9	10.5	7.2	8.0	0	11.4	87.9	1.761	226900	42364	269260
78/01/30	1580	6.0	10.9	7.4	1.0	9	19.3	98.7	2.242	209790	36870	246570
78/02/15	1605	7.1	9.5	7.2	4.0	5	23.9	91.1	1.934	224410	42553	266960
78/03/30	1705	9.0	10.3	7.7	3.0	9	12.0	95.4	1.950	194140	38787	232920
78/04/12	1300	11.5	9.9	7.8	3.0	14	20.7	102.4	1.894	238680	42422	281100
78/05/19	0910	12.8	11.0	8.2	3.0	9	16.6	113.9	1.646	216760	42912	259670
78/06/26	1515	18.3	9.9	7.9	3.0	0	16.0	114.1	1.573	253790	35962	289750
78/07/10	1530	15.4	8.9	8.0	1.0	9	19.5	98.9	2.557	217250	17512	234760
78/08/22	1400	14.4	8.5	7.5	10.0	36	17.8	91.7	1.359	124100	35099	159110
78/09/18	1145	15.0	9.0	7.9	2.0		11.2	94.5	1.395	5600	0	5600
78/10/13	0835	12.1	8.0	7.8	3.0	9	20.5	83.7	1.803	0	0	0
78/12/18	2250	7.2	7.8	7.8	2.0	0	30.1	78.3	1.395	0	0	0
79/01/31	1250	5.1	10.4	7.4	27.0	5	27.5	97.7	1.187	0	0	0
79/02/27	1000	6.4	9.7	7.8	7.0	9	26.6	93.3	1.877	156750	49829	206580
79/03/27	0830	7.6		7.4		54	19.4		1.790	170820	39925	210740
79/04/10	0900	9.2	11.2	8.0	1.0	14	23.0		1.827	243440	40224	283670
79/05/29	1630	19.4	11.2	8.1	13.0	9	14.8	133.0	2.013	133290	40529	173820
79/06/19	1015	12.4	9.5	8.0	2.0	5	22.7	103.0	1.106	95859	33531	129390
79/07/18	0750	17.0		7.7	2.0	14	21.3		2.000	157750	32673	190420
79/08/27	1600	16.4	8.0	7.8	2.0	9	26.4	94.7	0.941	169540	34268	203810
79/09/19	0915	14.8	8.8	8.2	3.0	5	26.3	100.9	1.750	171840	40150	213990
79/10/17	1105	12.5	5.5	7.4	3.0	54	27.9	60.9	1.435	132340	40735	173080
79/11/16	0830	8.6	3.6	7.2	5.0	99	28.2	36.8	0.787	158890	41322	200220
79/12/12	1825	7.3	9.1	7.5	3.0	5	23.1	87.2	1.883	196450	26152	272610
80/01/24	1825	6.0	9.4	7.9	5.0	5	21.7	86.6	0.936	4643	10525	15168
80/02/21	1700	7.3	9.4	7.5	5.0	0	23.1	90.1	2.400	5027	16510	21537
80/03/17	1325	7.5	8.8	7.5	2.0	9	27.5	87.3	1.540	3289	9653	12942
80/04/21	1700	9.9	11.2	7.8	5.0	0	12.8	106.4	2.483	2950	8864	9814
80/05/21	1010	10.3	10.1	8.1	7.0	5	25.0	104.8		3090	4983	8073
80/06/23	1315	12.2	10.5	8.3	3.0	0	19.5	109.4	1.028	3325	7119	10444
80/07/22	1130	17.1	10.3		1.0	0	22.5	120.6	1.374	3889	6199	10088
80/08/29	1320	15.1	7.9		2.0	5	25.1	90.4	1.568	4346	7126	11466
80/10/07	1030	12.2	9.5	7.9	1.0	9	27.2	104.0	1.552	2767	11048	13815
80/11/19	2020	8.4	8.9	7.6	2.0	9	23.3	87.6	2.181	4398	7128	11526
80/12/15	1450	5.4	9.3	7.6	4.0	0	17.7	82.2	2.180	2491	4533	7024
81/02/10	1545	7.4	8.7				27.0	85.9	0.871	6306	8418	14724
81/03/13	1645	9.3	10.0	7.5		14	19.9	98.1	2.466	12573	7265	19838

Table 1b.

DATES: 74/01/01 TO 74/12/31

DATE FROM TO	TIME	DEPTH METERS	TEMP DEG-C	00010 WATER OXYGEN	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBARETER NTU	00760 SWL PSI	70305 SALINITY CONDUCTIVITY g/l
74/05/14	1240		9.9	10.4	97.7			5.0	100	11.0
74/06/13	1400		19.0	9.7	107.1		7.3	5.0	20	6.0
74/07/15	1450		16.3	8.9	99.8		7.5	2.0	35	18.0
74/08/13	0830		15.5				7.4	3.0	0	12.0
74/09/18	1310		17.8	5.8	71.0		7.2	5.0	82	28.2
74/10/16	1550		12.0	4.3	47.1		7.4	2.0	38	28.0
74/11/14	1125		10.5	6.6	67.4		7.3	5.0	35	22.0
74/12/18	1415		8.1	7.8	77.5			3.0	73	25.7
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
60 MEAN +2 STD DEV										
60 MEAN -2 STD DEV										
SUM OF SQUARES										

DATES: 75/01/01 TO 75/12/31

DATE FROM TO	TIME	DEPTH METERS	TEMP DEG-C	00010 WATER OXYGEN	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBARETER NTU	00760 SWL PSI	70305 SALINITY CONDUCTIVITY g/l
75/01/15	1245			5.6	10.7	94.3	7.4	25.0	60	16.6
75/02/19	1330		15.1	10.2	113.0	7.4	19.0	63	19.9	
75/03/19	1315		9.9	9.1	90.5	7.1	5.0	32	19.9	
75/04/22	1015		8.8	9.1	93.5	7.3	7.0	54	29.0	
75/05/13	1525		14.1	9.7	99.3	7.6	17.0	18	10.2	
75/06/12	1600		19.0	9.0	101.1	8.4	5.0	59	9.2	
75/07/23	1015		18.4	13.0	155.8	7.8	5.0	23	27.2	
75/08/13	1420		20.1	11.0	138.2	7.6	3.0	15	24.7	
75/09/18	0955		14.0	10.4	117.1	8.0	3.0	9	26.0	
75/10/17	0850		12.0	7.1	77.3	7.8	16.0	28	27.0	
75/11/20	2145		8.6	9.0	81.1	7.8	3.0		16.4	
75/12/17	2100		7.0	10.8	94.1	7.3	10.0	9	9.6	
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
60 MEAN +2 STD DEV										
60 MEAN -2 STD DEV										
SUM OF SQUARES										

DATES: 76/01/01 TO 76/12/31

DATE FROM TO	TIME	DEPTH METERS	TEMP DEG-C	00010 WATER OXYGEN	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBARETER NTU	00760 SWL PSI	70305 SALINITY CONDUCTIVITY g/l
76/01/22	1355		6.5	10.1	92.9	7.6	4.0	0	19.8	
76/02/18	1245		6.7	6.6	60.6	7.4	4.0	14	20.8	
76/03/17	1350		7.7	10.3	101.9	7.7	3.0	9	26.4	
76/04/15	1030		7.2	12.5	116.3	7.3	47.0	18	19.1	
76/05/20	1535		13.5	11.8	120.6	8.2	5.0	9	12.0	
76/06/08	0935		11.5	9.3	91.8	7.0	5.0	9	13.3	
76/07/21	0820		14.6	10.0	112.0	7.6	5.0	5	23.3	
76/08/25	0915		13.2	7.8	84.0	7.8	4.0	14	21.5	
76/09/17	0715		14.1	10.0	111.0	7.9	3.0	8	23.4	
76/10/22	0815		9.8	5.3	55.5	7.4	4.0	32	28.0	
76/11/23	2300		8.4	6.4	61.8	7.0	1.0	18	20.6	
76/12/15	1845		7.9	7.0	70.1	6.8	6.0	14	27.6	
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
60 MEAN +2 STD DEV										
60 MEAN -2 STD DEV										
SUM OF SQUARES										

DATES: 77/01/01 TO 77/12/31

DATE FROM TO	TIME	DEPTH METERS	TEMP DEG-C	00010 WATER OXYGEN	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBARETER NTU	00760 SWL PSI	70305 SALINITY CONDUCTIVITY g/l
77/01/13	1620		7.1	6.5	64.4	7.4	1.0	18	28.6	
77/02/25	1400		9.5	8.0	81.2	7.0	2.0	32	24.4	
77/03/23	1445		7.5	8.9	88.6	7.6	5.0	14	28.0	
77/04/28	1030		12.5	9.0	99.0	7.6	4.0	28		
77/05/18	1415		13.4	12.4	133.1	8.0	1.0	9	29.3	
77/06/14	0950		16.3	9.1	102.2	8.2	54.0	14	18.2	
77/07/20	1250		19.5	8.8	109.7	7.8	4.0	18	25.2	
77/08/17	1315		21.1	10.3	132.9	7.1	1.0	9	25.9	
77/09/14	1320		15.3	8.0	92.1	7.7	2.0	41	25.4	
77/10/13	1045		11.5	6.5	69.1	7.6	4.0	36	24.9	
77/11/09	0810		10.7	8.2	67.3	7.7	4.0	9	30.4	
77/12/20	1955		4.9	10.5	87.9	7.2	8.0	0	11.4	
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
60 MEAN +2 STD DEV										
60 MEAN -2 STD DEV										
SUM OF SQUARES										

Table 1b, continued.

DATES: 78/01/01 TO 78/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
78/01/30	1500		6.0	10.9	98.7	7.4	1.0	9	19.3
78/02/15	1605		7.1	9.5	91.1	7.2	4.0	5	23.9
78/03/30	1705		9.0	10.3	95.4	7.7	3.0	9	12.0
78/04/12	1300		11.5	9.9	102.4	7.8	3.0	14	20.7
78/05/19	0910		12.8	11.0	113.9	8.2	3.0	9	14.4
78/06/26	1515		18.3	9.9	114.1	7.9	3.0	0	16.0
78/07/10	1530		15.4	8.9	98.9	8.0	1.0	9	19.5
78/08/22	1400		14.4	8.5	91.7	7.5	10.0E	36	17.8
78/09/18	1145		15.0	9.0	94.5	7.9	2.0	0	11.2
78/10/13	0835		12.1	8.0	83.7	7.8	3.0	9	20.5
78/12/18	2250		7.2	7.8	78.3	7.8	2.0	0	30.1
NUMBER OF SAMPLES									
MAXIMUM VALUE									
MINIMUM VALUE									
ARITHMETIC MEAN									
GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN									
MEDIAN									
STANDARD DEV OF LOGS									
STANDARD DEVIATION									
VARIANCE									
COEFF OF VARIATION									
SUM OF VALUES									
MEAN +2 STD DEV									
MEAN -2 STD DEV									
GEO MEAN +2 STD DEV									
GEO MEAN -2 STD DEV									
SUM OF SQUARES									

DATES: 79/01/01 TO 79/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
79/01/31	1250		5.1	10.4	97.7	7.4	27.0	5	27.5
79/02/27	1000		6.4	9.7	93.3	7.8	7.0	9	26.6
79/03/27	0830		7.6			7.4		54	19.4
79/04/10	0900		9.2	11.2		8.0	1.0	14	23.0
79/05/29	1630		19.4	11.2	133.0	8.1	13.0	9	14.8
79/06/19	1015		12.4	9.5	103.0	8.0	2.0	5	22.7
79/07/18	0750		17.0			7.7	2.0	14	21.3
79/08/27	1600		16.4	8.0	94.7	7.8	2.0	9	26.4
79/09/19	0915		14.8	8.8	100.9	8.2	3.0	5	26.3
79/10/17	1105		12.5	5.5	60.9	7.4	3.0	54	27.9
79/11/16	0830		8.6	3.6	36.8	7.2	5.0	99	26.2
79/12/12	1825		7.3	9.1	87.2	7.5	3.0	5	23.1
NUMBER OF SAMPLES									
MAXIMUM VALUE									
MINIMUM VALUE									
ARITHMETIC MEAN									
GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN									
MEDIAN									
STANDARD DEV OF LOGS									
STANDARD DEVIATION									
VARIANCE									
COEFF OF VARIATION									
SUM OF VALUES									
MEAN +2 STD DEV									
MEAN -2 STD DEV									
GEO MEAN +2 STD DEV									
GEO MEAN -2 STD DEV									
SUM OF SQUARES									

DATES: 80/01/01 TO 80/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
80/01/24	1825		6.0	9.4	86.6	7.9	5.0	5K	21.7
80/02/21	1700		7.3	9.4	90.1	7.5	5.0	0	23.1
80/03/17	1325		7.5	8.8	87.3	7.5	2.0	9	27.5
80/04/21	1700		9.9	11.7	104.4	7.8	5.0	0	12.8
80/05/21	1010		10.3	10.1	104.8	8.1	7.0	5	25.0
80/06/23	1315		12.2	10.5	109.4	8.3	3.0	0	19.5
80/07/22	1130		17.1	10.3	120.6	8.3	1.0	0	22.5
80/08/29	1320		15.1	7.9	90.4	8.0	2.0	5	25.1
80/10/07	1030		12.2	9.5	104.0	7.9	1.0	9	27.2
80/11/19	2020		8.4	8.9	87.6	7.6	2.0	9	23.4
80/12/15	1850		5.4	9.3	82.2	7.6	4.0	0	17.7
NUMBER OF SAMPLES									
MAXIMUM VALUE									
MINIMUM VALUE									
ARITHMETIC MEAN									
GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN									
MEDIAN									
STANDARD DEV OF LOGS									
STANDARD DEVIATION									
VARIANCE									
COEFF OF VARIATION									
SUM OF VALUES									
MEAN +2 STD DEV									
MEAN -2 STD DEV									
GEO MEAN +2 STD DEV									
GEO MEAN -2 STD DEV									
SUM OF SQUARES									

DATES: 81/01/01 TO 81/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
81/02/10	1545		7.4	8.7	85.9				27.0
81/03/13	1645		9.3	10.0	98.1	7.5		14	19.9
NUMBER OF SAMPLES									
MAXIMUM VALUE									
MINIMUM VALUE									
ARITHMETIC MEAN									
GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN									
MEDIAN									
STANDARD DEV OF LOGS									
STANDARD DEVIATION									
VARIANCE									
COEFF OF VARIATION									
SUM OF VALUES									
MEAN +2 STD DEV									
MEAN -2 STD DEV									
GEO MEAN +2 STD DEV									
GEO MEAN -2 STD DEV									
SUM OF SQUARES									

Table 1c.

00010 00300 00301 00400 00070 00760 70305										00010 00300 00301 00400 00070 00760 70305										
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	
FROM	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PBI	CONDUCTIVITY	FROM	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PBI	CONDUCTIVITY	
TO		DEG-C	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	TO		DEG-C	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	
75/01/15	1245		5.6	10.7	94.3	7.4	25.0		40	16.6	75/02/19	1330		15.1	10.2	113.0	7.4	19.0	43	19.9
76/01/22	1355		6.5	10.1	92.9	7.6	4.0		0	19.8	76/02/18	1245		6.7	6.6	60.6	7.4	4.0	14	20.3
77/01/13	1620		7.1	6.5	64.4	7.4	1.0		18	28.6	77/02/25	1400		9.5	8.0	81.2	7.0	2.0	32	24.4
78/01/30	1500		6.0	10.9	98.7	7.4	1.0		9	19.3	78/02/15	1605		7.1	9.5	91.1	7.2	4.0	5	23.9
79/01/31	1250		5.1	10.4	97.7	7.4	27.0		5	27.5	79/02/27	1040		6.4	9.7	93.3	7.8	7.0	9	26.6
80/01/24	1825		6.0	9.4	88.6	7.9	5.0		5K	21.7	80/02/21	1700		7.3	9.4	90.1	7.5	5.0	0	23.1
											81/02/10	1545		7.4	8.7	85.9				27.0
NUMBER OF SAMPLES			6	6	6	6	6	6	6		NUMBER OF SAMPLES			7	7	7	6	6	6	7
MAXIMUM VALUE			7.10	10.90	98.70	7.90	27.00		40.00	28.60	MAXIMUM VALUE			15.10	10.20	113.00	7.80	19.00	43.00	27.00
MINIMUM VALUE			5.10	6.50	64.40	7.40	1.00		0.00	16.60	MINIMUM VALUE			6.40	6.60	60.60	7.00	2.00	0.00	17.90
ARITHMETIC MEAN			6.03	9.67	89.10	7.32	10.30		12.83	22.23	ARITHMETIC MEAN			8.50	8.67	87.89	7.38	6.83	17.17	23.67
GEOMETRIC MEAN			6.02	9.53	88.21	7.51	4.88		3.05	21.83	GEOMETRIC MEAN			8.14	8.79	86.82	7.33	5.28	4.04	23.54
LOG/GEOMETRIC MEAN			1.79	2.25	4.48	2.02	1.59		1.12	3.08	LOG/GEOMETRIC MEAN			2.10	2.17	4.46	2.00	1.66	1.40	3.16
MEDIAN			6.00	10.25	93.60	7.40	4.50		7.00	20.75	MEDIAN			7.30	9.40	90.10	7.40	4.50	11.50	21.90
STANDARD DEV OF LOGS			0.11	0.19	0.16	0.03	1.46		3.24	0.21	STANDARD DEV OF LOGS			0.30	0.15	0.19	0.04	0.75	3.37	0.11
STANDARD DEVIATION			0.49	1.64	12.84	0.20	12.13		14.61	4.79	STANDARD DEVIATION			3.08	1.23	15.64	0.27	6.18	16.77	2.68
VARIANCE			0.40	2.68	164.79	0.04	147.10		213.37	22.94	VARIANCE			9.47	1.51	244.74	0.07	38.17	281.37	7.17
COEFF OF VARIATION			11.49	16.94	14.41	2.72	115.51		113.82	21.54	COEFF OF VARIATION			36.20	13.86	17.80	3.68	90.41	97.71	11.31
SUM OF VALUES			36.30	58.00	534.60	45.10	63.00		77.00	133.50	SUM OF VALUES			59.50	62.10	615.20	44.30	41.00	103.00	165.70
MEAN +2 STD DEV			7.44	12.94	114.77	7.92	34.76		42.05	31.83	MEAN +2 STD DEV			14.65	11.33	119.17	7.93	19.19	50.71	29.03
MEAN -2 STD DEV			4.66	6.39	63.43	7.11	-13.76		-16.38	12.67	MEAN -2 STD DEV			2.35	6.41	56.60	6.84	-5.52	-16.38	18.32
GED MEAN +2 STD DEV			7.57	14.06	121.71	7.93	90.51		2092.86	33.40	GED MEAN +2 STD DEV			14.83	11.85	126.16	7.94	23.63	3447.99	29.62
GED MEAN -2 STD DEV			4.78	6.46	63.93	7.12	0.26		0.00	14.27	GED MEAN -2 STD DEV			4.46	6.52	59.47	6.86	1.17	0.00	18.71
SUM OF SQUARES			222.03	574.08	46456.80	339.21	1397.00		2055.00	3085.19	SUM OF SQUARES			562.57	559.99	55335.72	327.45	471.00	3175.00	3965.19

00010 00300 00301 00400 00070 00760 70305										00010 00300 00301 00400 00070 00760 70305										
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	
FROM	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PBI	CONDUCTIVITY	FROM	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PBI	CONDUCTIVITY	
TO		DEG-C	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	TO		DEG-C	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	
75/03/19	1315		9.9	9.1	90.5	7.1	5.0		32	19.9	75/04/22	1015		8.8	9.1	93.5	7.3	7.0	54	29.0
76/03/17	1350		7.7	10.3	101.9	7.7	3.0		9	26.4	76/04/15	1030		7.2	12.5	116.3	7.3	47.0	18	19.1
77/03/23	1445		7.5	8.9	88.6	7.6	5.0		14	28.0	77/04/28	1030		12.5	9.0	99.0	7.6	4.0	28	
78/03/30	1705		9.0	10.3	95.4	7.7	3.0		9	12.0	78/04/12	1300		11.5	9.9	102.4	7.8	3.0	14	28.7
79/03/27	0830		7.6			7.4			54	19.4	79/04/10	0900		9.2	11.2		8.0	1.0	14	23.0
80/03/17	1325		7.5	8.8	87.3	7.5	2.0		9	27.5	80/04/21	1700		9.9	11.2	106.4	7.8	5.0	0	12.8
81/03/13	1645		9.3	10.0	98.1	7.5			14	19.9										
NUMBER OF SAMPLES			7	6	6	7	5	7	7		NUMBER OF SAMPLES			6	6	5	6	6	6	6
MAXIMUM VALUE			9.90	10.30	101.90	7.70	5.00		54.00	28.00	MAXIMUM VALUE			12.50	12.50	116.30	8.00	47.00	54.00	29.00
MINIMUM VALUE			7.50	8.80	87.30	7.10	2.00		9.00	12.00	MINIMUM VALUE			7.20	9.00	93.50	7.30	1.00	0.00	12.80
ARITHMETIC MEAN			8.36	9.57	93.63	7.50	3.60		20.14	21.87	ARITHMETIC MEAN			9.85	10.48	103.52	7.63	11.17	21.33	20.97
GEOMETRIC MEAN			8.31	9.54	93.49	7.50	3.39		15.81	21.12	GEOMETRIC MEAN			9.69	10.41	103.24	7.63	5.20	5.46	20.21
LOG/GEOMETRIC MEAN			2.12	2.26	4.54	2.01	1.22		2.76	3.05	LOG/GEOMETRIC MEAN			2.27	2.34	4.64	2.03	1.65	1.70	1.91
MEDIAN			7.70	9.35	92.95	7.50	3.90		14.00	19.90	MEDIAN			9.55	10.55	102.40	7.70	4.50	16.00	20.70
STANDARD DEV OF LOGS			0.12	0.07	0.06	0.03	0.39		0.71	0.30	STANDARD DEV OF LOGS			0.20	0.13	0.06	0.04	1.27	3.47	0.30
STANDARD DEVIATION			1.01	0.71	5.77	0.21	1.34		17.00	5.79	STANDARD DEVIATION			1.91	1.38	8.57	0.29	17.67	18.38	5.69
VARIANCE			1.03	0.50	33.33	0.04	1.80		289.14	33.51	VARIANCE			3.66	1.91	73.43	0.08	312.17	337.07	34.73
COEFF OF VARIATION			12.12	7.41	6.17	2.78	37.27		36.42	26.47	COEFF OF VARIATION			19.42	13.18	8.28	3.77	156.22	36.06	28.17
SUM OF VALUES			58.50	57.48	561.80	52.50	18.00		141.00	153.10	SUM OF VALUES			59.10	62.90	517.60	45.80	67.00	128.00	194.60
MEAN +2 STD DEV			10.38	10.98	105.18	7.92	6.28		54.15	33.45	MEAN +2 STD DEV			13.68	13.25	120.66	8.21	46.50	56.05	32.71
MEAN -2 STD DEV			6.33	8.15	82.09	7.08	0.92		-13.87	10.29	MEAN -2 STD DEV			8.02	7.72	88.38	7.06	-24.17	-15.39	9.13
GED MEAN +2 STD DEV			10.53	11.07	105.68	7.93	7.41		64.84	38.33	GED MEAN +2 STD DEV			14.39	13.53	121.58	8.23	65.52	5685.73	38.62
GED MEAN -2 STD DEV			6.55	8.23	82.70	7.09	1.55		3.85	11.64	GED MEAN -2 STD DEV			6.53	8.01	87.67	7.07	0.41	0.01	11.10
SUM OF SQUARES			495.05	551.64	52769.80	394.01	72.00		4575.00	3549.59	SUM OF SQUARES			600.43	668.95	53875.66	350.02	2309.00	4416.00	2327.14

00010 00300 00301 00400 00070 00760 70305										00010 00300 00301 00400 00070 00760 70305										
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	
FROM	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PBI	CONDUCTIVITY	FROM	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PBI	CONDUCTIVITY	
TO		DEG-C	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	TO		DEG-C	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	
74/05/14	1240		9.9	10.4	97.7		5.0		100	11.0	74/06/13	1400		19.0	9.7	107.1	7.3	5.0	20	6.0
75/05/13	1525		14.1	9.7	99.3	7.6	17.0		18	10.2	75/06/12	1600		19.0	9.0	101.1	8.4	5.0	59	9.2
76/05/20	1535		13.5	11.8	120.6	8.2	5.0		9	12.0	76/06/08	0935		11.5	9.3	91.8	7.0	5.0	9	13.3
77/05/18	1415		13.4	12.4	133.1	8.0	1.0		9	20.3	77/06/14	0950		16.3	9.1	102.2	8.2	54.0	14	18.2
78/05/19	0910		12.8	13.0	113.9	8.2	3.0		9	16.6	78/06/26	1515		18.3	9.9	114.1</				

Table 1c, continued.

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBOMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBOMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	
74/07/15	1450		18.3	8.9	99.8	7.5	2.0	35	18.0	74/08/13	0830		15.5				7.4	3.0	0	12.0
75/07/23	1015		18.4	13.0	155.8	7.8	5.0	23	22.2	75/08/13	1420		20.1	11.0	138.2	7.6	3.0	15	24.7	
76/07/21	0820		14.6	10.0	112.0	7.6	5.0	5	23.3	76/08/25	0915		13.2	7.8	84.0	7.8	4.0	14	21.5	
77/07/20	1250		19.5	8.8	109.7	7.8	4.0	18	25.2	77/08/17	1315		21.1	10.3	132.9	7.1	1.0	9	25.9	
78/07/10	1530		15.4	8.9	98.9	8.0	1.0	9	19.5	78/08/22	1400		14.4	8.5	91.7	7.5	10.0K	36	17.8	
79/07/18	0750		17.0			7.7	2.0	14	21.3	79/08/27	1600		18.4	8.0	94.7	7.8	2.0	9	26.4	
80/07/22	1130		17.1	10.3	120.6		1.0	0	22.5	80/08/29	1320		15.1	7.9	90.4		2.0	5	25.1	
NUMBER OF SAMPLES										NUMBER OF SAMPLES										
MAXIMUM VALUE										MAXIMUM VALUE										
MINIMUM VALUE										MINIMUM VALUE										
ARITHMETIC MEAN										ARITHMETIC MEAN										
GEOMETRIC MEAN										GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										LOG/GEOMETRIC MEAN										
MEDIAN										MEDIAN										
STANDARD DEV OF LOGS										STANDARD DEV OF LOGS										
STANDARD DEVIATION										STANDARD DEVIATION										
VARIANCE										VARIANCE										
COEFF OF VARIATION										COEFF OF VARIATION										
SUM OF VALUES										SUM OF VALUES										
MEAN +2 STD DEV										MEAN +2 STD DEV										
MEAN -2 STD DEV										MEAN -2 STD DEV										
GEO MEAN +2 STD DEV										GEO MEAN +2 STD DEV										
GEO MEAN -2 STD DEV										GEO MEAN -2 STD DEV										
SUM OF SQUARES										SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBOMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBOMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
74/09/18	1310		17.4	5.8	71.0	7.2	5.0	82	28.2	74/10/16	1550		12.0	4.3	47.1	7.4	2.0	38	28.0
75/09/18	0955		14.0	10.4	117.1	8.0	3.0	9	26.9	75/10/17	0850		12.0	7.1	77.3	7.8	18.0	28	27.9
76/09/17	0715		14.1	10.0	111.0	7.9	3.0	8	23.4	76/10/22	0815		9.8	5.3	55.5	7.4	4.0	32	28.0
77/09/14	1320		15.3	8.0	92.1	7.7	2.0	41	25.4	77/10/13	1045		11.5	6.5	69.1	7.8	4.0	36	24.9
78/09/18	1145		15.0	9.0	94.5	7.9	2.0		11.2	78/10/13	0835		12.1	4.0	83.7	7.8	3.0	9	20.5
79/09/19	0915		14.8	8.8	100.9	8.2	3.0	5	28.3	79/10/17	1105		12.5	5.5	60.9	7.4	1.0	54	27.9
80/10/07	1030									80/10/07	1030		12.2	9.5	104.0	7.9	1.0	9	27.2
NUMBER OF SAMPLES										NUMBER OF SAMPLES									
MAXIMUM VALUE										MAXIMUM VALUE									
MINIMUM VALUE										MINIMUM VALUE									
ARITHMETIC MEAN										ARITHMETIC MEAN									
GEOMETRIC MEAN										GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN										LOG/GEOMETRIC MEAN									
MEDIAN										MEDIAN									
STANDARD DEV OF LOGS										STANDARD DEV OF LOGS									
STANDARD DEVIATION										STANDARD DEVIATION									
VARIANCE										VARIANCE									
COEFF OF VARIATION										COEFF OF VARIATION									
SUM OF VALUES										SUM OF VALUES									
MEAN +2 STD DEV										MEAN +2 STD DEV									
MEAN -2 STD DEV										MEAN -2 STD DEV									
GEO MEAN +2 STD DEV										GEO MEAN +2 STD DEV									
GEO MEAN -2 STD DEV										GEO MEAN -2 STD DEV									
SUM OF SQUARES										SUM OF SQUARES									

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBOMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBOMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
74/11/14	1125		10.5	8.8	67.4	7.3	5.0	35	22.0	74/12/18	1415		8.1	7.8	77.5		3.0	73	25.7
75/11/20	2145		8.8	7.9	81.1	7.5	3.0		16.4	75/12/17	2100		7.0	10.3	94.1	7.1	10.0	9	8.8
76/11/23	2300		8.4	8.4	81.8	7.0	1.0	18	20.8	76/12/15	1845		7.9	7.0	70.1	7.8	6.0	14	27.6
77/11/09	0810		10.7	6.2	67.3	7.7	3.0	0	30.4	77/12/20	1955		4.9	10.5	97.9	7.2	3.0	0	11.4
79/11/16	0830		8.6	3.6	36.8	7.2	5.0	99	28.2	78/12/18	2250		7.2	7.8	78.3	7.5	3.0	0	30.1
80/11/19	2020		8.4	8.9	87.6	7.6	2.0	9	23.3	79/12/12	1825		7.3	9.1	87.2	7.5	3.0	5	23.1
80/12/15	1850									80/12/15	1850		5.4	9.3	82.2	7.5	4.0	0	17.7
NUMBER OF SAMPLES										NUMBER OF SAMPLES									
MAXIMUM VALUE										MAXIMUM VALUE									
MINIMUM VALUE										MINIMUM VALUE									
ARITHMETIC MEAN										ARITHMETIC MEAN									
GEOMETRIC MEAN										GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN										LOG/GEOMETRIC MEAN									
MEDIAN										MEDIAN									
STANDARD DEV OF LOGS										STANDARD DEV OF LOGS									
STANDARD DEVIATION										STANDARD DEVIATION									
VARIANCE										VARIANCE									
COEFF OF VARIATION										COEFF OF VARIATION									
SUM OF VALUES										SUM OF VALUES									
MEAN +2 STD DEV										MEAN +2 STD DEV									
MEAN -2 STD DEV										MEAN -2 STD DEV									
GEO MEAN +2 STD DEV										GEO MEAN +2 STD DEV									
GEO MEAN -2 STD DEV										GEO MEAN -2 STD DEV									
SUM OF SQUARES										SUM OF SQUARES									

Table 2a.

ECB102 ECOBAM AT PIGEON CREEK NO. 1

DATE FROM TO	TIRE	00010 WATER DEPTH METERS	00010 TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	00301 DO PERCENT SATURATN	99001 SHANNON DIVERSITY INDEX	99002 OFFSHORE LOAD lb/day	99003 NEARSHORE LOAD lb/day	99004 TOTAL LOAD lb/day
74/05/14	1410		10.4	9.9		5.0	63	11.0	94.1	1.776	576750	32612	609360
74/06/12	1345		16.4	9.5	7.2	5.0	20	4.0	98.5	1.886	583790	40695	624490
74/07/15	1535		15.9	9.6	8.0	2.0	10	16.0	105.5	1.278	552340	51662	604000
74/08/13	0930		15.0		7.4	2.0	0	12.0		2.261	520930	34069	555000
74/09/18	1355		17.3	6.3	7.4	22.0	50	27.9	76.6	1.549	656580	37866	694450
74/10/16	1505		13.1	5.2	7.5	1.0	28	27.4	56.1	1.149	689280	39980	729260
74/11/14	1210		9.9	7.4	7.4	4.0	5	18.0	72.7	2.113	533400	37615	571010
74/12/18	1575		8.4	9.0		2.0	35	25.7	90.0	1.671	524490	38149	562640
75/01/15	1315		5.0	10.4	7.5	7.0	25	17.5	90.9	1.724	583710	40396	624100
75/02/19	1610		11.3	10.3	7.3	80.0	35	9.5	98.9	0.496	497630	31126	528760
75/03/19	1235		8.9	9.1	7.5	2.0	14	27.1	92.9	1.582	537120	30281	567400
75/04/22	1055		8.9	9.3	7.6	3.0	9	27.4	95.1	2.040	444710	28176	472890
75/05/13	1610		15.7	9.8	7.7	15.0	14	10.7	104.0	0.773	258730	25880	246610
75/06/12	1515		18.0	10.7	8.5	5.0	9	9.6	118.2	1.662	158040	31847	189890
75/07/23	1100		17.7	11.7	8.0	10.0	18	16.1	135.4	1.144	81462	24682	106140
75/08/13	1505		19.0	11.2	8.0	1.0	10	23.1	136.5	0.588	300060	30855	330920
75/09/18	1040		14.8	9.8	8.2	2.0	9	24.5	111.1	1.485	258260	30351	288610
75/10/17	0940		12.0	7.4	7.8	13.0	9	26.5	79.8	0.526	330620	31824	362450
75/11/20	2255		6.0	12.2	8.4	4.0	0	15.4	107.7	2.642	52343	23060	75403
75/12/17	2350		4.4	8.9	7.8	18.0	5	15.2	75.4	1.871	309060	34008	343070
76/01/22	1325		6.7	10.0	7.7	14.0	0	20.4	92.8	1.850	257980	37931	295910
76/02/18	1335		6.7	7.4	7.4	9.0	6	20.1	68.5	1.199	350680	36370	387050
76/03/17	1315		7.7	10.2	7.6	3.0	5	26.4	100.9	1.495	290100	24350	314430
76/04/15	1210		7.4	13.8	7.6	18.0	5	17.8	127.9	2.051	299130	43345	342470
76/05/20	1430		13.4	11.2	7.9	52.0	0	9.2	112.4	0.309	232080	38532	270940
76/06/08	1025		11.5	9.7	7.8	4.0	5	11.0	94.4	0.840	307740	34301	342040
76/07/21	0905		14.2	11.2	8.1	5.0	5	19.7	121.7	1.684	247320	44970	292290
76/08/25	1005		13.2	7.9	7.8	1.0	9	22.1	85.4	1.350	329740	37782	367520
76/09/17	0800		12.9	8.9	8.1	2.0	9	23.5	96.5	1.384	271720	38857	310580
76/10/22	0900		9.7	7.1	7.6	1.0	23	28.3	74.4	1.792	347530	34650	382180
76/11/24	0050		7.8	6.2	7.0	3.0	28	22.3	59.8	2.070	248280	36417	284700
76/12/15	1935		7.9	7.5	7.7	4.0	9	27.0	74.8	1.806	231890	38167	270050
77/01/13	1545		6.9	6.1	7.4	1.0	23	27.2	59.6	0.650	202780	40523	243310
77/02/25	1435		9.7	9.4	7.2	1.0	68	24.4	95.9	1.281	148870	35414	184280
77/03/23	1520		8.8	9.2	7.7	1.0	14	26.8	93.5	0.439	273810	39883	313690
77/04/28	0950		12.0	10.1	7.7	6.0	9			1.617	256750	37174	293920
77/05/18	1515		12.7	12.4	8.2	1.0	5	21.1	134.0	0.781	262530	42365	304890
77/06/14	1050		15.5	10.7	8.2	2.0	9	18.7	118.6	0.272	307880	44010	351890
77/07/20	1215		16.4	9.3	7.8	2.0	18	24.3	110.0	1.758	302040	44978	347020
77/08/17	1230		20.0	9.9	8.0	1.0	5	24.9	124.3	1.139	323610	55518	379130
77/09/14	1400		14.3	7.9	7.8	1.0	28	26.6	89.8	1.389	245870	42412	288250
77/10/13	1010		11.5	6.6	7.7	2.0	18	25.3	70.3	1.684	219620	24391	244010
77/11/09	0735		10.2	6.4	7.9	2.0	5	30.7	68.9	1.726	242350	48725	291070
77/12/20	2040		5.1	10.4	7.2	4.0	14	11.8	87.7	1.900	226900	42364	269260
78/01/30	1315		5.8	9.6	7.4	2.0	9	17.6	85.6	0.000	209700	36870	246570
78/02/15	1425		6.7	9.7	7.3	4.0	18	22.4	91.2	0.544	224410	42553	266960
78/03/30	1735		8.8	10.4	7.6	3.0	5	11.6	95.7	1.539	194140	38787	232920
78/04/12	1345		13.2	10.6	7.5	4.0	14	18.6	112.1	2.231	238680	42422	281100
78/05/19	0955		13.9	10.7	8.0	3.0	5	18.2	114.5	0.475	216760	42912	259670
78/06/26	1435		18.4	10.2	7.8	2.0	0	13.1	115.8	0.237	253790	35962	289750
78/07/10	1500		15.4	8.9	7.9	1.0	5	18.9	98.6	0.179	217250	17512	234760
78/08/22	1530		14.2	7.7	7.4	10.0K	18	18.3	83.0	0.623	124100	35009	159110
78/09/18	1230		14.0	8.7	7.8	2.0	0	13.5	90.7	1.138	5600	0	5600
78/10/13	0920		11.7	7.9	7.8	5.0	5	18.8	94.6	1.262	0	0	0
78/12/18	2340		7.1	8.6	7.9	3.0	5	28.7	85.3	0.813	0	0	0
79/01/31	1325		6.1	10.3	7.7	8.0	9K	27.2	98.8	0.918	0	0	0
79/02/27	0925		6.4	9.5	7.8	6.0	28	25.8	90.9	1.289	156750	49829	206580
79/03/27	0935		7.4		7.6		14	19.4		1.572	170820	39925	210740
79/04/10	0940		10.9	11.8	8.0	1.0	18	21.7	121.3	2.258	243440	40224	283670
79/05/29	1550		19.4	10.9	8.2	15.0	5	9.0	125.0	1.000	133290	40529	173820
79/06/19	1030		13.1	9.5	8.1	3.0	5	23.3	103.3	0.794	95859	33531	129390
79/07/18	0830		21.0		7.7	80.0	9	20.0		0.606	157750	32673	190420
79/08/27	1515		14.4	7.5	7.8	2.0	0	26.2	110.4	1.329	169540	34288	203810
79/09/19	1000		15.0	9.6	8.2	3.0	5	25.5	109.9	1.342	173840	40150	213990
79/10/17	0950		11.5	6.2	7.7	3.0	14	28.2	67.4	1.535	132340	40735	173080
79/11/16	0800		8.5	4.6	7.5	2.0	50	27.2	46.6	0.919	158890	41322	200220
79/12/12	1920		7.0	9.2	7.6	3.0	9	22.6	87.3	1.724	196450	26152	222610
80/01/24	1730		6.0	9.2	7.9	3.0	5K	21.1	84.4	0.760	4643	10525	15168
80/02/21	1735		6.4	10.2	7.3	4.0	5	15.4	90.9	1.392	5027	16510	21537
80/03/17	1350		7.2	8.9	7.6	1.0	0	27.2	87.6	0.697	3289	9653	12942
80/04/21	1745		9.3	11.0	7.7	8.0	0	15.3	104.8	2.522	2950	8864	9814
80/05/21	1745		10.5	9.8	8.1	40.0	0	24.6	101.8		3090	4983	3073
80/06/23	1245		11.5	10.3	8.4	5.0	0	17.5	104.4	2.095	3325	7119	10444
80/07/22	1040		17.4		2.0	2.0	0	23.0	125.2	0.294	3889	6199	10088
80/08/29	1550		14.5	8.2		2.0	0	25.9	93.2	0.537	4340	7126	11466
80/10/07	1140		12.5	12.0	8.2	1.0	0	24.9	130.2	1.628	2767	11048	13815
80/12/15	1850		6.5	9.1	7.4	4.0	9	21.0	84.4	1.945	2491	4533	7074
81/02/10	1515		7.3	8.1	7.5	1.0	5	26.8	79.6	1.299	6306	8418	14724
81/03/13	1706		9.5	10.0				19.2	98.1	1.373	12573	7265	19838

Table 2b.

DATES: 74/01/01 TO 74/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 PH	00400 PERCENT SATURATED	00070 TURBIDITY TRANSMETER	00700 SULPHIDE	70305 SALINITY CONDUCTIVITY
TIME	DEG-C	mg/l	UNITS	STANDARD	FTU	mg/l	g/l
74/05/14 1418	10.4	9.9	94.1		5.0	63	11.0
74/06/12 1345	16.4	9.5	98.5	7.2	5.0	20	4.0
74/07/15 1335	15.9	9.6	105.5	8.0	2.0	10	16.0
74/08/13 0930	15.0			7.6	2.0	0	12.0
74/09/18 1355	17.3	6.3	74.6	7.4	22.0	50	27.9
74/10/16 1505	13.1	5.2	58.1	7.5	1.0	28	27.4
74/11/14 1210	9.9	7.4	72.7	7.4	4.0	5	18.0
74/12/18 1575	8.4	9.0	90.0		2.0	35	25.7
NUMBER OF SAMPLES							
MAXIMUM VALUE							
MINIMUM VALUE							
ARITHMETIC MEAN							
GEOMETRIC MEAN							
LOG/GEOMETRIC MEAN							
MEDIAN							
STANDARD DEV OF LOGS							
STANDARD DEVIATION							
VARIANCE							
COEFF OF VARIATION							
SUM OF VALUES							
MEAN +2 STD DEV							
MEAN -2 STD DEV							
GED MEAN +2 STD DEV							
GED MEAN -2 STD DEV							
SUM OF SQUARES							

DATES: 75/01/01 TO 75/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 PH	00400 PERCENT SATURATED	00070 TURBIDITY TRANSMETER	00700 SULPHIDE	70305 SALINITY CONDUCTIVITY	
TIME	DEG-C	mg/l	UNITS	STANDARD	FTU	mg/l	g/l	
75/01/15 1315		5.0	10.4	90.9	7.5	7.0	25	17.5
75/02/19 1410		11.3	10.3	98.9	7.3	80.0	35	9.5
75/03/19 1235		8.9	9.1	92.9	7.5	2.0	14	27.1
75/04/22 1055		8.9	9.3	95.1	7.6	3.0	9	27.4
75/05/13 1410		15.7	9.8	104.0	7.7	15.0	14	10.7
75/06/12 1515		18.0	10.7	118.2	8.5	5.0	9	9.6
75/07/23 1100		17.7	11.7	135.4	8.0	10.0	10	16.1
75/08/13 1505		19.0	11.2	136.5	8.0	1.0	10	23.1
75/09/18 1040		14.8	9.8	111.1	8.2	2.0	9	26.5
75/10/17 0940		12.0	7.4	79.0	7.8	12.0	9	26.5
75/11/20 1255		6.0	12.2	107.7	8.4	6.0	8	15.4
75/12/17 1350		4.4	8.9	75.4	7.8	18.0	5	15.2
NUMBER OF SAMPLES								
MAXIMUM VALUE								
MINIMUM VALUE								
ARITHMETIC MEAN								
GEOMETRIC MEAN								
LOG/GEOMETRIC MEAN								
MEDIAN								
STANDARD DEV OF LOGS								
STANDARD DEVIATION								
VARIANCE								
COEFF OF VARIATION								
SUM OF VALUES								
MEAN +2 STD DEV								
MEAN -2 STD DEV								
GED MEAN +2 STD DEV								
GED MEAN -2 STD DEV								
SUM OF SQUARES								

DATES: 76/01/01 TO 76/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 PH	00400 PERCENT SATURATED	00070 TURBIDITY TRANSMETER	00700 SULPHIDE	70305 SALINITY CONDUCTIVITY
TIME	DEG-C	mg/l	UNITS	STANDARD	FTU	mg/l	g/l
76/01/22 1325	6.7	10.0	92.8	7.7	14.0	0	20.4
76/02/18 1335	6.7	7.4	48.5	7.4	9.0	4	20.1
76/03/17 1312	7.7	10.2	109.7	7.6	3.0	5	24.4
76/04/15 1210	7.4	13.0	127.9	7.6	18.0	5	17.8
76/05/20 1450	13.4	11.2	112.4	7.9	52.0	0	9.2
76/06/08 1025	11.5	9.7	94.4	7.8	4.0	5	11.0
76/07/23 0905	14.2	11.2	121.7	8.1	5.0	5	19.7
76/08/25 1005	13.2	7.9	85.4	7.8	1.0	9	22.1
76/09/17 0800	12.9	8.9	96.5	8.1	2.0	9	23.5
76/10/22 0900	9.7	7.1	74.4	7.6	1.0	23	28.3
76/11/24 0050	7.8	6.2	59.8	7.0	3.0	28	28.3
76/12/15 1935	7.9	7.5	74.8	7.7	4.0	9	27.0
NUMBER OF SAMPLES							
MAXIMUM VALUE							
MINIMUM VALUE							
ARITHMETIC MEAN							
GEOMETRIC MEAN							
LOG/GEOMETRIC MEAN							
MEDIAN							
STANDARD DEV OF LOGS							
STANDARD DEVIATION							
VARIANCE							
COEFF OF VARIATION							
SUM OF VALUES							
MEAN +2 STD DEV							
MEAN -2 STD DEV							
GED MEAN +2 STD DEV							
GED MEAN -2 STD DEV							
SUM OF SQUARES							

DATES: 77/01/01 TO 77/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 PH	00400 PERCENT SATURATED	00070 TURBIDITY TRANSMETER	00700 SULPHIDE	70305 SALINITY CONDUCTIVITY	
TIME	DEG-C	mg/l	UNITS	STANDARD	FTU	mg/l	g/l	
77/01/13 1545		6.9	6.1	59.6	7.4	1.0	23	27.2
77/02/25 1435		9.7	9.4	95.9	7.2	1.0	68	24.4
77/03/23 1524		8.4	9.2	93.5	7.7	1.0	14	24.1
77/04/28 0950		12.0	10.1		7.7	6.0	9	
77/05/18 1515		12.7	12.0	134.0	8.2	1.0	5	21.1
77/06/14 1050		15.5	10.7	118.6	8.2	2.0	9	18.7
77/07/20 1215		16.4	9.3	110.0	7.8	2.0	10	26.3
77/08/17 1230		20.0	9.9	124.3	8.0	1.0	5	24.9
77/09/16 1400		14.3	7.9	89.6	7.8	1.0	28	24.6
77/10/13 1010		11.5	6.6	78.3	7.7	2.0	10	25.3
77/11/09 0735		10.2	6.4	68.9	7.9	2.0	5	30.7
77/12/20 2040		5.1	10.4	87.7	7.2	4.0	14	11.8
NUMBER OF SAMPLES								
MAXIMUM VALUE								
MINIMUM VALUE								
ARITHMETIC MEAN								
GEOMETRIC MEAN								
LOG/GEOMETRIC MEAN								
MEDIAN								
STANDARD DEV OF LOGS								
STANDARD DEVIATION								
VARIANCE								
COEFF OF VARIATION								
SUM OF VALUES								
MEAN +2 STD DEV								
MEAN -2 STD DEV								
GED MEAN +2 STD DEV								
GED MEAN -2 STD DEV								
SUM OF SQUARES								

DATES: 78/01/01 TO 78/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 PH	00400 PERCENT SATURATED	00070 TURBIDITY TRANSMETER	00700 SULPHIDE	70305 SALINITY CONDUCTIVITY	
TIME	DEG-C	mg/l	UNITS	STANDARD	FTU	mg/l	g/l	
78/01/30 1315		5.0	9.6	85.6	7.4	2.0	9	17.6
78/02/15 1425		6.7	9.7	91.2	7.3	4.0	18	22.4
78/03/10 1715		4.8	10.4	95.7	7.4	3.0	5	11.6
78/04/12 1345		13.2	10.6	112.1	7.5	4.0	14	18.6
78/05/19 0955		13.9	10.7	114.5	8.0	3.0	5	18.2
78/06/26 1435		18.4	10.2	115.0	7.8	2.0	0	13.1
78/07/10 1500		15.4	8.9	98.0	7.9	1.0	5	18.9
78/08/22 1530		14.2	7.7	83.0	7.4	10.0	18	18.3
78/09/18 1230		14.0	8.7	90.7	7.8	2.0	13	13.5
78/10/13 0920		11.7	7.9	94.0	7.8	5.0	5	10.4
78/12/18 2340		7.1	8.4	85.3	7.9	3.0	5	28.7
NUMBER OF SAMPLES								
MAXIMUM VALUE								
MINIMUM VALUE								
ARITHMETIC MEAN								
GEOMETRIC MEAN								
LOG/GEOMETRIC MEAN								
MEDIAN								
STANDARD DEV OF LOGS								
STANDARD DEVIATION								
VARIANCE								
COEFF OF VARIATION								
SUM OF VALUES								
MEAN +2 STD DEV								
MEAN -2 STD DEV								
GED MEAN +2 STD DEV								
GED MEAN -2 STD DEV								
SUM OF SQUARES								

DATES: 79/01/01 TO 79/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 PH	00400 PERCENT SATURATED	00070 TURBIDITY TRANSMETER	00700 SULPHIDE	70305 SALINITY CONDUCTIVITY	
TIME	DEG-C	mg/l	UNITS	STANDARD	FTU	mg/l	g/l	
79/01/31 1325		4.1	10.3	90.8	7.7	8.0	90	27.2
79/02/27 0925		4.4	9.5	70.9	7.8	6.0	28	25.8
79/03/27 0935		7.4			8.0		14	19.4
79/04/10 0940		10.9	11.0	121.3	7.4	1.0	18	21.7
79/05/29 1550		19.4	10.9	125.0	8.2	15.0	5	9.0
79/06/19 1030		13.1	9.5	103.3	8.1	3.0	5	23.3
79/07/18 0830		21.0			7.7	80.0	9	28.0
79/08/27 1515		14.4	7.5	110.4	7.8	2.0	5	26.2
79/09/19 1000		15.0	9.4	109.9	8.2	3.0	5	25.5
79/10/17 0950		11.5	6.2	87.4	7.7	3.0	14	18.9
79/11/16 0800		4.5	6.0	66.6	7.5	2.0	50	27.2
79/12/12 1920		7.0	9.2	87.3	7.8	3.0	9	22.8
NUMBER OF SAMPLES								
MAXIMUM VALUE								
MINIMUM VALUE								
ARITHMETIC MEAN								
GEOMETRIC MEAN								
LOG/GEOMETRIC MEAN								
MEDIAN								
STANDARD DEV OF LOGS								
STANDARD DEVIATION								
VARIANCE								
COEFF OF VARIATION								
SUM OF VALUES								
MEAN +2 STD DEV								
MEAN -2 STD DEV								
GED MEAN +2 STD DEV								
GED MEAN -2 STD DEV								
SUM OF SQUARES								

Table 2b, continued.

DATES: 80/01/01 TO 80/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
80/01/24	1730		6.0	9.2	84.4	7.9	3.0	5K	21.1
80/02/21	1735		6.4	10.2	90.9	7.3	4.0	5	15.4
80/03/17	1350		7.2	8.9	87.6	7.6	1.0	0	27.7
80/04/21	1745		9.3	11.0	104.8	7.7	8.0	0	15.3
80/05/21	1745		10.5	9.8	101.8	8.1	40.0	0	24.6
80/06/23	1245		11.5	10.3	104.4	8.4	5.0	0	17.5
80/07/22	1040		17.4	10.6	125.2		2.0	0	23.0
80/08/29	1550		14.5	8.2	93.2		2.0	0	25.9
80/10/07	1140		12.5	12.0	130.2	8.2	1.0	0	24.9
80/12/15	1850		6.5	9.1	84.4	7.6	4.0	9	21.0
NUMBER OF SAMPLES									
MAXIMUM VALUE			17.40	12.00	130.20	8.40	40.00	9.00	27.20
MINIMUM VALUE			6.00	8.20	84.40	7.30	1.00	0.00	15.30
ARITHMETIC MEAN			10.18	9.93	100.69	7.85	7.00	1.90	21.59
GEOMETRIC MEAN			9.56	9.87	99.59	7.84	3.54	0.04	21.18
LOG/GEOMETRIC MEAN			2.26	2.29	4.60	2.06	1.26	-3.17	3.05
MEDIAN			9.90	10.00	97.50	7.80	3.50	0.00	22.05
STANDARD DEV OF LOGS			0.37	0.11	0.15	0.05	1.08	3.44	0.21
STANDARD DEVIATION			3.84	1.12	16.18	0.37	11.79	3.25	4.31
VARIANCE			14.78	1.26	261.74	0.13	138.89	10.54	18.58
COEFF OF VARIATION			37.76	11.32	16.07	4.67	168.36	170.91	19.97
SUM OF VALUES			101.80	99.30	1006.90	62.80	70.00	19.00	215.90
MEAN +2 STD DEV			17.87	12.18	133.06	8.58	30.57	8.39	30.21
MEAN -2 STD DEV			2.49	7.68	68.32	7.12	-16.57	-4.59	12.97
GEO MEAN +2 STD DEV			20.17	12.37	135.52	8.61	30.90	40.59	32.32
GEO MEAN -2 STD DEV			4.53	7.88	73.19	7.14	0.41	0.00	13.87
SUM OF SQUARES			1169.30	997.43	103742.25	493.92	1740.00	131.00	4828.53

DATES: 81/01/01 TO 81/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
81/02/10	1515		7.3	8.1	79.6	7.5	1.0	5	26.8
81/03/13	1706		9.5	10.0	98.1				19.2
NUMBER OF SAMPLES									
MAXIMUM VALUE			9.50	10.00	98.10	7.50	1.00	5.00	26.80
MINIMUM VALUE			7.30	8.10	79.60	7.50	1.00	5.00	19.20
ARITHMETIC MEAN			8.40	9.05	88.85				23.00
GEOMETRIC MEAN			8.33	9.00	88.37				22.68
LOG/GEOMETRIC MEAN			2.12	2.20	4.48				3.12
MEDIAN			8.40	9.05	88.85				23.00
STANDARD DEV OF LOGS			0.19	0.15	0.15				0.24
STANDARD DEVIATION			1.56	1.34	13.08				5.37
VARIANCE			2.42	1.80	171.13				28.88
COEFF OF VARIATION			18.52	14.85	14.72				23.37
SUM OF VALUES			16.80	18.10	177.70				46.00
MEAN +2 STD DEV			11.51	11.74	115.01				33.75
MEAN -2 STD DEV			5.29	6.36	62.69				12.25
GEO MEAN +2 STD DEV			12.09	12.12	118.75				36.35
GEO MEAN -2 STD DEV			5.74	6.88	65.76				14.15
SUM OF SQUARES			143.54	165.61	15959.77				1666.88

Table 2c.

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 pH STANDARD UNITS	00400 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	
75/01/15	1315			5.0	10.4	98.9	7.5	7.0	25	17.5
76/01/22	1325			6.7	10.0	92.8	7.7	14.0	0	20.4
77/01/13	1345			6.9	6.1	59.6	7.4	1.0	23	27.2
78/01/30	1315			5.8	9.4	85.6	7.4	2.0	9	17.4
79/01/31	1325			6.1	10.3	98.8	7.7	8.0	98	27.2
80/01/24	1730			6.0	9.2	84.4	7.9	3.0	58	21.1
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 pH STANDARD UNITS	00400 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	
75/02/19	1610			11.3	10.3	98.9	7.3	80.0	35	9.5
76/02/18	1335			6.7	7.4	68.5	7.4	9.0	8	20.1
77/02/25	1435			9.7	9.4	95.9	7.2	1.0	88	24.4
78/02/25	1425			6.7	9.7	91.2	7.3	4.0	18	22.4
79/02/27	0925			8.4	9.5	90.9	7.8	6.0	28	25.8
80/02/21	1735			6.4	10.2	90.9	7.3	6.0	5	15.4
81/02/10	1515			7.3	8.1	79.6	7.5	1.0	5	26.8
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 pH STANDARD UNITS	00400 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	
75/03/19	1235			8.9	9.1	92.9	7.5	7.0	14	27.1
76/03/17	1315			7.7	10.2	100.9	7.4	3.0	5	26.4
77/03/23	1520			8.8	9.2	93.5	7.7	1.0	14	26.8
78/03/30	1735			8.8	10.4	95.7	7.4	3.0	5	11.6
79/03/27	0935			7.4			7.6		14	19.4
80/03/17	1350			7.2	8.9	87.6	7.6	1.0	0	27.2
81/03/13	1706			9.5	10.0	98.1				19.2
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 pH STANDARD UNITS	00400 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	
75/04/22	1055			8.9	9.3	95.1	7.8	3.0	9	27.4
76/04/15	1210			7.4	13.8	127.9	7.8	18.0	5	17.8
77/04/28	0950			12.0	18.1	11.7	7.2	6.0	9	
78/04/17	1345			13.2	18.6	112.1	7.5	4.0	14	18.8
79/04/10	0940			18.9	11.8	121.3	8.0	1.0	18	21.7
80/04/21	1745			9.3	11.0	104.8	7.7	8.0	0	15.3
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 pH STANDARD UNITS	00400 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	
74/05/14	1410			10.4	9.9	94.1		5.0	63	11.0
75/05/13	1610			15.7	9.8	104.0	7.7	15.0	14	10.7
76/05/20	1450			13.4	11.2	112.4	7.9	52.0	0	9.2
77/05/18	1515			12.7	12.6	134.0	8.2	1.0	5	21.1
78/05/19	0955			13.9	10.7	114.5	8.0	3.0	5	18.2
79/05/29	1550			19.4	10.9	125.0	8.2	15.0	5	9.0
80/05/21	1745			10.5	9.8	101.8	8.1	40.0	0	24.6
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 pH STANDARD UNITS	00400 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	
74/06/12	1345			16.4	9.5	98.5	7.2	5.0	20	4.0
75/06/12	1515			18.0	10.7	118.2	8.5	5.0	9	9.8
76/06/08	1025			11.5	9.7	94.4	7.8	4.0	5	11.0
77/06/14	1050			15.5	10.7	118.6	8.2	2.0	9	18.7
78/06/26	1435			18.4	10.2	115.8	7.8	2.0	0	13.1
79/06/19	1030			13.1	9.5	103.3	8.1	3.0	5	23.3
80/06/23	1245			11.5	10.3	104.4	8.4	5.0	0	17.5
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

Table 2c, continued.

00010 00300 00301 00400 00670 00760 70305											00010 00300 00301 00400 00670 00760 70305										
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	PERCENT	pH	TURBIDITY	SUL	SALINITY	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	PERCENT	pH	TURBIDITY	SUL	SALINITY
FROM	TO	RETERS	TEMP	OXYGEN	SATURATN	UNITS	STANDARD	TURBIDITY	PBT	CONDUCTIVITY	FROM	TO	RETERS	TEMP	OXYGEN	SATURATN	UNITS	TURBIDITY	PBT	CONDUCTIVITY	
TO			DEG-C	mg/l			HTU	NTU	ug/l	g/l	TO			DEG-C	mg/l			HTU	ug/l	g/l	
74/07/15	1535		15.9	9.6	105.5	8.0	2.0	10	16.0		74/08/13	0930		15.0				7.4	2.0	0	17.0
75/07/23	1100		17.7	11.7	135.4	8.0	10.0	18	16.1		75/08/13	1505		19.0	11.2	136.5	8.0	1.0	10	16.1	
76/07/22	0905		14.2	11.2	121.7	8.1	5.0	5	17.7		76/08/25	1005		13.2	7.9	15.4	8.0	1.0	9	22.1	
77/07/20	1210		16.4	9.3	110.0	7.8	2.0	10	24.3		77/08/17	1206		20.0	9.9	124.3	8.0	1.0	5	24.9	
78/07/10	1500		15.4	8.9	98.4	7.9	1.0	5	16.9		78/08/22	1530		14.2	7.7	83.0	7.4	10.00	18	16.3	
79/07/18	0830		21.0			7.7		80.0	9	20.0	79/08/27	1515		14.4	7.5	110.4	7.8	2.0		26.2	
80/07/22	1040		17.4	10.4	125.2			2.0	0	23.0	80/08/29	1550		14.5	8.2	93.2		2.0	0	25.9	
NUMBER OF SAMPLES 7 6 6 6 7 7 7 MAXIMUM VALUE 21.00 11.70 135.40 8.10 80.00 18.00 26.50 MINIMUM VALUE 14.20 8.90 98.40 7.70 1.00 5.00 16.00 ARITHMETIC MEAN 16.86 10.22 116.07 7.92 14.57 9.29 20.90 GEOMETRIC MEAN 16.74 10.17 115.39 7.92 4.40 3.23 19.72 LOG/GEOMETRIC MEAN 2.82 2.32 4.75 2.07 1.48 1.17 2.98 MEDIAN 16.40 10.10 115.05 7.95 2.00 9.00 19.70 STANDARD DEV OF LOGS 0.12 0.11 0.17 0.02 1.48 2.90 0.18 STANDARD DEVIATION 2.18 1.12 13.73 0.15 29.02 6.78 3.68 VARIANCE 4.75 1.25 184.49 0.02 841.95 45.90 13.53 COEFF OF VARIATION 12.92 10.96 11.83 1.86 199.13 72.94 18.39 SUM OF VALUES 118.00 61.30 896.40 47.50 102.00 65.00 140.00 MEAN +2 STD DEV 21.21 12.46 143.53 8.21 72.60 22.84 27.36 MEAN -2 STD DEV 12.50 7.98 98.61 7.62 -43.46 -4.26 12.04 STD DEV +2 STD DEV 21.48 12.65 146.23 8.22 85.14 1044.58 28.24 STD DEV -2 STD DEV 13.95 8.17 91.06 7.63 0.23 0.01 13.77 SUM OF SQUARES 2017.62 632.55 8171.30 376.15 6538.00 879.00 2881.20											NUMBER OF SAMPLES 7 6 6 6 7 6 7 MAXIMUM VALUE 20.00 11.20 136.50 8.00 10.00 18.00 26.20 MINIMUM VALUE 13.20 7.32 83.00 6.90 1.00 5.00 16.00 ARITHMETIC MEAN 15.76 8.79 105.47 7.77 2.21 7.00 21.79 GEOMETRIC MEAN 15.58 8.45 103.61 7.74 1.67 6.77 21.55 LOG/GEOMETRIC MEAN 2.75 2.14 4.44 2.05 0.63 -0.22 3.05 MEDIAN 14.50 8.05 101.00 7.80 2.00 7.00 23.10 STANDARD DEV OF LOGS 0.14 0.16 0.21 0.03 0.82 3.92 0.28 STANDARD DEVIATION 2.63 1.47 21.91 0.23 3.25 6.87 5.10 VARIANCE 6.91 2.17 480.00 0.05 10.57 47.20 25.97 COEFF OF VARIATION 16.69 16.85 20.77 3.01 119.79 98.15 23.39 SUM OF VALUES 110.30 52.47 632.60 46.60 19.00 62.00 152.50 MEAN +2 STD DEV 21.02 11.69 149.28 8.23 9.22 20.74 31.78 MEAN -2 STD DEV 10.50 5.80 81.65 7.30 -3.79 -6.74 11.59 STD DEV +2 STD DEV 21.39 11.91 156.25 8.25 9.27 1945.46 36.92 STD DEV -2 STD DEV 11.35 6.28 68.71 7.31 0.37 3.00 12.12 SUM OF SQUARES 1779.49 469.71 69139.30 162.20 115.00 530.00 1478.17										

Table 3a.
EC8103 ECOBAM AT PIGEON CREEK NO. 2

DATE FROM TO	TIME	00010 WATER DEPTH METERS	00010 TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SUL P81 mg/l	70305 SALINITY CONDUCTIVITY g/l	00301 DO PERCENT SATURATH	99001 SHANNON DIVERSITY INDEX	99002 OFFSHORE LOAD lb/day	99003 NEARSHORE LOAD lb/day	99004 TOTAL LOAD lb/day
74/05/14	1120		9.7	10.4		3.0	20	24.0	105.8	1.684	576750	32612	609360
74/06/12	1305		13.7	10.6	7.5	7.0	13	3.0	103.3	1.624	583790	40695	624490
74/07/15	1620		15.3	10.0	8.0	3.0	5	17.0	109.3	1.316	552340	51662	604000
74/08/13	1025		15.0		7.8	3.0	0	15.0		0.583	520930	34069	555000
74/09/18	1215		15.4	8.7	7.5	2.0	28	28.5	102.3	1.044	656580	37566	694450
74/10/16	1440		13.3	9.1	7.7	1.0	28	27.1	101.8	1.472	889280	39980	929260
74/11/14	0940		9.9	7.1	7.3	3.0	30	20.8	71.0	1.470	533400	37615	571010
74/12/18	1230		7.8	8.6		2.0	18	26.7	85.5	0.000	524490	38149	562640
75/01/15	1400		4.9	10.9	7.5	4.0	20	16.5	94.4	1.746	583710	40396	624100
75/02/19	1700		14.1	8.9	7.5	52.0	35	18.5	95.8	1.900	497630	31126	528760
75/03/19	1405		9.1	10.2	7.7	3.0	14	26.7	104.3	2.183	537120	30281	567400
75/04/22	1150		6.8	9.5	7.6	1.0	9	28.8	93.7	1.418	444710	28176	472890
75/05/13	1430		13.6	10.2	7.8	26.0	18	10.9	103.8	1.234	258730	25880	284610
75/06/12	1315		19.0	13.4	8.4	4.0	9	14.8	155.5	2.511	158040	31847	189890
75/07/23	1200		18.5	10.9	8.0	3.0	18	15.8	126.0	1.822	81462	24682	10614
75/08/13	1607		18.8	12.7		1.0	8	25.1	156.1	0.673	300060	30855	330920
75/09/18	1135		16.5	11.6	8.2	3.0	9	18.7	131.2	0.635	258260	30351	288610
75/10/17	1025		12.0	8.6	7.8	7.0	9	28.4	94.5	0.551	330620	31824	362450
75/11/20	2400		5.0	13.0	7.6	22.0	0	14.4	111.2	0.860	52343	23060	75403
75/12/17	2230		4.5	10.8	7.6	4.0	5	12.3	90.0	1.602	309060	34008	343070
76/01/22	1255		6.7	9.8	7.8	29.0	0	19.7	90.5	0.611	257980	37931	295910
76/02/18	1405		7.0	8.0	7.8	5.0	3	23.4	76.3	0.722	350680	36370	387050
76/03/17	1240		7.7	10.2	7.7	4.0	5	26.2	100.8	2.451	290100	24330	314430
76/04/15	1235		7.1	13.9	7.8	4.0	9	15.5	126.0	2.227	299130	43345	342470
76/05/20	1405		13.0	13.3	8.4	6.0	5	22.0	143.1	1.537	232080	38852	270940
76/06/08	1140		12.9	10.0	8.1	6.0	9	14.6	102.5	1.078	307740	34301	342044
76/07/21	1050		15.1	13.5	8.2	6.0	5	25.3	154.7	1.447	247320	44970	292290
76/08/25	1110		13.2	8.1	7.9	1.0	5	21.9	87.4	1.713	329740	37782	367520
76/09/17	0825		13.3	9.8	7.8	4.0	14	24.8	108.0	1.387	271720	38857	310580
76/10/22	0930		9.9	8.6	7.8	3.0	14	27.8	90.1	0.000	347530	34650	382180
76/11/24	0200		7.9	6.4	6.8	2.0	36	24.0	82.6	0.450	248280	36417	284700
76/12/15	2015		8.0	7.6	6.9	2.0	5	27.3	76.2	1.833	231890	38167	270050
77/01/13	1510		6.6	7.0	7.4	2.0	23	28.0	67.4		202780	40523	243310
77/02/25	1525		8.8	8.0	7.1	1.0	14	24.1	79.8	2.264	148870	35414	184280
77/03/23	1355		8.3	8.8	7.4	1.0	9	28.3	89.4	1.765	273810	39883	313690
77/04/28	0915		11.7	9.6	7.6	4.0	18	10.1	93.4	0.280	256750	37174	293920
77/05/18	1550		12.4	12.4	8.1	2.0	9	24.2	133.7	1.646	262530	42365	304490
77/06/14	1145		14.9	10.2	8.3	3.0	14	16.3	110.1	1.563	307880	44010	351890
77/07/20	1400		18.9	9.6	8.1	4.0	14	25.9	118.8	0.764	302040	44978	347020
77/08/17	1400		22.1	11.2	8.1	1.0K	14	25.9	147.2	1.160	323410	55518	379130
77/09/14	1500		13.9	9.2	7.8	1.0	23	24.9	102.7	1.263	245870	42412	288280
77/10/13	1135		11.6	7.0	7.7	1.0	18	24.5	74.4	0.000	219620	24391	244010
77/11/09	0900		9.9	7.1	7.9	2.0	9	29.9	75.5	1.951	242350	48725	291070
77/12/20	2125		5.7	10.4	7.4	4.0	9	14.6	90.7	1.654	226900	42364	269260
78/01/30	1350		5.6	10.2	7.4	2.0	9	17.4	90.4	0.000	209700	36870	246570
78/02/15	1455		7.0	9.9	7.4	4.0	5	23.8	94.7	0.000	224410	42553	266960
78/03/30	1810		8.8	10.7	7.7	3.0	5	17.1	101.9	2.156	194140	38787	232920
78/04/12	1425		11.7	10.4	7.5	3.0	5			1.706	238680	42422	281100
78/05/19	1055		13.7	12.0	8.2	4.0	14	17.2	127.1	1.316	216760	42912	259670
78/06/26	1345		18.0	9.8	7.8	3.0	0	13.4	110.6	1.770	253790	35962	289750
78/07/10	1400		15.3	10.5	8.3	2.0	0	22.9	119.0	2.634	217250	17512	234760
78/08/22	1615		14.8	8.2	7.4	10.0K	14	17.3	88.9	1.581	124100	35009	159110
78/09/18	1400		15.6	9.4	8.0	1.0		12.4	100.6	0.084	5600	0	5600
78/10/13	1010		12.0	8.4	7.9	3.0	5	18.7	86.7	1.821	0	0	0
78/12/18	0015		7.1	8.8	7.9	3.0	5	28.4	87.1	2.147	0	0	0
79/01/31	1400		6.1	10.4	7.9	5.0	5K	27.4	99.9	1.000	0	0	0
79/02/27	1111		6.5	9.9	7.7	4.0	5	23.2	93.2	2.522	156750	49829	206580
79/03/27	1030		7.3	9.5	7.7	5	5	21.0	90.0		170820	39925	210740
79/04/10	1025		8.7	11.5	8.0	1.0	9	21.4	112.6	1.751	243440	40724	283670
79/05/29	1515		9.0	1.0	8.4	34.0	5	20.0	128.0	1.773	133290	40529	173820
79/06/19	1055		12.5	9.6	8.0	6.0	5	20.6	101.3	2.258	95859	33531	129390
79/07/18	0920		19.0		8.2	3.0	14	21.0		1.650	157750	32673	190420
79/08/27	1405		17.6	7.5	7.9	2.0	14	26.2	90.7	1.979	169540	34268	203810
79/09/19	1100		13.4	10.1	8.2	4.0	5K	26.0	116.9	2.121	173840	40150	213990
79/10/17	0845		11.3	6.2	7.7	2.0	14	28.5	67.2	1.357	132340	40735	173080
79/11/16	0915		11.3	6.2	7.6	2.0	18	25.5	65.9	0.863	158890	41322	204220
79/12/12	2020		7.0	9.2	7.5	2.0	14	21.8	86.8	2.422	196450	26152	222610
80/01/24	1650		6.1	9.5	7.9	4.0	5K	20.8	57.2	1.761	4643	10525	15168
80/02/21	1630		7.6	9.1	7.6	9.0	5	23.7	88.2	2.222	5027	16510	21537
80/03/17	1245		8.1	10.1	7.7	1.0	0	27.4	101.5	0.811	3289	9453	12942
80/04/21	1620		8.9	11.1	7.6	5.0	0	14.3	104.1	2.350	2950	6864	9814
80/05/21	1710		11.0	11.0	8.4	4.0	0	23.4	114.6	1.681	3090	4983	8073
80/06/23	1130		14.7	11.4	8.5	2.0	0	19.1	124.7	1.483	3325	7119	10444
80/07/22	0945		16.7	10.3		2.0	0	22.1	119.4	2.163	3889	6199	10088
80/08/29	1455		15.4	9.0		2.0	0	23.7	102.7	1.094	4340	7126	11466
80/10/07	1225		11.8	10.3	8.5	1.0	5	25.7	110.7	0.956	2767	11048	13815
80/11/20	2210		6.2	8.9	7.7	3.0	9	24.8	84.1	1.818	4398	7128	11526
80/12/15	1740		4.8	9.6	7.7	2.0	0	20.9	89.6	2.558	2491	4533	7024
81/02/10	1430		7.3	8.3	7.7	4.0	0	27.5	82.0	2.299	6303	8418	14726
81/03/13	1606		9.7	10.1	7.6		4	17.7	98.6	2.206	12573	7265	19838

Table 3b.

DATES: 74/01/01 TO 74/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 OXYGEN	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATE	00400 PH	00670 STANDARD UNITS	00760 TURBIDITY NTU	00760 SULFIDE PBT	70305 SALINITY CONDUCTIVITY g/l
74/05/14	1120		7.7	10.4	105.8				3.0	20	24.0
74/06/12	1305		13.7	10.6	103.3		7.5	7.0	13	3.0	18.5
74/07/15	1420		15.3	10.0	109.3		4.0	3.0	5	17.0	14
74/08/13	1025		15.6				7.0	3.0	0	15.0	9
74/09/16	1215		15.4	8.7	102.3		7.5	2.0	20	24.5	18
74/10/16	1440		13.3	9.1	101.4		7.7	1.0	20	27.1	9
74/11/14	0940		9.9	7.1	71.0		7.3	3.0	30	28.4	10
74/12/16	1230		7.8	8.6	85.5			2.0	10	26.7	
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD DEV +2 STD DEV											
STD DEV -2 STD DEV											
SUM OF SQUARES											

DATES: 75/01/01 TO 75/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 OXYGEN	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATE	00400 PH	00670 STANDARD UNITS	00760 TURBIDITY NTU	00760 SULFIDE PBT	70305 SALINITY CONDUCTIVITY g/l
75/01/15	1400		4.9	10.9	94.4		7.5	4.0	30	14.5	30
75/02/19	1700		14.1	8.9	95.0		7.5	52.0	15	18.5	15
75/03/19	1405		9.1	10.2	104.3		7.7	3.0	11	24.7	14
75/04/22	1150		6.8	9.5	103.7		7.6	1.0	9	28.4	9
75/05/13	1430		14.6	10.2	103.4		7.8	24.0	18	19.9	18
75/06/12	1315		19.0	13.4	155.5		8.4	4.0	9	14.0	9
75/07/23	1200		18.3	10.9	124.0		8.0	3.0	10	15.4	10
75/08/13	1407		18.4	12.7	156.1			1.0	8	25.1	8
75/09/16	1135		10.5	11.0	131.2		8.2	3.0	9	18.7	9
75/10/17	1025		13.0	4.4	94.5		7.8	7.0	9	24.4	9
75/11/20	2400		5.0	13.0	111.2		7.4	22.0	0	14.4	0
75/12/17	2230		4.5	10.8	90.0		7.6	4.0	5	12.3	5
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD DEV +2 STD DEV											
STD DEV -2 STD DEV											
SUM OF SQUARES											

DATES: 76/01/01 TO 76/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 OXYGEN	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATE	00400 PH	00670 STANDARD UNITS	00760 TURBIDITY NTU	00760 SULFIDE PBT	70305 SALINITY CONDUCTIVITY g/l
76/01/22	1250		6.7	9.8	90.5		7.8	29.4	0	19.7	19.7
76/02/18	1405		7.0	8.0	76.3		7.8	5.0	3	23.4	3
76/03/17	1240		7.7	16.2	100.0		7.7	4.0	5	24.2	5
76/04/15	1225		7.1	13.9	120.0		7.8	4.0	9	15.5	9
76/05/20	1400		11.0	12.3	143.1		8.4	4.0	5	22.0	5
76/06/04	1140		12.9	10.0	102.5		8.1	4.0	9	14.4	9
76/07/21	1050		15.1	13.5	154.7		8.2	4.0	5	25.3	5
76/08/25	1110		13.2	8.1	87.4		7.9	1.0	5	21.9	5
76/09/17	0025		13.3	9.8	100.0		7.8	4.0	14	24.4	14
76/10/22	0930		9.9	8.6	90.1		7.8	3.0	14	27.4	14
76/11/24	0200		7.9	6.4	82.6		8.0	2.0	36	24.0	36
76/12/15	2015		8.0	7.6	74.2		8.9	2.0	5	27.3	5
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD DEV +2 STD DEV											
STD DEV -2 STD DEV											
SUM OF SQUARES											

DATES: 77/01/01 TO 77/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 OXYGEN	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATE	00400 PH	00670 STANDARD UNITS	00760 TURBIDITY NTU	00760 SULFIDE PBT	70305 SALINITY CONDUCTIVITY g/l
77/01/13	1510		4.6	7.0	67.4		7.4	7.0	21	24.0	21
77/02/25	1525		8.0	8.0	79.0		7.1	1.0	14	24.1	14
77/03/23	1355		8.3	8.8	89.4		7.4	1.0	9	20.3	9
77/04/28	0915		11.7	9.6	103.4		7.6	4.0	18	18.1	18
77/05/18	1550		12.4	12.4	133.7		8.1	2.0	9	24.2	9
77/06/14	1145		14.9	10.2	110.1		8.3	3.0	14	16.3	14
77/07/20	1400		18.9	9.6	110.8		8.1	4.0	14	25.9	14
77/08/17	1400		22.1	11.2	107.2		8.1	1.00	14	25.9	14
77/09/14	1500		13.0	9.2	102.7		7.8	5.0	22	24.9	22
77/10/13	1135		11.4	7.0	74.4		7.7	1.0	18	24.5	18
77/11/09	0900		9.7	7.1	75.5		7.9	2.0	9	29.7	9
77/12/20	2125		5.7	10.4	90.7		7.4	4.0	9	14.4	9
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD DEV +2 STD DEV											
STD DEV -2 STD DEV											
SUM OF SQUARES											

DATES: 78/01/01 TO 78/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 OXYGEN	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATE	00400 PH	00670 STANDARD UNITS	00760 TURBIDITY NTU	00760 SULFIDE PBT	70305 SALINITY CONDUCTIVITY g/l
78/01/30	1350		5.6	10.2	90.4		7.4	2.0	9	17.4	9
78/02/15	1455		7.0	8.9	94.7		7.4	4.0	5	23.8	5
78/03/30	1010		8.0	10.7	101.9		7.7	3.0	5	17.1	5
78/04/12	1425		11.7	10.4			7.5	3.0	5		5
78/05/19	1055		13.7	12.0	127.1		8.2	4.0	14	17.2	14
78/06/26	1345		18.0	9.8	110.6		7.8	3.0	0	13.4	0
78/07/10	1400		15.3	10.5	119.0		8.3	7.0	0	22.9	0
78/08/22	1415		14.8	8.2	88.9		7.4	10.00	14	17.3	14
78/09/18	1400		15.6	9.4	100.6		8.0	1.0	12	14.4	12
78/10/13	1010		12.0	8.4	84.7		7.9	3.0	5	16.7	5
78/12/18	0015		7.1	8.0	87.1		7.9	3.0	5	20.4	5
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD DEV +2 STD DEV											
STD DEV -2 STD DEV											
SUM OF SQUARES											

Table 3b, continued.

DATES: 79/01/01 TO 79/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00200 DISSOLVED OXYGEN	00300 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00770 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PPM	70305 SALINITY CONDUCTIVITY g/l
79/01/31 1400	6.1	10.4	99.9	7.9	5.0	58	27.4
79/02/27 1111	6.5	9.9	93.2	7.7	4.0	5	25.2
79/03/27 1030	7.3	9.5	98.0	7.7	1.0	9	21.6
79/04/10 1025	8.7	11.5	112.4	8.0	1.0	9	21.6
79/05/29 1515	9.0	1.0	128.0	8.4	34.0	5	20.0
79/06/19 1055	12.5	9.6	101.3	8.0	8.0	5	20.4
79/07/16 0920	19.0			8.2	3.0	14	21.0
79/08/22 1445	17.4	7.5	90.7	7.9	2.0	14	24.2
79/09/11 1100	12.4	19.1	114.9	8.2	4.0	58	24.0
79/10/17 0845	11.3	8.2	87.2	7.7	2.0	14	28.5
79/11/16 0915	11.3	8.2	85.9	7.6	2.0	18	25.5
79/12/12 2020	7.0	9.2	86.8	7.5	2.0	14	21.6
HNUMBER OF SAMPLES	12	11	11	12	11	12	12
MAXIMUM VALUE	19.00	11.50	128.00	8.40	34.00	18.00	28.50
MINIMUM VALUE	4.10	1.00	45.90	7.50	1.00	5.00	20.00
ARITHMETIC MEAN	10.96	8.30	95.68	7.90	5.91	9.42	23.57
GEOMETRIC MEAN	10.22	7.26	92.07	7.90	3.43	4.23	23.40
LOG/GEOMETRIC MEAN	2.32	1.98	4.54	2.07	1.23	2.11	3.15
MEAN	10.15	9.50	93.20	7.90	2.00	7.00	22.50
STANDARD DEV OF LOGS	0.39	0.40	0.21	0.03	0.92	0.54	0.12
STANDARD DEVIATION	4.40	2.95	19.14	0.27	9.44	5.00	2.94
VARIANCE	19.33	8.69	367.04	0.07	89.09	24.99	8.64
COEFF OF VARIATION	40.84	35.51	20.02	3.46	159.73	53.09	12.63
SUM OF VALUES	131.70	11.30	1052.50	94.80	45.00	113.00	282.00
MEAN +2 STD DEV	19.77	14.70	134.00	8.45	24.79	19.42	29.52
MEAN -2 STD DEV	2.14	2.40	57.36	7.35	-12.97	-0.58	17.61
SEO MEAN +2 STD DEV	22.33	20.76	142.33	8.46	21.42	24.34	30.02
SEO MEAN -2 STD DEV	4.44	1.83	61.91	7.37	8.55	2.78	18.24
SUM OF SQUARES	1457.99	844.67	104375.69	749.74	1275.00	1339.00	6762.10

DATES: 80/01/01 TO 80/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00200 DISSOLVED OXYGEN	00300 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00770 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PPM	70305 SALINITY CONDUCTIVITY g/l
80/01/24 1450	6.1	9.5	87.2	7.9	4.0	58	20.6
80/02/21 1430	7.6	9.1	80.2	7.6	9.0	5	23.7
80/03/17 1245	8.1	10.1	101.5	7.7	1.0	0	27.4
80/04/21 1420	8.9	11.1	104.1	7.6	5.0	0	14.3
80/05/21 1710	11.0	11.0	114.6	8.4	4.0	0	23.4
80/06/23 1130	14.7	11.4	124.7	8.5	2.0	0	19.1
80/07/22 0945	16.7	10.3	119.4		2.0	0	22.1
80/08/29 1455	15.4	9.0	102.7		2.0	0	23.7
80/10/07 1225	11.8	10.3	110.7	8.5	1.0	5	25.7
80/11/20 2210	6.2	8.9	84.1	7.7	3.0	9	24.8
80/12/15 1740	8.8	9.4	89.6	7.7	2.0	0	28.9
HNUMBER OF SAMPLES	11	11	11	9	11	11	11
MAXIMUM VALUE	16.70	11.40	124.70	8.50	9.00	9.00	27.40
MINIMUM VALUE	6.10	8.90	84.10	7.60	1.00	0.00	14.30
ARITHMETIC MEAN	10.30	10.03	102.44	7.94	3.18	2.18	22.35
GEOMETRIC MEAN	9.67	9.99	101.58	7.95	2.59	0.04	22.04
LOG/GEOMETRIC MEAN	2.27	2.30	4.42	2.07	0.95	-2.73	3.09
MEAN	8.90	10.10	102.70	7.70	2.00	9.00	23.40
STANDARD DEV OF LOGS	0.37	0.39	0.14	0.03	0.47	3.56	0.10
STANDARD DEVIATION	3.07	0.86	13.93	0.39	2.32	3.22	3.57
VARIANCE	14.99	0.74	193.92	0.16	5.36	10.36	12.74
COEFF OF VARIATION	37.58	8.40	13.59	4.95	72.79	147.55	15.97
SUM OF VALUES	113.30	110.30	1124.30	71.40	35.00	24.00	245.90
MEAN +2 STD DEV	18.04	11.79	130.29	8.74	7.81	8.62	29.49
MEAN -2 STD DEV	2.56	8.26	74.59	7.17	-1.45	-4.20	19.22
SEO MEAN +2 STD DEV	20.31	11.91	133.30	8.76	9.84	80.93	31.42
SEO MEAN -2 STD DEV	4.60	8.39	77.36	7.21	4.48	8.00	15.89
SUM OF SQUARES	1316.85	1111.79	117364.50	570.86	145.00	156.00	5624.19

DATES: 81/01/01 TO 81/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00200 DISSOLVED OXYGEN	00300 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00770 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PPM	70305 SALINITY CONDUCTIVITY g/l
81/02/10 1430	7.3	8.3	82.0	7.7	4.0	0	27.5
81/03/13 1400	9.7	10.1	98.6	7.6		4	17.7
HNUMBER OF SAMPLES	2	2	2	2	1	2	2
MAXIMUM VALUE	9.70	10.10	98.60	7.90	4.00	4.00	37.50
MINIMUM VALUE	7.30	8.30	82.00	7.60	4.00	0.00	17.70
ARITHMETIC MEAN	8.50	9.20	90.30	7.65	7.45	2.00	22.60
GEOMETRIC MEAN	8.41	9.16	89.92	7.65		0.14	22.04
LOG/GEOMETRIC MEAN	2.13	2.21	4.50	2.01		-1.96	3.09
MEAN	8.50	9.20	90.30	7.65		2.00	22.60
STANDARD DEV OF LOGS	0.20	0.14	0.13	0.01		4.73	0.31
STANDARD DEVIATION	1.70	1.27	11.74	0.07		2.83	4.93
VARIANCE	2.84	1.62	137.78	0.00		8.00	68.02
COEFF OF VARIATION	19.97	13.83	13.00	0.92		141.42	30.66
SUM OF VALUES	17.00	18.40	180.60	15.30		4.00	45.20
MEAN +2 STD DEV	11.89	11.75	113.78	7.79		7.46	36.46
MEAN -2 STD DEV	5.11	6.65	66.82	7.51		-3.66	8.74
SEO MEAN +2 STD DEV	12.58	12.09	116.70	7.79		1006.75	41.14
SEO MEAN -2 STD DEV	5.63	6.94	69.28	7.51		0.00	11.83
SUM OF SQUARES	147.30	170.90	14445.96	117.05		16.00	1069.54

Table 3c.

DATE	TIME	DEPTH	WATER	DISSOLVED	DO	PH	TURBIDITY	SUM	SALINITY
FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PHI	CONDUCTIV
TO		NETAS	DEG-C	mg/L	SATURATI	UNITS	NTU	mg/l	g/l
75/01/15	1400	4.9	10.9	94.4	7.5	4.0	20	10.5	
76/01/22	1255	6.7	9.8	90.5	7.8	29.0	0	19.7	
77/01/13	1510	6.8	7.0	67.4	7.4	2.0	23	26.0	
78/01/30	1350	5.6	10.2	96.4	7.4	2.0	9	17.4	
79/01/31	1400	4.1	10.4	99.9	7.9	5.0	56	29.4	
80/01/24	1450	6.1	9.5	87.2	7.9	4.0	56	20.8	
HNUMBER OF SAMPLES		6	6	6	6	6	6	6	6
MAXIMUM VALUE		6.70	10.90	99.90	7.90	29.00	23.00	27.40	
MINIMUM VALUE		4.90	7.00	67.40	7.40	2.00	0.00	10.50	
ARITHMETIC MEAN		6.00	9.63	88.30	7.63	7.47	10.33	22.40	
GEOMETRIC MEAN		5.97	9.54	87.45	7.65	4.58	2.83	20.92	
LOG/GEOMETRIC MEAN		1.79	2.26	4.47	2.03	1.52	1.04	3.04	
MEAN		6.10	10.00	90.45	7.65	4.00	7.00	20.25	
STANDARD DEV OF LOGS		0.12	0.16	0.14	0.03	0.98	3.18	0.21	
STANDARD DEVIATION		0.67	1.38	11.13	0.24	10.52	9.16	4.48	
VARIANCE		0.45	1.99	123.81	0.06	110.47	83.87	20.07	
COEFF OF VARIATION		11.16	14.30	12.60	3.18	137.22	86.42	21.03	
SUM OF VALUES		36.00	57.60	529.80	45.90	46.00	62.00	127.00	
MEAN +2 STD DEV		7.34	12.39	116.55	8.14	28.71	28.65	30.24	
MEAN -2 STD DEV		4.66	6.88	64.05	7.16	-13.37	-7.98	12.34	
GE MEAN +2 STD DEV		7.53	13.11	115.24	8.15	32.49	1621.62	31.64	
GE MEAN -2 STD DEV		4.73	6.94	64.66	7.18	0.84	0.00	13.83	
SUM OF SQUARES		218.24	566.30	47000.38	351.43	906.00	1060.00	2822.50	

DATE	TIME	DEPTH	WATER	DISSOLVED	DO	PH	TURBIDITY	SUM	SALINITY
FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PHI	CONDUCTIV
TO		NETAS	DEG-C	mg/L	SATURATI	UNITS	NTU	mg/l	g/l
75/02/19	1700	14.1	8.9	95.0	7.5	52.0	35	10.5	
76/02/18	1405	7.0	8.0	78.3	7.8	5.0	3	23.4	
77/02/25	1525	8.8	8.0	79.0	7.1	1.0	14	24.1	
78/02/15	1455	7.0	9.9	94.7	7.4	4.0	5	21.6	
79/02/27	1111	6.5	9.9	93.2	7.7	6.0	5	23.2	
80/02/21	1830	7.6	9.1	88.2	7.6	9.0	5	23.7	
81/02/18	1450	7.3	8.3	82.0	7.7	6.0	0	27.5	
HNUMBER OF SAMPLES		7	7	7	7	7	7	7	7
MAXIMUM VALUE		14.10	9.90	95.00	7.80	52.00	35.00	35.00	
MINIMUM VALUE		6.50	8.00	78.30	7.10	1.00	0.00	10.50	
ARITHMETIC MEAN		8.33	8.67	87.14	7.54	11.29	9.57	23.44	
GEOMETRIC MEAN		8.05	8.84	84.84	7.54	5.49	2.45	23.32	
LOG/GEOMETRIC MEAN		2.09	2.18	4.46	2.02	1.70	0.97	3.15	
MEAN		7.10	8.70	88.20	7.60	4.00	5.80	23.70	
STANDARD DEV OF LOGS		0.26	0.09	0.09	0.03	1.19	2.49	0.12	
STANDARD DEVIATION		7.85	0.47	7.81	0.76	18.11	17.00	7.43	
VARIANCE		7.00	0.47	61.30	0.06	327.90	143.95	6.93	
COEFF OF VARIATION		31.77	9.22	4.98	3.14	160.45	125.35	11.22	
SUM OF VALUES		58.30	62.10	610.00	52.00	79.00	67.00	164.20	
MEAN +2 STD DEV		13.62	15.51	102.00	8.02	47.50	33.57	20.72	
MEAN -2 STD DEV		3.04	7.24	71.48	7.07	-24.93	-14.42	18.19	
GE MEAN +2 STD DEV		13.66	18.42	104.15	8.04	59.39	853.76	29.49	
GE MEAN -2 STD DEV		4.74	7.36	72.40	7.07	0.51	0.01	18.45	
SUM OF SQUARES		527.55	554.93	53824.94	398.00	2859.00	1505.00	1893.24	

DATE	TIME	DEPTH	WATER	DISSOLVED	DO	PH	TURBIDITY	SUM	SALINITY
FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PHI	CONDUCTIV
TO		NETAS	DEG-C	mg/L	SATURATI	UNITS	NTU	mg/l	g/l
75/03/19	1405	9.1	10.2	104.3	7.7	3.0	14	26.7	
76/03/17	1240	7.7	10.2	100.8	7.7	4.0	5	26.2	
77/03/23	1355	8.3	8.8	89.4	7.4	1.0	9	28.3	
78/03/30	1810	8.8	10.7	101.9	7.7	3.0	5	27.1	
79/03/27	1030	7.3	9.5	98.0	7.7	5	21.0		
80/03/17	1245	8.1	10.1	101.5	7.7	1.0	0	27.4	
81/03/13	1600	9.7	10.1	98.8	7.4	4	17.7		
HNUMBER OF SAMPLES		7	7	7	7	7	7	7	7
MAXIMUM VALUE		9.70	10.70	104.30	7.70	4.00	14.00	28.30	
MINIMUM VALUE		7.30	8.80	89.40	7.40	1.00	0.00	17.10	
ARITHMETIC MEAN		8.43	9.94	98.07	7.64	2.40	6.00	23.49	
GEOMETRIC MEAN		8.39	9.93	97.91	7.64	2.05	2.27	23.04	
LOG/GEOMETRIC MEAN		2.13	2.30	4.58	2.03	0.72	0.82	3.14	
MEAN		8.30	10.10	100.80	7.70	3.00	5.00	26.20	
STANDARD DEV OF LOGS		0.10	0.06	0.06	0.02	0.66	2.73	0.22	
STANDARD DEVIATION		0.43	0.81	5.96	0.11	1.34	4.40	4.77	
VARIANCE		0.69	0.38	35.55	0.01	1.80	19.32	22.77	
COEFF OF VARIATION		5.45	4.17	6.08	1.48	55.90	73.28	20.32	
SUM OF VALUES		59.00	67.00	686.30	53.50	12.00	42.00	104.90	
MEAN +2 STD DEV		10.09	11.17	110.00	7.87	5.08	14.79	33.03	
MEAN -2 STD DEV		6.77	8.72	86.15	7.42	-4.28	-2.79	13.94	
GE MEAN +2 STD DEV		10.22	13.27	110.88	7.88	7.74	589.00	35.43	
GE MEAN -2 STD DEV		6.39	8.74	86.47	7.42	0.54	0.01	14.99	
SUM OF SQUARES		501.42	674.28	67539.31	408.97	16.00	368.00	1997.38	

DATE	TIME	DEPTH	WATER	DISSOLVED	DO	PH	TURBIDITY	SUM	SALINITY
FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PHI	CONDUCTIV
TO		NETAS	DEG-C	mg/L	SATURATI	UNITS	NTU	mg/l	g/l
75/04/22	1150	6.8	9.5	93.7	7.6	1.0	9	28.8	
76/04/15	1235	7.1	13.9	126.0	7.8	4.8	9	15.5	
77/04/28	0915	11.7	9.6	93.4	7.6	4.0	18	10.1	
78/04/12	1425	11.7	10.4	94.5	7.5	3.0	5		
79/04/10	1025	8.7	11.5	112.6	8.0	1.0	9	21.6	
80/04/21	1420	8.9	11.1	104.1	7.6	5.0	0	14.3	
HNUMBER OF SAMPLES		6	6	6	6	6	6	6	6
MAXIMUM VALUE		11.70	13.90	126.00	8.00	5.00	18.00	28.80	
MINIMUM VALUE		6.80	9.50	93.40	7.50	1.00	0.00	10.10	
ARITHMETIC MEAN		9.15	11.00	105.96	7.68	3.00	8.33	18.06	
GEOMETRIC MEAN		8.94	10.91	105.27	7.68	2.49	2.63	16.93	
LOG/GEOMETRIC MEAN		2.19	2.39	4.66	2.04	0.91	0.97	3.83	
MEAN		8.80	10.75	104.10	7.68	3.50	9.00	15.50	
STANDARD DEV OF LOGS		0.23	0.14	0.13	0.02	0.73	3.10	0.40	
STANDARD DEVIATION		2.14	1.63	13.76	0.18	1.67	5.02	7.28	
VARIANCE		4.60	2.65	189.30	0.03	2.80	25.07	52.98	
COEFF OF VARIATION		23.44	14.79	12.78	2.39	55.78	71.04	40.30	
SUM OF VALUES		54.70	66.00	529.80	46.10	18.00	50.00	70.30	
MEAN +2 STD DEV		13.44	14.25	144.80	8.05	6.35	20.18	32.62	
MEAN -2 STD DEV		4.86	7.75	78.44	7.32	-6.35	-3.51	3.50	
GE MEAN +2 STD DEV		14.28	14.46	135.79	8.05	18.45	1283.27	37.58	
GE MEAN -2 STD DEV		5.40	8.22	81.60	7.33	0.58	0.01	7.00	
SUM OF SQUARES		525.33	739.24	56894.62	354.37	68.00	592.00	1847.75	

DATE	TIME	DEPTH	WATER	DISSOLVED	DO	PH	TURBIDITY	SUM	SALINITY
FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PHI	CONDUCTIV
TO		NETAS	DEG-C	mg/L	SATURATI	UNITS	NTU	mg/l	g/l
74/05/14	1120	9.7	10.4	105.8	7.8	3.0	20	24.0	
75/05/13	1430	13.6	10.2	103.8	7.8	26.0	18	10.9	
76/05/20	1405	13.0	13.3	143.1	8.4	6.0	5	22.0	
77/05/10	1550	12.4	12.4	133.7	8.1	2.0	9	24.2	
78/05/19	1055	13.7	12.0	127.1	8.2	4.0	14	17.2	
79/05/29	1515	9.0	1.0	128.0	8.4	14.0	5	20.0	
80/05/21	1710	11.0	11.0	114.6	8.4	4.0	8	23.4	
HNUMBER OF SAMPLES		7	7	7	7	7	7	7	7
MAXIMUM VALUE		13.70	13.30	143.10	8.40	34.00	20.00	24.20	
MINIMUM VALUE		9.00	1.00	103.80	7.80	2.00	0.00	10.90	
ARITHMETIC MEAN		11.77	10.04	122.30	8.22	11.29	10.14	20.24	
GEOMETRIC MEAN		11.63	8.11	121.54	8.21	6.54	3.44	19.62	
LOG/GEOMETRIC MEAN		2.45	2.09	4.80	2.11	1.88	1.23	2.98	
MEAN		12.40	11.00	127.10					

Table 3c, continued.

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SML PBT mg/l	70305 SALINITY CONDUCTIVITY g/l
74/07/15	1620		15.3	10.8	109.3	8.0	3.0	5	17.0
75/07/22	1200		18.5	10.9	126.0	8.0	3.0	10	15.0
74/07/21	1050		15.1	13.5	154.7	8.2	4.0	5	25.3
77/07/20	1400		18.9	9.6	118.0	8.1	4.0	14	25.9
78/07/18	1400		15.3	10.5	119.0	8.3	2.0	0	22.9
79/07/18	0920		19.0			8.2	3.0	14	21.0
80/07/22	0945		16.7	10.3	119.4	8.2	2.0	0	22.1
NUMBER OF SAMPLES 7 6 6 6 7 7 7 7									
MAXIMUM VALUE 19.00 13.50 154.70 8.30 8.00 10.00 25.90									
MINIMUM VALUE 15.10 9.60 109.30 8.00 2.00 0.00 15.00									
ARITHMETIC MEAN 16.97 10.80 124.53 8.13 3.29 8.00 21.43									
GEOMETRIC MEAN 16.89 10.73 121.78 8.13 3.07 1.12 21.11									
LOG/GEOMETRIC MEAN 16.70 10.60 119.20 8.15 3.00 5.00 22.10									
MEDIAN 16.70 10.60 119.20 8.15 3.00 5.00 22.10									
STANDARD DEV OF LOGS 0.11 0.12 0.12 0.01 0.30 3.73 0.19									
STANDARD DEVIATION 1.40 1.49 156.91 0.32 1.38 7.28 2.83									
VARIANCE 3.22 1.94 246.81 0.01 1.90 53.00 18.45									
COEFF OF VARIATION 10.50 12.91 12.62 1.49 42.00 91.00 17.98									
SUM OF VALUES 118.00 46.80 747.20 48.00 23.00 56.00 150.00									
MEAN +2 STD DEV 20.56 13.59 155.95 8.38 6.05 22.56 29.13									
MEAN -2 STD DEV 13.38 8.01 93.11 7.89 0.52 -6.56 13.72									
STD MEAN +2 STD DEV 20.87 13.65 156.84 8.38 6.43 1951.18 30.81									
STD MEAN -2 STD DEV 13.67 8.44 97.69 7.89 1.42 0.00 14.47									
SUM OF SQUARES 2035.54 709.56 9425.38 398.98 87.00 766.07 1303.36									

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SML PBT mg/l	70305 SALINITY CONDUCTIVITY g/l
74/08/13	1025		15.0			7.6	3.0	0	15.0
75/08/13	1607		18.8	12.7	154.1	8.1	1.0	0	25.1
74/08/25	1110		13.2	8.1	87.4	7.9	1.0	5	21.9
77/08/17	1400		22.1	11.2	147.2	8.1	1.00	14	25.9
78/08/22	1615		14.8	8.2	88.9	7.4	10.00	14	17.3
79/08/27	1405		17.6	7.5	90.7	7.9	2.0	14	26.2
80/08/29	1455		15.4	9.0	102.7	7.0	0	23.7	
NUMBER OF SAMPLES 7 6 6 5 7 7 7 7									
MAXIMUM VALUE 22.10 12.70 154.10 8.10 10.00 14.00 26.20									
MINIMUM VALUE 13.20 7.55 87.40 7.40 1.00 0.00 15.00									
ARITHMETIC MEAN 16.70 9.46 112.17 7.82 2.86 7.86 22.16									
GEOMETRIC MEAN 16.48 9.29 108.05 7.82 1.98 1.15 21.74									
LOG/GEOMETRIC MEAN 16.20 9.23 106.69 7.86 1.94 1.06 21.60									
MEDIAN 15.40 8.60 98.70 7.90 2.00 8.00 23.70									
STANDARD DEV OF LOGS 0.17 0.21 0.26 0.03 0.84 3.74 0.22									
STANDARD DEVIATION 3.02 2.09 31.19 0.20 5.24 8.37 0.49									
VARIANCE 9.14 4.14 972.53 0.87 10.40 40.81 19.38									
COEFF OF VARIATION 18.10 21.50 27.40 3.11 113.20 11.20 19.87									
SUM OF VALUES 114.90 36.25 473.00 39.10 20.00 55.00 155.10									
MEAN +2 STD DEV 22.75 13.54 174.54 8.34 9.33 20.43 30.94									
MEAN -2 STD DEV 10.65 5.38 49.60 7.30 -9.62 -4.92 13.35									
STD MEAN +2 STD DEV 23.25 14.01 184.33 8.36 10.55 2039.15 33.58									
STD MEAN -2 STD DEV 11.63 6.14 84.27 7.31 0.37 8.00 14.87									
SUM OF SQUARES 2007.05 557.58 40350.80 306.03 120.00 677.00 3552.85									

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SML PBT mg/l	70305 SALINITY CONDUCTIVITY g/l
74/09/18	1215		15.4	8.7	102.3	7.5	2.0	28	28.5
75/09/18	1135		16.5	11.6	131.2	8.2	3.0	9	18.7
76/09/17	0825		13.3	9.8	100.0	7.8	4.0	14	24.4
77/09/16	1500		13.9	9.2	102.7	7.8	1.0	23	24.9
78/09/18	1400		15.6	9.6	100.6	8.0	1.0		17.4
79/09/19	1100		15.4	10.1	116.9	8.2	4.0	50	24.0
NUMBER OF SAMPLES 6 6 6 6 4 5 6 6									
MAXIMUM VALUE 16.50 11.60 131.20 8.20 4.00 20.00 28.50									
MINIMUM VALUE 13.30 8.70 100.60 7.50 1.00 5.00 12.40									
ARITHMETIC MEAN 15.02 9.80 110.28 7.92 2.50 15.40 22.55									
GEOMETRIC MEAN 14.98 9.74 109.78 7.91 2.14 13.23 21.74									
LOG/GEOMETRIC MEAN 14.78 9.60 105.35 7.90 2.50 14.00 24.85									
MEDIAN 15.40 9.60 105.35 7.90 2.50 14.00 24.85									
STANDARD DEV OF LOGS 0.08 0.10 0.10 0.03 0.64 0.70 0.31									
STANDARD DEVIATION 1.19 1.01 11.84 0.27 1.38 9.58 5.93									
VARIANCE 1.41 1.01 140.30 0.07 1.90 91.70 35.15									
COEFF OF VARIATION 7.90 10.27 10.74 3.43 55.14 60.61 26.29									
SUM OF VALUES 90.10 58.60 661.70 47.50 15.00 79.00 135.30									
MEAN +2 STD DEV 17.37 11.81 158.97 8.46 5.26 34.95 34.41									
MEAN -2 STD DEV 12.65 7.79 86.59 7.37 -9.26 -3.35 10.69									
STD MEAN +2 STD DEV 17.59 11.90 134.89 8.48 7.72 52.78 40.41									
STD MEAN -2 STD DEV 12.75 8.00 89.35 7.39 0.59 3.24 11.72									
SUM OF SQUARES 1360.83 581.30 73675.99 376.41 47.00 1615.00 3226.75									

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SML PBT mg/l	70305 SALINITY CONDUCTIVITY g/l
74/10/16	1440		11.3	9.1	101.4	7.7	1.0	20	27.1
75/10/17	1025		12.0	8.8	94.5	7.8	7.0	9	28.4
74/10/22	0930		9.9	8.6	90.1	7.8	3.0	14	27.8
77/10/11	1135		11.6	7.0	74.4	7.7	1.0	18	24.5
78/10/13	1010		12.0	8.4	86.7	7.9	3.0	5	18.7
79/10/17	0845		11.3	4.2	67.2	7.7	2.0	14	20.5
80/10/07	1225		11.8	10.3	110.7	8.5	1.0	5	25.7
NUMBER OF SAMPLES 7 7 7 7 7 7 7 7									
MAXIMUM VALUE 13.30 10.30 110.70 8.50 7.00 28.00 28.50									
MINIMUM VALUE 9.90 6.20 67.20 7.70 1.00 5.00 18.70									
ARITHMETIC MEAN 11.70 8.33 89.34 7.87 2.57 13.29 25.81									
GEOMETRIC MEAN 11.66 8.23 88.22 7.87 2.00 11.21 25.59									
LOG/GEOMETRIC MEAN 11.66 8.23 88.22 7.87 2.00 11.21 25.59									
MEDIAN 11.80 8.40 90.10 7.80 2.00 14.00 27.10									
STANDARD DEV OF LOGS 0.09 0.17 0.17 0.04 0.75 0.65 0.15									
STANDARD DEVIATION 1.01 1.33 15.45 0.29 2.15 8.12 3.46									
VARIANCE 1.03 1.77 238.31 0.08 4.62 65.90 11.97									
COEFF OF VARIATION 8.64 15.96 18.45 3.65 83.58 11.10 15.41									
SUM OF VALUES 81.90 58.28 625.40 55.10 18.00 93.00 180.70									
MEAN +2 STD DEV 13.73 10.10 119.44 8.45 6.87 29.52 32.74									
MEAN -2 STD DEV 9.67 5.67 59.24 7.30 -1.73 -2.95 10.89									
STD MEAN +2 STD DEV 13.92 11.46 124.82 8.44 8.87 40.70 34.46									
STD MEAN -2 STD DEV 9.77 5.91 62.36 7.33 0.45 3.87 19.00									
SUM OF SQUARES 964.39 495.82 57234.00 434.21 74.00 1631.00 4736.49									

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SML PBT mg/l	70305 SALINITY CONDUCTIVITY g/l
74/11/16	0940		9.9	7.1	71.0	7.3	3.0	30	24.8
75/11/20	2400		5.0	13.0	111.2	7.6	22.0	0	14.4
76/11/24	0200		7.9	6.4	62.8	8.0	2.0	34	24.0
77/11/09	0900		9.9	7.1	75.5	7.9	2.0	9	29.9
78/11/16	0915		11.3	4.2	65.9	7.6	2.0	18	29.5
80/11/20	2210		6.2	8.9	84.1	7.7	3.0	9	24.8
NUMBER OF SAMPLES 6 6 6 6 6 6 6 6									
MAXIMUM VALUE 11.30 13.00 111.20 7.90 22.00 34.00 29.90									
MINIMUM VALUE 5.00 4.20 42.80 7.00 2.00 0.00 14.40									
ARITHMETIC MEAN 8.37 8.12 78.38 7.48 5.67 17.00 23.23									
GEOMETRIC MEAN 8.05 7.84 76.90 7.47 3.41 4.46 22.68									
LOG/GEOMETRIC MEAN 7.89 7.60 73.25 7.40 2.50 13.50 24.40									
MEDIAN 8.90 7.10 73.25 7.40 2.50 13.50 24.40									
STANDARD DEV OF LOGS 0.31 0.28 0.21 0.05 0.93 3.38 0.25									
STANDARD DEVIATION 2.43 2.57 17.76 0.39 4.02 13.77 5.23									
VARIANCE 5.71 6.63 315.44 0.15 16.27 189.60 27.31									
COEFF OF VARIATION 29.06 31.72 22.66 5.17 94.47 81.00 22.50									
SUM OF VALUES 50.20 48.70 470.30 44.90 34.00 102.00 139.40									
MEAN +2 STD DEV 13.23 13.27 113.91 8.26 21.70 44.34 33.67									
MEAN -2 STD DEV 3.50 2.97 42.86 6.71 -10.37 -10.54 12.78									
STD MEAN +2 STD DEV 15.10 13.48 116.68 8.31 22.11 3842.48 37.46									
STD MEAN -2 STD DEV 4.29 4.49 50.70 6.72 0.53 0.01 18.22									
SUM OF SQUARES 449.56 428.43 30441.87 336.75 514.00 2682.00 3325.10									

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SML PBT mg/l	70305 SALINITY CONDUCTIVITY g/l
74/12/18	1230		7.8	8.6	85.5		2.0	10	26.7
75/12/17	2230		4.5	10.8	90.0	7.6	4.0	5	12.3
76/12/15	2015		8.0	7.6	76.2	8.0	2.0	5	27.3
77/12/20	2125		5.7	10.4	90.7	7.4	4.0	9	14.6
78/12/18	0015		7.1	8.8	87.1	7.9	1.0	5	20.4
79/12/12	2020		7.0	9.2	84.8	7.5	2.0	14	21.6
80/12/15	1740		6.8	9.6	89.6	7.7	2.0	0	20.9
NUMBER OF SAMPLES 7 7 7 6 7 7 7 7									
MAXIMUM VALUE 8.00 10.80 99.70 7.90 4.00 18.00 28.40									
MINIMUM VALUE 4.50 7.60 74.20 6.90 2.71 1.00 21.71									
ARITHMETIC MEAN 6.70 9.29 86.56 7.50 2.71 1.00 21.71									
GEOMETRIC MEAN 6.59 9.24 84.43 7.49 2.58 1.02 20.82									
LOG/GEOMETRIC MEAN 6.59 9.24 84.43 7.49 2.58 1.02 20.82									
MEDIAN 6.59 9.24 84.43 7.49 2.58 1.02 20.82									
STANDARD DEV OF LOGS 0.20 0.22 0.10 0.06 0.33 2.00 5.00									
STANDARD DEVIATION 2.00 0.22 0.10 0.06 0.33 2.00 5.00									
VARIANCE 4.00 0.48 0.10 0.04 0.11 4.00 25.00									
COEFF OF VARIATION 29.06 31.72 22.66 5.17 94.47 81.00 22.50									
SUM OF VALUES 46.90 45.05 405.90 45.00 19.00 56.00 152.00									
MEAN +2 STD DEV 9.15 11.48 94.46 8.18 4.62 20.33 34.38									
MEAN -2 STD DEV 4.25 7.10 76.66 6.02 0.81 -4.33 9.05									
STD MEAN +2 STD DEV 9.86 11.73 97.37 8.22 5.03 830.42 39.94									
STD MEAN -2 STD DEV 4.41 7.28 76.71 6.83 1.33 0.01 10.85									
SUM OF SQUARES 321.23 611.68 52591.79 338.00 57.00 678.00 3541.24									

Table 4b.

DATES: 74/01/01 TO 74/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
74/05/14	0930		9.6	9.2	94.0		4.0	10	25.0
74/06/13	1455		18.8	9.3	103.4	7.2	1.0	20	8.0
74/07/15	1650		15.4	10.5	117.1	8.1	4.0	5	20.0
74/08/13	1115		15.0			8.0	3.0	0	12.0
74/09/18	1115		13.3	5.5	62.5	7.4	1.0	28	29.4
74/10/16	1345		12.2	5.9	64.8	7.6	1.0	13	27.7
74/11/14	1030		9.6	8.5	83.5	7.6	4.0	30	19.0
74/12/18	1320		7.8	9.1	90.1		2.0	13	26.2
NUMBER OF SAMPLES			8	7	7	6	8	8	8
MAXIMUM VALUE			18.80	10.50	117.10	8.10	4.00	30.00	29.40
MINIMUM VALUE			7.80	5.50	62.50	7.20	1.00	0.00	8.00
ARITHMETIC MEAN			12.21	8.29	87.91	7.65	2.50	14.68	20.91
GEOMETRIC MEAN			12.25	8.08	85.96	7.64	2.10	5.39	19.33
LOG/GEOMETRIC MEAN			2.51	2.09	4.45	2.03	0.74	1.68	2.96
MEDIAN			12.75	9.10	90.10	7.60	2.50	13.00	22.50
STANDARD DEV OF LOGS			0.29	0.25	0.23	0.05	0.64	2.88	0.46
STANDARD DEVIATION			3.66	1.87	19.72	0.34	1.41	10.53	7.69
VARIANCE			13.38	3.49	388.84	0.12	2.00	110.98	59.06
COEFF OF VARIATION			28.77	22.54	22.43	4.51	56.57	70.82	34.75
SUM OF VALUES			101.70	58.00	615.40	45.90	20.00	119.00	167.30
MEAN +2 STD DEV			20.03	12.02	127.35	8.34	5.33	35.94	36.28
MEAN -2 STD DEV			5.40	4.55	48.48	6.96	-0.33	-6.19	5.54
GEO MEAN +2 STD DEV			22.06	13.27	136.64	8.36	7.84	1713.23	48.34
GEO MEAN -2 STD DEV			6.80	4.92	54.08	6.99	0.56	0.02	7.73
SUM OF SQUARES			1386.49	501.50	56435.52	351.73	64.00	2547.00	3912.09

DATES: 75/01/01 TO 75/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
75/01/15	1430		5.0	10.7	93.2	7.6	5.0	18	17.0
75/02/19	1740		16.4	8.2	89.8	7.4	260.0	33	13.7
75/03/19	1515		9.7	10.0	102.5	7.7	3.0	9	25.1
75/04/22	1255		9.7	9.6	100.2	7.7	1.0	14	27.8
75/05/13	1700		14.0	9.8	98.9	7.8	16.0	14	8.0
75/06/12	1415		17.0	11.4	123.2	8.5	5.0	59	9.2
75/08/13	1645		18.2	13.6	166.3	8.2	1.0	5	26.1
75/09/18	1215		15.5	11.2	128.9	8.2	4.0	14	24.8
75/10/17	1105		12.0	7.9	86.8	10.1	6.0	5	28.4
75/11/20	0050		5.5	12.8	111.7	7.6	2.0	0	15.5
75/12/17	2315		4.0	10.9	90.9	7.6	2.0	5	14.3
NUMBER OF SAMPLES			11	11	11	11	11	11	11
MAXIMUM VALUE			18.20	13.60	166.30	10.10	260.00	59.00	28.40
MINIMUM VALUE			4.00	7.90	86.80	7.40	1.00	0.00	8.00
ARITHMETIC MEAN			11.55	10.55	108.40	8.04	27.64	16.00	19.08
GEOMETRIC MEAN			10.29	10.42	106.40	8.01	4.66	6.22	17.55
LOG/GEOMETRIC MEAN			2.33	2.34	4.67	2.08	1.54	1.83	2.87
MEDIAN			12.00	10.70	100.20	7.70	3.00	14.00	17.00
STANDARD DEV OF LOGS			0.54	0.17	0.20	0.09	1.56	2.49	0.45
STANDARD DEVIATION			5.12	1.73	23.55	0.74	77.18	16.80	7.55
VARIANCE			26.26	3.00	584.47	0.58	5956.85	282.20	57.05
COEFF OF VARIATION			44.39	16.40	21.72	9.46	279.27	104.99	39.58
SUM OF VALUES			127.00	116.10	1192.40	88.40	304.00	176.00	209.90
MEAN +2 STD DEV			21.79	14.02	155.49	9.56	182.00	49.60	34.19
MEAN -2 STD DEV			1.30	7.09	61.31	6.52	-126.72	-17.60	3.78
GEO MEAN +2 STD DEV			30.17	14.53	157.37	9.54	105.44	994.34	42.76
GEO MEAN -2 STD DEV			3.51	7.48	71.94	6.72	0.21	0.04	7.17
SUM OF SQUARES			1728.88	1255.35	134800.86	716.20	67970.00	5638.00	4575.73

DATES: 76/01/01 TO 76/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
76/01/22	1225		6.8	9.4	87.6	7.7	8.0	5	20.7
76/02/18	1440		7.0	8.2	78.2	7.2	9.0	3	23.3
76/03/17	1155		7.4	10.0	100.1	7.7	3.0	5	29.0
76/04/15	1305		7.6	14.3	132.8	7.6	5.0	14	17.4
76/05/20	1315		12.2	11.8	124.1	8.3	2.0	5	23.7
76/06/08	1050		11.9	9.7	96.0	7.9	4.0	14	12.2
76/07/21	1140		15.6	12.0	139.0	8.1	5.0	5	25.5
76/08/25	1200		13.7	8.2	89.5	8.0	6.0	9	22.0
76/09/17	0940		13.0			7.8	3.0	23	23.6
76/10/22	1020		8.3	7.5	76.0	7.8	2.0	23	28.0
76/11/24	0245		7.9	7.0	67.7	7.0	2.0	23	22.5
76/12/15	2055		9.2	7.1	73.3	6.8	3.0	9	27.7
NUMBER OF SAMPLES			12	11	11	12	12	12	12
MAXIMUM VALUE			15.60	14.30	139.00	8.30	9.00	23.00	29.00
MINIMUM VALUE			6.80	7.00	67.70	6.80	2.00	3.00	12.20
ARITHMETIC MEAN			10.05	9.55	96.75	7.66	4.33	11.50	22.97
GEOMETRIC MEAN			9.65	9.31	94.05	7.45	3.81	9.19	22.43
LOG/GEOMETRIC MEAN			2.27	2.23	4.54	2.03	1.34	2.22	3.11
MEDIAN			8.75	9.40	89.50	7.75	3.50	9.00	23.45
STANDARD DEV OF LOGS			0.30	0.23	0.25	0.06	0.53	0.71	0.24
STANDARD DEVIATION			3.05	2.31	24.80	0.45	2.35	7.76	4.72
VARIANCE			9.29	5.34	614.92	0.20	5.52	60.27	22.26
COEFF OF VARIATION			30.32	24.20	25.63	5.85	54.19	67.51	20.56
SUM OF VALUES			120.60	105.00	1064.30	91.90	52.00	138.00	275.60
MEAN +2 STD DEV			16.15	14.17	146.35	8.55	9.03	27.03	32.40
MEAN -2 STD DEV			3.95	4.93	47.16	6.76	-0.36	-4.03	13.53
GEO MEAN +2 STD DEV			17.42	14.80	154.12	8.62	10.94	38.36	36.14
GEO MEAN -2 STD DEV			5.35	5.85	57.39	6.78	1.33	2.20	13.93
SUM OF SQUARES			1314.20	1055.64	109125.09	706.01	286.00	2250.00	6574.42

DATES: 77/01/01 TO 77/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI mg/l	70305 SALINITY CONDUCTIVITY g/l
77/01/13	1445		6.8	7.6	72.6	7.3	2.0	32	24.3
77/02/25	1600		8.8	9.1	90.8	7.2	1.0	9	24.1
77/03/23	1315		8.2	9.2	92.9	7.6	1.0	14	27.7
77/04/28	0830		11.3	10.2		7.9	4.0	9	
77/05/18	1640		14.8	12.2	134.8	8.0	1.0	5	20.5
77/06/14	1225		16.2	10.7	120.5	8.4	1.0	5	19.0
77/07/20	1515		18.9	14.0	160.4	8.3	5.0	14	25.4
77/08/17	1425		22.6	11.3	150.5	8.0	1.0	14	26.5
77/10/13	1200		11.5	7.0	74.0	7.7	1.0	18	24.0
77/11/09	0940		9.7	7.5	79.1	7.9	2.0	5	29.4
77/12/20	2210		5.8	10.6	93.2	7.4	6.0	14	15.5
NUMBER OF SAMPLES			11	11	10	11	11	11	10
MAXIMUM VALUE			22.60	13.00	160.40	8.40	6.00	32.00	29.40
MINIMUM VALUE			5.40	7.00	72.60	7.20	1.00	5.00	15.50
ARITHMETIC MEAN			12.24	9.85	106.88	7.79	2.27	12.64	23.64
GEOMETRIC MEAN			11.26	9.67	102.74	7.78	1.75	10.76	23.27
LOG/GEOMETRIC MEAN			2.42	2.27	4.63	2.05	0.56	2.38	3.15
MEDIAN			11.30	10.20	93.05	7.90	1.00	14.00	24.20
STANDARD DEV OF LOGS			0.43	0.21	0.29	0.05	0.72	0.60	0.19
STANDARD DEVIATION			5.30	1.97	32.32	0.39	1.85	7.83	4.21
VARIANCE			28.10	3.86	1044.58	0.15	3.42	61.25	17.71
COEFF OF VARIATION			43.32	19.95	30.24	5.02	81.35	61.94	17.80
SUM OF VALUES			134.60	108.40	1068.80	85.70	25.00	139.00	236.40
MEAN +2 STD DEV			22.84	13.79	171.52	8.57	5.77	28.29	32.06
MEAN -2 STD DEV			1.63	5.92	42.24	7.01	-1.42	-3.02	15.22
GEO MEAN +2 STD DEV			26.54	14.58	184.25	8.61	7.43	35.46	34.24
GEO MEAN -2 STD DEV			4.77	6.42	57.13	7.04	0.41	3.27	15.61
SUM OF SQUARES			1928.04	1106.88	123634.56	669.21	91.00	2369.00	5747.86

Table 4a.

EC9104 ECOBAM NR MERRILL & RING CREEKS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00700 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	00301 DO PERCENT SATURATN	99001 SHANNON DIVERSITY INDEX	99002 OFFSHORE LOAD lb/day	99003 NEARSHORE LOAD lb/day	99004 TOTAL LOAD lb/day
74/05/14	0930		9.6	9.2		4.0	10	25.0	94.0	1.976	576750	32612	609360
74/06/13	1455		18.8	9.3	7.2	1.0	20	8.0	103.4	2.426	630160	37651	667820
74/07/15	1650		15.4	10.5	8.1	4.0	5	20.0	117.1	1.336	552340	51662	604000
74/08/13	1115		15.0		8.0	3.0	0	12.0		1.124	520930	34069	555000
74/09/18	1115		13.3	5.5	7.4	1.0	28	29.4	62.5	1.315	656580	37866	694450
74/10/16	1345		12.2	5.9	7.6	1.0	13	27.7	64.8	2.479	689280	39980	929260
74/11/14	1030		9.6	8.5	7.6	4.0	30	19.0	83.5	1.344	533400	37615	571010
74/12/18	1320		7.8	9.1		2.0	13	26.2	90.1	0.988	524490	38149	562640
75/01/15	1430		5.0	10.7	7.6	5.0	18	17.0	93.2	1.611	583710	40396	824100
75/02/19	1740		16.4	8.2	7.4	260.0	33	13.7	89.8	1.391	497630	31126	528760
75/03/19	1515		9.7	10.0	7.7	3.0	9	25.1	102.5	2.427	537120	30281	567400
75/04/22	1255		9.7	9.6	7.7	1.0	14	27.8	100.2	2.320	444710	28176	472890
75/05/13	1700		14.0	9.8	7.8	16.0	14	8.0	98.9	1.070	258730	25880	284610
75/06/12	1415		17.0	11.4	8.5	5.0	59	9.2	123.2	2.583	156040	31847	189890
75/08/13	1645		18.2	13.6	8.2	1.0	5	26.1	166.3	0.474	300060	30855	330920
75/09/18	1215		15.5	11.2	8.2	3.0	14	24.8	128.9	0.721	258250	30351	288610
75/10/17	1105		12.0	7.9	10.1	6.0	5	28.4	86.8	1.469	330620	31824	362450
75/11/20	0050		5.5	12.8	7.6	2.0	0	15.5	111.7	2.912	52343	23060	75403
75/12/17	2315		4.0	10.9	7.6	2.0	5	14.3	90.9	1.385	399060	34008	243070
76/01/22	1225		6.8	9.4	7.7	8.0	5	20.7	87.6	1.661	257980	17931	295910
76/02/18	1440		7.0	8.2	7.2	9.0	3	13.3	78.2	1.000	350680	36370	387050
76/03/17	1155		7.4	10.0	7.7	3.0	5	29.0	100.1	2.230	290100	24330	314430
76/04/15	1305		7.6	14.3	7.6	5.0	14	17.4	132.8	2.592	399130	43345	324470
76/05/20	1315		12.2	11.6	8.3	2.0	5	23.7	124.1	1.348	232080	38852	270940
76/06/08	1050		11.9	9.7	7.9	4.0	14	12.2	96.0	1.898	307740	34301	342040
76/07/21	1140		15.6	12.0	8.1	5.0	5	25.5	139.0	1.556	247320	44970	292290
76/08/25	1200		13.7	8.2	8.0	6.0	9	22.0	89.5	2.174	329740	37782	367520
76/09/17	0940		13.0		7.8	3.0	9					38857	310580
76/10/22	1020		8.3	7.5	7.8	2.0	23	23.6		1.515	271720	34650	382180
76/11/24	0245		7.9	7.0	7.0	2.0	23	28.0	76.0	1.599	347530	36417	284700
76/12/15	2055		9.2	7.1	6.8	3.0	9	27.7	73.3	2.228	231890	38167	270050
77/01/13	1445		6.8	7.6	7.3	2.0	32	24.3	72.6	0.235	202780	40523	243310
77/02/25	1600		8.8	9.1	7.2	1.0	9	24.1	90.8	1.324	143870	35414	184280
77/03/23	1315		8.2	9.2	7.6	1.0	14	27.7	92.9	1.922	273810	39883	313690
77/04/28	0830		11.3	10.2	7.9	4.0	9			0.399	256750	37174	293920
77/05/18	1640		14.8	12.2	8.0	1.0	5	20.5	134.8	1.273	262530	42365	304890
77/06/14	1225		16.2	10.7	8.4	1.0	5	19.0	120.5	1.237	307880	44010	351890
77/07/20	1515		18.9	13.0	8.3	5.0	14	25.4	160.4		302040	44978	347020
77/08/17	1425		22.6	11.3	8.0	1.0	14	26.5	150.5		323610	55518	379130
77/10/13	1200		11.5	7.0	7.7	1.0	18	24.0	74.0		219620	24391	244010
77/11/09	0940		9.7	7.5	7.9	2.0	5	29.4	79.1	2.197	242350	48725	291070
77/12/20	2210		5.8	10.4	7.4	8.0	14	15.5	93.2	2.045	226900	42364	269260
78/01/30	1420		5.2	10.0	7.4	4.0	18	15.6	86.7	1.342	209700	36870	246570
78/02/15	1525		7.2	9.9	7.4	4.0	5	23.8	95.1	1.922	224410	42553	266960
78/03/30	1845		8.7	10.5	7.5	3.0	14	13.0	97.2	2.183	194140	38787	332920
78/04/12	1500		12.6	10.8	7.6	5.0	5	17.5	112.0	1.770	236680	42422	281100
78/05/19	1140		15.2	10.4	8.0	8.0	14	17.2	113.6	1.207	216760	42912	259670
78/06/26	1300									0.811	253790	35962	289750
78/07/10	1615		15.0	10.1	8.2	1.0	0	23.6	114.3		217250	17512	234760
78/08/22	1720		14.9	8.9	7.2	10.0K	14	18.2	97.2	1.424	124100	35009	159110
78/09/18	1430		15.0	10.7	8.2	3.0		13.4	113.8	0.000	5600	0	5600
78/10/13	1045		12.2	8.7	7.8	8.0	9	18.7	90.2		0	0	0
78/12/19	0100		6.8	8.9	7.9	3.0	0	27.5	86.9	2.437	0	0	0
79/01/31	1440		5.7	10.2	7.8	11.0	9K	27.7	97.3	1.452	0	0	0
79/02/27	1040		6.3	9.9	7.8	3.0	5K	26.5	94.5	2.206	156750	49829	206580
79/03/27	1020		7.5		7.6		9	22.5			170820	39925	210740
79/04/10	1100		9.7	11.1	8.0	1.0	14	23.3	112.4	0.605	243440	40224	283670
79/05/29	1415		6.0	11.8	8.3	22.0	9	15.8	135.0	0.000	133290	40529	173820
79/06/19	1115		12.6	9.3	8.0	2.0	9	22.4	99.5	2.365	95859	33531	129390
79/07/18	1120		20.8		8.0	1.0	18	19.8			157750	32673	190420
79/08/27	1355		16.9	9.7	8.3	3.0	5K	26.5	116.0		169540	34268	203810
79/09/19	1140		15.4	10.2	8.2	4.0	14	25.5	117.7		173840	40150	213990
79/11/16	0950		10.1	7.0	7.6	1.0	14	25.1	72.3	1.375	158890	41322	200220
79/12/12	2115		6.6	9.2	7.6	3.0	5	23.6	87.1	2.686	196450	26152	222610
80/01/24	1610		5.8	9.3	7.8	3.0	5K	18.4	83.3	1.522	4643	10525	15168
80/02/21	1530		7.5	9.3	7.6	10.0	5	22.1	88.9	1.730	5027	16510	21537
80/03/17	1150		8.0	9.4	7.6	1.0	0	27.8	94.5	2.236	3289	9653	12942
80/04/21	1510		8.5	10.8	7.8	6.0	0	11.7	98.7	2.653	2950	6864	9814
80/05/21	1510		10.3	10.4	8.2	5.0	0	24.1	93.0	1.443	3990	4983	3073
80/06/23	0940		15.2	11.4	8.6	2.0	0	19.2	126.0	2.485	3325	7119	10444
80/07/22	0990		16.2	10.8		1.0	0	21.7	123.6	1.990	3889	6199	10088
80/08/29	1635		15.7	8.4		1.0	0	24.2	96.7	0.147	4340	7126	11466
80/10/07	1340									0.892	2767	11048	13815
80/12/15	1630		6.3	9.7	7.7	3.0	0	19.6	88.7	1.768	2491	4533	7024
81/02/10	1345		7.4	8.4	7.7	2.0	5	27.9	83.4	1.175	6306	8418	14724
81/03/13	1530		10.0	10.4	7.8		8	22.4	105.3	1.600	12573	7265	19838

Table 4b, continued.

DATES: 78/01/01 TO 78/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ag/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBARETER NTU	00760 SWL PBI ag/l	70305 SALINITY CONDUCTIVITY g/l
78/01/30	1420		5.2	10.0	86.7	7.4	4.0	18	15.6
78/02/15	1525		7.2	9.9	95.1	7.4	4.0	5	23.8
78/03/30	1845		8.7	10.5	97.2	7.5	3.0	14	13.0
78/04/12	1500		12.6	10.8	112.0	7.6	5.0	5	17.5
78/05/19	1140		15.2	10.4	113.6	8.0	8.0	14	17.2
78/06/26	1300								
78/07/10	1615		15.0	10.1	114.3	8.2	1.0	0	23.4
78/08/22	1720		14.9	8.9	97.2	7.2	10.0K	14	18.2
78/09/18	1430		15.0	10.7	113.8	8.2	3.0	0	13.4
78/10/13	1045		12.2	8.7	90.2	7.8	8.0	9	18.7
78/12/19	0100		8.8	8.9	86.9	7.9	3.0	0	27.5
NUMBER OF SAMPLES									
MAXIMUM VALUE									
MINIMUM VALUE									
ARITHMETIC MEAN									
GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN									
MEDIAN									
STANDARD DEV OF LOGS									
STANDARD DEVIATION									
VARIANCE									
COEFF OF VARIATION									
SUM OF VALUES									
MEAN +2 STD DEV									
MEAN -2 STD DEV									
STD MEAN +2 STD DEV									
STD MEAN -2 STD DEV									
SUM OF SQUARES									

DATES: 79/01/01 TO 79/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ag/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBARETER NTU	00760 SWL PBI ag/l	70305 SALINITY CONDUCTIVITY g/l
79/01/31	1440		5.7	10.2	97.3	7.8	11.0	9K	27.7
79/02/27	1040		6.3	9.9	94.5	7.8	3.0	5K	26.5
79/03/27	1020		7.5			7.6		9	22.5
79/04/10	1100		9.7	11.1	112.4	8.0	1.0	14	23.3
79/05/29	1415		6.0	11.8	135.0	8.3	22.0	9	15.8
79/06/19	1115		12.6	9.3	99.5	8.0	2.0	9	22.4
79/07/18	1120		20.8			8.0	1.0	18	19.8
79/08/27	1355		16.9	9.7	116.0	8.3	3.0	5K	26.5
79/09/19	1140		15.4	10.2	117.7	8.2	4.0	14	25.5
79/11/16	0950		10.1	7.0	72.3	7.6	1.0	14	25.1
79/12/12	2115		6.6	9.2	87.1	7.6	3.0	5	23.6
NUMBER OF SAMPLES									
MAXIMUM VALUE									
MINIMUM VALUE									
ARITHMETIC MEAN									
GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN									
MEDIAN									
STANDARD DEV OF LOGS									
STANDARD DEVIATION									
VARIANCE									
COEFF OF VARIATION									
SUM OF VALUES									
MEAN +2 STD DEV									
MEAN -2 STD DEV									
STD MEAN +2 STD DEV									
STD MEAN -2 STD DEV									
SUM OF SQUARES									

DATES: 80/01/01 TO 80/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ag/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBARETER NTU	00760 SWL PBI ag/l	70305 SALINITY CONDUCTIVITY g/l
80/01/24	1610		5.8	9.3	83.3	7.8	3.0	5K	18.4
80/02/21	1530		7.5	9.3	88.9	7.6	10.0	5	22.1
80/03/17	1150		8.0	9.4	94.5	7.6	1.0	0	27.8
80/04/21	1510		8.5	10.8	98.7	7.8	6.0	0	11.7
80/05/21	1510		10.3	10.4	91.0	8.2	5.0	0	24.1
80/06/23	0940		15.2	11.4	126.0	8.6	2.0	0	19.2
80/07/22	0900		16.2	10.8	123.6	1.0	0	0	21.7
80/08/29	1635		15.7	8.4	96.7	1.0	0	0	24.2
80/10/07	1340								
80/12/15	1630		6.3	9.7	88.7	7.7	3.0	0	19.6
NUMBER OF SAMPLES									
MAXIMUM VALUE									
MINIMUM VALUE									
ARITHMETIC MEAN									
GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN									
MEDIAN									
STANDARD DEV OF LOGS									
STANDARD DEVIATION									
VARIANCE									
COEFF OF VARIATION									
SUM OF VALUES									
MEAN +2 STD DEV									
MEAN -2 STD DEV									
STD MEAN +2 STD DEV									
STD MEAN -2 STD DEV									
SUM OF SQUARES									

DATES: 81/01/01 TO 81/12/31

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ag/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBARETER NTU	00760 SWL PBI ag/l	70305 SALINITY CONDUCTIVITY g/l
81/02/10	1345		7.4	8.4	83.4	7.7	2.0	5	27.9
81/03/13	1530		10.0	10.4	105.3	7.8		8	22.4
NUMBER OF SAMPLES									
MAXIMUM VALUE									
MINIMUM VALUE									
ARITHMETIC MEAN									
GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN									
MEDIAN									
STANDARD DEV OF LOGS									
STANDARD DEVIATION									
VARIANCE									
COEFF OF VARIATION									
SUM OF VALUES									
MEAN +2 STD DEV									
MEAN -2 STD DEV									
STD MEAN +2 STD DEV									
STD MEAN -2 STD DEV									
SUM OF SQUARES									

Table 4c.

00010								00010								00010																
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY			
FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	THERMISTOR	PPI	CONDUCTIVITY	FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	THERMISTOR	PPI	CONDUCTIVITY	FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	THERMISTOR	PPI	CONDUCTIVITY			
TO		ACTERS	DEG-C	mg/l	SATURATH	UNITS	RTU	mg/l	g/l	TO		ACTERS	DEG-C	mg/l	SATURATH	UNITS	RTU	mg/l	g/l	TO		ACTERS	DEG-C	mg/l	SATURATH	UNITS	RTU	mg/l	g/l			
75/01/15	1430	5.4	10.7	93.2	7.4	5.8	18	17.0		75/02/19	1740	18.4	8.2	98.8	7.4	260.0			33	13.7												
76/01/22	1225	4.8	9.4	87.4	7.7	8.0	5	20.7		76/02/18	1440	7.9	8.2	78.2	7.2	9.0			3	23.3												
77/01/13	1445	4.8	7.4	72.6	7.3	7.0	32	24.1		77/02/25	1600	4.3	9.1	98.4	7.2	1.8			9	24.1												
78/01/30	1420	5.2	10.0	98.7	7.4	4.0	18	15.4		78/02/15	1525	7.2	9.9	95.1	7.4	4.0			5	23.8												
79/01/31	1440	5.7	10.2	97.3	7.8	11.0	96	27.7		79/02/27	1040	4.3	9.9	94.5	7.8	3.0			50	26.5												
80/01/24	1410	5.8	9.3	83.3	7.8	3.0	58	18.4		80/02/21	1530	7.5	9.3	88.9	7.6	10.0			5	22.1												
81/02/10	1345									81/02/10	1345	7.4	8.4	83.4	7.7	2.0			5	27.9												
HURDER OF SAMPLES	4	4	4	4	4	4	4	4		HURDER OF SAMPLES	7	7	7	7	7	7	7	7		HURDER OF SAMPLES	7	7	7	7	7	7	7	7	7	7	7	
MAXIMUM VALUE	6.80	10.70	97.30	7.80	11.00	32.00	27.70			MAXIMUM VALUE	16.40	9.90	95.10	7.80	260.00	33.00	27.90			MAXIMUM VALUE	16.40	9.90	95.10	7.80	260.00	33.00	27.90					
MINIMUM VALUE	5.09	7.60	72.40	7.30	7.00	5.00	15.60			MINIMUM VALUE	6.30	8.20	78.20	7.20	1.00	3.00	11.70			MINIMUM VALUE	6.30	8.20	78.20	7.20	1.00	3.00	11.70					
ARITHMETIC MEAN	5.88	9.53	86.78	7.60	5.50	14.50	20.62			ARITHMETIC MEAN	8.66	9.00	88.87	7.47	41.29	9.29	23.06			ARITHMETIC MEAN	8.66	9.00	88.87	7.47	41.29	9.29	23.06					
GEOMETRIC MEAN	5.84	9.46	86.42	7.60	4.68	11.52	20.20			GEOMETRIC MEAN	8.22	8.97	88.49	7.47	4.63	6.02	22.56			GEOMETRIC MEAN	8.22	8.97	88.49	7.47	4.63	6.02	22.56					
LOG/GEOMETRIC MEAN	1.77	2.25	4.44	2.03	1.54	2.44	1.01			LOG/GEOMETRIC MEAN	7.11	2.19	4.48	2.91	1.89	1.89	3.12			LOG/GEOMETRIC MEAN	7.11	2.19	4.48	2.91	1.89	1.89	3.12					
MEDIAN	5.25	9.78	87.15	7.65	4.38	13.50	19.55			MEDIAN	7.40	9.10	89.00	7.40	4.00	5.00	23.00			MEDIAN	7.40	9.10	89.00	7.40	4.00	5.00	23.00					
STANDARD DEV OF LOSS	0.77	1.06	0.55	0.21	3.39	10.41	4.22			STANDARD DEV OF LOSS	0.32	0.08	0.07	0.03	1.81	0.78	0.23			STANDARD DEV OF LOSS	0.32	0.08	0.07	0.03	1.81	0.78	0.23					
VARIANCE	0.59	1.17	0.31	0.04	11.50	108.10	17.18			VARIANCE	1.50	0.75	6.04	0.24	94.51	10.61	4.57			VARIANCE	1.50	0.75	6.04	0.24	94.51	10.61	4.57					
STANDARD DEVIATION	13.10	11.33	9.86	2.74	41.44	71.77	22.43			STANDARD DEVIATION	12.22	0.56	36.43	0.06	931.24	112.57	20.91			STANDARD DEVIATION	12.22	0.56	36.43	0.06	931.24	112.57	20.91					
SUM OF VALUES	35.30	57.20	520.70	45.60	33.00	87.00	123.70			SUM OF VALUES	40.38	4.31	4.81	3.16	233.75	116.26	19.83			SUM OF VALUES	40.38	4.31	4.81	3.16	233.75	116.26	19.83					
MEAN +2 STD DEV	7.42	11.69	103.49	8.02	12.28	35.31	29.84			MEAN +2 STD DEV	40.40	63.00	620.70	52.30	289.00	65.00	161.40			MEAN +2 STD DEV	40.40	63.00	620.70	52.30	289.00	65.00	161.40					
MEAN -2 STD DEV	4.34	7.37	69.48	7.18	-1.28	-8.31	11.37			MEAN -2 STD DEV	15.65	10.50	100.74	7.94	234.30	30.51	32.20			MEAN -2 STD DEV	15.65	10.50	100.74	7.94	234.30	30.51	32.20					
SD MEAN +2 STD DEV	7.58	12.05	105.90	8.03	16.42	52.77	31.30			SD MEAN +2 STD DEV	1.67	7.50	76.60	7.00	-151.72	-11.93	13.91			SD MEAN +2 STD DEV	1.67	7.50	76.60	7.00	-151.72	-11.93	13.91					
SD MEAN -2 STD DEV	4.50	7.45	70.52	7.19	1.24	2.51	13.04			SD MEAN -2 STD DEV	15.60	10.60	101.74	7.95	246.49	31.27	36.15			SD MEAN -2 STD DEV	15.60	10.60	101.74	7.95	246.49	31.27	36.15					
SUM OF SQUARES	218.45	531.14	45553.83	246.78	239.00	1803.00	2457.19			SUM OF SQUARES	597.74	578.36	5258.95	391.09	67811.00	1279.50	1846.70			SUM OF SQUARES	597.74	578.36	5258.95	391.09	67811.00	1279.50	1846.70					

Table 4c, continued.

00010								00010								00010																		
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	PERCENT	pH	TURBIDITY	SUL	SALINITY	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	PERCENT	pH	TURBIDITY	SUL	SALINITY	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	PERCENT	pH	TURBIDITY	SUL	SALINITY		
FROM	TO	METERS	TEMP	OXYGEN	DB	SATURATE	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	FROM	TO	METERS	TEMP	OXYGEN	DB	SATURATE	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	FROM	TO	METERS	TEMP	OXYGEN	DB	SATURATE	STANDARD	TURBIDITY	PRI	CONDUCTIVITY		
			DEG-C	mg/l			UNITS	NTU	mg/l	g/l				DEG-C	mg/l			UNITS	NTU	mg/l	g/l				DEG-C	mg/l			UNITS	NTU	mg/l	g/l		
74/07/15	1650		15.4	10.5	117.1	8.1	4.0	5	20.0		74/08/13	1115		15.0									74/08/13	1645		16.2	13.6	144.3	8.2	1.0	5	26.1		
74/07/21	1140		15.6	12.0	139.0	8.1	5.0	5	25.5		74/08/25	1200		13.7	8.2	89.5	8.0	6.0	9	22.0		74/08/17	1425		22.6	11.3	150.5	8.0	1.0	14	26.5			
77/07/20	1515		18.9	13.8	168.4	8.3	5.0	14	25.4		74/08/22	1720		14.9	8.9	97.2	7.2	10.0	14	18.2		79/08/27	1355		16.9	9.7	114.0	8.3	3.0	5E	26.5			
78/07/10	1615		15.0	10.1	114.3	8.2	1.0	0	23.6		80/08/22	1635		15.7	8.4	96.7																		
79/07/18	1120		20.8																															
80/07/22	0900		16.2	10.8	123.6																													
NUMBER OF SAMPLES										NUMBER OF SAMPLES										NUMBER OF SAMPLES														
MAXIMUM VALUE										MAXIMUM VALUE										MAXIMUM VALUE														
MINIMUM VALUE										MINIMUM VALUE										MINIMUM VALUE														
ARITHMETIC MEAN										ARITHMETIC MEAN										ARITHMETIC MEAN														
GEOMETRIC MEAN										GEOMETRIC MEAN										GEOMETRIC MEAN														
LOG/GEOMETRIC MEAN										LOG/GEOMETRIC MEAN										LOG/GEOMETRIC MEAN														
MEDIAN										MEDIAN										MEDIAN														
STANDARD DEV OF LOGS										STANDARD DEV OF LOGS										STANDARD DEV OF LOGS														
STANDARD DEVIATION										STANDARD DEVIATION										STANDARD DEVIATION														
VARIANCE										VARIANCE										VARIANCE														
COEFF OF VARIATION										COEFF OF VARIATION										COEFF OF VARIATION														
SUM OF VALUES										SUM OF VALUES										SUM OF VALUES														
MEAN +2 STD DEV										MEAN +2 STD DEV										MEAN +2 STD DEV														
MEAN -2 STD DEV										MEAN -2 STD DEV										MEAN -2 STD DEV														
STD DEV +2 STD DEV										STD DEV +2 STD DEV										STD DEV +2 STD DEV														
STD DEV -2 STD DEV										STD DEV -2 STD DEV										STD DEV -2 STD DEV														
SUM OF SQUARES										SUM OF SQUARES										SUM OF SQUARES														

Table 5a.

ECB201 ECOBAM ADJACENT TO CONCRETE PIER

DATE FROR TO	TIME	00010 WATER DEPTH METERS	00010 TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCHI METERS	00301 DO PERCENT SATURATN	99001 SHANNON DIVERSITY INDEX	99002 OFFSHORE LOAD lb/day	99003 NEARSHORE LOAD lb/day	99004 TOTAL LOAD lb/day
74/05/28	0915		12.4	4.0	5.2	3.0	425	15.0		40.7	0.000	615900	35439	651340
74/06/13	0910		14.0	7.5	6.4	2.0	22	16.0		79.3	0.095	630160	37651	667820
74/08/12	1420		17.0		7.2	1.0		21.0			0.000	572880	39703	612590
74/09/18	0815		13.9	5.2	6.9	5.0	120	26.5		58.6	0.000	656580	37866	694450
74/10/17	0945		11.5	2.3	7.1	3.0	293	28.4		25.0		763030	39591	802630
74/11/13	1240		10.1	7.3	7.2	3.0	25	9.2		68.2		507130	34540	541670
74/12/19	1000		8.3	7.0		3.0	95	25.0		69.5	0.229	541640	40501	382140
75/01/16	0915		6.5	6.6	6.7	7.0	130					578450	36392	614840
75/03/20	0930		14.0	8.0	6.5	3.0	150	25.1		89.6	0.000	459120	30565	489690
75/04/14	1200		9.5	9.7	7.7	4.0	14	22.6		97.3	0.000	212500	21334	233830
75/05/13	1200		13.2	4.3	5.6	7.0	440	11.8		43.6	0.250	258730	25880	284610
75/06/11	0900		13.9	9.6	8.5	2.0	32	13.0		99.5	0.439	158040	31847	189990
75/07/24	1005		18.0	11.4	8.2	2.0	18	21.5		135.0		225770	28444	254210
75/08/13	0905		17.3	9.8	7.4	2.0	20	25.4		117.2	0.817	300060	30855	330920
75/09/18	1340		15.0	9.8	8.0	3.0	9	24.5		111.5	1.000	258260	30351	288610
75/10/16	1405		11.5	6.8	6.5	3.0	14	29.2		72.0		267250	33437	240680
75/11/21	0940		8.0	9.9	7.2	3.0	9	18.9		93.7		33669	22415	56084
75/12/17	1325		7.5	10.3	7.4	4.0	5	14.2		93.5		309060	34008	343070
76/01/22	1015		6.0	12.2	7.6	4.0	0	17.2		109.0	0.450	257980	37931	195910
76/02/19	0915		6.3	9.4	7.6	3.0	9	22.2		87.5	0.000	293710	33612	327320
76/03/18	0950		7.2	10.5	7.2	2.0	45	31.0		106.1	0.000	5500	50044	55544
76/04/22	1010		8.2	11.7	8.2	6.0	18	12.5	1.2	106.8	1.199	296710	35050	331760
76/05/19	1915		10.9	11.3	8.3	3.0	9	22.3	2.4	116.6	0.337	247730	40057	287730
76/06/08	1315		12.6	9.7	7.1	4.0	9	13.4	1.8	78.1	0.350	307740	34301	342940
76/07/20	1240		15.8	13.0	8.2	2.0	5	23.0	1.8	148.3	0.000	231390	40591	271930
76/08/24	1325		14.5	8.0	7.4	2.0	9	20.6	3.2	81.9	0.187	335360	38083	373450
76/09/16	1435		14.2	10.8	6.9	1.0	9	22.8	2.1	119.7	0.000	248360	41215	289570
76/10/21	1335		9.4	5.9	7.3	2.0	41	27.0	3.2	60.8		230050	38151	268200
76/11/23	1420		9.2	6.7	6.8	1.0	14	26.9	4.3	88.7		278930	36926	315860
76/12/15	1418		8.7	8.5	6.8	2.0	14	26.6	4.3	86.1		231890	38167	279050
77/01/13	1225		8.1	5.5	7.3	1.0	32	29.3	3.7	56.0		202780	40523	243310
77/03/24	0910		7.1	8.5	7.7	1.0	9	30.3	8.5	85.3	0.503	291520	37794	329310
77/04/27	1235		12.1	9.7	7.8	3.0	9		2.7		0.916	273640	39729	313370
77/05/11	1035		11.3	10.5	8.2	1.0	9	23.5	2.7	110.1	0.812	270770	39060	390830
77/06/13	1500		17.4	10.2	7.6	8.0	0	14.8	0.6	114.7	0.054	256590	38447	295040
77/07/21	0910		13.8	7.2	7.7	4.0	18	28.7	4.0	82.2		294670	44513	339180
77/08/18	0910		17.0	8.7	7.9	1.0	18	26.9	2.7	104.5		317150	42430	359500
77/09/15	0945		12.1	7.6	7.6	1.0	18	28.3	8.9	33.7		210120	36959	247080
77/10/12	1330		12.0	6.5	7.7	1.0	18	25.6	5.2	70.1		322740	19231	341970
77/11/08	1340		10.0	7.5	7.7	1.0	0	28.0	3.0	78.9		252220	49658	301880
77/12/20	1325		4.9	10.8	7.5	4.0	5	11.1	1.5	90.2		226900	42364	269260
78/01/12	1040		6.4	8.9	7.0	2.0	0	28.2	3.3	56.6		235100	38427	273530
78/02/15	1115		7.4	8.7	7.2	2.0	9	28.7	3.0	87.0		224410	42553	266760
78/03/31	1010		8.8	9.9	7.6	2.0	14	16.7	4.2	94.1	0.439	245920	39062	284980
78/04/13	0810		9.8	11.4	8.1	2.0	9	15.4	1.5	109.9		291660	36750	328410
78/05/03	1415		11.9	11.8	7.8	3.0	0	17.7	1.7	120.8	0.230	199370	45003	244370
78/06/26	0910		14.6	8.2	7.6	2.0	5	23.1	4.0	91.7	0.897	253790	35962	289750
78/07/28	1115		16.2	8.0	7.6	2.0	32	23.4	3.7	92.5	0.421	222490	43963	266450
78/08/22	1355		13.5	7.3	7.2	10.0M	9	18.3	2.5	77.5		124100	35009	159110
78/09/19	0915		12.4	7.3	7.8	1.0	0	16.3	5.0	74.8		6000	0	6000
78/10/13	1100		12.2	8.5	7.8	2.0	5	18.5	2.5	38.0		0	0	0
78/11/30	1340		8.7	7.0	7.5	2.0	9	28.4	2.3	71.8		3600	0	3600
78/12/19	0935		6.4	8.9	7.9	2.0	0	28.6	5.5	86.8	0.000	0	0	0
79/01/31	0935		4.9	9.2	7.7	2.0	5	28.7	7.5	86.7		0	0	0
79/02/26	1425		6.9	9.0	7.8	2.0	5M	27.0	6.0	87.8	0.000	107170	38802	145980
79/03/26	1400		9.3	9.0	7.3		18	21.7	4.5	89.4		317030	35675	352710
79/04/09	1430		9.8	11.2	7.9		18	26.1	3.0	115.8	0.353	100610	34680	135290
79/05/30	0935		13.5	10.7	8.3	14.0	5	19.4	4.0	116.0		89847	40208	130050
79/06/19	1345		12.8	9.3	7.9	1.0	5	24.0	4.5	100.9	0.358	95859	33531	129390
79/07/17	1340		21.2		7.8	1.0	9	19.7	4.0			178260	43217	221480
79/08/28	0920		14.2	6.3	7.6	1.0	23	26.4	2.4	71.4	0.096	171820	34856	206680
79/09/18	1555		15.0	8.9	8.2	2.0	5	26.4	2.2	102.5		126390	38493	164880
79/10/16	1430		11.9	5.3	7.6	3.0	28	28.0	3.8	58.0		130080	36066	166150
79/11/15	1330		8.7	6.5	7.4	2.0	23	28.8	8.1	66.9		173670	42680	216330
79/12/12	1325		6.8	10.1	7.5	5.0	5	14.3	1.2	90.2		196450	26152	222610
80/01/25	1050		4.8	10.3	7.9	3.0	5M	18.8	2.1	90.3		4425	11841	16266
80/02/22	1000		7.3	9.0	7.4	2.0	0	25.1	3.0	87.4		6308	7532	13840
80/03/17	0840		10.3	8.8	7.6	2.0	0	23.4	6.0	90.3		3289	7653	12942
80/04/21	1210		10.1	10.0	8.0	2.0	5	22.1	1.5	101.3	0.918	2950	6864	7814
80/05/21	1155		10.4	8.9	7.8	2.0	14	26.5	1.6	93.4		3090	4983	8073
80/06/23	1500		13.6	10.8	8.3	3.0	0	21.4	3.0	117.2	1.760	3325	7119	10444
80/07/22	1400		18.2	11.0		2.0	0	21.2	2.4	130.5		3389	6199	10088
80/08/29	0745		11.9	7.5		1.0	0	27.2	3.6	81.6	0.000	4340	7126	11466
80/10/07	1450		12.8	11.1	8.3	1.0	9	27.5	3.6	123.3		2767	11948	13815
80/11/20	1235		8.2	7.7	7.6	1.0	9	28.5	3.0	78.2		4398	7128	11526
80/12/15	1125		4.7	9.2	7.6	2.0	0	19.0	3.9	80.6		2491	4533	7024
81/03/13	1230		9.0	9.8	7.7		4	22.3	3.0	97.0		12573	7285	19838

Table 5b.

DATES: 74/01/01 TO 74/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN	DO PERCENT SATURATH	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHATE SULFATE PPT	SALINITY CONDUCTIVITY g/l
74/05/20	0915		12.4	6.4	40.7	5.2	3.0	495	15.0
74/06/13	0910		14.0	7.5	79.3	4.4	2.0	22	16.0
74/06/13	1420		17.0			7.2	1.0		21.0
74/09/10	0815		13.9	5.2	58.6	6.9	5.0	120	26.5
74/10/17	0945		11.5	2.3	25.0	7.1	3.0	293	28.4
74/11/13	1240		10.1	7.3	68.2	7.2	3.0	25	9.2
74/12/19	1000		8.3	7.0	69.5		3.0	95	25.0
NUMBER OF SAMPLES									
MAXIMUM VALUE									
MINIMUM VALUE									
ARITHMETIC MEAN									
GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN									
MEDIAN									
STANDARD DEV OF LOGS									
STANDARD DEVIATION									
VARIANCE									
COEFF OF VARIATION									
SUM OF VALUES									
MEAN + 2 STD DEV									
MEAN - 2 STD DEV									
GEOM MEAN + 2 STD DEV									
GEOM MEAN - 2 STD DEV									
SUM OF SQUARES									

DATES: 75/01/01 TO 75/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN	DO PERCENT SATURATH	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHATE SULFATE PPT	SALINITY CONDUCTIVITY g/l
75/01/16	0915		6.5	6.6		6.7	7.0	130	
75/03/20	0930		14.0	8.0	89.6	6.5	3.0	150	25.1
75/04/14	1200		9.5	9.7	97.3	7.7	4.0	14	22.6
75/05/13	1200		13.2	6.3	43.6	5.6	7.0	440	11.8
75/06/11	0900		13.9	9.6	99.5	6.5	2.0	32	13.0
75/07/24	1005		18.0	11.4	135.0	6.2	2.0	18	21.5
75/08/13	0905		17.3	9.8	117.2	7.4	2.0	20	25.4
75/09/18	1340		15.0	9.8	111.5	6.9	3.0	9	24.5
75/10/18	1405		11.5	6.0	72.0	6.5	3.0	14	29.2
75/11/21	0940		6.0	9.7	91.7	7.2	3.0	9	18.7
75/12/17	1325		7.5	10.3	93.5	7.4	4.0	5	14.2
NUMBER OF SAMPLES									
MAXIMUM VALUE									
MINIMUM VALUE									
ARITHMETIC MEAN									
GEOMETRIC MEAN									
LOG/GEOMETRIC MEAN									
MEDIAN									
STANDARD DEV OF LOGS									
STANDARD DEVIATION									
VARIANCE									
COEFF OF VARIATION									
SUM OF VALUES									
MEAN + 2 STD DEV									
MEAN - 2 STD DEV									
GEOM MEAN + 2 STD DEV									
GEOM MEAN - 2 STD DEV									
SUM OF SQUARES									

DATES: 76/01/01 TO 76/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN	DO PERCENT SATURATH	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHATE SULFATE PPT	SALINITY CONDUCTIVITY g/l	TRANSPAR SECCHI METERS
76/01/22	1015		6.0	12.2	109.0	7.6	4.0	0	17.2	
76/02/19	0915		4.3	9.6	87.5	7.6	3.0	9	22.2	
76/03/10	0950		7.2	10.5	106.1	7.2	2.0	6	45	
76/04/22	1010		8.2	11.7	106.8	8.2	6.0	18	12.5	1.2
76/05/19	1915		10.9	11.3	116.6	8.3	2.0	9	22.3	2.4
76/06/08	1315		12.6	9.7	98.1	7.1	4.0	9	13.4	1.8
76/07/20	1240		15.8	13.0	148.0	8.2	2.0	5	23.0	1.0
76/08/24	1325		14.5	3.0	87.9	7.4	2.0	9	20.6	3.2
76/09/16	1435		14.2	10.8	119.7	6.9	1.0	9	22.8	2.1
76/10/21	1335		9.4	5.9	60.8	7.3	2.0	41	27.0	3.2
76/11/23	1420		9.2	6.7	88.7	6.8	1.0	14	26.9	4.3
76/12/15	1418		8.7	8.5	86.1	6.8	2.0	14	26.6	4.3
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN + 2 STD DEV										
MEAN - 2 STD DEV										
GEOM MEAN + 2 STD DEV										
GEOM MEAN - 2 STD DEV										
SUM OF SQUARES										

DATES: 77/01/01 TO 77/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN	DO PERCENT SATURATH	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHATE SULFATE PPT	SALINITY CONDUCTIVITY g/l	TRANSPAR SECCHI METERS
77/01/13	1225		8.1	5.5	56.0	7.3	1.0	32	29.3	3.7
77/03/24	0910		7.1	4.5	85.3	7.7	1.0	9	30.1	6.5
77/04/22	1235		11.0	11.0	110.0	8.0	3.0	9	25.7	2.7
77/05/11	1035		11.3	10.5	110.1	8.2	1.0	9	23.5	2.7
77/06/13	1500		17.4	10.2	114.7	7.6	8.0	9	14.8	0.6
77/07/21	0910		13.0	7.2	82.2	7.7	4.0	18	28.7	4.0
77/08/18	0910		17.0	8.7	104.5	7.9	1.0	18	26.9	2.7
77/09/15	0945		12.1	7.8	83.7	7.6	1.0	18	28.3	8.9
77/10/12	1330		12.0	6.5	70.1	7.7	1.0	18	25.6	5.2
77/11/08	1340		10.0	7.5	78.9	7.7	1.0	0	28.9	3.0
77/12/20	1325		4.9	10.8	90.2	7.5	4.0	5	11.1	1.5
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN + 2 STD DEV										
MEAN - 2 STD DEV										
GEOM MEAN + 2 STD DEV										
GEOM MEAN - 2 STD DEV										
SUM OF SQUARES										

DATES: 78/01/01 TO 78/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN	DO PERCENT SATURATH	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHATE SULFATE PPT	SALINITY CONDUCTIVITY g/l	TRANSPAR SECCHI METERS
78/01/12	1040		6.4	8.9	86.6	7.0	2.0	0	28.2	3.3
78/02/15	1115		7.4	8.7	87.0	7.2	2.0	9	28.7	3.0
78/03/31	1010		8.8	9.9	94.1	7.6	2.0	14	16.7	4.2
78/04/13	0810		9.8	11.4	109.9	8.1	2.0	9	15.4	1.5
78/05/03	1415		11.9	11.8	120.8	8.0	3.0	9	17.7	1.7
78/06/26	0910		14.6	8.2	91.7	7.6	2.0	5	23.1	4.0
78/07/28	1115		16.2	8.0	92.5	7.6	2.0	32	23.4	3.7
78/08/22	1355		13.5	7.3	79.5	7.2	10.0	9	18.3	2.5
78/09/19	0915		12.4	7.1	76.8	7.8	1.0	0	14.3	5.0
78/10/13	1100		12.2	6.5	80.0	7.8	2.0	5	18.5	2.5
78/11/30	1340		8.7	7.0	71.8	7.5	2.0	9	28.4	2.3
78/12/19	0935		6.4	8.9	86.8	7.9	2.0	0	28.6	5.5
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN + 2 STD DEV										
MEAN - 2 STD DEV										
GEOM MEAN + 2 STD DEV										
GEOM MEAN - 2 STD DEV										
SUM OF SQUARES										

DATES: 79/01/01 TO 79/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN	DO PERCENT SATURATH	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHATE SULFATE PPT	SALINITY CONDUCTIVITY g/l	TRANSPAR SECCHI METERS
79/01/31	0935		4.9	9.2	96.7	7.7	2.0	5	28.7	7.5
79/02/26	1425		6.9	9.0	87.8	7.8	2.0	58	27.0	6.0
79/03/26	1400		9.3	7.9	81.4	7.3	1.0	18	21.7	1.5
79/04/19	1330		9.8	11.2	115.8	8.9	1.0	18	26.1	1.0
79/05/20	0935		13.5	10.7	116.0	8.3	14.0	5	19.4	4.0
79/06/19	1355		12.8	9.3	100.9	7.9	1.0	5	24.0	4.5
79/07/17	1340		11.2			7.8	1.0	9	19.7	4.0
79/08/28	0920		14.2	6.3	71.4	7.6	1.0	23	26.4	2.4
79/09/14	1555		15.0	8.9	102.5	8.2	2.0	5	24.4	2.2
79/10/16	1430		11.9	5.3	58.0	7.6	3.0	18	28.0	3.8
79/11/15	1330		6.7	6.5	66.9	7.4	2.0	33	28.8	6.1
79/12/12	1325		6.8	10.1	90.2	7.5	5.0	5	14.3	1.2
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN + 2 STD DEV										
MEAN - 2 STD DEV										
GEOM MEAN + 2 STD DEV										
GEOM MEAN - 2 STD DEV										
SUM OF SQUARES										

Table 5c.

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 PH STANDARD UNITS	00400 TURBIDITY NTU	00700 SWL TURBIDITY PBT	00760 SALINITY CONDUCTIVITY g/l	70305 TRANSPAR SECCHI METERS
75/01/16	0915			6.5	6.6		6.7	7.0	130	
76/01/22	1015			4.0	12.2	109.0	7.6	4.0	0	17.2
77/01/13	1225			8.1	5.5	58.0	7.3	1.0	32	29.3
78/01/12	1040			6.4	6.9	86.4	7.0	2.0	0	28.2
79/01/31	0935			4.9	9.2	86.7	7.7	2.0	5	28.7
80/01/25	1050			4.8	10.3	70.3	7.9	3.0	58	18.8
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
NEAR +2 STD DEV										
NEAR -2 STD DEV										
SD NEAR +2 STD DEV										
SD NEAR -2 STD DEV										
SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 PH STANDARD UNITS	00400 TURBIDITY NTU	00700 SWL TURBIDITY PBT	00760 SALINITY CONDUCTIVITY g/l	70305 TRANSPAR SECCHI METERS
76/02/19	0915			6.3	9.4	87.5	7.6	3.0	9	22.2
78/02/15	1115			7.4	8.7	87.0	7.2	2.0	9	28.7
79/02/26	1425			6.9	9.0	87.8	7.8	2.0	58	27.0
80/02/22	1000			7.3	9.0	87.4	7.4	2.0	9	25.1
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
NEAR +2 STD DEV										
NEAR -2 STD DEV										
SD NEAR +2 STD DEV										
SD NEAR -2 STD DEV										
SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 PH STANDARD UNITS	00400 TURBIDITY NTU	00700 SWL TURBIDITY PBT	00760 SALINITY CONDUCTIVITY g/l	70305 TRANSPAR SECCHI METERS
75/03/20	0930			14.0	8.0	85.8	6.5	3.0	150	25.1
76/02/18	0950			7.2	10.5	106.1	7.2	2.0	45	31.0
77/03/24	0910			7.1	8.5	85.3	7.7	1.0	9	30.3
78/02/21	1010			6.8	9.9	94.1	7.6	2.0	14	16.7
79/03/26	1400			9.3	9.0	89.4	7.3	1.0	18	21.7
80/03/17	0440			10.3	8.8	90.3	7.6	2.0	0	23.4
81/03/13	1230			9.0	9.8	97.0	7.7	3.0	4	22.3
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
NEAR +2 STD DEV										
NEAR -2 STD DEV										
SD NEAR +2 STD DEV										
SD NEAR -2 STD DEV										
SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 PH STANDARD UNITS	00400 TURBIDITY NTU	00700 SWL TURBIDITY PBT	00760 SALINITY CONDUCTIVITY g/l	70305 TRANSPAR SECCHI METERS
75/04/14	1200			9.5	9.7	97.3	7.7	4.0	14	22.4
76/04/22	1010			8.2	11.7	104.8	8.2	6.0	18	12.5
77/04/21	1230			12.1	9.7	97.8	7.8	3.0	9	2.7
78/04/13	0810			9.8	11.4	109.9	8.1	2.0	9	15.4
79/04/09	1430			9.8	11.2	115.8	7.9	1.0	18	24.1
80/04/21	1210			10.1	10.0	101.3	8.0	2.0	5	22.1
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
NEAR +2 STD DEV										
NEAR -2 STD DEV										
SD NEAR +2 STD DEV										
SD NEAR -2 STD DEV										
SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 PH STANDARD UNITS	00400 TURBIDITY NTU	00700 SWL TURBIDITY PBT	00760 SALINITY CONDUCTIVITY g/l	70305 TRANSPAR SECCHI METERS
74/05/20	0915			12.4	4.8	40.7	5.7	3.0	425	15.0
75/05/13	1200			13.2	4.3	43.0	5.6	7.0	440	11.8
76/05/19	1915			10.9	11.3	116.6	8.3	2.0	9	22.3
77/05/11	1035			11.3	10.5	110.1	8.2	1.0	9	23.5
78/05/03	1415			11.9	11.8	120.8	7.8	3.0	0	17.7
79/05/30	0925			13.5	10.7	116.0	8.3	14.0	5	19.4
80/05/21	1155			10.4	8.9	93.4	7.8	2.0	14	26.5
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
NEAR +2 STD DEV										
NEAR -2 STD DEV										
SD NEAR +2 STD DEV										
SD NEAR -2 STD DEV										
SUM OF SQUARES										

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATH	00301 PH STANDARD UNITS	00400 TURBIDITY NTU	00700 SWL TURBIDITY PBT	00760 SALINITY CONDUCTIVITY g/l	70305 TRANSPAR SECCHI METERS
74/06/13	0910			14.0	7.5	79.3	6.4	2.0	22	16.0
75/06/11	0900			13.9	9.6	99.5	8.5	2.0	52	13.0
76/06/08	1315			12.6	9.7	98.1	7.1	4.0	9	13.4
77/06/13	1500			17.4	10.2	114.7	7.6	4.0	9	14.8
78/06/26	0910			14.0	8.2	91.7	7.4	2.0	5	13.1
79/06/19	1345			12.8	9.3	100.9	7.9	1.0	5	24.0
80/06/23	1500			13.4	10.8	117.2	8.3	3.0	8	21.4
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
NEAR +2 STD DEV										
NEAR -2 STD DEV										
SD NEAR +2 STD DEV										
SD NEAR -2 STD DEV										
SUM OF SQUARES										

Table 5c, continued.

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATN	00301 pH STANDARD UNITS	00400 TURBIDITY NTU	00070 SWL TURBIDITY FTU	00760 SWL PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
75/07/24	1005		18.0	11.4	135.0	8.2	2.0	18	21.5		
76/07/20	1240		15.8	13.0	148.8	8.2	2.0	5	23.0		4.8
77/07/21	0910		13.8	7.2	82.2	7.7	4.3	18	28.7		1.6
78/07/28	1115		16.2	8.0	92.5	7.6	2.0	32	23.4		3.7
79/07/17	1340		21.2			7.8	1.0	9	19.7		4.9
80/07/22	1400		18.2	11.0	130.5		2.0	0	21.2		2.4
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD MEAN +2 STD DEV											
STD MEAN -2 STD DEV											
SUM OF SQUARES											

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATN	00301 pH STANDARD UNITS	00400 TURBIDITY NTU	00070 SWL TURBIDITY FTU	00760 SWL PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
74/08/12	1420		17.0			7.2	1.0				21.0
75/08/13	0905		17.3	9.8	117.2	7.4	2.0	20	25.4		
76/08/24	1325		16.5	8.0	87.9	7.4	2.0	9	20.6		3.2
77/08/18	0910		17.0	8.7	104.5	7.9	1.0	18	28.9		2.7
78/08/22	1355		13.5	7.3	77.5	7.2	10.0E	9	18.3		2.5
79/08/28	0920		14.2	6.3	71.4	7.6	1.0	23	26.4		2.4
80/08/29	0745		11.9	7.5	81.6		1.0	0	27.2		3.6
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD MEAN +2 STD DEV											
STD MEAN -2 STD DEV											
SUM OF SQUARES											

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATN	00301 pH STANDARD UNITS	00400 TURBIDITY NTU	00070 SWL TURBIDITY FTU	00760 SWL PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
74/09/18	0815		13.9	5.2	58.6	6.9	5.0	120	28.5		
75/09/18	1340		15.0	9.8	111.5	8.0	3.0	9	24.5		
76/09/16	1435		14.2	10.8	119.7	8.0	1.0	9	22.0		2.4
77/09/15	0945		12.1	7.6	83.7	7.6	1.0	18	25.3		8.9
78/09/19	0915		12.4	7.3	74.8	7.8	1.0		16.3		5.0
79/09/18	1555		15.0	8.9	102.5	8.2	2.0	5	26.4		2.2
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD MEAN +2 STD DEV											
STD MEAN -2 STD DEV											
SUM OF SQUARES											

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATN	00301 pH STANDARD UNITS	00400 TURBIDITY NTU	00070 SWL TURBIDITY FTU	00760 SWL PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
74/10/17	0945		11.5	2.3	25.0	7.1	3.0	293	23.4		
75/10/16	1405		11.5	4.5	72.0	6.5	3.0	14	29.2		
76/10/23	1335		9.4	5.9	89.0	7.3	2.0	41	27.0		3.2
77/10/12	1330		12.0	6.5	70.1	7.7	1.0	18	25.6		5.2
78/10/13	1100		12.2	6.5	88.0	7.8	2.0	5	18.5		2.5
79/10/16	1430		11.9	5.3	58.0	7.6	3.0	28	28.0		3.8
80/10/07	1450		12.8	11.1	123.3	8.3	1.0	9	27.5		1.6
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD MEAN +2 STD DEV											
STD MEAN -2 STD DEV											
SUM OF SQUARES											

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATN	00301 pH STANDARD UNITS	00400 TURBIDITY NTU	00070 SWL TURBIDITY FTU	00760 SWL PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
74/11/13	1240		10.1	7.3	86.2	7.2	3.0	25	9.2		
75/11/21	0940		8.9	8.9	95.7	7.2	2.0	9	18.9		
76/11/13	1420		9.2	8.7	86.7	8.8	1.0	14	24.9		4.3
77/11/08	1340		10.0	7.5	78.9	7.7	1.0	0	28.0		1.0
78/11/30	1340		8.7	7.0	71.5	7.5	2.0	9	20.4		2.2
79/11/15	1330		8.7	6.5	86.9	7.4	2.0	21	28.8		6.1
80/11/26	1235		8.2	7.7	78.2	7.6	1.0	4	28.5		3.0
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD MEAN +2 STD DEV											
STD MEAN -2 STD DEV											
SUM OF SQUARES											

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	00010 DISSOLVED OXYGEN mg/l	00300 DO PERCENT SATURATN	00301 pH STANDARD UNITS	00400 TURBIDITY NTU	00070 SWL TURBIDITY FTU	00760 SWL PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
74/12/19	1000		8.3	7.0	89.5		3.0			95	25.0
75/12/17	1325		7.5	10.3	93.5	7.4	4.0	5	14.2		1.2
76/12/15	1418		8.7	8.5	86.1	6.8	2.0	14	26.6		4.3
77/12/20	1325		4.9	10.8	90.2	7.5	4.0	5	11.1		1.5
78/12/19	0935		6.4	8.9	86.8	7.9	2.0	0	28.6		5.2
79/12/12	1325		6.8	10.1	79.2	7.5	5.0	5	14.3		1.5
80/12/15	1125		6.7	9.2	80.6	7.6	2.0	0	19.0		3.9
NUMBER OF SAMPLES											
MAXIMUM VALUE											
MINIMUM VALUE											
ARITHMETIC MEAN											
GEOMETRIC MEAN											
LOG/GEOMETRIC MEAN											
MEDIAN											
STANDARD DEV OF LOGS											
STANDARD DEVIATION											
VARIANCE											
COEFF OF VARIATION											
SUM OF VALUES											
MEAN +2 STD DEV											
MEAN -2 STD DEV											
STD MEAN +2 STD DEV											
STD MEAN -2 STD DEV											
SUM OF SQUARES											

78.99

78.99

Table 6a.

ECB202 ECOBAM AT WOODCHIP OFFLOADER

DATE FROM TO	TIRE DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SML PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCHI METERS	00301 DO PERCENT SATURATM	99001 SHANNON DIVERSITY INDEX	99002 OFFSHORE LOAD lb/day	99003 NEARSHORE LOAD lb/day	99004 TOTAL LOAD lb/day
74/05/23	0910	10.5	10.1	7.3	1.0	65	23.0		103.8				
74/05/28	0945	12.5	9.5	7.2	2.0	33	14.0		96.2	1.664	615900	35439	651340
74/06/13	0935	14.5	9.3	7.1	1.0	25	7.0		94.3	0.932	630160	37651	667820
74/08/12	1512	17.0		7.8	1.0		21.0		0.000		572680	39703	612590
74/09/18	0850	14.5	3.5	6.8	2.0	59	26.3		39.9	0.000	656580	37866	694450
74/10/17	1020	11.2	2.2	7.3	1.0	28	20.3		23.8	0.991	743030	39591	802630
74/11/13	1305	10.5	5.4	6.9	2.0	35	9.4		50.9		507130	34540	541670
74/12/19	1030	8.0	7.8		2.0	43	26.1		77.5		541640	40501	582140
75/01/16	0950	5.9	8.8	7.3	3.0	30	23.8		82.0	0.000	578450	36392	614840
75/03/20	1045	7.7	8.2	7.0	2.0	50	26.5		81.2		459120	30565	489690
75/04/14	1215	9.8	9.2	7.7	2.0	14	23.9		93.7	0.000	212500	21334	233830
75/05/13	1110	12.3	9.8	7.2	4.0	20	12.0		97.7	1.560	258730	25800	284610
75/06/11	0935	14.0	10.0	8.9	2.0	36	14.0		104.5	0.855	158040	31847	189990
75/07/24	1035	18.3	9.9	8.0	2.0	18	21.5		117.9	1.098	225770	28444	254210
75/08/13	0955	17.6	9.3	7.3	1.0	25	25.2		111.8	1.790	309060	30855	330920
75/09/18	1400	15.0	10.0	8.0	2.0	9	25.4		114.4	1.000	258260	30351	288610
75/10/16	1425	11.2	6.0	7.2	4.0	14	29.8		65.5		207250	33437	240680
75/11/20	1005	8.0	11.2	7.4	2.0	5	19.0		106.1		52343	23060	75403
75/12/17	1340	7.5	10.3	7.4	3.0	5	13.8		93.2	0.000	309060	34008	343070
76/01/22	0950	6.5	11.4	7.5	6.0	5	22.0		106.4	0.477	257980	37931	295910
76/02/19	0940	6.2	9.4	7.8	5.0	9	22.3		37.3	0.000	293710	33612	327320
76/03/18	0940	7.2	10.2	7.2	3.0	54	30.9		103.0		5500	50044	55544
76/04/22	1035	8.3	11.9	8.2	5.0	9	13.2	1.4	109.3	1.300	296710	35050	331760
76/05/19	0945	10.8	11.0	5.1	1.0	5	21.1	2.7	112.4	0.392	247730	40057	287780
76/06/08	1345	12.5	9.5	7.4	3.0	5	14.8	1.8	96.7	1.122	307740	34301	343040
76/07/20	1308	16.3	12.5	8.2	2.0	0	23.4	1.8	144.0	0.918	231390	40591	271980
76/08/24	1350	13.1	6.9	7.7	1.0	9	22.5	3.7	74.6		335360	38083	373450
76/09/16	1505	14.7	9.5	7.5	1.0	14	22.7	3.2	106.2	0.051	248360	41215	289570
76/10/21	1405	10.5	7.2	7.8	4.0	32	26.9	2.3	76.0		230050	38151	268200
76/11/23	1450	8.8	6.0	6.9	1.0	14	27.0	3.4	61.1	1.000	278930	36926	315860
76/12/15	1307	8.9	7.6	6.6	2.0	14	27.4		77.7		231890	38167	270050
77/01/13	1255	8.2	5.3	7.2	2.0	45	29.9	3.4	54.3		202780	40523	243310
77/02/25	1040	8.1	7.7	6.9	1.0	23	26.9	4.3	77.1	0.000	148870	35414	184280
77/03/24	0930	7.0	8.0	7.6	2.0	5	28.8	1.5	79.2	0.954	291520	37794	329310
77/04/27	1305	12.1	10.3	7.9	3.0	5		1.8		0.450	273640	39729	313370
77/05/11	1100	11.1	9.5	7.9	1.0	9	23.3	2.7	99.1	0.000	270770	39060	309830
77/06/13	1545	17.2	9.7	7.6	2.0	14	14.4	1.5	108.4	0.000	256590	38447	295040
77/07/21	0940	13.6	6.0	7.4	3.0	36	28.0	3.0	67.9	1.485	294670	44513	339180
77/08/18	0935	17.0	8.2	7.8	1.0	23	25.5	2.4	97.6		317150	42430	359580
77/09/15	1010	12.1	7.0	7.5	1.0	9	29.7	6.1	77.8	0.000	210120	38959	247080
77/10/12	1355	12.0	6.2	7.6	2.0	18	25.8	3.7	67.0		322740	19231	341970
77/11/08	1400	10.4	7.8	7.3	6.0	5	27.1	3.4	82.2		252220	49658	301880
77/12/20	1345	5.2	10.4	7.4	4.0	14	13.0	1.5	90.3		226900	42364	269260
78/01/12	1190	5.9	8.8	7.2	2.0	9	26.3	3.3	83.5		235100	38427	273530
78/02/15	1145	7.3	8.4	7.2	2.0	18	27.9	2.7	83.2	0.000	224410	42533	266960
78/03/31	1030	8.9	11.6	7.4	3.0	14	19.2	3.3	113.0	0.000	245920	39062	284980
78/04/13	0845	9.7	11.6	8.2	3.0	9	23.5	1.5	117.6		291660	38750	328410
78/05/03	1440	11.6	10.5	7.2	2.0	0	18.0	2.0	107.0	0.220	199370	45003	244370
78/06/26	0950	14.9	8.9	7.8	2.0	5	23.1	3.7	100.2	0.993	253790	35962	289750
78/07/28	1135	16.3	7.3	7.2	2.0	23	23.8	3.0	85.7	0.000	222490	43963	266450
78/08/22	1350	13.5	5.7	7.0	10.0K	14	18.5	2.3	60.6	0.000	124100	35009	159110
78/09/19	0945	12.5	7.6	7.8	2.0		16.4	4.0	78.1		6000	0	6000
78/10/13	1108	12.0	8.2	7.8	3.0	0	20.0	2.5	85.3		0	0	0
78/11/30	1400	8.7	6.8	7.7	3.0	5	29.0	3.0	70.0	0.000	3600	0	3600
78/12/19	1000	6.3	9.0	7.9	2.0	0	27.2	4.5	86.7	0.000	0	0	0
79/01/31	1000	4.9	8.8	7.7	3.0	0	28.9	6.0	83.1	0.000	0	0	0
79/02/26	1510	6.8	9.0	7.6	1.0	9K	27.2	5.5	87.7		107170	38802	145980
79/03/26	1420	9.2	8.5	7.3		18	24.3	4.5	85.7	0.000	317030	35675	352710
79/04/09	1445	9.2	11.3	7.8	1.0	14	25.3	2.5	114.7	1.000	100610	34680	135290
79/05/30	1005	13.5	11.0	8.3	16.0	9	21.3	3.0	120.0		89847	40208	130050
79/06/19	1405	12.8	8.6	7.9	1.0	5	25.9	3.6	93.3	0.357	95859	33531	129390
79/07/17	1410	21.8		7.9	1.0	5	19.5	3.5		1.252	178260	43217	221480
79/08/28	1015	15.2	6.4	7.6	1.0	5	26.3	2.1	73.9	0.666	171820	34856	206680
79/09/18	1615	16.3	11.2	8.3	2.0	5	25.3	1.8	131.4	0.000	126390	38493	164880
79/10/16	1500	11.8	5.3	7.5	2.0	32	28.5	3.0	58.1	1.000	130080	36066	166150
79/11/15	1350	8.0	5.9	7.3	2.0	28	27.6	2.8	59.3		173670	42660	216330
79/12/12	1345	5.8	10.6	7.5	5.0	14	11.2	1.2	90.6		196450	26152	222610
80/01/25	0955	5.0	10.0	7.9	2.0	5K	19.1	2.1	88.3		4425	11841	16266
80/02/22	1025	7.3	8.6	7.5	1.0	9	24.0	2.4	82.9		6308	7532	13840
80/03/17	0910	9.8	9.3	7.6	2.0	0	23.7	6.0	94.6	0.000	3289	9653	12940
80/04/21	1050	9.4	6.7	8.1	3.0	5	21.9	1.5	66.8	0.706	2950	8864	9814
80/05/21	1130	10.1	9.6	8.1	5.0	5	25.8	2.2	99.7	0.000	3090	4983	8073
80/06/23	1600	14.4	11.3	8.4	2.0	0	22.7	2.7	125.6		3325	7119	10444
80/07/22	1430	18.2	11.2		2.0	0	20.9	2.1	132.6	0.000	3889	6199	10088
80/08/29	1030	12.7	7.0		1.0	5	28.9	4.8	78.3		4340	7126	11466
80/10/07	1520	13.3	11.1	8.2	1.0	14	26.4	3.6	123.6		2767	11048	13815
80/11/20	1315	8.9	7.8	7.7	2.0	9	27.2		79.7		4398	7128	11526
80/12/15	1155	6.0	9.1	7.7	2.0	0	21.0	3.6	83.4		2491	4533	7024
81/03/13	1200	9.3	9.8	7.7		4	22.0	2.4	97.3		12573	7265	19838

Table 5b.

DATES: 74/01/01 TO 74/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATN	00400 PH STANDARD UNITS	00700 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCCHI METERS
74/05/23 0916	18.5	19.1	103.0	7.3	1.0	45	23.0	
74/05/28 0945	12.5	9.5	96.2	7.2	2.0	33	14.0	
74/06/13 0935	14.5	9.3	94.3	7.1	1.0	25	7.0	
74/06/12 1512	17.0			7.8	1.0		21.0	
74/09/14 0650	14.5	3.5	39.9	6.8	2.0	59	26.3	
74/10/17 1020	11.2	2.2	23.8	7.3	1.0	18	28.3	
74/11/12 1205	16.8	5.1	58.9	4.9	2.0	15	9.4	
74/12/19 1030	8.0	7.0	77.5		2.0	43	26.1	
NUMBER OF SAMPLES								
MAXIMUM VALUE								
MINIMUM VALUE								
ARITHMETIC MEAN								
GEOMETRIC MEAN								
LOG/GEOMETRIC MEAN								
MEDIAN								
STANDARD DEV OF LOGS								
STANDARD DEVIATION								
VARIANCE								
COEFF OF VARIATION								
SUM OF VALUES								
MEAN +2 STD DEV								
MEAN -2 STD DEV								
STD MEAN +2 STD DEV								
STD MEAN -2 STD DEV								
SUM OF SQUARES								

DATES: 75/01/01 TO 75/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATN	00400 PH STANDARD UNITS	00700 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCCHI METERS
75/01/16 0950		5.9	8.8	82.0	7.3	3.0	30	23.0
75/03/20 1045		7.7	8.2	81.2	7.0	2.0	50	26.5
75/04/14 1215		9.8	9.2	93.7	7.7	2.0	14	23.9
75/05/13 1110		12.3	9.8	97.7	7.2	4.0	28	12.0
75/06/11 0935		14.0	10.0	104.5	8.9	2.0	36	14.0
75/07/24 1025		10.3	9.9	117.9	8.0	2.0	18	21.5
75/08/13 0955		17.4	9.3	111.4	7.3	1.0	25	25.2
75/09/18 1400		45.0	10.0	114.4	8.0	2.0	9	29.4
75/10/16 1425		11.2	8.0	85.5	7.2	4.0	14	29.8
75/11/20 1045		8.0	11.2	104.1	7.4	2.0	5	19.0
75/12/17 1340		7.5	10.3	93.2	7.4	1.0	5	13.8
NUMBER OF SAMPLES								
MAXIMUM VALUE								
MINIMUM VALUE								
ARITHMETIC MEAN								
GEOMETRIC MEAN								
LOG/GEOMETRIC MEAN								
MEDIAN								
STANDARD DEV OF LOGS								
STANDARD DEVIATION								
VARIANCE								
COEFF OF VARIATION								
SUM OF VALUES								
MEAN +2 STD DEV								
MEAN -2 STD DEV								
STD MEAN +2 STD DEV								
STD MEAN -2 STD DEV								
SUM OF SQUARES								

DATES: 76/01/01 TO 76/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATN	00400 PH STANDARD UNITS	00700 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCCHI METERS
76/01/22 0950	6.5	11.4	106.4	7.5	6.0	5	22.0	
76/02/19 0940	4.2	9.4	97.3	7.8	5.0	9	22.3	
76/03/18 0940	7.2	10.2	103.0	7.2	3.0	54	38.9	
76/04/22 1035	8.3	11.9	109.3	8.2	1.0	9	11.2	1.4
76/05/19 0945	10.8	11.8	112.4	8.1	1.0	5	21.1	2.7
76/06/08 1345	12.5	9.5	94.7	7.4	1.0	5	16.0	1.8
76/07/20 1308	14.3	12.5	144.0	8.2	2.0	9	23.4	1.6
76/08/24 1350	13.1	4.9	74.4	7.7	1.0	9	22.5	3.7
76/09/14 1505	14.7	9.5	104.2	7.5	1.0	14	22.7	3.2
76/10/21 1405	10.5	7.2	74.0	7.8	4.0	32	26.9	2.3
76/11/23 1450	8.8	6.0	61.1	6.9	1.0	14	17.0	3.4
76/12/15 1307	8.9	7.6	77.7	6.6	2.0	14	27.4	
NUMBER OF SAMPLES								
MAXIMUM VALUE								
MINIMUM VALUE								
ARITHMETIC MEAN								
GEOMETRIC MEAN								
LOG/GEOMETRIC MEAN								
MEDIAN								
STANDARD DEV OF LOGS								
STANDARD DEVIATION								
VARIANCE								
COEFF OF VARIATION								
SUM OF VALUES								
MEAN +2 STD DEV								
MEAN -2 STD DEV								
STD MEAN +2 STD DEV								
STD MEAN -2 STD DEV								
SUM OF SQUARES								

DATES: 77/01/01 TO 77/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATN	00400 PH STANDARD UNITS	00700 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCCHI METERS
77/01/13 1255	4.2	5.3	56.3	7.2	2.0	45	29.9	3.4
77/02/25 1040	4.1	7.7	77.1	4.9	1.0	23	26.9	4.3
77/03/24 0930	7.0	8.0	79.2	7.4	2.0	5	28.8	1.5
77/04/27 1305	12.1	10.3		7.9	3.0	5		1.8
77/05/11 1100	11.1	9.5	99.1	7.9	1.0	9	23.3	2.7
77/06/13 1545	17.2	9.7	100.4	7.4	2.0	14	14.4	1.5
77/07/21 0940	13.0	6.0	67.9	7.4	3.0	36	28.6	3.0
77/08/18 0935	17.0	8.2	97.6	7.4	1.0	23	25.5	2.4
77/09/15 1010	12.1	7.0	77.8	7.5	1.0	9	29.7	6.1
77/10/12 1355	12.0	6.2	67.0	7.4	2.0	18	25.8	3.7
77/11/08 1400	10.4	7.0	82.2	7.3	6.0	5	27.1	3.4
77/12/20 1345	5.2	10.6	90.3	7.4	4.0	14	13.0	1.5
NUMBER OF SAMPLES								
MAXIMUM VALUE								
MINIMUM VALUE								
ARITHMETIC MEAN								
GEOMETRIC MEAN								
LOG/GEOMETRIC MEAN								
MEDIAN								
STANDARD DEV OF LOGS								
STANDARD DEVIATION								
VARIANCE								
COEFF OF VARIATION								
SUM OF VALUES								
MEAN +2 STD DEV								
MEAN -2 STD DEV								
STD MEAN +2 STD DEV								
STD MEAN -2 STD DEV								
SUM OF SQUARES								

DATES: 78/01/01 TO 78/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATN	00400 PH STANDARD UNITS	00700 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCCHI METERS
78/01/12 1100	5.9	8.8	83.5	7.2	2.0	9	26.3	3.3
78/02/15 1145	7.3	8.4	83.2	7.2	2.0	18	27.9	2.7
78/03/31 1030	8.9	11.6	113.0	7.4	3.0	14	19.2	3.3
78/04/13 0845	9.7	11.6	117.6	8.2	3.0	9	23.5	1.5
78/05/03 1440	11.3	10.5	107.0	7.2	2.0	9	18.0	2.0
78/06/26 0950	14.9	8.9	104.2	7.8	2.0	5	23.1	3.7
78/07/28 1020	14.6	7.0	85.2	7.9	2.0	20	19.4	3.0
78/08/22 1350	13.5	5.7	60.6	7.0	10.0	14	18.5	2.3
78/09/19 0945	12.5	7.6	78.1	7.8	2.0	16	14.4	4.0
78/10/13 1100	12.0	8.2	85.3	7.8	3.0	0	20.0	2.5
78/11/30 1400	8.7	6.8	70.0	7.7	3.0	5	29.0	3.0
78/12/19 1000	6.3	9.0	84.7	7.9	2.0	0	27.2	4.5
NUMBER OF SAMPLES								
MAXIMUM VALUE								
MINIMUM VALUE								
ARITHMETIC MEAN								
GEOMETRIC MEAN								
LOG/GEOMETRIC MEAN								
MEDIAN								
STANDARD DEV OF LOGS								
STANDARD DEVIATION								
VARIANCE								
COEFF OF VARIATION								
SUM OF VALUES								
MEAN +2 STD DEV								
MEAN -2 STD DEV								
STD MEAN +2 STD DEV								
STD MEAN -2 STD DEV								
SUM OF SQUARES								

DATES: 79/01/01 TO 79/12/31

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED OXYGEN	00301 DO PERCENT SATURATN	00400 PH STANDARD UNITS	00700 TURBIDITY TURBIDIMETER NTU	00760 SULFIDE PBI	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCCHI METERS
79/01/31 1000	4.9	8.0	83.1	7.7	3.0	9	28.9	6.0
79/02/26 1510	6.8	9.0	87.7	7.6	1.0	94	27.2	4.5
79/03/26 1420	9.2	8.5	85.7	7.3		18	24.3	3.2
79/04/09 1445	9.2	11.2	114.7	7.8	1.0	14	25.3	2.7
79/05/30 1005	13.5	11.0	120.0	8.3	10.0	9	21.3	3.0
79/06/19 1405	12.8	8.6	93.3	7.9	1.0	5	23.9	1.8
79/07/17 1418	21.8			7.9	1.0	5	19.5	2.5
79/08/28 1015	15.2	8.4	93.9	7.4	1.0	5	24.3	2.1
79/09/18 1615	16.3	11.2	131.4	8.3	2.0	5	25.3	1.8
79/10/17 1418	11.4	5.3	58.1	7.5	2.0	32	28.5	3.0
79/11/15 1350	8.0	5.9	59.3	7.3	2.0	28	27.4	2.4
79/12/12 1345	5.8	10.4	90.6	7.5	5.0	14	11.2	1.3
NUMBER OF SAMPLES								
MAXIMUM VALUE								
MINIMUM VALUE								
ARITHMETIC MEAN								
GEOMETRIC MEAN								
LOG/GEOMETRIC MEAN								
MEDIAN								
STANDARD DEV OF LOGS								
STANDARD DEVIATION								
VARIANCE								
COEFF OF VARIATION								
SUM OF VALUES								
MEAN +2 STD DEV								
MEAN -2 STD DEV								
STD MEAN +2 STD DEV								
STD MEAN -2 STD DEV								
SUM OF SQUARES								

Table 6c.

DATE FROM TO		00010 WATER TEMP DEPTH METERS DEG-C		00300 DISSOLVED OXYGEN OXYGEN EG/L		00301 DO PERCENT SATURATH		00400 pH STANDARD UNITS		00070 TURBIDITY TURBIDITY NTU		00760 SUL PBT EG/L		70305 SALINITY CONDUCTIVITY G/L		00078 TRANSPAR SECCHI METERS	
75/01/14 0950		5.9	8.8	82.0	7.1	3.0	30	23.0									
76/01/22 0950		6.5	11.6	106.4	7.25	6.0	5	22.0									
77/01/13 1255		6.2	5.3	56.3	7.2	2.0	45	20.9									
78/01/12 1100		5.9	6.8	83.5	7.2	2.0	9	26.3									
79/01/31 1000		4.9	6.8	83.1	7.7	3.0	0	28.9									
80/01/25 0955		5.0	10.0	88.3	7.9	2.0	58	19.1									
NUMBER OF SAMPLES		6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
MAXIMUM VALUE		8.20	11.60	106.40	7.90	6.00	45.00	29.90	6.00								
MINIMUM VALUE		4.90	5.30	54.30	7.20	2.00	0.00	19.10	2.10								
ARITHMETIC MEAN		6.07	8.85	82.93	7.47	3.00	15.67	25.00	3.70								
GEOMETRIC MEAN		5.97	8.63	81.37	7.46	2.75	3.39	24.70	3.45								
LOG/GEOMETRIC MEAN		1.79	2.15	4.40	2.01	1.01	1.22	3.21	1.24								
MEDIAN		5.90	8.00	83.00	7.40	2.30	7.90	25.05	3.35								
STANDARD DEV OF LOSS		0.19	0.23	0.22	0.04	0.43	3.32	0.17	0.13								
STANDARD DEVIATION		1.11	2.02	16.74	0.19	1.55	17.00	4.15	1.84								
VARIANCE		1.44	4.09	250.11	0.08	2.40	316.47	17.151	3.70								
COEFF OF VARIATION		19.91	32.84	29.10	3.05	51.44	113.59	16.404	44.41								
SUM OF VALUES		36.40	53.10	497.60	44.00	18.00	34.00	150.00	14.00								
MEAN +2 STD DEV		8.48	12.59	116.41	8.24	6.10	51.26	33.30	6.99								
MEAN -2 STD DEV		3.65	4.81	49.46	6.89	-0.10	-19.72	16.70	0.41								
SD MEAN +2 STD DEV		8.72	14.51	126.50	8.05	6.51	2610.21	34.77	8.15								
SD MEAN -2 STD DEV		4.09	5.13	52.34	6.91	1.16	0.00	17.55	1.46								
SUM OF SQUARES		228.12	499.37	42684.20	334.92	66.00	3056.00	2836.16	62.88								

DATE FROM TO		00010 WATER TEMP DEPTH METERS DEG-C		00300 DISSOLVED OXYGEN OXYGEN EG/L		00301 DO PERCENT SATURATH		00400 pH STANDARD UNITS		00070 TURBIDITY TURBIDITY NTU		00760 SUL PBT EG/L		70305 SALINITY CONDUCTIVITY G/L		00078 TRANSPAR SECCHI METERS	
75/01/14 1215		7.7	8.2	81.2	7.0	2.0	50	26.5									
76/02/18 0940		7.2	10.2	103.0	7.2	3.0	54	30.9									
77/02/24 0930		7.0	3.0	79.2	7.6	2.0	5	28.6									
78/02/23 1030		6.9	11.4	112.0	7.4	2.0	14	19.3									
79/02/26 1420		9.2	8.5	85.7	7.3		18	24.3									
80/03/17 0910		9.8	9.3	94.6	7.6	2.0	0	23.7									
81/03/13 1200		9.3	9.8	97.5	7.7		4	22.0									
NUMBER OF SAMPLES		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
MAXIMUM VALUE		9.80	11.60	113.00	7.70	3.00	54.00	30.90	6.00								
MINIMUM VALUE		7.00	8.00	79.20	7.00	2.00	0.00	19.20	1.50								
ARITHMETIC MEAN		8.44	9.37	93.46	7.40	2.40	20.71	25.66	3.54								
GEOMETRIC MEAN		8.38	9.30	92.78	7.40	2.35	4.90	24.78	3.17								
LOG/GEOMETRIC MEAN		2.13	2.23	4.53	2.00	0.84	1.59	3.21	1.15								
MEDIAN		8.90	9.30	94.60	7.40	2.00	14.00	24.30	3.10								
STANDARD DEV OF LOSS		0.14	0.13	0.13	0.03	0.27	3.20	0.16	0.54								
STANDARD DEVIATION		1.12	1.20	12.28	0.25	0.55	22.26	4.01	1.77								
VARIANCE		1.26	1.44	150.72	0.06	0.30	495.57	16.05	3.12								
COEFF OF VARIATION		13.28	13.68	13.14	3.40	22.82	107.47	15.99	49.92								
SUM OF VALUES		59.10	65.60	654.20	51.80	12.00	145.00	175.40	17.70								
MEAN +2 STD DEV		10.68	11.93	118.01	7.90	3.50	65.24	33.07	7.07								
MEAN -2 STD DEV		6.20	6.81	48.90	6.90	1.30	-23.81	17.04	0.01								
SD MEAN +2 STD DEV		10.99	12.14	120.38	7.97	3.67	2952.13	34.26	9.35								
SD MEAN -2 STD DEV		6.39	7.17	71.50	6.91	1.51	0.01	17.97	1.08								
SUM OF SQUARES		506.51	624.62	62043.78	383.70	30.00	5977.00	4481.32	75.15								

DATE FROM TO		00010 WATER TEMP DEPTH METERS DEG-C		00300 DISSOLVED OXYGEN OXYGEN EG/L		00301 DO PERCENT SATURATH		00400 pH STANDARD UNITS		00070 TURBIDITY TURBIDITY NTU		00760 SUL PBT EG/L		70305 SALINITY CONDUCTIVITY G/L		00078 TRANSPAR SECCHI METERS	
75/04/14 1215		9.8	9.2	93.7	7.7	2.0	14	23.9									
76/04/22 1035		8.3	11.9	109.3	8.2	3.0	9	13.2									
77/04/27 1305		12.1	10.3		7.9	3.0	5										
78/04/13 0845		9.7	11.0	117.6	8.2	3.0	7	23.0									
79/04/09 1445		9.2	11.3	114.7	7.8	1.0	14	25.3									
80/04/21 1050		9.4	6.7	66.8	8.1	3.0	5	21.9									
NUMBER OF SAMPLES		6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
MAXIMUM VALUE		12.10	11.90	117.60	8.20	3.00	14.00	25.30	2.50								
MINIMUM VALUE		8.30	6.70	66.80	7.20	1.00	5.00	13.20	1.40								
ARITHMETIC MEAN		9.75	10.17	100.42	7.98	2.83	9.33	21.56	1.74								
GEOMETRIC MEAN		9.69	9.98	98.41	7.98	2.84	8.57	21.62	1.70								
LOG/GEOMETRIC MEAN		2.27	2.30	4.59	2.08	0.93	2.15	3.85	0.33								
MEDIAN		9.55	10.80	100.20	8.00	3.00	9.00	23.50	1.50								
STANDARD DEV OF LOSS		0.12	0.22	0.22	0.03	0.54	0.66	0.27	0.24								
STANDARD DEVIATION		1.27	1.97	20.94	0.21	1.33	4.03	14.3	6.45								
VARIANCE		1.61	3.86	438.35	0.05	1.77	16.27	31.31	41.20								
COEFF OF VARIATION		13.02	19.33	20.85	7.88	44.91	43.21	22.39	25.49								
SUM OF VALUES		58.50	61.00	502.10	47.90	17.00	56.00	107.40	8.70								
MEAN +2 STD DEV		12.29	14.10	142.29	8.41	5.49	17.40	31.22	2.84								
MEAN -2 STD DEV		7.21	6.24	58.55	7.56	0.88	1.27	11.90	0.84								
SD MEAN +2 STD DEV		12.42	15.41	157.08	8.52	7.51	21.60	35.74	2.72								
SD MEAN -2 STD DEV		7.56	6.47	61.65	7.66	0.61	3.10	12.27	1.86								
SUM OF SQUARES		578.42	639.48	62174.27	362.63	57.00	604.60	2417.40	152.90								

DATE FROM TO		00010 WATER TEMP DEPTH METERS DEG-C		00300 DISSOLVED OXYGEN OXYGEN EG/L		00301 DO PERCENT SATURATH		00400 pH STANDARD UNITS		00070 TURBIDITY TURBIDITY NTU		00760 SUL PBT EG/L		70305 SALINITY CONDUCTIVITY G/L		00078 TRANSPAR SECCHI METERS	
74/05/23 0910		10.5	10.1	103.8	7.3	1.0	65	23.0									
74/05/28 0945		12.5	9.5	96.2	7.2	2.0	33	14.0									
75/05/13 1110		12.3	9.8	97.7	7.2	4.0	28	12.0									
76/05/19 0945		10.6	11.0	112.4	8.1	1.0	5	21.1									
77/05/11 1100		11.1	9.5	99.1	7.2	1.0	9	23.3									
78/05/02 1440		11.6	10.5	107.0	7.2	2.0	0	18.0									
79/05/30 1005		13.5	11.0	116.0	8.1	16.0	0	21.3									
80/05/21 1130		10.1	9.6	99.7	8.3	5.0	5	25.8									
NUMBER OF SAMPLES		8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
MAXIMUM VALUE		13.50	11.00	120.00	8.30	16.00	65.00	25.80	3.00								
MINIMUM VALUE		10.10	9.50	96.20	7.20	1.00											

Table 6c, continued.

DATE	TIME	DEPTH	TEMP	WATER	00300	00301	00400	00070	00760	70305	00078
FROM	TO	DEPTH	TEMP	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	TRANSPAR
TO		METERS	DEG-C		DTYSEM	PERCENT	STANDARD	TURBIDITY	PBI	CONDUCTIVITY	SECCCHI
					kg/l	SATURATH	UNITS	NTU	kg/l	g/l	METERS
75/07/24	1835		18.3		9.9	117.9	8.0	2.0	18	21.5	
76/07/20	1308		16.3		12.5	144.0	8.2	2.0	8	23.4	1.8
77/07/21	0940		13.6		6.0	67.9	7.4	3.0	36	28.0	3.0
78/07/28	1135		16.5		7.3	85.2	7.2	2.0	23	23.8	3.0
79/07/17	1410		21.8		11.2		7.9	1.0	5	19.5	3.5
80/07/22	1430		18.2		11.2	132.4		2.0	8	20.9	2.1
NUMBER OF SAMPLES											
MAXIMUM VALUE			21.80		12.50	144.00	8.20	3.00	36.00	28.00	3.50
MINIMUM VALUE			13.60		6.00	67.90	7.20	1.00	6.00	19.50	1.80
ARITHMETIC MEAN			17.45		9.38	109.52	7.74	2.00	13.67	22.85	2.48
GEOMETRIC MEAN			17.27		7.05	105.43	7.73	1.91	11.11	22.69	2.40
LOG/GEOMETRIC MEAN			2.85		2.26	4.44	2.05	0.45	0.10	1.12	0.94
MEDIAN			17.35		9.90	117.90	7.90	2.00	11.50	22.45	3.00
STANDARD DEV OF LOGS			0.16		0.30	0.32	0.05	0.36	4.24	0.13	0.28
STANDARD DEVIATION			2.73		2.69	32.08	0.42	0.63	14.51	2.99	0.70
VARIANCE			7.45		7.25	1028.67	0.18	0.40	208.67	8.72	0.50
COEFF OF VARIATION			15.44		28.69	29.29	5.45	31.62	186.20	13.07	26.31
SUM OF VALUES			104.70		44.92	547.60	38.70	12.00	82.00	137.10	13.40
MEAN +2 STD DEV			22.91		14.77	173.67	8.58	3.26	42.70	28.82	4.09
MEAN -2 STD DEV			11.99		4.00	45.37	6.90	0.74	15.36	16.88	1.27
GEQ MEAN +2 STD DEV			23.63		16.66	198.63	8.63	3.88	5383.24	29.23	6.54
GEQ MEAN -2 STD DEV			12.62		4.92	55.94	6.92	0.94	0.80	17.62	1.49
SUM OF SQUARES			1864.27		649.26	6488.62	380.25	26.00	2174.00	3177.31	37.90

DATE	TIME	DEPTH	TEMP	WATER	00300	00301	00400	00070	00760	70305	00078
FROM	TO	DEPTH	TEMP	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	TRANSPAR
TO		METERS	DEG-C		DTYSEM	PERCENT	STANDARD	TURBIDITY	PBI	CONDUCTIVITY	SECCCHI
					kg/l	SATURATH	UNITS	NTU	kg/l	g/l	METERS
74/08/12	1517		17.0							7.8	1.0
75/08/13	0955		17.6		9.3	111.8				7.3	1.0
76/08/24	1350		13.1		6.9	74.6	7.7	1.9	9	22.5	3.7
77/08/18	0935		17.0		6.2	97.6	7.8	1.0	23	25.5	2.4
78/08/22	1350		13.5		5.7	60.6	7.0	1.0	10.00	14	18.5
79/08/28	1015		15.2		6.4	73.9	7.6	1.0	5	26.3	2.1
80/08/29	1030		12.7		7.0	78.3			5	28.9	4.8
NUMBER OF SAMPLES											
MAXIMUM VALUE			17.60		9.30	111.80	7.80	2.00	10.00	25.00	28.90
MINIMUM VALUE			12.70		5.70	60.60	7.00	1.00	5.00	18.50	2.10
ARITHMETIC MEAN			15.16		7.27	87.80	7.53	2.29	13.50	23.99	3.04
GEOMETRIC MEAN			15.03		7.18	81.14	7.53	1.39	11.84	23.76	2.90
LOG/GEOMETRIC MEAN			2.71		1.97	4.40	2.02	0.33	2.40	3.17	1.87
MEDIAN			15.20		6.95	76.45	7.65	1.80	11.50	23.20	2.40
STANDARD DEV OF LOGS			0.14		0.17	0.22	0.04	0.87	0.72	0.15	0.36
STANDARD DEVIATION			2.87		1.27	18.54	0.32	3.40	8.40	3.52	1.16
VARIANCE			4.30		1.62	343.92	0.10	11.57	77.50	12.41	1.34
COEFF OF VARIATION			18.67		17.50	22.40	4.25	148.82	45.21	16.69	37.87
SUM OF VALUES			106.10		43.62	496.80	45.20	16.00	111.00	147.90	15.30
MEAN +2 STD DEV			19.30		9.81	119.89	8.17	9.09	31.11	31.03	5.38
MEAN -2 STD DEV			11.01		4.73	45.71	4.49	-4.52	-4.11	16.94	0.74
GEQ MEAN +2 STD DEV			19.81		10.10	125.66	8.21	7.92	46.18	32.17	5.91
GEQ MEAN -2 STD DEV			11.41		5.11	52.40	6.90	0.24	2.44	17.54	1.42
SUM OF SQUARES			1633.95		325.21	42854.62	341.02	106.00	1481.00	4181.69	52.19

DATE	TIME	DEPTH	TEMP	WATER	00300	00301	00400	00070	00760	70305	00078
FROM	TO	DEPTH	TEMP	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	TRANSPAR
TO		METERS	DEG-C		DTYSEM	PERCENT	STANDARD	TURBIDITY	PBI	CONDUCTIVITY	SECCCHI
					kg/l	SATURATH	UNITS	NTU	kg/l	g/l	METERS
74/09/18	0850		14.5		3.5	39.9	6.8	2.0	59	26.3	
75/09/18	1400		15.0		10.0	114.4	8.0	2.0	9	25.4	
76/09/16	1505		14.7		9.5	186.2	7.5	1.0	14	22.7	3.2
77/09/15	1010		12.1		7.0	77.8	7.5	1.0	9	29.7	6.1
78/09/19	0945		12.5		7.8	78.1	7.8	2.0	8	24.4	4.0
79/09/18	1615		16.3		11.2	131.4	8.3	2.0	5	25.3	1.8
NUMBER OF SAMPLES											
MAXIMUM VALUE			16.30		11.20	131.40	8.30	2.00	59.00	29.70	6.10
MINIMUM VALUE			12.10		3.50	39.90	6.80	1.00	5.00	16.40	1.80
ARITHMETIC MEAN			14.18		8.13	91.30	7.45	1.67	19.20	24.30	3.78
GEOMETRIC MEAN			14.11		7.64	85.37	7.44	1.59	12.73	23.91	3.44
LOG/GEOMETRIC MEAN			2.65		2.03	4.45	2.03	0.46	2.54	1.17	1.24
MEDIAN			14.60		8.55	92.15	7.45	2.00	9.00	25.35	3.60
STANDARD DEV OF LOGS			0.11		0.42	0.43	0.07	0.36	0.93	0.20	0.51
STANDARD DEVIATION			1.59		2.75	32.75	0.52	0.52	22.48	4.48	1.80
VARIANCE			2.54		7.56	1072.42	0.27	0.27	500.29	26.67	3.23
COEFF OF VARIATION			11.23		33.80	35.87	6.75	30.96	117.07	18.44	47.60
SUM OF VALUES			85.10		48.80	547.80	45.90	10.00	96.00	145.10	15.10
MEAN +2 STD DEV			17.37		13.63	156.60	8.68	2.70	44.15	33.26	7.37
MEAN -2 STD DEV			11.00		2.63	25.80	6.62	0.63	-25.75	15.34	0.18
GEQ MEAN +2 STD DEV			17.23		17.70	200.79	8.76	3.25	82.12	35.95	9.52
GEQ MEAN -2 STD DEV			11.23		3.29	36.29	6.45	0.78	1.97	15.90	1.25
SUM OF SQUARES			1219.69		434.70	55376.22	352.47	18.00	3864.00	2643.28	66.69

DATE	TIME	DEPTH	TEMP	WATER	00300	00301	00400	00070	00760	70305	00078
FROM	TO	DEPTH	TEMP	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	TRANSPAR
TO		METERS	DEG-C		DTYSEM	PERCENT	STANDARD	TURBIDITY	PBI	CONDUCTIVITY	SECCCHI
					kg/l	SATURATH	UNITS	NTU	kg/l	g/l	METERS
74/10/17	1020		11.2		2.2					7.3	1.0
75/10/16	1425		11.2		6.0	65.5	7.2	4.0	14	29.8	
76/10/21	1405		16.6		7.0	74.0	7.4	4.0	10	24.0	7.7
77/10/12	1355		12.0		6.2	67.0	7.4	2.0	18	25.0	3.7
78/10/13	1108		12.0		6.2	65.3	7.8	1.0	8	28.0	2.5
79/10/16	1500		11.8		5.3	58.1	7.5	2.0	32	28.5	3.0
80/10/07	1520		13.3		11.1	123.6	8.2	1.0	14	26.4	3.8
NUMBER OF SAMPLES											
MAXIMUM VALUE			13.30		11.10	123.60	8.20	4.00	32.00	29.80	3.70
MINIMUM VALUE			10.50		2.20	23.80	7.20	1.00	9.00	20.00	2.30
ARITHMETIC MEAN			11.71		6.40	71.33	7.63	2.43	19.71	26.53	3.02
GEOMETRIC MEAN			11.69		6.01	64.92	7.62	0.72	16.53	26.24	2.97
LOG/GEOMETRIC MEAN			2.46		1.79	4.17	2.03	0.15	1.86	3.27	1.69
MEDIAN			11.80		6.20	67.00	7.60	2.00	18.00	26.90	3.00
STANDARD DEV OF LOGS			0.27		0.51	0.51	0.04	0.59	3.19	0.13	0.21
STANDARD DEVIATION			0.88		2.73	12.10	0.34	1.27	11.74	3.19	0.64
VARIANCE			0.78		7.46	106.00	0.12	1.67	137.96	10.17	0.40
COEFF OF VARIATION			7.55		41.37	42.20	4.46	52.39	59.57	12.02	20.86
SUM OF VALUES			82.00		46.20	499.30	52.40	17.00	138.00	185.70	15.10
MEAN +2 STD DEV			13.48		12.06	131.53	8.31	4.97	43.20	32.91	4.28
MEAN -2 STD DEV			9.95		1.14	11.13	6.95	-0.12	-3.77	20.10	1.76
GEQ MEAN +2 STD DEV			13.54		14.59	178.50	8.33	6.85	3882.00	34.25	4.54
GEQ MEAN -2 STD DEV			10.87		2.19	23.41	6.88	1.61	2.01	20.26	1.94
SUM OF SQUARES			965.26		349.68						

Table 7a.

ECB203 ECOBAM NEAR PIERS 1 & 3

DATE FROM TO	TIRE	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SWL PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCHI METERS	00301 DO PERCENT SATURATN	99001 SHANNON DIVERSITY INDEX	99002 OFFSHORE LOAD lb/day	99003 NEARSHORE LOAD lb/day	99004 TOTAL LOAD lb/day
74/05/28	1025		12.3	9.1	7.2	2.0	30	14.0		91.8	0.998	615900	35439	651340
74/06/13	1010		14.2	9.1	7.2	1.0	23	6.0		91.2	0.439	630100	37651	667820
74/08/12	1545		16.0		7.8	1.0		23.0			0.722	572880	39703	612580
74/09/18	0920		14.5	2.6	6.9	3.0	90	27.4		29.8	0.916	656580	37666	694450
74/10/17	1050		11.5	2.3	7.1	1.0	28	28.3		25.0		763030	39591	807630
74/11/15	1320		11.0	6.0	7.1	2.0	35	25.0		63.2		507130	34540	541670
74/12/19	1100		8.2	6.8		3.0	65	26.1		67.9		541660	40501	582140
75/01/16	1015		7.0	7.0	7.2	4.0	45	26.7		68.3	0.000	578450	36392	614840
75/03/20	1020		7.7	8.5	7.2	1.0	14	26.8		84.3	0.000	459120	30565	489690
75/04/14	1235		9.3	8.5	7.4	2.0	18	25.9		86.8		212500	21334	23834
75/05/13	0915		11.4	9.3	6.8	3.0	26	12.7		91.3	0.288	298730	25880	284610
75/06/11	1000		14.0	10.3	7.8	2.0	18	13.5		107.3	0.817	158040	31847	189990
75/07/24	1100		17.9	11.5	8.0	2.0	18	21.3		135.7	0.263	225770	28444	254210
75/08/13	1030		17.1	8.6	7.2	1.0	33	25.8		102.8	0.180	300060	30855	330920
75/09/18	1420		16.0	10.0	7.6	2.0	18	25.6		116.8	0.000	258260	30351	288610
75/10/16	1450		11.5	5.8	7.2	4.0	80	29.3		63.5	0.000	207250	33437	240680
75/11/20	1035		8.0	12.4	7.5	2.0	5	16.6		115.6	0.000	52343	23060	75403
75/12/17	1335		7.0	10.8	7.5	4.0	14	13.7		96.6	0.000	309060	34008	343070
76/01/22	1035		6.9	10.4	7.6	4.0	0	20.7		97.2		257980	37931	295910
76/02/19	1005		6.4	9.4	7.7	3.0	9	23.2		88.3		293710	33612	327320
76/03/18	1040		7.2	9.8	7.0	2.0	36	30.9		99.0	1.000	5500	50044	55544
76/04/22	1110		8.8	11.7	8.2	3.0	9	13.8	1.8	109.1	1.495	296710	35050	331760
76/05/05	1400		10.4	9.1	8.4	5.0	9	12.0		87.0	1.000	284410	18853	303260
76/06/08	1410		12.6	9.5	7.4	3.0	9	16.0	1.8	97.6	0.702	307740	34301	342040
76/07/20	1325		16.3	11.6	8.2	2.0	5	22.3	2.1	133.5	0.431	231390	40591	271980
76/08/24	1400		12.7	6.3	7.5	1.0	14	23.1	2.7	67.8	1.061	335360	38083	373450
76/09/16	1535		14.4	9.1	7.4	1.0	14	23.2	2.7	101.5	0.107	248360	41215	289570
76/10/21	1435		10.3	5.0	7.4	2.0	50	27.6	1.8	52.8		230050	38151	268200
76/11/24	1510		8.4	6.0	7.1	1.0	18	26.8	2.7	60.5		248280	36417	315860
76/12/15	1322		8.7	7.8	6.9	3.0	41	28.6		80.1		231890	38167	270050
77/01/13	1320		8.3	5.1	6.9	5.0	72	29.8	1.8	52.4		202780	40523	243310
77/02/25	1105		8.7	6.2	6.6	2.0	45	26.0	1.8	62.5	0.918	148870	35414	184820
77/03/24	0950		7.0	7.8	7.0	1.0	5	29.2	2.4	77.5	0.000	291520	37794	329310
77/04/27	1335		12.2	10.0	7.8	2.0	9		1.8		0.942	273640	39729	313370
77/05/11	1230		11.2	8.2	7.5	2.0	28	23.4	2.1	85.8	0.000	270770	39060	309830
77/06/13	1620		17.8	9.9	7.7	1.0	18	18.3	2.3	114.5	1.459	256590	38447	295040
77/07/21	1015		14.0	4.5	7.2	4.0	59	28.3	1.8	51.4	0.720	294670	44513	339180
77/08/18	1010		16.8	7.7	7.8	1.0	28	27.1	1.8	92.2	0.035	317150	42430	359580
77/09/13	1045		11.9	4.8	7.0	1.0	32	28.9	3.7	52.8	0.150	210120	36959	247080
77/10/12	1415		12.0	6.3	7.6	1.0	23	25.3	3.0	67.8		322740	19231	341970
77/11/08	1425		10.3	6.0	7.1	3.0	9	28.2	1.8	63.6	0.000	252220	49658	301880
77/12/20	1400		5.5	10.7	7.4	3.0	18	13.4	1.5	92.1	1.000	226900	42364	269260
78/01/12	1125		5.9	8.8	7.3	2.0	5	27.6	2.7	84.3	0.000	235100	38427	273530
78/02/15	1210		7.5	8.5	7.1	3.0	5	30.7	2.4	86.3	0.985	224410	42553	266960
78/03/31	1100		8.8	8.8	7.4	2.0	14	17.6	2.7	84.1	0.811	245920	39062	284980
78/04/13	0905		9.6	9.0	7.7	3.0	18	23.5	2.0	91.0	0.000	291660	36750	328410
78/05/03	1510		11.4	10.3	7.0	2.0	0	19.3	1.5	105.4	0.140	199370	45003	244370
78/06/26	1020		14.8	8.5	7.6	1.0	5	23.3	2.5	95.6	0.942	253790	35962	289750
78/07/28	1155		17.8	7.2	7.4	2.0	18	23.9	2.0	86.2	0.254	222490	43963	266450
78/08/22	1320		13.3	5.7	6.8	10.0	14	17.8	2.5	60.1		124100	35009	159110
78/09/19	1010		12.7	7.2	7.8	1.0		16.5	3.5	74.4		6000	0	6000
78/10/13	1113		12.2	7.7	7.8	4.0	5	20.4	2.5	80.7		0	0	0
78/11/30	1425		8.6	7.0	7.7	3.0	5	27.8	2.0	71.3	0.000	3600	0	3600
78/12/19	1015		6.8	6.2	8.0	2.0	0	29.1	4.5	81.0	0.000	0	0	0
79/01/31	1020		5.2	8.2	7.6	3.0	5	29.4	5.0	78.2	0.000	0	0	0
79/02/26	1530		7.1	8.4	7.3	3.0	23	26.8	2.0	82.2		107170	38802	145980
79/03/26	1440		8.6	6.1	7.2	1.0	18	24.0	2.5	80.4	0.000	317030	35675	352710
79/04/09	1500		8.6	9.0	7.5	4.0	36	26.1	2.2	90.6	0.000	100610	34680	135290
79/05/30	1030		14.5	10.5	8.2	14.0	5	19.3	3.5	116.0	0.905	89847	40208	130050
79/06/19	1430		13.1	8.3	7.7	1.0	14	24.1	3.0	90.7	0.379	95859	33531	129390
79/07/17	1420		19.4		7.7	1.0	5	20.5	3.5		0.000	178260	43217	221480
79/08/28	1050		14.9	5.8	7.4	2.0	18	26.7	2.2	66.8	0.345	171820	34856	206880
79/09/18	1650		15.8	9.6	7.7	2.0	27	26.0	1.5	112.0	1.107	126390	38493	164880
79/10/16	1525		11.8	5.5	7.4	3.0	32	28.6	2.7	60.3	0.983	130080	36066	166150
79/11/15	1425		8.5	4.0	7.0	2.0	59	28.6	1.5	40.3	0.000	173670	42660	216330
79/12/12	1405		6.5	9.3	7.3	6.0	14	15.8	1.0	83.3	0.000	196450	26152	222610
80/01/25	1015		5.3	9.8	7.8	2.0	9	19.4	1.8	87.4	0.000	4425	11841	16266
80/02/22	1045		7.4	8.5	7.5	4.0	9	23.6	2.4	81.9		6308	16510	13840
80/03/17	0940		12.0	8.7	7.5	2.0	0	25.0	3.0	89.7	0.000	3289	9653	12942
80/04/21	1140		8.2	10.2	8.2	2.0	0	20.6	2.3	98.1	0.276	2950	8664	7814
80/05/21	1100		10.3	9.6	7.9	4.0	0	24.1	2.8	99.0		3090	4983	8073
80/06/23	1640		14.4	10.4	8.2	2.0	0	21.9	2.7	115.5		3325	7119	10444
80/07/22	1500		17.7	10.8		2.0	0	25.2	2.4	130.0		3889	6199	10088
80/08/29	1105		13.5	8.3		2.0	14	27.9	2.7	76.8	0.000	4340	7126	11466
80/10/07	1540		13.1	12.3	8.2	1.0	28	26.2	2.7	136.2		2767	11048	13815
80/11/20	1345		7.4	8.0	7.7	3.0	32	28.2		79.6		4398	7128	11526
80/12/15	1210		5.9	9.3	7.8	2.0	0	20.0		84.5		2491	4533	7024
81/03/13	1130		9.1	9.2	7.7		8	23.6	2.6	92.1		12573	7265	19838

Table 7b.

DATES: 74/01/01TO 74/12/31

DATE FROM TO	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	DO PERCENT SATURATN	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHIDE PBI mg/l	SALINITY CONDUCTIVITY g/l	TRANSPAR SECCHI METERS
74/05/28 1025	12.3	9.1	91.8	7.2	2.0	30	14.0		
74/06/13 1010	14.2	9.1	91.2	7.2	1.0	23	4.0		
74/06/22 1545	16.0								
74/07/18 0920	14.5	2.4	29.8	6.9	3.0	90	27.4		
74/10/17 1850	11.5	2.3	25.0	7.1	1.0	28	3.0		
74/11/13 1320	11.0	4.0	43.2	7.1	2.0	35	25.0		
74/12/19 1100	8.2	4.8	67.9		3.0	45	26.1		
NUMBER OF SAMPLES 7 6 6 6 6 7 6 7 0									
MAXIMUM VALUE 16.00 9.10 91.80 7.80 3.00 90.00 28.30									
MINIMUM VALUE 8.20 2.30 25.00 6.90 1.00 23.00 4.00									
ARITHMETIC MEAN 12.53 5.98 41.44 7.27 1.84 45.17 71.40									
GEOMETRIC MEAN 12.28 5.22 54.69 7.21 1.67 39.77 19.24									
LOG/GEOMETRIC MEAN 2.51 1.65 4.00 1.98 0.51 3.68 2.96									
MEDIAN 12.30 6.40 65.55 7.15 2.00 32.50 25.00									
STANDARD DEV OF LOGS 0.22 0.61 0.56 0.84 0.51 0.53 0.57									
STANDARD DEVIATION 2.61 3.00 28.92 0.31 0.90 28.54 8.30									
VARIANCE 6.82 9.02 836.23 0.89 0.81 784.57 68.86									
COEFF OF VARIATION 26.44 50.20 497.43 4.24 40.45 286.27 36.74									
SUM OF VALUES 87.70 35.70 346.90 43.30 13.00 271.00 149.00									
MEAN +2 STD DEV 17.25 11.99 119.32 7.83 3.66 98.25 38.00									
MEAN -2 STD DEV 7.31 -0.42 3.65 6.60 0.06 -7.92 4.00									
GED MEAN +2 STD DEV 19.18 17.70 168.28 7.83 4.40 115.77 59.74									
GED MEAN -2 STD DEV 7.86 1.54 17.78 6.84 0.61 13.66 6.70									
SUM OF SQUARES 1139.67 259.91 26842.37 312.95 29.00 15763.00 3618.86									

DATES: 76/01/01TO 76/12/31

DATE FROM TO	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	DO PERCENT SATURATN	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHIDE PBI mg/l	SALINITY CONDUCTIVITY g/l	TRANSPAR SECCHI METERS
76/01/22 1035	6.9	10.4	97.2	7.6	4.0	0	20.7		
76/02/19 1005	4.4	9.4	88.3	7.7	3.8	0	23.2		
76/03/18 1040	7.2	9.8	99.0	7.8	2.0	36	38.9		
76/04/22 1110	8.8	11.7	109.1	8.2	3.0	9	18.8		1.0
76/05/05 1400	10.4	9.1	87.0	8.4	5.0	9	10.8		
76/06/08 1410	12.0	9.5	97.4	7.4	3.0	9	16.0		1.0
76/07/20 1325	16.3	11.6	133.5	8.2	2.0	5	22.3		2.1
76/08/24 1400	12.7	6.3	67.8	7.5	1.0	14	23.1		2.7
76/09/16 1550	14.4	9.4	149.5	7.4	1.0	14	29.2		2.7
76/10/21 1435	10.3	5.0	52.8	7.4	2.0	50	27.4		1.8
76/11/24 1510	8.4	6.0	40.5	7.1	1.0	18	24.8		2.7
76/12/15 1322	8.7	7.8	80.1	6.9	3.0	41	28.4		
NUMBER OF SAMPLES 12 12 12 12 12 12 12 7									
MAXIMUM VALUE 16.30 11.70 133.50 8.40 5.00 50.00 30.90 2.70									
MINIMUM VALUE 4.40 5.00 52.80 6.90 1.00 0.00 12.00 1.80									
ARITHMETIC MEAN 10.26 8.81 89.53 7.57 2.50 17.83 22.35 2.23									
GEOMETRIC MEAN 9.84 8.54 84.88 7.55 2.20 7.49 21.53 2.19									
LOG/GEOMETRIC MEAN 2.29 2.14 4.46 2.02 0.79 2.04 3.07 0.78									
MEDIAN 9.55 9.25 92.75 7.45 2.50 11.50 22.15 2.10									
STANDARD DEV OF LOGS 0.20 0.27 0.26 0.04 0.55 2.42 0.20 0.20									
STANDARD DEVIATION 1.14 2.14 22.23 0.44 1.24 15.74 5.91 6.45									
VARIANCE 0.88 4.58 494.01 0.24 1.55 247.79 34.98 0.21									
COEFF OF VARIATION 10.64 24.29 24.82 0.41 49.73 88.27 26.44 20.25									
SUM OF VALUES 123.10 105.70 1074.40 90.80 30.00 214.00 268.20 15.60									
MEAN +2 STD DEV 16.54 13.09 133.99 8.54 4.99 49.32 34.18 1.14									
MEAN -2 STD DEV 3.97 4.53 45.08 6.60 0.01 -13.65 10.52 1.32									
GED MEAN +2 STD DEV 17.94 14.40 146.52 8.57 6.59 667.63 34.97 3.29									
GED MEAN -2 STD DEV 5.40 5.00 51.52 6.65 0.71 6.84 11.96 1.44									
SUM OF SQUARES 1371.45 981.41 101628.74 689.64 92.80 4542.90 6379.95 36.00									

DATES: 78/01/01TO 78/12/31

DATE FROM TO	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	DO PERCENT SATURATN	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHIDE PBI mg/l	SALINITY CONDUCTIVITY g/l	TRANSPAR SECCHI METERS
78/01/12 1125	5.9	8.8	84.3	7.3	2.0	5	27.6		2.7
78/02/15 1210	7.5	8.5	86.3	7.1	3.0	5	30.7		2.4
78/03/31 1100	8.8	8.8	84.1	7.4	2.0	14	17.6		2.7
78/04/13 0905	9.4	9.0	91.0	7.7	3.0	18	23.5		2.0
78/05/03 1510	11.4	10.3	105.4	7.8	2.0	0	19.3		1.5
78/06/28 1020	14.8	8.5	95.6	7.4	1.0	5	23.3		2.5
78/07/28 1555	17.4	7.7	84.7	7.4	0.0	18	31.9		2.8
78/08/22 1320	13.3	5.7	40.1	6.8	10.0	14	17.8		2.5
78/09/19 1010	12.7	7.2	74.4	7.4	1.0	16	16.5		3.5
78/10/13 1113	12.2	7.7	80.7	7.8	4.0	5	20.4		2.5
78/11/30 1425	8.4	7.0	71.3	7.7	3.0	5	27.3		2.0
78/12/19 1015	6.8	8.2	81.0	8.0	2.0	9	29.1		4.5
NUMBER OF SAMPLES 12 12 12 12 12 11 12 12									
MAXIMUM VALUE 17.80 10.30 105.40 8.00 10.00 18.00 30.70 4.50									
MINIMUM VALUE 5.90 5.71 40.10 6.80 1.00 0.00 16.50 1.50									
ARITHMETIC MEAN 10.78 8.08 83.37 7.47 2.92 8.89 23.13 2.37									
GEOMETRIC MEAN 10.26 8.00 82.59 7.46 2.39 2.17 22.65 2.47									
LOG/GEOMETRIC MEAN 2.03 2.08 4.41 0.81 0.87 0.77 1.12 0.90									
MEDIAN 10.50 8.25 84.20 7.50 2.80 5.00 23.40 2.50									
STANDARD DEV OF LOGS 0.33 0.15 0.14 0.05 0.61 1.05 0.21 0.28									
STANDARD DEVIATION 1.25 1.19 11.44 0.37 2.39 6.47 4.87 0.79									
VARIANCE 12.58 1.42 135.59 0.13 5.72 44.49 23.69 0.62									
COEFF OF VARIATION 12.89 14.73 13.97 0.49 82.00 82.44 21.05 30.60									
SUM OF VALUES 129.40 96.95 1000.40 89.60 35.00 89.00 277.50 10.80									
MEAN +2 STD DEV 17.88 10.46 106.46 8.20 7.70 21.43 32.86 4.14									
MEAN -2 STD DEV 3.69 5.70 60.08 6.74 -1.87 -5.25 12.39 1.00									
GED MEAN +2 STD DEV 19.99 10.86 110.24 8.23 8.16 971.59 34.70 4.35									
GED MEAN -2 STD DEV 5.26 5.89 61.88 6.76 0.70 0.00 14.79 1.40									
SUM OF SQUARES 1533.72 798.86 146911.50 670.48 165.00 1165.00 6677.75 85.84									

DATES: 75/01/01TO 75/12/31

DATE FROM TO	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	DO PERCENT SATURATN	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHIDE PBI mg/l	SALINITY CONDUCTIVITY g/l	TRANSPAR SECCHI METERS
75/01/16 1015		7.0	8.0	68.3	7.2	4.0			4.5
75/03/20 1020		7.7	8.5	84.3	7.2	1.0			14
75/04/11 1235		9.3	9.5	84.4	7.4	2.0			18
75/05/13 0915		11.4	9.3	91.3	6.8	3.0			26
75/06/11 1000		14.0	10.3	107.3	7.4	2.0			18
75/07/24 1100		17.9	11.5	135.7	8.0	2.0			18
75/08/13 1030		17.1	8.6	102.8	7.2	1.0			33
75/09/18 1420		16.0	10.0	116.8	7.4	2.0			18
75/10/16 1450		11.5	5.8	63.5	7.2	4.0			80
75/11/20 1035		8.0	12.4	115.6	7.5	2.0			5
75/12/17 1335		7.0	10.8	94.6	7.5	4.0			14
NUMBER OF SAMPLES 11 11 11 11 11 11 11									
MAXIMUM VALUE 17.90 12.40 135.70 8.00 10.00 60.00 21.30									
MINIMUM VALUE 7.00 5.00 63.50 6.80 1.00 5.00 12.70									
ARITHMETIC MEAN 11.54 9.34 97.18 7.40 2.85 24.27 21.83									
GEOMETRIC MEAN 10.88 9.14 94.95 7.39 2.21 20.41 20.49									
LOG/GEOMETRIC MEAN 2.29 2.21 4.55 2.90 0.29 1.84 3.83									
MEDIAN 11.40 9.20 94.40 7.40 2.80 18.00 20.40									
STANDARD DEV OF LOGS 0.36 0.22 0.23 0.04 0.50 0.71 0.32									
STANDARD DEVIATION 4.13 1.94 21.49 0.33 1.13 20.76 4.30									
VARIANCE 17.08 3.75 461.90 0.11 1.27 431.92 39.48									
COEFF OF VARIATION 35.83 20.74 22.12 4.68 45.96 79.09 29.13									
SUM OF VALUES 126.90 102.70 1069.00 81.40 27.00 289.00 237.90									
MEAN +2 STD DEV 19.80 13.21 140.17 6.04 6.71 67.79 34.23									
MEAN -2 STD DEV 1.27 5.46 54.20 4.74 0.20 -15.25 9.83									
GED MEAN +2 STD DEV 22.36 14.22 150.14 8.09 5.96 86.86 39.41									
GED MEAN -2 STD DEV 5.29 5.87 60.85 4.76 0.82 4.99 10.87									
SUM OF SQUARES 1634.81 996.33 108506.34 603.44 79.80 11903.00 5541.918									

DATES: 77/01/01TO 77/12/31

DATE FROM TO	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	DO PERCENT SATURATN	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHIDE PBI mg/l	SALINITY CONDUCTIVITY g/l	TRANSPAR SECCHI METERS
77/01/13 1320		8.3	5.1	52.4	6.9	5.0	77	29.0	1.8
77/02/25 1105		6.7	6.2	62.5	6.4	2.0	45	28.0	1.8
77/03/24 0950		7.0	7.8	77.5	7.0	1.0	5	29.0	2.4
77/04/27 1335		12.2	10.0	105.0	7.8	2.0	0	23.4	1.8
77/05/11 1230		11.2	6.2	62.5	7.2	1.0	0	23.4	2.3
77/06/13 1620		17.8	9.9	114.5	7.7	1.0	10	18.3	2.3
77/07/21 1015		14.0	6.5	51.4	7.2	4.0	59	28.3	1.8
77/08/18 1010		16.8	7.7	92.2	7.8	1.0	28	27.1	1.8
77/09/15 1045		15.9	4.8	52.8	7.8	1.0	32	28.9	3.7
77/10/12 1415		12.8	6.3	67.8	7.4	1.0	23	25.3	3.0
77/11/08 1425		10.3	4.0	63.6	7.1	3.0	9	28.2	1.8
77/12/20 1400		5.5	10.7	92.1	7.4	3.0	18	13.4	1.5
NUMBER OF SAMPLES 12 12 11 12 12 12 12									
MAXIMUM VALUE 17.80 10.70 114.50 7.80 5.00 72.00 29.80 3.70									
MINIMUM VALUE 5.50 4.50 51.40 6.40 1.00 5.00 13.40 1.50									
ARITHMETIC MEAN 11.31 7.27 73.87 7.30 2.17 26.83 25.26 2.15									
GEOMETRIC MEAN 10.73 6.94 71.47 7.29 1.83 25.25 24.44 2.44									
LOG/GEOMETRIC MEAN 2.37 1.94 4.27 7.29 0.81 3.10 3.21 0.73									
MEDIAN 11.55 7.00 67.80 7.30 2.00 25.50 27.10 1.80									
STANDARD DEV OF LOGS 0.25 0.20 0.27 0.05 0.40 0.40 0.25 0.26									
STANDARD DEVIATION 1.70 1.12 20.19 0.39 1.34 20.40 5.14 0.46									
VARIANCE 13.67 4.51 415.40 0.15 1.79 424.52 26.30 0.40									
COEFF OF VARIATION 32.49 29.24 27.40 5.35 61.71 71.46 20.33 29.32									
SUM OF VALUES 135.70 87.20 812.60 67.60 24.00 306.00 277.90 23.80									
MEAN +2 STD DEV 18.70 11.52 114.45 6.80 4.84 70.94 35.54 3.41									
MEAN -2 STD DEV 3.91 3.02 33.10 6.52 -0.51 -12.37 14.99 0.89									
GED MEAN +2 STD DEV 21.41 12.81 122.30 8.12 6.89 109.82 40.30 3.40									
GED MEAN -2 STD DEV 5.38 3.87 41.74 6.55 0.55 4.50 15.09 1.24									
SUM OF SQUARES 1684.89 483.20 46185.00 441.16 76.80 14646.80 7284.53 59.64									

DATES: 79/01/01TO 79/12/31

DATE FROM TO	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	DO PERCENT SATURATN	pH STANDARD UNITS	TURBIDITY TURBIDIMETER NTU	SULPHIDE PBI mg/l	SALINITY CONDUCTIVITY g/l	TRANSPAR SECCHI METERS
79/01/31 1020		5.2	4.2	78.2	7.6	3.0	5	29.4	5.0
79/02/26 1530		7.1	4.4	62.2	7.3	1.0	23	28.0	2.0
79/03/26 1440		8.6	8.1	80.4	7.2	1.0	18	24.0	2.5
79/04/09 1500		6.6	7.0	90.6	7.5	4.0	6	28.1	2.2
79/05/30 1030		14.5	10.5	116.0	8.2	14.0	5	19.3	3.0
79/06/19 1430		13.1	8.3	90.7	7.7	1.0	14	24.1	2.5
79/07/17 1420		19.4					5	20.5	3.5
79/08/28 1050		14.9	5.8	66.8	7.4	2.0	18	26.7	2.2
79/09/18 1650		15.8	9.6	112.0	7.4	1.0	27	26.0	1.5
79/10/16 1620		11.4	6.8	68.3	7.4	1.0	20	28.4	2.7</

Table 7c.

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED O2	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY RTU	00740 SUL PHI	70305 SALINITY CONDUCTIVITY	00078 TRANSPAR SECCCHI METERS
75/01/16 1015	7.0	7.0	48.3	7.2	4.0	45	26.7	
76/01/22 1035	6.9	10.4	97.2	7.6	4.0	9	20.7	
77/01/13 1320	8.3	5.1	52.4	6.9	5.0	72	29.8	1.8
78/01/12 1325	5.9	8.8	84.3	7.3	2.0	5	27.6	2.7
79/01/31 1020	5.2	8.2	78.2	7.6	3.0	5	29.4	5.0
80/01/25 1015	5.3	9.8	87.4	7.8	2.0	9	19.4	1.8
HURBER OF SAMPLES	4	4	4	4	4	4	4	4
MAXIMUM VALUE	8.30	10.40	97.20	7.80	5.00	72.00	29.80	5.00
MINIMUM VALUE	5.20	5.10	52.40	6.90	2.00	8.00	19.40	1.80
ARITHMETIC MEAN	6.43	8.22	77.97	7.40	3.33	22.67	25.40	2.83
GEOMETRIC MEAN	6.34	6.80	76.50	7.39	3.14	3.92	25.25	2.57
LOG/GEOMETRIC MEAN	1.85	7.88	4.34	2.00	1.14	1.37	3.23	0.94
MEDIAN	6.40	6.40	81.25	7.45	3.50	7.00	27.15	2.25
STANDARD DEV OF LOGS	0.18	0.26	0.22	0.04	0.39	3.45	0.18	0.48
STANDARD DEVIATION	1.19	1.94	15.79	0.33	1.21	29.16	4.47	1.51
VARIANCE	1.42	3.76	249.23	0.11	1.47	851.67	19.95	2.28
COEFF OF VARIATION	18.54	23.60	20.25	4.44	36.33	128.73	17.45	53.48
SUM OF VALUES	38.40	49.30	467.80	44.40	28.00	136.00	153.40	11.50
MEAN +2 STD DEV	8.82	12.10	109.54	8.06	5.76	81.03	34.53	5.85
MEAN -2 STD DEV	4.05	4.34	46.39	6.74	0.91	35.69	18.67	0.20
SD MEAN +2 STD DEV	9.13	13.40	118.88	8.99	6.79	192.88	36.54	4.75
SD MEAN -2 STD DEV	4.41	4.75	49.21	6.74	1.45	8.00	17.45	0.98
SUM OF SQUARES	251.44	423.89	37718.98	329.10	74.00	7340.00	4031.90	18.77

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED O2	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY RTU	00740 SUL PHI	70305 SALINITY CONDUCTIVITY	00078 TRANSPAR SECCCHI METERS
76/02/19 1005	6.4	9.4	88.3	7.7	3.0	9	23.2	
77/02/25 1105	8.7	6.2	62.5	6.6	2.0	45	26.9	1.8
78/02/15 1210	7.5	6.5	84.3	7.1	1.0	5	30.7	2.4
79/02/26 1530	7.1	8.4	82.2	7.3	3.0	23	26.8	2.0
80/02/22 1045	7.4	8.5	81.9	7.5	4.0	9	23.4	2.4
HURBER OF SAMPLES	5	5	5	5	5	5	5	5
MAXIMUM VALUE	8.70	9.40	88.30	7.70	4.00	45.00	30.70	2.40
MINIMUM VALUE	6.40	6.20	62.50	6.60	2.00	5.00	23.20	1.80
ARITHMETIC MEAN	7.42	8.20	80.24	7.24	3.00	18.20	26.04	2.15
GEOMETRIC MEAN	7.38	8.12	79.45	7.23	2.93	13.32	25.93	2.13
LOG/GEOMETRIC MEAN	2.00	2.09	4.38	1.98	1.08	2.59	3.26	0.74
MEDIAN	7.40	8.50	82.20	7.30	3.00	9.00	26.90	2.20
STANDARD DEV OF LOGS	0.11	0.16	0.14	0.06	0.25	0.87	0.11	0.14
STANDARD DEVIATION	0.83	1.19	10.28	0.42	0.71	16.47	3.01	0.30
VARIANCE	0.70	1.42	105.75	0.18	0.50	271.20	9.08	0.90
COEFF OF VARIATION	11.25	14.51	12.82	5.83	23.57	90.48	11.56	13.95
SUM OF VALUES	37.10	41.00	401.20	36.20	15.00	91.00	130.30	8.60
MEAN +2 STD DEV	9.09	10.58	100.81	8.08	4.45	51.14	32.00	2.75
MEAN -2 STD DEV	5.75	5.82	59.67	6.40	1.59	14.74	20.63	1.55
SD MEAN +2 STD DEV	9.22	11.14	105.24	8.14	4.80	76.33	32.48	2.84
SD MEAN -2 STD DEV	5.92	5.93	49.28	6.42	1.79	2.32	20.49	1.61
SUM OF SQUARES	278.07	341.86	32815.28	242.80	47.00	2741.00	1431.93	18.76

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED O2	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY RTU	00740 SUL PHI	70305 SALINITY CONDUCTIVITY	00078 TRANSPAR SECCCHI METERS
75/03/20 1020	7.7	8.5	84.3	7.2	1.0	14	26.8	
76/03/18 1040	7.2	9.8	99.0	7.8	2.0	18	30.9	
77/03/26 0950	7.0	7.6	77.5	7.0	1.8	5	29.2	2.4
78/03/31 1100	8.8	8.8	84.1	7.4	5.0	14	17.4	2.7
79/03/26 1440	8.6	8.1	80.4	7.2	18	24.0	2.5	
80/03/17 0940	10.0	8.7	89.7	7.5	2.0	9	25.0	3.0
81/03/13 1130	9.1	9.2	92.1	7.7	8	23.6	2.6	
HURBER OF SAMPLES	7	7	7	7	7	7	7	7
MAXIMUM VALUE	10.00	9.80	99.00	7.70	2.00	36.00	30.90	3.00
MINIMUM VALUE	7.00	7.80	77.50	7.00	1.80	5.00	17.40	2.40
ARITHMETIC MEAN	8.34	8.70	86.73	7.29	1.68	13.57	25.38	2.64
GEOMETRIC MEAN	8.28	8.68	86.46	7.28	1.52	4.26	24.95	2.63
LOG/GEOMETRIC MEAN	2.11	2.16	4.46	1.99	0.42	1.45	3.22	0.97
MEDIAN	8.60	8.70	84.30	7.20	2.00	14.00	25.00	2.60
STANDARD DEV OF LOGS	0.13	0.08	0.08	0.04	0.08	1.04	0.18	0.09
STANDARD DEVIATION	1.07	0.67	7.37	0.24	0.65	11.43	4.76	0.71
VARIANCE	1.19	0.45	54.30	0.07	0.30	131.29	18.00	0.50
COEFF OF VARIATION	13.05	7.48	8.50	3.58	34.23	157.74	17.14	8.72
SUM OF VALUES	58.40	60.90	607.10	51.00	8.00	95.00	177.10	13.20
MEAN +2 STD DEV	10.52	10.04	101.44	7.81	2.70	34.83	33.97	3.10
MEAN -2 STD DEV	6.16	7.36	71.98	6.76	0.50	-9.49	16.63	2.18
SD MEAN +2 STD DEV	10.78	10.11	102.28	7.82	3.24	1659.89	36.02	3.12
SD MEAN -2 STD DEV	6.38	7.45	73.09	6.78	0.71	0.91	17.47	2.22
SUM OF SQUARES	494.24	532.51	52977.21	371.98	14.00	2101.00	4592.41	35.06

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED O2	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY RTU	00740 SUL PHI	70305 SALINITY CONDUCTIVITY	00078 TRANSPAR SECCCHI METERS
75/04/14 1235	9.3	8.5	86.8	7.4	2.0	18	25.9	
76/04/22 1110	8.8	11.7	109.1	8.2	3.0	9	13.8	1.8
77/04/27 1335	12.2	10.4	10.0	7.6	2.0	9	16.8	1.8
78/04/13 0905	9.8	9.8	91.0	7.7	3.0	10	23.5	2.0
79/04/09 1500	8.6	9.0	96.6	7.5	4.0	36	26.1	2.2
80/04/21 1440	8.2	10.2	98.1	8.2	2.0	0	20.6	2.3
HURBER OF SAMPLES	6	6	6	6	6	6	6	6
MAXIMUM VALUE	12.20	11.70	109.10	8.20	4.00	36.00	26.10	2.30
MINIMUM VALUE	8.20	8.50	86.80	7.40	2.00	9.00	13.80	1.80
ARITHMETIC MEAN	9.45	9.73	95.12	7.80	2.87	15.00	21.78	2.03
GEOMETRIC MEAN	9.37	9.68	94.81	7.79	2.57	14.09	21.43	2.02
LOG/GEOMETRIC MEAN	2.24	2.27	4.55	2.05	0.94	1.41	3.06	0.79
MEDIAN	9.05	9.50	91.00	7.75	2.50	13.50	23.50	2.00
STANDARD DEV OF LOGS	0.14	0.12	0.09	0.04	0.29	3.33	0.26	0.12
STANDARD DEVIATION	1.44	1.16	8.82	0.34	0.82	12.30	3.59	0.24
VARIANCE	2.06	1.35	77.74	0.12	0.67	151.20	25.87	0.06
COEFF OF VARIATION	15.20	11.94	9.27	4.37	30.82	81.78	33.14	11.76
SUM OF VALUES	56.70	58.40	475.80	46.80	16.00	90.00	109.70	10.15
MEAN +2 STD DEV	12.32	12.06	112.75	8.48	4.30	39.59	32.15	2.51
MEAN -2 STD DEV	6.58	7.41	77.49	7.12	1.03	-9.59	11.61	1.55
SD MEAN +2 STD DEV	12.42	12.20	113.51	8.50	4.63	3182.93	36.32	2.55
SD MEAN -2 STD DEV	7.07	7.67	75.19	7.14	1.43	0.01	12.44	1.60
SUM OF SQUARES	544.13	595.18	45560.80	345.40	44.00	2160.00	2519.07	26.43

DATE FROM TO	00010 WATER DEPTH TEMP	00300 DISSOLVED O2	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY RTU	00740 SUL PHI	70305 SALINITY CONDUCTIVITY	00078 TRANSPAR SECCCHI METERS
74/05/28 1025	12.3	9.1	91.8	7.2	2.0	30	14.0	
75/05/13 0915	11.4	9.3	91.3	6.8	2.0	26	12.7	
76/05/05 1400	10.4	9.4	86.1	6.4	5.0	9	10.0	
77/05/11 1230	11.2	8.2	85.4	7.5	2.0	28	23.4	2.1
78/05/03 1510	11.4	10.3	105.4	7.0	2.0	0	19.3	1.5
79/05/28 1400	10.5	10.5	114.0	8.2	14.0	5	19.3	1.5
80/05/21 1100	10.3	9.4	99.0	7.9	4.0	0	24.1	2.8
HURBER OF SAMPLES	7	7	7	7	7	7	7	7
MAXIMUM VALUE	14.50	10.50	114.00	8.10	14.00	30.50	24.10	3.50
MINIMUM VALUE	10.30	8.20	85.40	6.80	2.00	9.00	12.70	1.50
ARITHMETIC MEAN	11.34	9.44	96.61	7.57	4.57	14.00	17.33	2.16
GEOMETRIC MEAN	11.37	9.44	96.11	7.55	3.52	11.88	17.33	2.16
LOG/GEOMETRIC MEAN	3.45	2.24	4.57	2.02	1.26	0.46	2.45	0.86
MEDIAN	11.40	9.30	91.80	7.50	2.00	9.00	19.30	2.45
STANDARD DEV OF LOGS	0.12	0.08	0.11	0.08	0.21	3.39	0.29	0.37
STANDARD DEVIATION	1.43	0.78	10.95	0.61	4.31	13.50	4.99	0.87
VARIANCE	2.04	0.61	119.91	0.38	18.42	142.33	24.94	0.75
COEFF OF VARIATION	12.28	8.29	11.33	4.10	94.39	76.45	28.01	34.97
SUM OF VALUES	81.50	66.18	674.50	53.00	32.00	78.00	124.80	9.90
MEAN +2 STD DEV	14.50	11.01	114.52	8.80	13.20	41.01	27.82	4.21
MEAN -2 STD DEV	8.18	7.88	74.71	6.35	-4.06	-13.01	7.84	0.74
SD MEAN +2 STD DEV	14.60	11.13	119.70	8.88	14.59	4596.5		

Table 7c, continued.

00010 00300 00301 00400 00070 00760 70305 00078											00010 00300 00301 00400 00070 00760 70305 00078										
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR
FROM	TIME	DEPTH	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PFI	CONDUCTIVITY	SECCI	FROM	TIME	DEPTH	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PFI	CONDUCTIVITY	SECCI
TO	TO	TO	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	METERS	TO	TO	TO	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	METERS
75/07/24 1800			17.9	11.5	135.7	8.0	2.0	18	21.3		74/08/12 1545			16.0				7.8	1.0		23.0
76/07/20 1325			16.3	11.6	133.5	8.2	2.0	5	22.3	2.1	75/08/13 1030			17.1	8.6	102.8	8.0	7.2	1.0	33	25.8
77/07/21 1015			14.0	4.5	51.4	7.2	4.0	59	28.3	1.8	76/08/24 1400			12.7	6.3	67.8	7.5	1.0	14	23.1	2.7
78/07/28 1555			17.8	7.2	86.2	7.4	2.0	18	23.9	2.0	77/08/16 1010			16.8	7.7	92.2	7.8	1.0	28	22.1	1.8
79/07/17 1420			19.4			7.7	1.0	5	26.5	3.5	78/08/22 1320			13.3	5.7	60.1	6.8	10.00	14	17.8	3.5
80/07/22 1500			17.7	10.8	130.0		2.0	0	25.2	2.4	79/08/28 1050			14.9	5.8	66.6	7.4	2.0	18	24.7	3.2
											80/08/29 1105			13.5	6.6	76.8	8.0	2.0	14	27.9	2.7
HURDER OF SAMPLES	4	5	5	5	5	5	5	5	5	5	HURDER OF SAMPLES	7	7	7	7	7	7	7	7	7	7
MAXIMUM VALUE	19.40	11.60	135.70	8.20	4.00	59.00	28.30	3.50			MAXIMUM VALUE	17.10	8.60	102.80	7.80	10.00	13.00	27.90	2.70		
MINIMUM VALUE	14.00	4.50	51.40	7.20	1.00	0.00	20.50	1.80			MINIMUM VALUE	12.70	5.71	60.10	6.80	1.00	14.00	17.80	1.80		
ARITHMETIC MEAN	17.10	9.13	107.36	7.70	2.17	17.50	23.58	2.36			ARITHMETIC MEAN	14.90	6.82	77.75	7.42	2.57	20.17	24.49	2.36		
GEOMETRIC MEAN	17.10	8.60	100.45	7.69	2.00	3.66	23.44	2.29			GEOMETRIC MEAN	14.81	6.75	74.35	7.41	1.69	18.90	24.25	2.35		
LOG/GEOMETRIC MEAN	2.84	2.15	4.61	2.04	0.69	1.30	3.15	0.83			LOG/GEOMETRIC MEAN	2.70	1.91	4.34	2.00	0.53	2.94	3.19	0.86		
MEAN	17.75	10.80	130.00	7.70	2.00	11.50	23.10	2.19			MEAN	14.90	6.55	72.30	7.45	1.00	16.00	25.80	2.50		
STANDARD DEV OF LOGS	0.11	0.41	0.42	0.05	0.44	3.36	0.12	0.26			STANDARD DEV OF LOGS	0.12	0.16	0.21	0.05	0.45	0.38	0.16	0.17		
STANDARD DEVIATION	1.84	3.14	37.34	0.41	0.98	21.84	2.00	0.67			STANDARD DEVIATION	1.78	1.13	14.54	0.38	3.31	8.30	3.51	0.38		
VARIANCE	3.40	9.88	1394.57	0.17	0.97	468.30	8.27	0.45			VARIANCE	1.17	1.29	273.53	0.15	10.95	68.97	12.32	0.15		
COEFF OF VARIATION	10.73	34.43	234.78	5.35	45.38	123.64	32.19	20.57			COEFF OF VARIATION	11.95	16.41	212.27	5.15	128.20	41.18	14.24	16.11		
SUM OF VALUES	103.10	45.84	536.80	38.50	13.00	105.00	141.50	11.80			SUM OF VALUES	104.20	40.94	484.50	44.50	18.00	121.00	171.40	11.90		
MEAN +2 STD DEV	20.67	15.41	182.05	8.52	4.13	66.78	29.33	3.71			MEAN +2 STD DEV	18.44	9.09	110.43	8.14	9.19	34.78	31.51	3.15		
MEAN -2 STD DEV	13.50	2.84	32.67	4.88	0.20	-25.78	17.83	-1.01			MEAN -2 STD DEV	11.24	4.26	44.47	6.45	-4.05	1.56	17.46	1.41		
STD MEAN +2 STD DEV	21.40	19.55	234.25	8.56	4.81	304.04	29.74	3.84			STD MEAN +2 STD DEV	18.82	9.32	115.41	8.22	9.24	40.76	33.12	3.42		
STD MEAN -2 STD DEV	13.66	1.78	43.42	6.91	0.83	0.00	18.48	-1.37			STD MEAN -2 STD DEV	11.65	4.89	34.51	6.67	0.31	6.77	17.75	1.67		
SUM OF SQUARES	1728.59	456.17	63209.14	297.13	31.00	4179.00	3378.37	29.66			SUM OF SQUARES	1573.09	285.77	17638.01	336.77	112.00	2785.00	4270.00	28.91		

00010 00300 00301 00400 00070 00760 70305 00078											00010 00300 00301 00400 00070 00760 70305 00078										
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR
FROM	TIME	DEPTH	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PFI	CONDUCTIVITY	SECCI	FROM	TIME	DEPTH	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PFI	CONDUCTIVITY	SECCI
TO	TO	TO	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	METERS	TO	TO	TO	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	METERS
74/09/18 0920			14.5	2.6	29.8	6.9	3.0	90	27.4		74/10/17 1050			11.5	2.3	25.0	7.1	1.0	28	28.3	
75/09/18 1420			16.0	10.0	116.8	7.8	2.0	14	26.8		75/10/16 1450			11.5	5.8	63.5	7.2	4.0	80	29.3	
76/09/16 1535			14.4	9.1	101.5	7.4	1.0	14	23.2	2.7	76/10/21 1435			10.3	5.0	52.8	7.4	2.0	50	27.6	1.8
77/09/15 1045			11.9	8.8	92.8	7.0	1.0	32	28.9	3.7	77/10/12 1415			12.0	6.3	67.8	7.6	1.0	23	25.3	3.0
78/09/19 1010			12.7	7.2	74.4	7.8	1.0	1.0	16.5	3.5	78/10/13 1113			12.2	7.7	80.7	7.2	4.0	5	20.4	2.5
79/09/16 1650			15.8	9.6	112.0	7.7	2.0	27	26.0	1.5	79/10/16 1525			11.8	5.5	60.3	7.4	3.0	32	28.6	2.7
											80/10/07 1540			13.1	12.3	136.2	8.2	1.0	28	28.2	2.7
HURDER OF SAMPLES	4	6	6	6	6	6	6	6	6	6	HURDER OF SAMPLES	7	7	7	7	7	7	7	7	7	7
MAXIMUM VALUE	16.00	10.00	116.80	7.80	3.00	90.00	28.90	3.70			MAXIMUM VALUE	13.10	12.30	136.20	8.20	4.00	80.00	29.30	2.00		
MINIMUM VALUE	11.90	2.60	29.80	6.90	1.00	14.00	16.50	1.40			MINIMUM VALUE	10.30	2.20	25.00	7.10	1.00	5.00	26.40	1.80		
ARITHMETIC MEAN	14.22	7.22	81.22	7.40	1.67	36.20	24.60	2.85			ARITHMETIC MEAN	11.77	6.41	49.47	7.53	2.29	15.14	26.53	2.54		
GEOMETRIC MEAN	14.14	6.54	75.20	7.39	1.34	26.94	24.22	2.69			GEOMETRIC MEAN	11.74	5.79	42.60	7.52	1.92	17.38	26.36	2.50		
LOG/GEOMETRIC MEAN	2.63	1.88	4.29	2.00	0.41	1.36	3.19	0.99			LOG/GEOMETRIC MEAN	2.46	1.78	4.14	2.02	0.65	3.31	3.27	0.97		
MEAN	14.45	8.15	87.95	7.50	1.50	27.80	25.80	3.10			MEAN	11.80	5.80	63.50	7.40	2.00	28.00	27.60	2.70		
STANDARD DEV OF LOGS	0.12	0.33	0.33	0.05	0.48	0.72	0.20	0.41			STANDARD DEV OF LOGS	0.87	0.51	0.51	0.05	0.65	0.86	0.12	0.20		
STANDARD DEVIATION	1.84	2.97	34.99	0.37	0.82	36.91	4.40	1.00			STANDARD DEVIATION	0.85	3.07	24.05	0.38	1.38	23.81	3.04	0.45		
VARIANCE	2.69	8.83	1224.57	0.14	0.67	955.20	19.37	1.00			VARIANCE	0.72	9.41	1159.50	0.14	1.90	568.81	9.24	0.20		
COEFF OF VARIATION	11.54	41.17	43.09	5.06	48.99	85.34	17.88	25.63			COEFF OF VARIATION	7.20	17.82	49.41	6.94	60.28	67.75	11.44	17.74		
SUM OF VALUES	85.20	41.30	487.30	44.40	10.00	181.60	147.60	11.40			SUM OF VALUES	82.40	44.90	488.30	52.70	18.00	246.90	185.70	12.70		
MEAN +2 STD DEV	17.00	13.14	151.20	8.15	3.30	98.01	33.40	4.85			MEAN +2 STD DEV	13.47	12.55	137.57	8.28	5.05	82.76	32.61	3.44		
MEAN -2 STD DEV	10.93	1.28	11.21	6.65	0.03	-25.81	15.80	0.85			MEAN -2 STD DEV	10.08	0.26	1.37	6.77	-6.47	-12.47	20.40	1.44		
STD MEAN +2 STD DEV	17.90	18.40	212.94	8.19	3.93	120.49	36.26	6.15			STD MEAN +2 STD DEV	13.59	15.92	172.90	8.30	7.00	153.56	33.79	3.70		
STD MEAN -2 STD DEV	11.18	2.28	25.25	6.67	0.58	1.85	16.17	1.18			STD MEAN -2 STD DEV	10.15	7.11	32.66	6.81	0.55	1.45	20.57	1.49		
SUM OF SQUARES	1226.15	356.61	45699.73	329.26	20.00	16373.00	3727.42	35.46			SUM OF SQUARES	974.28	344.45	40740.95	397.61	68.00	32046.00	4981.79	33.07		

00010 00300 00301 00400 00070 00760 70305 00078											00010 00300 00301 00400 00070 00760 70305 00078										
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR
FROM	TIME	DEPTH	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PFI	CONDUCTIVITY	SECCI	FROM	TIME	DEPTH	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PFI	CONDUCTIVITY	SECCI
TO	TO	TO	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	METERS	TO	TO	TO	DEG-C	mg/l	SATURATN	UNITS	NTU	mg/l	g/l	METERS
74/12/19 1320			11.0	6.0	63.2	7.1	2.0	35	25.0		74/12/19 1100			8.2	6.8	67.9	7.5	3.0	45	26.1	
75/12/19 1335			8.5	12.4	115.4	7.5	2.0	5	16.4		75/12/17 1335			7.0	10.8	96.6	7.5	4.0	14	13.7	
76/12/24 1510			14.4	6.0	60.5	7.1	1.0	18	24.8	2.7	76/12/15 1322			8.7	7.4	80.1	6.9	3.0	41	28.6	
77/12/08 1425			10.3	6.0	63.6	7.1	3.0	9	28.2	1.8	77/12/28 1400			5.5	10.7	92.1	7.4	3.0	18	13.4	1.5
78/12/30 1405			1.6	7.0	71.3	7.7	3.0	5	27.8	2.0	78/12/19 1015			6.8	8.2	81.0	8.0	2.0	9	29.1	4.5
79/12/15 1425			3.5	6.0	60.1	7.0	2.0	59	24.6	1.5	79/12/12 1405			6.5	7.3	83.3	7.3	4.0	14	15.8	1.0
80/12/28 1345			1.4	6.0	79.8																

Table 8a.

ECB204 ECOBAM NR PIER 3 & SO SCOTT PIER

DATE	TIAE	DEPTH	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SML PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCHI METERS	00067 TIDE STAGE CODE	00301 PERCENT SATURATN	99001 SHANNON DIVERSITY INDEX	99002 OFFSHORE LOAD lb/day	99003 NEARSHORE LOAD lb/day	99004 TOTAL LOAD lb/day
74/05/28	1100		12.6	9.0	7.2	2.0	35	14.0		5210	91.4	0.361	615900	35439	651340
74/06/13	1115		16.7	9.2	7.2	1.0	30	7.0		5210	97.6	0.000	630160	37651	667820
74/08/12	1605		16.0		7.6	1.0	0	22.0		6210		0.000	572880	39703	612590
74/10/17	1120		11.6	3.1	7.0	2.0	43	28.0		7210	33.7		763030	39591	602630
74/11/13	1405		11.2	5.5	7.0	3.0	40	27.1		8210	59.0		507130	34540	541670
74/12/19	1125		8.1	7.5		3.0	40	26.4		2210	74.9		541640	40501	582140
75/03/20	1110		7.7	8.3	6.9	1.0	14	26.7		2210	82.3	0.000	459120	30565	489590
75/04/14	1255		9.6	8.4	7.5	3.0	28	25.3		3210	66.0		212500	21334	233830
75/05/13	0940		12.1	9.3	7.0	3.0	28	12.9		2210	92.8	1.498	258730	25880	284610
75/06/11	1020		15.0	10.2	8.2	2.0	18	14.3		2210	109.0	0.645	158040	31847	189990
75/07/24	1135		18.0	10.6	8.0	2.0	23	21.3		3210	125.3		225770	28444	254210
75/08/13	1110		16.6	8.1	7.2	1.0	35	26.3		5210	96.2	0.260	300060	30855	330920
75/09/18	1440		17.0	10.0		2.0	14	25.3		4210	118.9		258280	30351	288610
75/10/16	1510		11.0	6.0	7.1	4.0	32	29.2		1210	65.0		207250	33437	240680
75/11/20	1055		8.0	12.7	8.2	3.0		15.2		7210	117.4		52343	23060	75403
75/12/17	1415		7.5	9.3	7.5	3.0	23	16.6		5210	85.7	0.000	309060	34008	343070
76/01/22	1055		6.8	10.1	7.4	4.0	18	20.4		2210	93.9	0.722	257980	37931	295910
76/02/19	1025		6.3	8.7	7.2	3.0	18	23.2		2210	81.5		293710	33612	327320
76/03/18	1100		7.5	9.9	6.5	2.0	63	29.9		3210	99.9		5500	50044	55544
76/04/22	1135		9.7	11.6	8.2	4.0	14	13.5		5210	110.2	0.311	296710	35050	331760
76/05/05	1325		10.6	9.3	8.4	5.0	14	13.0	1.2	2210	89.9	0.863	284410	18853	303260
76/06/08	1430		12.2	9.8	7.6	3.0	5	16.5	1.8	5210	100.2		307740	34301	342040
76/07/20	1400		15.3	11.6	7.9	1.0	9	22.7		5210	131.3	0.000	731390	40591	271980
76/08/24	1420		12.5	6.7	7.4	1.0	9	23.1	2.0	4210	71.9	0.696	335360	33083	373450
76/09/16	1600		14.2	6.4	7.4	1.0	23	24.3	2.3	6210	71.6	0.087	248360	41215	289570
76/10/21	1590		10.7	3.8	7.0	4.0	36	27.6	1.4	1210	40.4	0.000	230050	38151	268290
76/11/23	1530		10.1	5.0	6.8	3.0	140	16.8	1.2	8210	52.3		278930	36926	415860
76/12/15	1343		9.6	4.7	6.2	5.0	8	27.7		2210	48.9		231890	38167	270050
77/01/13	1335		8.6	5.6	6.7	6.0	99	29.9	1.5	2210	57.9		202780	40523	243310
77/02/25	1130		8.9	6.9	6.9	2.0	41	26.4	1.8	2210	70.1		148870	35414	184280
77/03/24	1010		7.5	8.0	6.9	1.0	41	28.0	1.5	2210	79.7		291520	37794	329310
77/04/27	1355		12.4	10.1	7.8	2.0	9		1.5	5210		0.000	273640	39729	313370
77/05/11	1125		11.0	7.3	7.4	3.0	54	22.6	0.9	5210	75.6		270770	39060	309830
77/06/13	1645		17.2	9.9	7.8	1.0	18	18.2	1.7	5210	113.1		258590	38447	295040
77/07/21	1120		13.8	5.4	7.0	6.0	90	28.4	1.2	6210	61.5	0.136	294670	45113	339180
77/08/18	1035		16.7	6.4	7.4	1.0	41	26.7	2.1	6210	76.3	0.649	317150	42430	359580
77/09/15	1115		12.2	6.3	6.4	2.0	110	28.8	2.1	7210	69.7	0.074	210120	36959	247080
77/10/12	1510		12.1	4.2	6.8	2.0	90	25.6	1.5	8210	45.4	0.000	322740	19231	341970
77/11/08	1450		10.3	6.1	7.0	3.0	5	27.8	1.2	1210	64.5		252220	49458	301880
77/12/20	1425		6.2	9.9	7.4	4.0	32	14.5	1.2	1110	37.3	0.000	226990	42364	269260
78/01/12	1130		6.3	8.3	7.2	1.0	18	27.5	1.8	4210	81.1	0.000	235100	38427	273530
78/02/15	1230		7.4	8.5	7.1	2.0	23	30.4	2.1	2110	85.9		224410	42553	266960
78/03/31	1125		9.6	8.9	7.4	3.0	18	18.2	2.4	2210	36.9	0.000	245920	39062	284980
78/04/13	0920		9.2	8.2	7.3	4.0	32	24.2	1.2	5110	82.6		291660	36750	328410
78/05/03	1530		12.2	9.8	6.9	3.0	5	19.5	1.2	5110	102.1	0.000	199370	45003	244370
78/06/26	1040		15.9	9.2	7.8	1.0	5	21.2	2.9	5110	104.4	0.199	253790	35962	289750
78/07/28	1215		17.0	7.0	7.0	1.0	68	24.7	1.5	5110	82.9	1.557	222490	43963	268450
78/08/22	1300		13.2	6.0	6.6	10.0K	9	13.3	3.5	3110	63.3		124100	35009	159110
78/09/19	1145		13.4	6.7	7.8	2.0		16.4	2.7	6110	70.2	0.000	6000	0	6000
78/10/13	1119		12.4	7.9	7.8	3.0	5	20.7	2.7	4010	83.3		0	0	0
78/11/30	1445		9.0	6.9	7.6	4.0	9	27.8	1.5	1210	70.9	0.000	3600	0	3600
78/12/19	1040		7.9	7.5	7.9	2.0	0	30.5	3.5	1210	76.7		0	0	0
79/01/31	1040		6.2	7.7	7.6	3.0	5K	29.2	4.5	2110	75.1		0	0	0
79/02/26	1550		7.0	8.6	7.5	3.0	45	26.8	2.0	1110	84.0	0.000	107170	38802	145980
79/03/26	1500		8.2	8.5	7.2		18	25.8	2.5	5210	84.7	0.000	317030	35675	352710
79/04/09	1515		9.9	7.7	7.0	1.0	50	28.2	2.0	5210	80.9		100610	34680	135290
79/05/30	1105		14.6	9.5	7.9	13.0	2	19.3	2.5	6210	105.0		39847	40208	130050
79/06/19	1445		12.8	7.2	7.3	2.0	23	24.7	2.1	5110	78.5	0.954	95859	33531	129390
79/07/17	1450		18.8		7.2	1.0	14	23.5	3.5	5110		0.337	178260	43217	221480
79/08/28	1120		15.6	5.3	7.3	1.0	14	24.8	2.1	5110	61.9	1.370	171820	34856	206680
79/09/18	1735		15.6	10.1	8.0	2.0	9	26.3	1.5	1310	117.6	0.000	126390	38493	164880
79/10/16	1550		12.2	4.5	6.7	2.0	68	28.3	1.6	1210	49.6	0.469	130080	36066	166150
79/11/15	1450		8.7		7.0	2.0	77	27.1	1.8	1210		0.722	173670	42660	216330
79/12/12	1425		6.4	9.9	7.4	3.0	14	14.9	1.0	2110	87.9	0.918	196450	26152	222610
80/01/25	1105		5.4	9.6	7.9	3.0	5K	19.4	1.4	1210	85.8		4475	11841	16266
80/02/22	1110		7.3	8.1	7.1	3.0	5	23.6	2.4	2110	77.9		6308	7532	13840
80/03/17	1005		10.8	8.1	7.4	1.0	5	23.8	2.4	7210	84.2	0.000	3289	9653	12942
80/04/21	1015		9.4	9.9	8.2	3.0	5	19.7	2.2	2210	97.2	0.000	2959	8864	7814
80/05/21	1025		9.6	9.7	7.9	4.0	0	23.5	2.7	5210	96.1	0.000	3090	4983	3073
80/06/23	1645		14.9	11.8	8.6	3.0	5	20.1	2.7	5110	130.4		3325	7119	10444
80/07/22	1600		18.1	10.6		2.0	0	25.1		5210	128.5		3889	6199	10088
80/08/29	1005		13.1	6.8		1.0	0	27.4	2.7	6210	75.9		4340	7126	11466
80/10/07	1615		12.3	11.0	8.2	1.0	32	27.0	1.8	1210	120.5	0.000	2767	11048	13815
80/11/20	1415		9.1	7.7	7.7	2.0	36	27.8		1210	79.3		4398	7128	11526
80/12/15	1225		6.5	8.8	7.5	3.0	9	21.0	1.8	1210	81.6		2491	4533	7024
81/03/13	1100		9.6	9.1	7.6		8	23.3	2.1	1210	91.9	0.000	12573	7265	19338

Table 8b.

DATES: 74/01/01TO 74/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	PERCENT SATURATH	pH	STANDARD TURBIDITY NTU	SULPHIDE mg/l	SALINITY g/l	SECCHI METERS	TRANSPAR
74/05/28	1100	12.6	9.0	91.4	7.2	2.0	35	14.0			
74/06/13	1115	16.7	9.2	97.6	7.2	1.0	30	7.0			
74/06/12	1405	16.0			7.6	1.0	0	22.0			
74/07/17	1120	11.6	3.1	33.7	7.8	2.0	43	28.0			
74/11/13	1405	11.2	5.5	59.0	7.0	3.0	40	27.1			
74/12/19	1125	8.1	7.5	74.9		3.0	40	28.4			
NUMBER OF SAMPLES 4 5 5 5 4 4 4 4 4 0											
MAXIMUM VALUE 16.70 9.20 97.40 7.40 3.00 43.00 28.00											
MINIMUM VALUE 6.10 3.10 33.70 7.00 1.00 9.00 7.00											
ARITHMETIC MEAN 12.70 6.66 71.32 7.20 2.00 31.33 20.75											
GEOMETRIC MEAN 12.35 6.38 66.78 7.20 1.62 8.44 18.73											
LOG/GEOMETRIC MEAN 2.51 1.85 4.20 1.97 0.60 2.13 2.93											
MEDIAN 12.10 7.50 74.90 7.20 2.00 37.50 24.20											
STANDARD DEV OF LOGS 0.26 0.45 0.43 0.83 0.50 3.84 0.55											
STANDARD DEVIATION 3.21 2.57 25.05 0.26 0.89 16.02 8.50											
VARIANCE 10.30 6.61 648.43 0.06 0.80 254.67 72.20											
COEFF OF VARIATION 25.28 37.49 34.25 3.40 44.72 51.13 40.95											
SUM OF VALUES 76.20 34.30 356.00 36.00 12.00 188.00 124.50											
MEAN +2 STD DEV 19.12 12.00 123.83 7.69 6.23 -0.71 3.76											
MEAN -2 STD DEV 4.28 11.72 19.61 6.71 0.23 -0.71 3.76											
STD DEV +2 STD DEV 26.94 15.40 157.74 7.70 6.41 12328.65 55.92											
STD DEV -2 STD DEV 7.27 2.58 28.27 6.73 0.67 0.81 4.27											
SUM OF SQUARES 1019.24 241.75 28104.42 259.44 28.00 7174.00 2944.37											

DATES: 75/01/01TO 75/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	PERCENT SATURATH	pH	STANDARD TURBIDITY NTU	SULPHIDE mg/l	SALINITY g/l	SECCHI METERS	TRANSPAR
75/03/20	1110	7.7	6.3	82.3	6.9	1.0	14	26.7			
75/04/14	1255	9.6	8.4	86.0	7.5	3.0	28	25.3			
75/05/13	0940	12.1	9.3	92.8	7.0	3.0	28	12.9			
75/06/11	1020	15.0	10.2	109.0	8.2	2.0	18	14.3			
75/07/24	1135	18.0	10.6	125.3	8.0	2.0	23	21.3			
75/08/13	1110	16.6	8.1	94.2	7.2	1.0	35	26.3			
75/09/18	1440	17.0	10.0	118.9		2.0	14	25.3			
75/10/16	1510	11.0	8.0	85.0	7.1	4.0	32	29.2			
75/11/20	1055	8.0	12.7	117.4	8.2	3.0	15	15.2			
75/12/17	1415	7.5	9.2	85.7	7.5	3.0	23	18.4			
NUMBER OF SAMPLES 10 10 10 9 10 9 10 0											
MAXIMUM VALUE 18.00 12.70 125.30 8.20 4.00 35.00 29.20											
MINIMUM VALUE 7.50 4.00 85.00 6.90 1.00 14.00 12.90											
ARITHMETIC MEAN 12.25 7.29 97.86 7.51 2.40 23.89 21.31											
GEOMETRIC MEAN 11.62 6.13 96.09 7.50 2.19 22.76 20.40											
LOG/GEOMETRIC MEAN 2.45 2.21 4.57 2.81 0.79 3.12 3.02											
MEDIAN 11.55 6.30 94.50 7.50 2.50 23.00 23.30											
STANDARD DEV OF LOGS 0.34 0.20 0.20 0.07 0.47 0.34 0.30											
STANDARD DEVIATION 4.11 1.79 19.27 0.51 1.97 7.56 6.03											
VARIANCE 16.89 3.19 371.15 0.26 6.95 56.86 36.36											
COEFF OF VARIATION 33.65 19.22 19.49 6.40 4.25 31.57 28.38											
SUM OF VALUES 122.50 92.90 978.60 67.60 24.00 315.00 213.10											
MEAN +2 STD DEV 20.47 12.84 136.39 6.53 4.33 38.97 33.37											
MEAN -2 STD DEV 4.03 5.72 59.33 4.49 0.47 8.81 9.25											
STD DEV +2 STD DEV 23.16 13.61 144.55 4.58 5.65 44.76 37.54											
STD DEV -2 STD DEV 5.83 4.12 63.87 6.55 0.65 11.57 11.18											
SUM OF SQUARES 1652.47 691.73 99106.12 509.84 64.00 5591.00 4868.59											

DATES: 76/01/01TO 76/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	PERCENT SATURATH	pH	STANDARD TURBIDITY NTU	SULPHIDE mg/l	SALINITY g/l	SECCHI METERS	TRANSPAR
76/01/22	1055	4.8	10.1	93.9	7.4	4.0	18	20.4			
76/02/19	1025	4.3	8.7	81.5	7.2	3.0	18	23.2			
76/03/18	1100	7.5	9.9	99.9	6.5	2.0	43	29.9			
76/04/22	1135	9.7	11.6	110.2	8.2	4.0	14	13.5	1.5		
76/05/05	1325	10.6	9.3	89.9	6.4	5.0	14	13.0	1.2		
76/06/08	1430	12.2	9.8	100.2	7.6	3.0	5	14.5	1.8		
76/07/06	1400	15.3	11.4	131.3	7.9	1.0	9	22.7			
76/08/24	1420	12.5	6.7	71.9	7.4	1.0	9	23.1	2.0		
76/09/16	1600	14.2	6.4	71.4	7.4	1.0	28	24.3	2.3		
76/10/21	1500	10.7	3.8	48.4	7.0	3.0	36	27.6	1.4		
76/11/23	1530	10.1	5.0	52.3	6.8	3.0	140	24.8	1.2		
76/12/15	1343	9.6	6.7	48.9	6.2	5.0	8	27.7			
NUMBER OF SAMPLES 12 12 12 12 12 12 12 7											
MAXIMUM VALUE 15.30 11.40 131.30 8.20 5.00 140.00 29.90 2.30											
MINIMUM VALUE 6.30 3.80 40.40 6.40 1.00 5.00 13.00 1.20											
ARITHMETIC MEAN 10.46 6.13 62.67 7.33 3.00 30.18 22.39 1.63											
GEOMETRIC MEAN 10.11 7.44 78.29 7.31 2.58 18.74 21.47 1.58											
LOG/GEOMETRIC MEAN 2.31 2.04 4.36 1.99 0.95 2.93 3.08 0.44											
MEDIAN 10.35 9.00 45.70 7.40 3.00 16.00 23.15 1.50											
STANDARD DEV OF LOGS 0.28 0.38 0.36 0.69 0.62 0.94 0.28 0.29											
STANDARD DEVIATION 2.79 2.71 26.96 0.85 1.40 38.15 5.58 0.42											
VARIANCE 7.76 7.36 726.80 0.73 2.18 1455.53 31.89 0.18											
COEFF OF VARIATION 26.67 33.35 32.61 8.70 49.24 126.40 24.90 25.74											
SUM OF VALUES 125.50 97.60 992.00 88.00 36.00 362.20 268.70 11.40											
MEAN +2 STD DEV 16.04 13.56 136.58 6.66 5.75 106.49 33.54 2.47											
MEAN -2 STD DEV 4.38 2.71 28.75 8.03 0.85 -48.12 11.24 0.79											
STD DEV +2 STD DEV 17.61 16.28 159.41 8.74 4.98 123.52 37.83 2.42											
STD DEV -2 STD DEV 5.80 3.40 34.40 6.10 0.74 2.84 12.41 0.76											
SUM OF SQUARES 1398.11 874.74 90000.00 450.02 132.00 26943.24 6356.59 19.42											

DATES: 77/01/01TO 77/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	PERCENT SATURATH	pH	STANDARD TURBIDITY NTU	SULPHIDE mg/l	SALINITY g/l	SECCHI METERS	TRANSPAR
77/01/13	1335	6.6	5.4	57.9	6.7	6.0	99	29.9	1.5		
77/02/25	1130	8.9	6.9	70.1	6.9	2.0	41	26.4	1.8		
77/03/24	1010	7.5	6.0	79.7	6.9	1.4	41	28.4	1.6		
77/04/27	1355	12.4	10.1		7.8	2.0	9		1.5		
77/05/11	1125	11.0	7.3	75.6	7.4	3.0	54	22.6	0.9		
77/06/13	1645	17.2	9.9	113.1	7.8	1.0	18	18.2	1.7		
77/07/21	1120	13.8	5.4	61.5	7.0	6.0	98	28.4	1.2		
77/08/18	1035	16.7	6.4	76.3	7.4	1.0	41	26.7	2.1		
77/09/15	1115	12.2	6.3	69.7	6.4	2.0	110	28.8	2.1		
77/10/12	1510	12.1	4.2	45.4	6.8	2.0	90	25.6	1.5		
77/11/08	1450	10.3	6.1	64.5	7.0	3.0	5	27.8	1.2		
77/12/20	1425	6.2	9.9	87.3	7.4	4.0	32	14.5	1.2		
NUMBER OF SAMPLES 12 12 11 12 12 12 12 11 12											
MAXIMUM VALUE 17.20 10.10 113.10 7.80 4.00 110.00 29.90 2.10											
MINIMUM VALUE 4.20 4.20 45.40 6.40 1.00 14.50 6.90											
ARITHMETIC MEAN 11.41 7.18 72.83 7.13 2.75 52.50 25.17 1.52											
GEOMETRIC MEAN 10.94 6.94 71.00 7.11 2.29 37.00 26.64 1.48											
LOG/GEOMETRIC MEAN 2.39 1.94 4.26 1.96 0.83 3.63 3.21 0.39											
MEDIAN 11.55 6.65 70.10 7.00 2.00 41.00 26.70 1.50											
STANDARD DEV OF LOGS 0.31 0.27 0.24 0.06 0.44 0.87 0.22 0.25											
STANDARD DEVIATION 3.40 1.93 17.57 0.64 1.78 36.23 4.84 0.37											
VARIANCE 11.56 3.74 308.82 0.19 1.41 1382.44 23.40 0.13											
COEFF OF VARIATION 29.82 26.97 24.13 6.11 64.17 49.01 19.22 24.16											
SUM OF VALUES 134.90 84.10 801.10 85.50 33.00 430.00 276.90 18.20											
MEAN +2 STD DEV 18.21 11.94 107.97 8.00 4.20 124.96 34.85 2.25											
MEAN -2 STD DEV 4.60 3.21 37.68 6.25 -0.78 19.76 15.50 0.78											
STD DEV +2 STD DEV 20.25 11.94 113.69 8.43 4.16 246.51 38.64 2.43											
STD DEV -2 STD DEV 5.90 4.83 44.35 6.30 0.64 5.38 15.22 0.90											
SUM OF SQUARES 1689.13 656.95 61430.21 611.27 125.00 47514.00 7294.31 29.08											

DATES: 78/01/01TO 78/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	PERCENT SATURATH	pH	STANDARD TURBIDITY NTU	SULPHIDE mg/l	SALINITY g/l	SECCHI METERS	TRANSPAR
78/01/12	1150	4.8	8.3	81.1	7.2	1.0	18	27.5	1.8		
78/02/15	1230	7.4	8.5	85.9	7.1	2.0	23	30.4	2.1		
78/03/31	1125	9.6	6.9	86.9	7.4	3.0	18	18.2	2.4		
78/04/13	0920	6.2	8.2	82.6	7.3	4.0	32	24.2	1.2		
78/05/03	1530	12.2	9.8	102.1	6.9	3.0	5	19.5	1.2		
78/06/26	1040	15.9	9.2	104.4	7.8	1.0	5	21.2	2.5		
78/07/28	1215	17.0	7.0	82.9	7.0	1.0	48	24.7	1.5		
78/08/22	1300	13.2	6.0	63.3	6.6	10.0	9	18.3	3.5		
78/09/19	1145	13.4	6.7	70.2	7.8	2.0	16.4	2.7			
78/10/13	1119	12.4	7.9	83.3	7.8	3.0	5	20.7	2.7		
78/11/30	1445	9.0	6.9	70.9	7.9	4.0	9	37.8	1.5		
78/12/19	1040	7.9	7.5	74.7	7.8	2.0	9	20.5	3.5		
NUMBER OF SAMPLES 12 12 12 12 12 11 12 12 12											
MAXIMUM VALUE 17.00 9.80 104.40 7.90 10.00 68.00 30.50 3.50											
MINIMUM VALUE 4.00 4.01 63.30 6.60 1.00 0.00 16.40 1.25											
ARITHMETIC MEAN 11.17 7.91 82.53 7.37 3.00 17.45 23.28 2.23											
GEOMETRIC MEAN 10.71 7.83 81.74 7.36 2.39 6.44 22.81 2.10											
LOG/GEOMETRIC MEAN 2.37 2.06 4.40 2.00 0.87 1.87 3.13 0.74											
MEDIAN 10.90 8.05 82.75 7.35 2.50 9.00 22.70 2.25											
STANDARD DEV OF LOGS 0.30 0.14 0.14 0.66 0.48 2.52 0.21 0.37											
STANDARD DEVIATION 3.35 1.12 12.91 0.47 2.45 19.26 4.93 0.80											
VARIANCE 11.19 1.26 144.14 0.18 6.00 371.07 24.29 0.64											
COEFF OF VARIATION 29.96 14.21 14.55 5.71 81.45 110.36 21.17 35.66											
SUM OF VALUES 134.00 94.91 990.30 80.40 36.00 192.00 279.40 24.80											
MEAN +2 STD DEV 17.66 18.16 106.54 8.21 7.90 55.90 33.14 3.84											
MEAN -2 STD DEV 4.48 5.64 58.51 6.53 -1.90 -21.07 13.43 0.63											
STD DEV +2 STD DEV 19.60 18.46 109.09 8.25 9.33 1001.13 34.91 4.40											
STD DEV -2 STD DEV 5.84 5.87 61.25 6.55 0.61 0.04 14.90 1.00											
SUM OF SQUARES 1419.47 744.55 63310.09 453.16 174.00 7062.00 8772.50 66.91											

DATES: 79/01/01TO 79/12/31

DATE FROM TO	TIME	DEPTH METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	PERCENT SATURATH	pH	STANDARD TURBIDITY NTU	SULPHIDE mg/l	SALINITY g/l	SECCHI METERS	TRANSPAR
79/01/31	1040	4.2	7.7	75.1	7.6	3.0	38	29.2	4.5		
79/02/20	1550	7.0	8.0	80.0	7.5	3.0	45	24.6	2.0		
79/03/24	1500	4.2	8.5	81.7	7.5	1.0	18	25.8	2.5		
79/04/09	1515	9.9	7.7	80.9	7.0	1.0	50	28.2	2.0		
79/05/30	1105	14.6	9.5	105.0	7.9	13.0	2	19.3	2.5		
79/06/19	1445	12.8	7.2	78.5	7.3	2.0	23	24.7	2.1		

Table 8c.

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ag/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00760 SULPHATE PPT	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
76/01/22	1055		6.1	10.1	93.9	7.4	4.0	18	26.4	
77/01/12	1335		6.6	5.6	57.9	6.7	6.0	19	29.9	1.5
78/01/12	1150		6.8	6.3	81.1	7.2	1.0	18	23.5	1.8
79/01/31	1040		6.2	7.7	75.1	7.6	3.0	56	29.2	4.5
80/01/25	1105		5.4	9.6	85.8	7.9	3.0	58	19.4	1.4
NUMBER OF SAMPLES 5 5 5 5 5 5 5 5 5 5 4 MAXIMUM VALUE 6.68 10.18 93.90 7.90 6.00 99.00 29.90 4.50 MINIMUM VALUE 5.40 5.60 57.90 4.70 1.00 5.00 19.40 1.40 ARITHMETIC MEAN 6.24 6.24 78.24 7.24 3.10 29.44 26.24 2.24 GEOMETRIC MEAN 6.64 6.09 77.75 7.35 2.91 15.16 24.64 2.03 LOG/GEOMETRIC MEAN 1.90 2.09 4.35 1.99 1.00 2.72 3.21 0.71 MEDIAN 6.80 8.30 81.10 7.40 3.00 18.00 27.50 1.65 STANDARD DEV OF LOGS 0.17 0.23 0.18 0.06 0.66 1.23 0.21 0.54 STANDARD DEVIATION 1.10 1.77 13.56 0.45 1.82 39.67 5.00 1.48 VARIANCE 1.39 3.14 183.20 0.20 3.30 1573.50 25.61 2.18 COEFF OF VARIATION 17.43 21.46 17.19 4.12 53.43 186.78 19.70 64.19 SUM OF VALUES 33.80 41.30 393.86 34.80 17.00 145.00 126.40 9.20 MEAN +2 STD DEV 9.12 11.81 195.83 8.26 7.03 108.33 35.26 5.25 MEAN -2 STD DEV 4.40 6.71 51.69 6.46 -0.23 -58.33 15.28 -0.65 GEO MEAN +2 STD DEV 9.38 12.89 132.30 8.32 11.07 177.11 37.59 5.99 GEO MEAN -2 STD DEV 6.76 5.80 53.83 6.49 9.78 1.30 16.43 6.89 SUM OF SQUARES 234.04 353.71 31748.48 271.66 71.50 10499.00 3295.42 27.78										

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ag/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00760 SULPHATE PPT	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
76/02/19	1025		6.3	8.7	81.5	7.2	3.0	18	23.2	
77/02/25	1130		6.9	6.9	78.1	6.9	2.0	41	26.4	1.8
78/02/25	1230		7.4	4.5	85.9	7.1	2.0	23	38.4	2.1
79/02/26	1550		7.0	6.8	84.0	7.2	3.0	40	28.8	2.9
80/02/22	1110		6.3	6.1	77.9	7.1	3.0	5	23.4	2.4
NUMBER OF SAMPLES 5 5 5 5 5 5 5 5 5 5 4 MAXIMUM VALUE 8.90 8.70 85.90 7.50 3.00 45.00 30.40 2.40 MINIMUM VALUE 6.30 6.90 70.10 6.90 2.00 5.00 23.20 1.80 ARITHMETIC MEAN 7.38 6.16 79.88 7.16 2.60 26.40 26.86 2.08 GEOMETRIC MEAN 7.33 6.13 79.68 7.16 2.55 20.72 25.95 2.06 LOG/GEOMETRIC MEAN 1.99 2.10 4.38 1.97 6.94 3.03 3.26 0.72 MEDIAN 7.30 6.50 81.50 7.10 3.00 23.00 26.40 2.05 STANDARD DEV OF LOGS 0.13 0.10 0.08 0.03 0.22 0.86 0.13 0.12 STANDARD DEVIATION 0.95 0.74 6.23 0.22 0.55 16.58 2.90 0.25 VARIANCE 0.91 0.55 38.45 0.05 0.30 274.80 6.43 0.06 COEFF OF VARIATION 12.90 9.87 7.80 3.06 21.87 82.79 11.12 12.05 SUM OF VALUES 36.90 48.80 399.40 35.80 12.00 132.00 138.40 13.30 MEAN +2 STD DEV 9.28 9.44 92.25 7.60 3.70 59.55 31.89 2.58 MEAN -2 STD DEV 5.48 6.68 67.41 6.72 1.50 -6.25 20.27 1.50 GEO MEAN +2 STD DEV 9.42 9.85 93.58 7.61 3.98 121.17 32.31 2.62 GEO MEAN -2 STD DEV 5.71 6.71 67.84 6.74 1.64 3.56 20.85 1.63 SUM OF SQUARES 275.95 335.12 32059.48 256.52 35.00 4584.00 3434.56 17.41										

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ag/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00760 SULPHATE PPT	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
75/03/20	1110		7.2	6.3	82.3	6.9	1.0	14	26.7	
76/03/28	1100		7.2	9.9	99.9	6.5	2.0	6	19.7	
77/03/26	1010		7.5	4.0	79.7	6.9	1.0	41	28.0	1.5
78/03/31	1125		9.6	4.9	86.9	7.4	3.0	18	18.2	2.4
79/03/26	1500		8.2	6.5	84.7	7.2	1.0	18	25.8	2.5
80/03/17	1005		10.8	8.1	86.2	7.4	1.0	5	23.8	2.6
81/03/13	1100		9.6	9.1	91.9	7.6	8	23.3	2.1	
NUMBER OF SAMPLES 7 7 7 7 7 7 7 7 7 7 5 MAXIMUM VALUE 10.80 9.90 99.90 7.60 3.00 83.00 29.90 2.50 MINIMUM VALUE 7.50 6.00 79.70 6.50 1.00 5.00 18.20 1.50 ARITHMETIC MEAN 8.70 6.89 87.89 7.13 1.88 23.56 25.19 2.18 GEOMETRIC MEAN 8.82 6.86 86.87 7.12 1.43 17.33 24.83 2.14 LOG/GEOMETRIC MEAN 2.15 2.16 4.44 1.96 0.36 2.45 3.21 0.74 MEDIAN 8.20 8.50 84.70 7.20 1.00 18.00 25.40 2.40 STANDARD DEV OF LOGS 0.15 0.08 0.06 0.05 0.51 0.88 0.16 0.21 STANDARD DEVIATION 1.30 0.67 6.82 0.28 0.89 20.81 3.81 0.41 VARIANCE 1.69 0.45 46.48 0.15 0.80 433.14 14.51 0.17 COEFF OF VARIATION 14.96 7.71 7.83 5.35 55.90 87.24 15.17 18.75 SUM OF VALUES 60.90 68.80 609.60 49.90 6.00 167.00 175.70 10.90 MEAN +2 STD DEV 11.30 10.82 108.72 7.89 3.39 65.48 32.72 3.08 MEAN -2 STD DEV 6.10 7.35 72.45 6.37 -0.19 -17.27 19.46 1.36 GEO MEAN +2 STD DEV 11.54 10.87 101.13 7.93 3.98 99.79 34.35 3.27 GEO MEAN -2 STD DEV 6.44 7.45 74.42 6.39 8.51 3.01 17.95 1.41 SUM OF SQUARES 539.99 518.78 53466.34 356.59 16.00 6583.80 4997.11 24.43										

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ag/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00760 SULPHATE PPT	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
75/04/14	1255		9.6	6.4	86.8	7.5	3.0	28	25.3	
76/04/22	1136		9.7	11.4	116.2	8.2	4.0	14	17.5	1.5
77/04/27	1355		12.4	10.1		7.8	2.0	9		1.5
78/04/13	0920		9.2	6.2	82.6	7.3	4.0	32	24.2	1.2
79/04/09	1515		9.9	7.7	88.9	7.0	1.0	58	28.2	2.6
80/04/21	1015		9.4	9.9	97.2	8.2	3.0	9	19.7	2.9
NUMBER OF SAMPLES 6 6 5 6 6 6 5 5 5 5 5 MAXIMUM VALUE 12.40 11.60 110.20 8.20 4.00 50.00 28.20 2.20 MINIMUM VALUE 9.20 7.70 80.90 7.00 1.00 8.00 12.50 1.25 ARITHMETIC MEAN 10.01 9.32 91.38 7.67 2.83 22.17 22.18 1.69 GEOMETRIC MEAN 9.98 9.22 90.75 7.45 2.57 5.52 21.50 1.65 LOG/GEOMETRIC MEAN 2.30 2.22 4.51 2.04 0.94 1.71 1.87 0.50 MEDIAN 9.45 9.15 86.00 7.45 3.00 21.00 24.20 1.50 STANDARD DEV OF LOGS 0.11 0.14 0.13 0.06 0.53 1.49 0.29 0.23 STANDARD DEVIATION 1.18 1.47 12.29 0.49 1.17 18.09 5.73 0.39 VARIANCE 1.40 2.17 150.98 0.24 1.37 327.37 32.89 0.16 COEFF OF VARIATION 11.80 15.82 13.45 6.37 17.26 81.62 25.86 23.33 SUM OF VALUES 60.20 55.90 456.90 46.00 17.00 133.00 110.90 8.45 MEAN +2 STD DEV 12.40 12.27 115.95 8.64 5.17 58.25 33.63 2.46 MEAN -2 STD DEV 7.66 6.37 68.81 6.69 0.50 -14.02 10.71 0.90 GEO MEAN +2 STD DEV 12.42 12.59 117.45 8.70 7.39 8892.95 34.44 2.62 GEO MEAN -2 STD DEV 6.02 6.78 70.81 6.73 0.89 0.01 12.92 1.04 SUM OF SQUARES 611.02 531.67 42355.45 353.66 55.00 4585.00 2591.31 14.90										

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ag/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00760 SULPHATE PPT	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
74/05/28	1100		12.6	9.0	91.4	7.2	2.0	25	14.0	
75/05/13	0940		12.1	9.3	92.8	7.0	3.0	28	12.9	
76/05/05	1325		10.6	9.3	89.9	6.4	5.0	14	13.0	1.2
77/05/11	1125		11.0	7.3	75.6	7.4	3.0	54	22.6	0.9
78/05/03	1030		12.2	9.4	102.1	6.9	1.0	5	19.5	1.2
79/05/30	1105		14.6	9.5	105.0	7.9	15.0	2	19.3	2.5
80/05/27	1025		9.6	9.7	98.1	7.9	4.0	8	23.5	2.7
NUMBER OF SAMPLES 7 7 7 7 7 7 7 7 7 7 5 MAXIMUM VALUE 14.60 9.80 105.00 8.40 13.00 54.00 23.50 2.70 MINIMUM VALUE 9.60 7.30 75.60 6.90 2.00 0.00 12.90 0.90 ARITHMETIC MEAN 11.81 9.13 93.56 7.53 4.71 19.76 17.83 1.71 GEOMETRIC MEAN 11.72 8.09 93.10 7.51 3.91 4.58 17.33 1.56 LOG/GEOMETRIC MEAN 2.46 2.21 4.53 2.02 1.36 1.52 2.45 0.44 MEDIAN 12.10 9.30 92.80 7.40 3.00 14.00 19.30 1.25 STANDARD DEV OF LOGS 0.14 0.10 0.11 0.07 0.60 1.21 0.26 0.49 STANDARD DEVIATION 1.01 0.85 9.71 0.55 1.77 20.08 4.51 0.83 VARIANCE 2.61 0.72 94.27 0.31 14.24 403.15 20.36 0.68 COEFF OF VARIATION 13.67 9.31 10.38 7.34 80.04 101.63 25.31 48.33 SUM OF VALUES 82.70 63.90 656.90 52.70 33.00 138.30 124.40 8.55 MEAN +2 STD DEV 15.04 10.83 112.90 8.43 12.24 59.91 24.45 3.36 MEAN -2 STD DEV 6.58 7.43 74.24 6.42 -2.83 -20.40 8.80 0.06 GEO MEAN +2 STD DEV 15.37 11.12 115.67 8.49 13.01 2804.72 29.12 4.11 GEO MEAN -2 STD DEV 4.94 7.43 74.94 6.49 1.14 0.01 10.31 0.59 SUM OF SQUARES 992.49 567.65 61856.19 394.59 241.00 5151.29 2367.16 17.35										

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ag/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00760 SULPHATE PPT	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
74/06/13	1115		16.7	9.2	97.6	7.2	1.0	30	7.0	
75/06/11	1020		15.0	10.2	109.0	8.2	2.0	18	14.3	
76/06/00	1430		12.2	9.6	100.2	7.6	3.0	5	18.5	1.8
77/06/15	1445		17.2	9.9	113.1	7.8	1.0	18	18.2	1.7
78/06/20	1040		15.8	9.5	106.4	7.6	6.0	5	21.2	2.5
79/06/19	1445		12.8	7.2	78.5	7.3	2.0	23	24.7	2.1
80/06/23	1445		14.9	11.8	130.4	8.6	3.0	5	20.1	2.7
NUMBER OF SAMPLES 7 7 7 7 7 7 7 7 7 7 5 MAXIMUM VALUE 17.20 11.80 130.40 8.60 3.00 30.00 24.70 2.70 MINIMUM VALUE 12.20 7.20 78.50 7.20 1.00 5.00 7.00 1.70 ARITHMETIC MEAN 14.96 9.63 104.74 7.99 1.86 14.00 17.43 2.16 GEOMETRIC MEAN 14.85 9.54 103.69 7.77 1.67 11.58 16.38 2.13 LOG/GEOMETRIC MEAN 2.70 2.26 4.44 2.05 0.51 2.45 2.80 0.95 MEDIAN 15.00 9.80 104.40 7.80 2.00 18.80 18.20 2.10 STANDARD DEV OF LOGS 0.13 0.15 0.16 0.06 0.51 0.50 0.41 0.29 STANDARD DEVIATION 1.88 1.26 15.85 0.49 0.90 10.04 5.69 0.48 VARIANCE 3.54 1.84 251.12 0.24 0.81 101.14 32.37 0.19 COEFF OF VARIATION 12.57 14.08 15.13 6.31 48.45 67.69 32.45 20.07 SUM OF VALUES 104.70 67.38 733.20 54.50 13.00 184.00 122.80 10.80 MEAN +2 STD DEV 18.72 12.34 136.44 8.77 3.66 39.00 28.81 3.03 MEAN -2 STD DEV 11.20 6.91 73.05 6.80 0.66 -5.26 4.85 1.29 GEO MEAN +2 STD DEV 19.25 12.77 141.48 8.81 6.80 57.87 37.51 3.18 GEO MEAN -2 STD DEV 11.46 7.13 75.99 6.86 0.61 2.32 7.15 1.42 SUM OF SQUARES 1587.23 659.61 78304.16 425.77 29.00 2152.00 2326.52 24.08										

Table 8c, continued.

00010										00010											
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR
FR	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCHI	FR	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCHI
TO			DEG-C	mg/L	SATURATH	UNITS	NTU	ug/l	ug/l	METERS	TO			DEG-C	mg/L	SATURATH	UNITS	NTU	ug/l	ug/l	METERS
75/07/24	1135	14.0	10.4	125.3	8.0	2.0	23	21.3			74/08/12	1405	14.0	10.4	125.3	8.0	2.0	23	21.3		
76/07/20	1400	15.3	11.6	131.3	7.9	1.0	9	22.7			75/08/13	1110	16.6	8.1	94.2	7.2	1.0	35	26.3		
77/07/21	1120	13.4	5.4	61.5	7.0	6.0	90	20.4	1.2		76/08/24	1428	12.5	6.7	71.9	7.4	1.0	9	23.1	2.0	
78/07/28	1215	17.0	7.0	82.9	7.0	1.0	60	24.7	1.5		77/08/18	1035	16.7	8.4	74.3	7.4	1.0	41	26.7	2.1	
79/07/17	1450	18.4			7.2	1.0	14	23.5	3.5		78/08/22	1300	13.2	6.0	63.3	6.6	10.0K	9	18.3	3.5	
80/07/22	1600	18.1	10.6	128.5		2.0	0	25.1			79/08/28	1120	15.4	5.3	61.9	7.3	1.0	14	26.8	2.1	
80/08/29	1005										80/08/29	1005	13.1	6.8	75.9		1.0	9	27.4	2.7	
NUMBER OF SAMPLES 6 5 5 5 6 6 6 6 6 3 MAXIMUM VALUE 10.60 11.40 131.30 8.00 6.00 10.00 24.40 3.50 MINIMUM VALUE 13.30 5.40 61.50 7.00 1.00 9.00 21.30 1.20 ARITHMETIC MEAN 16.83 9.04 105.90 7.42 2.17 34.00 24.28 2.07 GEOMETRIC MEAN 16.74 8.68 101.31 7.41 1.70 6.68 24.18 1.85 LOG/GEOMETRIC MEAN 2.82 2.16 4.82 2.00 0.53 1.70 3.19 0.81 MEDIAN 17.30 10.60 125.20 7.20 1.50 18.30 24.10 1.50 STANDARD DEV OF LOGS 9.12 8.33 9.34 9.07 9.71 3.44 9.10 0.56 STANDARD DEVIATION 11.92 2.68 31.75 0.49 1.94 14.32 2.44 1.25 VARIANCE 3.48 7.21 1000.18 0.24 3.77 1318.40 5.94 1.58 COEFF OF VARIATION 11.40 29.74 29.94 4.62 49.67 104.44 14.66 46.50 COEFF OF VARIATION 101.00 45.20 529.50 37.10 13.00 204.40 143.70 6.20 SUM OF VALUES 20.67 14.41 149.40 8.40 6.05 106.63 29.17 4.57 MEAN +2 STD DEV 13.00 3.67 42.40 6.44 -1.71 -38.63 19.40 -0.93 MEAN -2 STD DEV 21.22 16.79 199.76 8.45 6.96 1631.41 29.66 5.21 STD MEAN +2 STD DEV 13.20 4.49 51.58 6.49 0.41 0.00 19.86 0.60 STD MEAN -2 STD DEV 1718.58 637.46 60106.69 274.25 47.00 13530.90 3567.89 15.94 SUM OF SQUARES										NUMBER OF SAMPLES 7 6 6 6 7 7 7 7 7 5 MAXIMUM VALUE 10.70 11.00 96.20 7.40 10.00 41.00 27.40 1.50 MINIMUM VALUE 12.50 5.32 61.70 6.60 1.00 9.00 18.30 2.00 ARITHMETIC MEAN 14.61 8.58 74.25 7.25 2.29 15.43 24.37 2.48 GEOMETRIC MEAN 14.71 8.50 73.94 7.24 1.89 1.70 14.15 2.42 LOG/GEOMETRIC MEAN 2.49 1.87 4.20 1.98 0.33 0.53 3.18 0.88 MEDIAN 15.40 6.55 73.90 7.33 1.80 9.00 24.10 2.10 STANDARD DEV OF LOGS 0.12 0.14 0.16 0.65 0.87 4.83 0.15 0.24 STANDARD DEVIATION 1.81 0.93 12.08 3.34 3.40 18.32 1.37 0.63 VARIANCE 1.78 0.84 153.33 0.13 11.57 764.39 11.10 0.40 COEFF OF VARIATION 12.22 14.17 146.66 4.76 146.82 105.77 13.85 25.57 SUM OF VALUES 103.70 39.33 445.20 63.50 16.00 100.00 170.60 12.40 MEAN +2 STD DEV 18.44 8.41 99.02 7.96 9.09 48.67 31.12 3.75 MEAN -2 STD DEV 11.19 6.70 49.48 6.56 -4.52 -17.21 17.62 1.21 STD MEAN +2 STD DEV 10.80 8.60 101.04 7.99 7.92 5334.79 32.49 3.89 STD MEAN -2 STD DEV 11.40 6.91 53.19 6.57 9.24 0.00 17.96 1.51 SUM OF SQUARES 1555.91 262.12 33845.05 315.97 106.00 3264.00 4228.00 32.36											
00010										00010											
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR
FR	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCHI	FR	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCHI
TO			DEG-C	mg/L	SATURATH	UNITS	NTU	ug/l	ug/l	METERS	TO			DEG-C	mg/L	SATURATH	UNITS	NTU	ug/l	ug/l	METERS
75/07/18	1440	17.0	10.0	118.9	8.00	2.00	14	25.3			74/08/17	1120	11.4	3.8	33.7	7.4	2.0	43	28.0		
76/07/16	1600	14.2	6.4	71.4	7.4	1.0	28	24.3	2.3		75/08/16	1510	11.0	6.0	65.0	7.1	4.0	32	29.2		
77/07/15	1115	12.2	6.3	69.7	6.4	2.0	110	28.8	2.1		76/08/21	1500	10.7	3.8	46.4	7.0	4.0	16	27.4	1.4	
78/07/19	1145	13.4	6.7	70.2	7.8	2.0	18	16.4	2.4		77/08/12	1510	12.1	4.2	45.4	6.8	2.0	98	25.6	1.5	
79/07/18	1735	15.4	10.1	117.6	8.0	2.0	9	26.3	1.5		78/08/13	1119	12.4	7.9	83.3	7.8	3.0	5	28.7	2.7	
											79/08/16	1550	12.2	4.5	49.6	6.2	1.0	68	28.3	1.6	
											80/08/07	1615	12.3	11.0	126.5	8.2	1.0	32	27.0	1.8	
NUMBER OF SAMPLES 5 5 5 5 4 5 4 5 4 MAXIMUM VALUE 17.00 10.10 118.90 8.00 2.00 110.00 28.80 2.75 MINIMUM VALUE 12.20 6.30 69.70 6.40 1.00 9.00 16.40 1.50 ARITHMETIC MEAN 14.48 7.90 89.40 7.40 1.80 40.25 24.22 2.16 GEOMETRIC MEAN 14.38 7.71 86.70 7.37 1.74 24.96 23.80 2.11 LOG/GEOMETRIC MEAN 2.67 2.04 4.46 2.00 0.55 3.22 3.17 0.75 MEDIAN 14.20 6.70 71.60 7.60 2.00 21.00 25.30 2.20 STANDARD DEV OF LOGS 0.13 0.24 0.28 0.10 0.31 1.09 0.22 0.25 STANDARD DEVIATION 1.87 1.97 24.17 0.71 0.45 47.19 6.68 0.52 VARIANCE 3.51 3.88 684.72 0.51 0.28 2226.92 21.91 0.27 COEFF OF VARIATION 12.94 24.92 29.20 9.62 24.85 117.24 19.32 23.98 SUM OF VALUES 72.40 39.50 448.00 29.60 9.00 361.00 121.10 8.45 MEAN +2 STD DEV 18.23 11.84 141.93 8.82 2.69 134.63 33.58 3.20 MEAN -2 STD DEV 10.73 3.96 37.27 5.98 0.91 -54.13 14.86 1.13 STD MEAN +2 STD DEV 18.63 12.53 152.45 9.05 3.24 222.40 24.77 1.54 STD MEAN -2 STD DEV 11.11 4.75 49.19 6.04 0.94 7.48 18.41 1.27 SUM OF SQUARES 1062.40 327.55 42879.66 220.56 17.00 13161.00 3026.47 19.51										NUMBER OF SAMPLES 7 7 7 7 7 7 7 7 7 5 MAXIMUM VALUE 12.40 11.00 120.50 8.20 4.00 90.00 29.20 2.75 MINIMUM VALUE 10.70 3.10 33.70 6.70 1.00 5.00 20.70 1.40 ARITHMETIC MEAN 11.76 5.29 42.56 7.23 2.57 43.71 26.63 1.81 GEOMETRIC MEAN 11.74 5.29 57.19 7.21 2.34 33.62 26.48 1.75 LOG/GEOMETRIC MEAN 2.46 1.67 4.05 1.98 0.65 3.51 3.28 0.56 MEDIAN 12.10 4.50 49.60 7.00 2.00 36.00 27.60 1.60 STANDARD DEV OF LOGS 0.06 0.44 0.44 0.07 0.49 0.93 0.12 0.27 STANDARD DEVIATION 2.68 2.80 10.49 0.56 1.13 27.58 2.85 0.55 VARIANCE 0.46 0.84 929.92 0.31 1.29 760.90 4.10 0.30 COEFF OF VARIATION 3.74 48.39 48.75 7.69 44.10 63.10 10.69 10.16 SUM OF VALUES 82.30 40.50 437.90 50.60 18.00 306.00 186.40 9.95 MEAN +2 STD DEV 13.11 10.09 123.55 8.34 4.84 78.66 33.22 2.94 MEAN -2 STD DEV 10.41 0.99 11.27 6.12 0.30 -11.45 20.94 0.72 STD MEAN +2 STD DEV 11.20 12.88 139.22 8.37 6.22 215.89 33.41 3.00 STD MEAN -2 STD DEV 10.44 2.17 33.48 6.21 0.84 5.25 20.99 1.83 SUM OF SQUARES 970.25 281.25 32973.31 367.62 54.00 17942.00 5012.14 17.57											
00010										00010											
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SUL	SALINITY	TRANSPAR
FR	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCHI	FR	TO	METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCHI
TO			DEG-C	mg/L	SATURATH	UNITS	NTU	ug/l	ug/l	METERS	TO			DEG-C	mg/L	SATURATH	UNITS	NTU	ug/l	ug/l	METERS
74/11/13	1405	11.2	5.5	59.0	7.0	3.0	40	27.1			74/12/19	1125	8.1	7.5	74.9		3.0	40	26.4		
75/11/20	1055	8.0	12.7	117.4	8.2	3.0	0	15.2			75/12/17	1415	7.5	9.3	85.7	7.5	3.0	23	16.4		
76/11/23	1530	10.1	5.0	52.3	6.8	3.0	140	28.8	1.2		76/12/15	1343	9.4	4.7	46.9	6.2	5.0	4	27.7	4	
77/11/08	1450	10.3	6.1	64.5	7.0	3.0	5	27.8	1.5		77/12/20	1425	6.2	9.9	87.3	7.4	4.0	12	14.5	1.2	
78/11/30	1445	9.0	6.9	70.9	7.6	1.0	9	27.8	1.5		78/12/19	1040	7.9	7.5	76.7	7.9	2.0	9	36.5	3.5	
79/11/15	1450	8.7			7.6	2.0	77	22.1	1.8		79/12/12	1425	6.4	9.9	87.9	7.4	3.0	14	14.9	1.0	
80/11/20	1415	9.1	7.7	79.3	7.7	2.0	36	27.8			80/12/15	1225	6.5	8.8	81.6	7.5	3.0	9	21.0	1.0	
NUMBER OF SAMPLES 7 6 6 7 7 6 7 4 MAXIMUM VALUE 11.20 12.70 117.40 8.20 4.00 140.00 28.80 1.80 MINIMUM VALUE 8.00 5.00 52.30 6.80 2.00 5.00 15.20 1.20 ARITHMETIC MEAN 9.49 7.32 73.70 7.33 2.86 51.17 25.66 1.43 GEOMETRIC MEAN 9.43 6.56 71.30 7.31 2.78 29.79 25.19 1.40 LOG/GEOMETRIC MEAN 2.24 1.94 4.27 1.99 1.02 3.29 3.23 0.34 MEDIAN 9.10 6.50 67.70 7.00 3.00 38.00 27.10 1.35 STANDARD DEV OF LOGS 0.11 0.33 0.28 0.07 0.25 1.27 0.22 0.20 STANDARD DEVIATION 1.09 7.89 9.51 0.69 50.64 4.65 0.29 VARIANCE 0.20 7.89 9.51 0.26 9.45 264.37 21.43 0.69 COEFF OF VARIATION 11.54 28.39 31.49 6.59 24.12 91.97 18.04 20.16 SUM OF VALUES 66.40 43.90 443.40 51.30 20.00 307.00 178.60 6.70 MEAN +2 STD DEV 11.67 12.93 120.44 8.35 4.24 105.00 34.92 2.80 MEAN -2 STD DEV 7.30 1.70 27.36 6.30 1.42 -50.12 14.40 0.25 STD MEAN +2 STD DEV 11.67 13.54 125.71 8.39 4.58 376.07 39.36 3.08 STD MEAN -2 STD DEV 7.50 3.57 40.44 6.32 1.69 2.36 16.12 0.95 SUM OF SQUARES 637.04 360.65 35474.60 377.53 60.00 28531.00 4736.62 1.27										NUMBER OF SAMPLES 7 7 7 6 7 7 7 4 MAXIMUM VALUE 9.60 9.90 17.90 7.90 5.00 40.00 30.50 3.50 MINIMUM VALUE 6.20 4.70 46.70 6.20 1.00 9.00 18.30 1.80 ARITHMETIC MEAN 7.46 8.23 77.57 7.32 3.29 18.63 21.66 1.88 GEOMETRIC MEAN 7.38 8.01 76.31 7.30 3.19 18.30 20.79 1.86 LOG/GEOMETRIC MEAN 2.00 2.00 4.33 1.99 3.15 1.70 3.63 0.51 MEDIAN 7.50 8.00 81.40 7.45 3.00 14.80 21.40 1.50 STANDARD DEV OF LOGS 0.16 0.24 0.21 0.06 0.24 3.15 0.31 0.56 STANDARD DEVIATION 1.21 1.05 13.62 0.38 0.95 14.27 4.58 1.14 VARIANCE 1.47 1.13 105.00 0.33 9.00 203.67 43.25 1.29 COEFF OF VARIATION 16.26 22.50 17.56 7.89 28.95 79.16 30.40 40.56 SUM OF VALUES 52.20 57.80 543.00 43.90 23.00 126.20 151.60 7.50 MEAN +2 STD DEV 7.88 11.93 104.82 6.67 5.19 46.57 34.83 4.10 MEAN -2 STD DEV 5.83 4.53 30.32 3.67 1.38 -10.51 3.49 0.40 STD MEAN +2 STD DEV 10.11 13.55 115.21 8.62 5.61 2977.39 38.48 5.03 STD MEAN -2 STD DEV 5.38 4.74 50.35 3.18 1.80 9.01 11.18 0.55 SUM OF SQUARES 198.08 494.54 43284.86 322.87 81.00 3497.24 3548.32 17.93											

Table 9a.

EC9205 ECOBAM AT NE EVERETT EAST WTRWAY

DATE FROM TO	TIME	00010 WATER DEPTH METERS	TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00760 SML PBI mg/l	70305 SALINITY CONDUCTIVITY g/l	00078 TRANSPAR SECCHI METERS	00301 DO PERCENT SATURATH	99001 SHANNON DIVERSITY INDEX	99002 OFFSHORE LOAD lb/day	99003 NEARSHORE LOAD lb/day	99004 TOTAL LOAD lb/day
74/05/28	1115	14.3		8.6	7.2	1.0	13	13.0		89.9	1.016	615900	35439	651340
74/06/13	1155	16.8		8.5	7.1	2.0	30	7.0		90.0	0.371	430160	37651	667820
74/08/12	1640	16.5			7.0	1.0		22.0			0.119	57280	39703	612590
74/09/18	1045	14.8		2.4	6.8	3.0	95	29.9		28.2	1.386	656580	37866	694450
74/10/17	1150	12.0		2.1	7.2	2.0	23	27.6		23.0	0.360	763030	39591	802630
74/11/13	1440	11.9		4.5	6.9	3.0	30	27.2		49.0	0.971	507130	34540	541670
74/12/19	1150	8.0		8.1		2.0	38	26.3		30.6	0.000	541640	40501	582140
75/01/16	1055			8.2	7.3	3.0	33				0.000	578450	36392	614440
75/02/20	1100			9.8	7.3	5.0	48					643910	25978	669490
75/03/20	1135	7.7		8.2	7.3	1.0	18	25.9		80.8		459120	30565	489690
75/04/14	1310	9.7		8.4	7.6	2.0	18	25.2		86.1	0.000	212500	21334	233830
75/05/13	1040	12.5		9.2	5.9	3.0	59	14.2		93.3	1.347	258730	25800	284610
75/06/11	1055	15.0		10.5	8.2	2.0	9	15.3		112.9	0.000	158040	31847	189990
75/07/24	1155	17.3		10.0	8.0		14	21.4		116.7	0.000	225770	28444	254210
75/08/13	1150	17.2		8.2	7.4	1.0	30	25.6		98.0	0.984	300060	30855	330920
75/09/18	1505	16.5		10.0	8.0	2.0	14	25.4		117.8	0.042	258260	30351	288610
75/10/16	1540	11.5		6.0	7.3	3.0	28	27.0		64.7		207250	33437	240680
75/11/20	1115	7.5		11.4	8.2	2.0	14	15.1		104.1	0.000	52343	23060	75403
75/12/17	1440	7.5		9.5	7.5	4.0	9	16.0		87.2	0.000	309060	34008	343070
76/01/22	1115	6.3		10.2	7.4	4.0	14	18.1		92.3	0.000	257980	37931	295910
76/02/19	1100	6.5		9.2	7.7	3.0	9	23.3		36.7	0.000	293710	33612	327320
76/03/18	1120	7.5		9.5	6.9	2.0	50	29.0		95.3	0.000	5500	59044	55544
76/04/22	1200	9.6		11.6	8.2	4.0	5	15.6	1.7	111.4	0.000	296710	35050	331760
76/05/05	1255	11.3		9.7	8.3	3.0	14	15.5	1.3	74.7	0.000	284410	18353	393260
76/06/08	1450	12.7		9.8	7.7	4.0	14	16.6	1.3	101.3	1.000	507740	34301	342040
76/07/20	1425	17.4		8.5	7.8	1.0	14	17.4		77.1	0.000	231390	40591	271380
76/08/24	1500	13.4		7.0	7.7	1.0	3	22.3	3.0	76.1		335360	38083	373450
76/09/16	1630	14.7		9.3	8.0	1.0	9	23.5	2.1	104.5	0.085	248360	41215	289570
76/10/21	1535	10.8		4.3	7.4	4.0	77	27.2	1.7	45.7	0.000	230050	38151	268200
76/11/23	1600	9.5		6.1	7.0	1.0	41	27.4	2.4	63.2	0.000	278930	36926	315360
76/12/15	1405	9.5		3.8	6.3	1.0	9	28.1		39.6	0.000	231890	38167	270050
77/01/13	1400	8.3		4.1	7.1	2.0	54	27.8		41.5		202780	40523	243310
77/02/25	1150	8.0		7.1	7.1	4.0	23	24.9	2.4	70.0		148870	35414	184280
77/03/24	1040	7.5		6.8				27.8	2.4	67.6	1.000	291520	37794	329310
77/04/27	1425	11.8		10.3	7.8	3.0	9		1.5		0.000	273640	39729	313370
77/05/11	1150	11.1		7.4	7.3	2.0	41	17.9	1.8	74.5	0.946	270770	39060	309830
77/06/13	1515	17.4		9.8	7.8	1.0	14	18.5		112.6	1.000	256590	38447	295040
77/07/21	1050	14.3		4.8	7.2	8.0	45	28.7	1.5	55.3	0.000	294670	44513	339180
77/08/18	1105	16.8		7.3	7.8	1.0	32	27.7	2.4	87.8	0.000	317150	42430	359580
77/09/15	1145	12.0		4.2	6.9	2.0	110	28.0	3.1	46.0		210120	36959	247080
77/10/12	1440	12.0		4.3	7.2	3.0	41	25.1	2.1	46.2	0.000	322740	19231	341970
77/11/08	1525	9.9		6.5	7.5	3.0	0	26.9	2.1	67.7	1.096	252220	49658	301880
77/12/20	1445	6.0		10.0	7.4	4.0	5	14.8		37.9		226900	42364	269260
78/01/12	1215	5.8		3.9	7.0	2.0	14	25.3	3.5	33.6		235100	38427	273530
78/02/15	1250	6.9		9.0	7.2	3.0	14	27.6	2.7	38.2		224410	42553	256960
78/03/31	1240	10.2		8.8	7.4	3.0	23	17.6	2.7	86.8	0.971	245920	39062	284980
78/04/13	0950	9.8		8.5	7.5	3.0	18	21.8	1.2	85.4		291660	36750	328410
78/05/03	1550	11.7		10.3	7.5	3.0	0	19.8	1.7	106.4		199370	45003	244370
78/06/26	1120	15.3		8.9	7.6	2.0	14	21.5	2.7	100.0	0.524	253790	35962	289750
78/07/28	1235	16.7		7.1	7.2	3.0	36	25.1	2.5	33.8	0.000	222490	43963	266450
78/09/19	1200	13.4		6.8	7.8	1.0		14.5	2.0	70.4	0.000	6000	0	6000
78/10/13	1134	12.5		7.6	7.8	2.0	5	20.9	7.7	30.4		0	0	0
78/11/30	1510	8.0		7.2	7.5	15.0	5	28.3	1.0	72.7	0.474	3600	0	3600
78/12/19	1105	7.6		7.0	7.6	2.0	5	29.0	3.0	70.4	0.000	0	0	0
79/01/31	1100	6.1		7.5	7.5	4.0	5K	28.6	3.5	72.7	0.000	0	0	0
79/02/26	1610	7.2		7.1	7.2	9.0	28	25.2	1.5	38.9		107170	38302	145980
79/03/26	1525	8.8		8.1	7.3		23	23.9	2.5	30.7		317030	35675	352710
79/04/09	1535	9.1		6.9	7.3	1.0	45	26.9	2.0	70.6	0.000	100610	34680	135290
79/05/30	1115	1.0		9.3	7.9	12.0	5	18.5	2.5	104.0		89847	40208	130050
79/06/19	1500	12.7		7.4	7.5	1.8	14	25.0	2.4	30.7	1.207	95859	33531	129390
79/07/17	1520	23.5			7.3	2.0	5	21.1	3.0		0.584	178260	43217	221480
79/08/28	1155	14.1		4.4	7.3	2.0	36	27.1	2.1	50.0	0.327	171820	34856	206680
79/09/18	1755	16.1		13.8	8.3	2.0	14	25.1	1.5	161.0	0.660	126390	38493	154880
79/10/16	1620	12.2		4.1	7.2	2.0	54	28.0	2.1	45.1	0.523	130080	36066	166150
79/11/15	1320	8.5		3.1	7.9	3.0	72	27.5	1.6	31.5	0.235	173470	42660	216330
79/12/12	1455	6.0		10.2	7.4	4.0	18	14.3	1.2	39.4	0.000	196450	26152	222610
80/01/25	1135	5.7		9.7	7.9	3.0	5K	19.2	1.4	87.2	0.503	4425	11841	16266
80/02/22	1135	7.3		8.2	7.4	2.0	23	25.5	1.3	30.8		6308	7532	13840
80/03/17	1030	10.5		8.2	7.4	4.0	5	24.2	1.0	35.0	0.000	3259	9653	12942
80/04/21	0950	8.9		10.4	8.1	2.0	0	22.5	2.2	102.9	0.000	2950	6864	9814
80/05/21	0950	10.0		10.4	7.7	10.0	0	22.8	1.5	195.6	0.331	3090	4983	5073
80/06/23	1700	15.1		9.7	8.2	3.0	0	20.5	2.7	107.9	0.000	3325	7119	10444
80/07/22	1610	18.4		10.4		1.0	0	21.1	2.1	123.8		3889	6199	10988
80/08/29	0900	11.2		6.2		2.0	14	26.8	1.5	66.3	0.068	4340	7126	11466
80/10/07	1705	12.5			8.0	1.0	45	27.3	1.2		0.135	2767	11048	13815
80/11/20	1445	6.4		8.7	7.7	3.0	45	27.1		34.0	0.316	4398	7128	11526
80/12/15	1240	6.6		8.9	7.6	2.0	5	22.1	1.5	83.3	0.000	2491	6533	7024
81/03/13	1030	10.1		8.8	7.5		4	23.2	2.1	89.8	0.000	12573	7265	19838

Table 9b.

DATES: 74/01/01TO 74/12/31

DATE FROM TO	TIRE	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED DO OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00700 SWL TURBIDITY PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
74/05/20	1115		14.3	8.6	87.9	7.2	1.0	13	13.8	
74/08/13	1155		16.6	8.5	90.0	7.1	2.0	10	7.8	
74/08/12	1640		16.5			7.0	1.0		22.0	
74/09/18	1045		14.8	2.4	28.2	6.8	1.0	95	29.9	
74/10/17	1150		12.0	2.1	23.0	7.2	2.0	23	27.6	
74/11/13	1440		11.9	4.5	49.0	6.9	3.0	10	27.2	
74/12/19	1150		8.0	6.1	80.6		2.0	38	26.3	
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

DATES: 75/01/01TO 75/12/31

DATE FROM TO	TIRE	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED DO OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00700 SWL TURBIDITY PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
75/01/16	1055			8.2		7.3	3.0		35	
75/02/20	1100			9.8		7.3	5.0		48	
75/03/20	1135		7.7	8.2	80.8	7.3	1.0	18	25.9	
75/04/16	1310		9.7	8.4	86.1	7.4	2.0	18	25.2	
75/05/13	1040		12.5	9.2	93.3	6.9	3.0	59	14.2	
75/06/11	1055		15.0	10.5	112.9	6.2	2.0	9	15.3	
75/07/24	1155		17.3	10.8	116.7	6.0		14	21.4	
75/08/13	1150		17.2	8.2	98.0	7.4	1.0	30	25.6	
75/09/18	1505		16.5	10.0	117.6	6.0	2.0	14	25.4	
75/10/16	1540		11.5	6.9	84.7	7.3	3.0	28	37.0	
75/11/20	1115		7.5	11.4	104.1	6.2	2.0	14	15.1	
75/12/11	1440		7.5	9.5	87.2	6.9		9	16.0	
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

DATES: 76/01/01TO 76/12/31

DATE FROM TO	TIRE	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED DO OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00700 SWL TURBIDITY PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
76/01/22	1115		6.3	10.2	92.3	7.4	4.0	54	18.1	
76/02/19	1100		6.5	9.2	86.7	7.7	3.0	9	23.3	
76/03/18	1120		7.5	9.5	95.3	6.9	2.0	50	29.0	
76/04/22	1290		9.6	11.6	111.4	6.2	4.0	5	15.4	1.7
76/05/05	1255		11.3	9.7	96.7	8.3	3.0	14	15.5	1.8
76/06/08	1450		12.7	9.8	101.3	7.7	4.0	14	16.6	1.8
76/07/10	1425		12.4	8.5	97.1	7.8	1.0	14	17.4	
76/08/24	1200		13.4	7.0	76.1	7.7	1.0	3	22.3	5.0
76/09/16	1630		14.7	9.3	104.5	7.0	1.0	9	23.5	2.1
76/10/21	1535		10.8	4.3	45.7	7.4	4.0	77	22.2	1.7
76/11/23	1600		9.5	6.1	63.2	7.0	1.0	41	27.4	2.4
76/12/15	1405		9.5	3.8	39.6	6.3	1.0	9	28.1	
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

DATES: 77/01/01TO 77/12/31

DATE FROM TO	TIRE	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED DO OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00700 SWL TURBIDITY PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
77/01/13	1400		8.3	4.1	41.5	7.1	2.0	54	27.8	1.8
77/02/25	1150		8.0	7.1	78.0	7.1	4.0	23	24.9	2.4
77/03/24	1040		7.5	6.8	87.8				27.8	1.5
77/04/27	1425		11.0	10.3		7.8	3.0	9		
77/05/11	1150		11.1	7.4	74.5	7.3	2.0	41	17.9	1.8
77/06/13	1515		17.4	9.8	112.4	7.8	1.0	14	18.5	
77/07/21	1050		14.3	4.8	55.3	7.2	6.0	45	28.7	1.5
77/08/18	1105		16.8	7.3	87.8	7.8	1.0	32	27.7	2.4
77/09/15	1145		12.0	4.2	44.0	6.9	2.0	110	28.0	3.1
77/10/12	1440		12.0	6.3	66.2	7.2	3.0	41	25.1	2.1
77/11/08	1525		9.9	6.5	67.7	7.5	3.0	8	26.9	2.1
77/12/20	1445		6.0	10.0	87.9	7.4	4.0	5	14.8	
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

DATES: 79/01/01TO 79/12/31

DATE FROM TO	TIRE	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED DO OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00700 SWL TURBIDITY PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
79/01/31	1100		6.1	7.5	72.7	7.5	4.0	58	28.6	3.5
79/02/26	1610		7.2	7.1	68.9	7.2	9.0	28	25.2	1.5
79/03/26	1525		8.8	8.1	80.7	7.3	3.0	23	23.9	2.5
79/04/09	1535		9.1	6.9	70.6	7.3	1.0	45	24.9	2.0
79/05/30	1115		1.0	9.3	104.0	7.9	12.0	5	18.5	2.5
79/06/19	1200		12.7	7.6	80.7	7.0	1.0	14	25.9	2.4
79/07/17	1520		23.5			7.3	2.0	5	21.1	2.1
79/08/28	1155		14.1	4.4	50.0	7.3	2.0	34	27.1	2.1
79/09/18	1255		16.1	13.8	161.0	6.3	2.0	14	25.1	1.5
79/10/16	1620		12.2	4.1	45.1	7.2	2.0	54	28.0	2.1
79/11/15	1520		8.5	3.1	31.5	7.9	3.0	72	27.5	1.4
79/12/12	1455		6.0	10.2	89.4	7.4	4.0	18	14.3	1.2
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

DATES: 78/01/01TO 78/12/31

DATE FROM TO	TIRE	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED DO OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00700 SWL TURBIDITY PBI	70305 SALINITY g/l	00078 TRANSPAR SECCHI METERS
78/01/12	1230		5.8	8.9	83.6	7.0	2.0	14	25.3	3.5
78/02/15	1250		6.9	9.0	88.2	7.2	3.0	14	27.6	2.7
78/03/31	1240		10.2	8.8	84.8	7.4	3.0	33	17.4	2.2
78/04/13	0950		9.8	8.5	85.4	7.5	3.0	18	21.8	1.7
78/05/03	1550		11.7	10.3	104.4	7.5	3.0	8	19.8	1.7
78/06/26	1120		15.3	8.9	100.0	7.6	2.0	14	21.5	2.7
78/07/28	1235		16.7	7.1	83.8	7.2	3.0	36	25.1	2.5
78/09/19	1200		13.4	6.8	70.4	7.6	1.0	14	14.5	2.0
78/10/13	1134		12.5	7.6	80.4	7.8	2.0	5	20.9	2.7
78/11/30	1510		8.0	7.2	72.7	7.5	15.0	5	28.3	1.0
78/12/19	1105		7.6	7.0	70.4	7.6	2.0	5	29.0	3.0
NUMBER OF SAMPLES										
MAXIMUM VALUE										
MINIMUM VALUE										
ARITHMETIC MEAN										
GEOMETRIC MEAN										
LOG/GEOMETRIC MEAN										
MEDIAN										
STANDARD DEV OF LOGS										
STANDARD DEVIATION										
VARIANCE										
COEFF OF VARIATION										
SUM OF VALUES										
MEAN +2 STD DEV										
MEAN -2 STD DEV										
GED MEAN +2 STD DEV										
GED MEAN -2 STD DEV										
SUM OF SQUARES										

Table 9c.

00010										00010												
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	TRANSPAR	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	TRANSPAR	
FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCI	FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCI	
			DEG-C	mg/l	SATURATH	UNITS	MU	ppm	ug/l	RETERS				DEG-C	mg/l	SATURATH	UNITS	MU	ppm	ug/l	RETERS	
75/01/16	1055			8.2			7.3	3.0	35		75/02/20	1100			7.8			7.3	5.0	48		
76/01/22	1115			10.2	92.3	7.4	4.0	19	18.1		76/02/19	1190			8.3	9.2	88.7	7.7	3.9	7	23.3	
77/01/13	1490			4.1	41.5	7.1	2.0	54	27.8	1.8	77/02/25	1150			8.0	7.1	70.0	7.1	4.0	23	24.9	
78/01/12	1215			5.8	8.9	83.6	7.0	2.0	14	25.3	3.5	78/02/15	1250			8.9	9.0	88.2	7.2	3.0	14	27.6
79/01/31	1100			6.1	7.3	72.7	7.5	4.0	5E	28.6	3.5	79/02/26	1410			7.2	7.1	68.9	7.2	9.0	28	25.2
80/01/25	1135			5.7	9.7	87.2	7.9	3.0	5E	19.2	1.4	80/02/22	1135			7.8	8.2	80.8	7.4	2.0	23	25.5
NUMBER OF SAMPLES 5 6 5 6 6 6 5 4 MAXIMUM VALUE 8.30 10.20 92.30 7.90 4.00 54.00 28.60 3.50 MINIMUM VALUE 5.70 4.10 41.50 7.00 2.00 5.00 18.10 1.40 ARITHMETIC MEAN 6.44 8.10 75.46 7.37 3.00 21.37 23.80 2.55 GEOMETRIC MEAN 4.38 7.78 72.49 7.36 2.80 14.49 23.28 2.36 LOG/GEOMETRIC MEAN 1.45 2.05 4.29 2.00 1.06 2.67 3.15 0.86 MEDIAN 4.10 8.55 83.40 7.35 3.00 14.00 25.20 2.65 STANDARD DEV OF LOSS 0.15 0.33 0.33 0.04 0.31 0.98 0.21 0.47 STANDARD DEVIATION 1.07 2.19 20.30 0.32 0.89 19.47 4.87 1.11 VARIANCE 1.14 4.80 412.14 0.10 0.80 378.97 23.74 1.23 COEFF OF VARIATION 16.56 27.94 26.90 4.35 29.81 91.97 20.67 43.49 SUM OF VALUES 32.20 48.60 377.30 44.20 18.00 127.00 119.80 10.20 MEAN +2 STD DEV 8.57 12.48 116.86 8.01 4.79 60.10 33.54 4.77 MEAN -2 STD DEV 4.31 3.72 34.86 6.73 1.21 -17.77 14.86 0.33 GEO MEAN +2 STD DEV 8.65 15.15 139.40 8.02 5.38 102.31 35.79 6.01 GEO MEAN -2 STD DEV 4.70 4.00 37.91 6.75 1.55 2.05 15.28 0.92 SUM OF SQUARES 211.92 417.84 10119.63 326.12 56.00 4583.00 2927.14 79.70											NUMBER OF SAMPLES 5 6 5 6 6 6 5 4 MAXIMUM VALUE 8.00 9.00 86.20 7.70 4.00 48.00 27.60 2.70 MINIMUM VALUE 6.50 7.10 68.90 7.10 2.00 9.00 23.30 1.50 ARITHMETIC MEAN 7.28 8.40 78.92 7.32 4.33 24.17 25.20 2.10 GEOMETRIC MEAN 7.24 8.34 78.50 7.31 3.85 21.15 25.26 2.05 LOG/GEOMETRIC MEAN 1.98 2.12 4.36 1.99 1.35 3.05 3.23 0.92 MEDIAN 7.20 8.00 80.80 7.25 3.50 23.00 25.20 2.10 STANDARD DEV OF LOSS 0.89 0.14 9.02 0.83 0.52 0.58 0.86 0.27 STANDARD DEVIATION 0.82 0.13 9.00 0.31 2.50 13.54 1.54 0.55 VARIANCE 0.69 0.18 82.54 0.65 6.27 183.77 2.37 0.30 COEFF OF VARIATION 11.05 13.45 11.51 2.92 57.77 56.89 4.09 24.88 SUM OF VALUES 36.40 50.40 394.60 43.90 26.00 145.00 124.50 8.40 MEAN +2 STD DEV 11.52 10.86 97.07 9.74 9.34 51.28 24.28 3.20 MEAN -2 STD DEV 6.04 6.14 60.75 6.89 -0.67 -2.95 22.22 1.00 GEO MEAN +2 STD DEV 11.62 10.76 99.12 7.75 10.85 67.07 28.52 3.49 GEO MEAN -2 STD DEV 6.11 6.34 62.16 6.90 2.38 8.67 22.38 1.20 SUM OF SQUARES 264.54 429.74 31471.78 321.43 144.00 4423.00 3209.93 18.54											
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	TRANSPAR	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	TRANSPAR	
FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCI	FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCI	
			DEG-C	mg/l	SATURATH	UNITS	MU	ppm	ug/l	RETERS				DEG-C	mg/l	SATURATH	UNITS	MU	ppm	ug/l	RETERS	
75/03/20	1135			8.2			7.3	1.0	18	25.9	75/04/14	1310			9.7	8.4	86.1	7.6	2.0	18	25.2	
76/03/18	1120			7.5	9.5	79.3	6.9	2.0	30	29.0	76/04/22	1200			9.6	11.6	111.4	8.2	4.0	5	15.6	
77/03/26	1040			7.5	6.8	87.8					77/04/27	1420			11.8	10.3		7.8	3.0	9	1.5	
78/03/31	1240			10.2	8.8	86.8	7.4	3.0	23	17.4	2.4	78/04/13	0950			9.8	8.5	85.4	7.5	3.0	18	21.8
79/03/26	1525			10.4	8.1	89.7	7.3				2.5	79/04/09	1535			9.1	6.9	78.6	7.3	1.0	45	28.0
80/03/17	1010			8.5	8.2	85.0	7.4	4.0	5	24.2	1.0	80/04/21	0950			8.9	10.4	102.9	8.1	2.0	0	22.5
81/03/13	1030			10.1	8.8	89.8	7.5				2.3											
NUMBER OF SAMPLES 7 7 7 4 4 4 7 5 MAXIMUM VALUE 10.50 9.50 95.30 7.50 4.00 50.00 29.00 2.70 MINIMUM VALUE 7.50 6.00 67.80 6.90 1.00 4.00 17.60 1.00 ARITHMETIC MEAN 8.90 5.34 83.71 7.30 2.50 20.50 24.51 2.14 GEOMETRIC MEAN 6.91 6.30 83.30 7.30 2.21 14.50 24.25 2.02 LOG/GEOMETRIC MEAN 2.18 2.12 4.42 1.99 0.79 2.48 3.19 0.71 MEDIAN 8.80 8.20 85.00 7.35 2.50 20.50 24.20 2.40 STANDARD DEV OF LOSS 0.15 0.10 0.11 0.03 0.68 0.98 0.16 0.40 STANDARD DEVIATION 1.36 0.86 0.75 0.21 1.29 16.74 3.72 0.67 VARIANCE 1.84 0.71 78.61 0.04 1.67 280.30 13.81 0.45 COEFF OF VARIATION 15.25 10.07 10.48 2.87 51.64 81.87 15.16 31.43 SUM OF VALUES 62.30 38.40 586.00 43.00 10.00 123.00 171.00 19.70 MEAN +2 STD DEV 11.02 10.02 101.22 7.72 5.08 53.98 31.95 3.49 MEAN -2 STD DEV 4.18 6.46 66.21 6.84 -0.04 -12.98 17.04 0.79 GEO MEAN +2 STD DEV 11.97 10.24 103.61 7.74 7.37 103.25 33.61 4.55 GEO MEAN -2 STD DEV 6.49 6.74 66.77 6.88 0.67 2.85 17.49 0.90 SUM OF SQUARES 565.53 491.46 49516.26 119.94 30.00 1921.00 4289.50 24.71											NUMBER OF SAMPLES 6 6 5 5 4 6 5 5 MAXIMUM VALUE 11.00 11.00 111.40 8.20 4.00 45.00 26.90 2.20 MINIMUM VALUE 8.70 6.90 70.60 7.30 1.00 0.00 15.40 1.20 ARITHMETIC MEAN 9.82 9.25 91.28 7.75 2.50 15.83 22.40 1.73 GEOMETRIC MEAN 9.77 9.21 90.14 7.74 2.29 3.85 22.03 1.70 LOG/GEOMETRIC MEAN 2.28 2.22 4.50 2.05 0.83 1.25 3.09 0.53 MEDIAN 9.65 9.40 86.10 7.70 2.50 13.50 22.50 1.70 STANDARD DEV OF LOSS 0.10 0.19 0.12 0.05 0.49 0.34 0.21 0.23 STANDARD DEVIATION 1.02 1.71 16.04 0.35 1.05 15.97 4.32 0.38 VARIANCE 1.07 2.94 257.23 0.12 1.10 254.97 18.68 0.14 COEFF OF VARIATION 10.54 18.34 17.57 0.53 41.95 180.05 19.29 21.97 SUM OF VALUES 59.00 56.10 456.40 44.50 15.00 95.00 197.80 8.65 MEAN +2 STD DEV 11.89 12.78 123.36 8.45 4.00 47.77 31.84 2.49 MEAN -2 STD DEV 7.75 5.82 59.50 5.25 0.40 -16.10 0.97 0.97 GEO MEAN +2 STD DEV 11.93 12.45 124.75 8.48 4.05 50.71 31.58 2.68 GEO MEAN -2 STD DEV 8.01 6.31 63.11 7.07 0.87 0.00 14.45 1.08 SUM OF SQUARES 583.55 539.23 42489.10 360.99 43.00 2779.00 2583.50 15.54											
DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	TRANSPAR	DATE	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	SWL	SALINITY	TRANSPAR	
FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCI	FROM	TO	FEET	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	PRI	CONDUCTIVITY	SECCI	
			DEG-C	mg/l	SATURATH	UNITS	MU	ppm	ug/l	RETERS				DEG-C	mg/l	SATURATH	UNITS	MU	ppm	ug/l	RETERS	
74/05/28	1115			8.4	8.6	89.9	7.2	1.0	13	13.0	74/06/13	1125			10.6	8.5	90.0	7.1	2.0	10	7.0	
75/05/13	1040			12.5	9.2	93.3	5.9	3.0	59	14.2	75/06/11	1025			15.0	10.5	112.9	8.2	2.0	9	15.3	
76/05/05	1255			11.3	6.7	96.7	8.3	3.0	14	15.5	1.8	76/06/08	1450			12.7	9.8	101.3	7.7	4.0	14	18.6
77/05/11	1150			11.1	7.4	74.5	7.3	2.0	41	17.9	1.8	77/06/11	1515			17.4	9.8	132.6	7.3	1.0	14	18.5
78/05/03	1550			11.7	10.3	106.4	7.5	3.0	0	19.8	1.7	78/06/26	1120			15.3	8.9	100.3	7.6	2.0	14	21.5
79/05/30	1115			1.9	9.3	104.0	7.9	12.0	5	18.5	2.5	79/06/19	1500			12.7	7.4	80.7	7.5	1.0	14	25.0
80/05/21	0950			10.0	10.4	105.6	7.7	10.0	0	22.4	1.5	80/06/23	1700			15.1	9.7	107.9	8.2	3.0	0	20.5
NUMBER OF SAMPLES 7 7 7 7 7 7 7 4 MAXIMUM VALUE 14.30 10.40 106.40 8.20 12.00 59.00 22.80 2.50 MINIMUM VALUE 1.00 7.40 74.50 5.90 1.00 0.00 13.00 1.50 ARITHMETIC MEAN 10.27 9.27 95.77 7.40 4.86 18.86 17.39 1.57 GEOMETRIC MEAN 8.26 7.22 75.15 7.36 3.50 1.77 17.10 1.84 LOG/GEOMETRIC MEAN 2.11 2.22 4.56 2.00 1.25 0.52 2.84 0.61 MEDIAN 11.30 9.30 86.70 7.50 3.00 13.00 17.90 1.80 STANDARD DEV OF LOSS 0.94 0.12 0.13 0.11 0.87 0.89 0.20 0.19 STANDARD DEVIATION 4.30 1.04 11.34 0.76 4.30 22.59 3.41 0.37 VARIANCE 18.50 1.08 128.53 0.58 18.48 510.48 11.40 0.14 COEFF OF VARIATION 41.88 11.20 11.84 10.26 88.50 119.82 19.59 19.77 SUM OF VALUES 71.90 64.90 670.40 51.80 34.00 132.00 121.70 9.25 MEAN +2 STD DEV 18.87 11.35 118.45 8.92 13.45 66.94 24.20 2.62 MEAN -2 STD DEV 1.67 7.19 73.10 5.88 -1.74 -26.33 10.57 1.17 GEO MEAN +2 STD DEV 53.87 11.86 122.38 9.16 20.09 6343.58 25.34 2.68 GEO MEAN -2 STD DEV 1.27 7.29 73.98 5.92 0.81 0.00 11.54 1.27 SUM OF SQUARES 849.53 608.19 64974.36 386.78 276.00 5552.00 2185.43 18.04											NUMBER OF SAMPLES 7 7 7 7 7 7 7 4 MAXIMUM VALUE 17.00 10.60 112.90 8.20 4.00 30.00 20.90 2.75 MINIMUM VALUE 12.70 7.47 80.70 7.30 1.00 0.00 7.00 1.00 ARITHMETIC MEAN 14.99 9.24 100.27 7.73 2.14 10.27 17.77 2.41 GEOMETRIC MEAN 14.08 9.19 100.13 7.73 1.92 4.71 14.73 2.18 LOG/GEOMETRIC MEAN 2.70 2.22 4.61 2.04 0.65 1.55 2.82 0.87 MEDIAN 15.10 9.70 101.30 7.70 2.00 14.00 18.50 2.55 STANDARD DEV OF LOSS 0.12 0.11 0.12 0.05 0.52 0.34 0.42 0.20 STANDARD DEVIATION 1.78 1.02 11.76 0.39 1.07 8.90 3.74 0.44 VARIANCE 3.17 1.04 142.93 0.15 1.14 79.29 32.74 0.19 COEFF OF VARIATION 11.88 11.02 11.84 5.05 49.59 65.61 32.29 18.10 SUM OF VALUES 104.00 84.67 705.40 54.10 15.00 95.00 124.40 9.65 MEAN +2 STD DEV 18.53 11.28 124.48 8.51 4.28 31.28 29.25 3.29 MEAN -2 STD DEV 11.41 7.20 78.86 6.95 0.00 -4.24 6.29 1.54 GEO MEAN +2 STD DEV 18.95 11.36 128.24 8.55 5.38 2067.94 38.45 3.52 GEO MEAN -2 STD DEV 11.68 7.30 78.18 6.97 0.68 0.01 7.25 1.41 SUM OF SQUARES 1558.00 603.68 71941.78 419.03 39.00 1785.00 2400.40 33.85											

Table 10 (Depth = 0 m)

FS5008 PORT GARDNER BAY AT PIER 3

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI ug/l	01078 TRANSPAR SECCHI METERS	00620 NITRATE T NO3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00571 DIS-ORTHO PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P
80/07/09	1530	0	10.8	8.5	88.5	7.9	1.0	31200	2700	24.0	9	1.5	0.05	0.01K	0.06	0.001	1.551	0.03	0.09
80/08/12	1510	0	16.7	8.9	105.4	7.9	1.0	40000	290	25.6	5	1.7	0.09	0.01K	0.06	0.001	2.412	0.04	0.09
80/09/08	1525	0	15.5	5.3	61.1	7.7	3.0	27800	510	25.0	36	1.8	0.23	0.01K	0.12	0.002	1.405	0.07	0.10
80/11/18	1420	0	12.0	6.5	71.5	7.4	2.0	35900	54008	28.5	41	2.0	0.34	0.01K	0.05	0.000	0.544	0.12	0.15
NUMBER OF SAMPLES			4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
MAXIMUM VALUE			16.70	8.90	105.40	7.90	3.00	40000.00	5400.00	28.50	41.00	2.00	0.34	0.01	0.12	0.002	2.412	0.12	0.15
MINIMUM VALUE			10.40	5.30	61.10	7.40	1.00	27800.00	270.00	24.00	5.00	1.50	0.05	0.01	0.05	0.000	0.544	0.03	0.09
ARITHMETIC MEAN			13.75	7.30	81.63	7.73	1.75	35720.00	1617.50	25.78	22.75	1.78	0.18	0.01	0.07	0.001	1.478	0.07	0.11
GEOMETRIC MEAN			13.53	7.14	79.90	7.72	1.57	35385.32	681.45	25.72	16.05	1.75	0.14	0.01	0.07	0.002	1.300	0.06	0.10
LOG/GEOMETRIC MEAN			2.41	1.97	4.38	2.04	0.45	10.47	6.52	3.25	2.78	0.56	-1.99	-4.61	-2.69	-5.757	0.263	-2.88	-2.25
MEDIAN			13.75	7.50	80.00	7.80	1.50	37550.00	400.00	25.30	22.50	1.78	0.16	0.01	0.06	0.001	1.478	0.06	0.10
STANDARD DEV OF LOGS			0.21	0.24	0.24	0.03	0.54	0.16	1.41	0.07	1.04	0.12	0.87	0.00	0.39	1.868	0.627	0.61	0.24
STANDARD DEVIATION			2.40	1.70	19.46	0.24	0.96	5431.07	2524.01	1.93	18.37	0.21	0.13	0.00	0.03	0.001	0.765	0.04	0.03
VARIANCE			7.14	2.88	378.77	0.06	0.92	HHHHH.HH	HHHHH.HH	3.74	337.58	0.04	0.02	0.00	0.00	0.000	0.585	0.00	0.00
COEFF OF VARIATION			20.37	23.25	23.84	3.06	54.71	15.21	156.04	7.50	80.76	11.67	74.94	0.00	44.16	81.650	51.755	67.18	26.72
SUM OF VALUES			55.40	29.20	326.50	30.90	7.00	142900.00	6470.00	103.10	91.00	7.05	0.71	0.04	0.29	0.004	5.912	0.26	0.43
MEAN +2 STD DEV			19.35	10.69	120.55	8.20	3.66	46591.15	6665.52	29.64	59.50	2.17	0.44	0.01	0.14	0.003	3.008	0.15	0.16
MEAN -2 STD DEV			8.15	3.91	42.70	7.25	-0.16	24854.85	-3430.52	21.91	-14.00	1.35	-0.09	0.01	0.01	-0.001	-0.052	-0.02	0.05
GEO MEAN +2 STD DEV			20.46	11.61	128.88	8.21	4.64	49131.73	11409.06	29.79	127.77	2.22	0.79	0.01	0.15	0.133	4.554	0.19	0.17
GEO MEAN -2 STD DEV			8.05	4.40	49.53	7.26	0.53	25488.54	40.70	22.21	2.02	1.38	0.02	0.01	0.03	0.000	0.371	0.02	0.06
SUM OF SQUARES			779.18	221.80	27786.87	238.87	15.00	HHHHH.HH	HHHHH.HH	2668.61	3083.00	12.55	0.18	0.00	0.02	0.000	10.493	0.02	0.05

Table 10, continued (Depth = 10 m)

PSS008 PORT GARDNER BAY AT PIER 3

DATE	TIME	DEPTH	00010	00300	00301	00400	00070	00095	70305	00760	00020	00015	00010	00019	00017	00071	00065
FROM	LINE	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	CONDUCTIVITY	SALINITY	SWL	NITRATE	NITRIE	AMMONIA	UN-IONZD	UN-IONZD	DIS-ORTHO	TOTAL
TO	RETERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	@ 25 C	CONDUCTIVITY	PPT	mg/l	mg/l	mg/l	mg/l	PERCENT	mg/l P	mg/l P	
30/07/09	1535	10	12.5	7.3	80.9	8.2	1.0	44100	28.2	0	0.21	0.01K	0.05	0.002	3.462	0.05	0.08
30/08/12	1515	10	15.1	8.3	96.4	8.0	1.0	41300	27.4	0	0.12	0.01K	0.04	0.001	2.685	0.04	0.09
30/09/08	1530	10	13.3	5.2	58.7	7.8	1.0	30200	28.5	5	0.29	0.01K	0.05	0.000	1.495	0.06	0.10
30/11/18	1425	10	11.3	6.6	72.2	7.6	1.0	38800	29.8	9	0.37	0.01K	0.01K	0.000K	0.814K	0.07	0.08
NUMBER OF SAMPLES			4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
MAXIMUM VALUE			15.10	8.30	96.40	8.20	1.00	44100.00	29.80	9.00	0.37	0.01	0.05	0.002	3.462	0.07	0.10
MINIMUM VALUE			11.30	5.20	58.70	7.60	1.00	30200.00	27.40	0.00	0.12	0.01	0.04	0.000	0.814	0.04	0.08
ARITHMETIC MEAN			13.05	6.85	77.05	7.90	1.00	38550.00	28.48	3.50	0.25	0.01	0.03	0.001	2.114	0.06	0.09
GEOMETRIC MEAN			12.98	6.75	75.82	7.90	1.00	38172.07	28.46	0.58	0.23	0.01	0.03	0.008	1.834	0.05	0.09
LOG/GEOMETRIC MEAN			2.56	1.91	4.33	2.07	0.00	10.55	3.35	-0.35	-1.48	-4.61	-3.35	-4.779	0.608	-2.32	-2.44
MEDIAN			12.90	6.95	76.55	7.90	1.00	39950.00	28.35	2.50	0.25	0.01	0.04	0.001	2.090	0.06	0.09
STANDARD DEV OF LOGS			0.12	0.20	0.21	0.03	0.00	0.17	0.03	2.84	0.49	0.00	0.71	2.677	0.648	0.24	0.11
STANDARD DEVIATION			1.59	1.30	15.81	0.26	0.00	6002.50	1.00	4.36	0.11	0.00	0.02	0.001	1.188	0.01	0.01
VARIANCE			2.54	1.70	249.83	0.07	0.00	*****.00	1.00	19.00	0.01	0.00	0.00	0.000	1.405	0.00	0.00
Coeff of VARIATION			12.22	19.02	20.31	3.29	0.00	15.57	3.50	124.34	43.31	0.00	32.55	127.657	56.079	23.47	10.94
SUM OF VALUES			52.20	27.40	308.20	31.60	4.00	154200.00	113.90	14.00	0.99	0.04	0.13	0.003	8.456	0.22	0.35
MEAN +2 STD DEV			16.24	9.46	108.66	8.42	1.00	50555.00	30.47	12.22	0.46	0.01	0.07	0.003	4.485	0.08	0.11
MEAN -2 STD DEV			9.86	4.24	45.44	7.38	1.00	26545.00	26.48	-5.22	0.03	0.01	0.00	-0.001	-0.257	0.03	0.07
DEV MEAN +2 STD DEV			16.54	10.03	114.93	8.43	1.00	51155.75	30.52	169.42	0.60	0.01	0.12	0.535	6.671	0.09	0.11
DEV MEAN -2 STD DEV			10.18	4.55	50.02	7.40	1.00	27422.35	26.55	0.00	0.09	0.01	0.00	0.504	0.03	0.07	
SUM OF SQUARES			688.84	192.78	24490.30	249.84	4.00	*****.00	5246.29	106.00	0.76	0.00	0.01	0.000	22.092	0.01	0.03

Table 10, continued (Depth = 0 m)

PSS008 PORT GARDNER BAY AT PIER 3

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI mg/l	00078 (TRANSPAR SECCHI METERS	00620 NI RATE mg/l	00615 NITRATE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 AMMONIA UN-IONZD mg/l	00617 AMMONIA UN-IONZD PERCENT	00671 BIS-ORTHO PHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P	
81/05/26	1400	0	13.5	11.0	118.7	8.2	3.0	23600	3308	20.8		1.8	0.03	0.01K	0.03	0.001	3.728	0.01K	0.02	
81/06/16	1445	0	13.5	10.1	107.5	8.0	2.0	23800	110	18.6	18		0.06	0.01K	0.05	0.001	2.385	0.01	0.02	
81/07/27	1420	0				8.1	1.0	25900	74	21.5	5	3.0	0.01	0.01K	0.02			0.01	0.03	
81/08/18	1420	0	13.0	7.1	79.4	8.3	1.0	28800	78	25.4	9	3.5	0.01K	0.01K	0.02	0.001	4.481	0.01K	0.04	
81/09/14	1410	0	15.0			8.2	2.0	33500	48	26.9	5	2.0	0.01	0.01K	0.08	0.003	4.160	0.02	0.07	
81/10/21	1435	0	12.0	7.6	81.9	7.7	1.0	29300	1108	25.4	0	2.5	0.31	0.01	0.05	0.001	1.079	0.07	0.08	
81/11/03	1455	0	11.0	8.2	87.0	7.8	2.0	32000	9208	26.2	27	1.8	0.29	0.01	0.03	0.000	1.255	0.06	0.07	
NUMBER OF SAMPLES			6	5	5	7	7	7	7	7	6	6	7	7	7	6	6	7	7	
MAXIMUM VALUE			15.00	11.00	118.70	8.30	3.00	33500.00	920.00	26.70	27.00	3.50	0.31	0.01	0.08	0.003	4.481	0.07	0.08	
MINIMUM VALUE			11.00	7.10	79.40	7.70	1.00	23600.00	4.00	18.60	0.00	1.80	0.01	0.01	0.02	0.000	1.079	0.01	0.02	
ARITHMETIC MEAN			13.00	8.80	94.90	8.04	1.71	28542.86	222.14	23.54	10.67	2.43	0.10	0.01	0.04	0.001	2.848	0.03	0.05	
GEOMETRIC MEAN			12.94	8.68	93.69	8.04	1.57	28364.32	69.22	23.35	4.20	2.35	0.04	0.01	0.04	0.002	2.465	0.02	0.04	
LOG/GEOMETRIC MEAN			2.56	2.16	4.54	2.08	0.45	10.25	4.24	3.15	1.43	0.86	-3.22	-4.61	-3.34	-6.073	0.902	-3.97	-3.20	
MEDIAN			13.25	8.20	87.00	8.10	2.00	28800.00	110.00	25.40	7.00	2.25	0.28	0.03	0.01	0.03	0.001	3.057	0.01	0.04
STANDARD DEV OF LOGS			0.11	0.19	0.18	0.03	0.45	0.12	1.76	0.14	2.27	0.28	1.55	0.00	0.52	1.569	0.623	0.88	0.60	
STANDARD DEVIATION			1.38	1.67	17.30	0.27	0.76	3448.60	326.50	3.20	10.01	0.70	0.14	0.00	0.02	0.001	1.486	0.03	0.03	
VARIANCE			1.90	2.80	299.22	0.05	0.57	12.08	146.98	10.23	100.27	0.49	0.02	0.00	0.00	0.000	2.209	0.00	0.00	
COEFF OF VARIATION			10.60	19.03	18.23	2.77	44.10	12.08	146.98	13.58	93.87	28.79	132.20	6.00	54.01	84.274	52.184	96.81	54.38	
SUM OF VALUES			78.00	44.00	474.50	56.30	12.00	199800.00	1555.00	164.80	64.00	14.60	0.72	0.07	0.28	0.007	17.088	0.19	0.33	
MEAN +2 STD DEV			15.76	12.15	129.50	8.49	3.23	3540.06	875.14	29.94	30.69	3.83	0.37	0.01	0.08	0.003	5.820	0.08	0.10	
MEAN -2 STD DEV			10.24	5.45	60.30	7.60	0.20	2165.65	-430.85	17.15	-9.36	1.03	-0.17	0.01	0.00	-0.001	-0.124	-0.03	0.00	
GED MEAN +2 STD DEV			16.03	12.62	133.59	8.50	3.86	3619.89	3457.44	30.96	396.84	4.12	0.36	0.01	0.10	0.053	8.572	0.11	0.13	
GED MEAN -2 STD DEV			10.44	5.97	65.71	7.60	0.64	22261.68	1.39	17.61	0.04	1.35	0.00	0.01	0.01	0.000	0.709	0.00	0.01	
SUM OF SQUARES			1023.50	398.42	46226.91	453.11	24.00	888818.88	985041.00	3541.22	1184.00	37.98	0.19	0.00	0.01	0.000	59.710	0.01	0.02	

Table 10, continued (Depth = 10 m)

PSS008 PORT GARDNER BAY AT PIER 3

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER RTU	00095 CONDUCTIVITY @ 25 C MICROHMUS	70303 SALINITY SWL	00700 SWL P61	00020 NITRATE T N03-N mg/l	00015 NITRITE T NO2-N mg/l	00010 AMMONIA T NH3-N mg/l	00017 UN-IONZD AMMONIA mg/l	00071 DIS-ORITHO PHOSPHORUS mg/l P	00005 TOTAL PHOSPHORUS mg/l P	
01/05/26	1405	10	11.1	9.4	102.0	7.8	1.3	3340	29.2		0.34	0.01K	0.01K	0.000K	1.265K	0.04	0.05
01/06/26	1450	10	12.0	8.8	96.3	7.9	16.0	33400	27.8	5	0.21	0.01K	0.00	0.001	1.700	0.04	0.08
01/07/27	1425	10				7.8	3.9	33500	29.3	5	0.22	0.01K	0.01			0.02	0.05
01/08/18	1425	10	10.5	5.4	49.5	7.8	1.9	32500	29.4	9	0.17	0.01	0.04	0.000	1.208	0.06	0.07
01/09/14	1415	10	12.5			7.7	2.3	30000	29.5	0	0.29	0.01K	0.05	0.000	1.121	0.05	0.09
01/10/23	1440	10	11.5	6.2	68.3	7.7	1.9	33700	30.3	0	0.34	0.01	0.05	0.001	1.039	0.07	0.08
01/11/03	1500	10	11.6	7.6	82.7	7.8	1.3	32400	28.1	86	0.31	0.01	0.10	0.001	1.314	0.07	0.09
NUMBER OF SAMPLES			6	5	5	7	7	7	7	6	7	7	7	6	6	7	7
MAXIMUM VALUE			12.50	9.40	102.00	7.90	16.00	36000.00	30.30	86.00	0.34	0.01	0.10	0.001	1.700	0.07	0.09
MINIMUM VALUE			10.50	5.40	49.50	7.70	1.00	3340.00	27.80	0.00	0.17	0.01	0.01	0.000	1.039	0.02	0.05
ARITHMETIC MEAN			11.53	7.48	79.76	7.79	3.57	29320.00	29.09	17.50	0.27	0.01	0.04	0.001	1.275	0.05	0.07
GEOMETRIC MEAN			11.52	7.32	77.22	7.79	1.92	24176.88	29.07	1.91	0.26	0.01	0.03	0.007	1.259	0.05	0.07
LOG/GEOMETRIC MEAN			2.44	1.99	4.35	2.05	0.65	10.09	3.37	0.65	-1.34	-1.01	-1.44	-4.953	0.230	-3.07	-2.65
MEDIAN			11.55	7.60	82.70	7.80	1.00	33400.00	29.30	5.00	0.29	0.01	0.04	0.001	1.237	0.05	0.08
STANDARD DEV OF LOGS			0.08	0.23	0.29	0.01	1.03	0.37	0.03	3.01	0.27	0.00	0.08	2.142	0.170	0.44	0.25
STANDARD DEVIATION			0.69	1.69	21.35	0.07	5.51	11518.02	0.38	33.73	0.67	0.00	0.03	0.001	0.231	0.02	0.02
VARIANCE			0.48	2.85	455.96	0.00	30.62	#####.00	0.74	1137.90	0.40	0.00	0.00	0.000	0.053	0.00	0.00
COEFF OF VARIATION			6.02	22.58	26.77	0.69	134.91	59.28	2.95	192.76	25.38	0.00	73.43	109.545	18.102	36.51	23.39
SUM OF VALUES			69.20	37.40	398.80	54.50	25.04	205240.00	203.60	105.00	1.88	0.07	0.30	0.003	7.647	0.35	0.51
MEAN +2 STD DEV			12.92	10.86	122.47	7.92	14.61	52356.04	30.80	34.97	0.40	0.01	0.11	0.002	1.736	0.09	0.11
MEAN -2 STD DEV			10.14	4.10	37.05	7.65	-7.54	6285.96	27.37	-49.97	0.13	0.01	-0.02	-0.001	0.813	0.01	0.04
STD MEAN +2 STD DEV			13.00	11.68	138.79	7.92	15.11	138744.94	30.65	786.12	0.45	0.01	0.19	0.012	1.768	0.11	0.12
STD MEAN -2 STD DEV			10.20	4.59	42.97	7.65	0.21	8213.62	27.40	0.00	0.15	0.01	0.01	0.000	0.396	0.02	0.04
SUM OF SQUARES			800.52	291.16	33632.12	424.35	275.04	#####.00	5726.28	7527.00	0.53	0.00	0.02	0.000	10.012	0.02	0.04

Table 10, continued (Depth = 0 m)

PSS008 PORT GARDNER BAY AT PIER 3

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROHM/S	31616 FECAL COLIFORA /100ml AF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL FBI ug/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE T NO3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 NH-IONZD AMMONIA PERCENT	00671 DIS-ORTHO PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P	
82/04/26	1445	0	10.8	13.3L	136.9L	8.6	5.0	27620	28	27.2	0	2.3	0.01	0.01X	0.04	0.003	7.318	0.01X	0.02	
82/05/17	1400	0	12.2	11.3	115.6	8.2	2.0	20800	46	16.6	5	2.0	0.04	0.01X	0.04	0.001	3.385	0.01	0.02	
82/06/21	1435	0	16.5	9.8	108.6	8.2	4.0	18200	31	15.4	5	1.5	0.01X	0.01X	0.03	0.001	4.634	0.01	0.04	
82/07/27	1445	0	17.5	7.6	88.0	8.1	1.0	24100	68	19.5	0	5.0	0.01	0.01X	0.03	0.001	3.993	0.01	0.04	
82/08/16	1520	0	15.5	8.4	96.6	7.9	1.0	29000	808	24.7	9	4.0	0.16	0.01X	0.03	0.002	2.709	0.03	0.06	
82/09/21	1440	0	13.6	7.6	84.7	8.1	1.0	30000	126	25.6	5	3.5	0.13	0.01X	0.03	0.001	3.006	0.03	0.04	
82/10/27	1455	C				7.8	3.0	30100	158	29.5	0	6.0	0.30	0.02	0.03			0.05	0.06	
82/11/15	1410	C	9.7	7.9	82.0	7.6	2.0	29100	130L	27.1	41	2.0	0.28	0.01	0.33	0.002	0.719	0.08	0.09	
NUMBER OF SAMPLES			7	7	7	8	8	6	8	8	8	8	8	8	8	8	7	7	8	8
MAXIMUM VALUE			17.50	13.30	136.90	8.60	5.00	30100.00	130.00	29.50	41.00	6.00	6.00	0.30	0.02	0.33	0.003	7.318	0.08	0.09
MINIMUM VALUE			9.70	7.60	82.00	7.60	1.00	18200.00	2.00	15.40	0.00	1.50	0.01	0.01	0.01	0.02	0.001	0.719	0.01	0.02
ARITHMETIC MEAN			13.65	9.41	101.77	8.06	2.38	26112.50	40.25	22.58	8.63	3.29	0.17	0.01	0.07	0.002	3.609	0.03	0.05	
GEOMETRIC MEAN			13.41	9.22	100.21	8.06	1.98	25726.46	20.57	22.05	1.34	2.95	0.05	0.01	0.04	0.001	3.000	0.02	0.04	
LOG/GEOMETRIC MEAN			2.66	2.22	4.61	2.09	0.69	10.16	3.02	3.09	0.29	1.08	-2.92	-4.52	-3.18	-6.353	1.079	-3.87	-3.19	
STANDARD DEV OF LOGS			0.22	0.22	0.19	0.04	0.85	0.19	1.38	0.24	2.80	0.50	1.52	0.25	0.96	0.463	0.732	0.84	0.53	
STANDARD DEVIATION			2.95	2.19	19.88	0.30	1.51	4557.08	44.44	5.06	13.62	1.62	0.12	0.00	0.11	0.001	2.069	0.03	0.02	
VARIANCE			8.70	4.78	395.10	0.09	2.27	*****	1975.07	25.55	185.41	2.62	0.01	0.00	0.01	0.000	4.280	0.00	0.00	
COEFF OF VARIATION			21.53	23.24	19.53	3.75	53.41	17.45	110.41	22.39	157.87	49.22	62.91	31.43	150.87	50.069	57.322	88.07	50.29	
SUM OF VALUES			95.80	65.90	712.40	64.50	19.00	208900.00	322.00	180.60	69.00	26.30	0.94	0.09	0.58	0.011	25.284	0.23	0.37	
MEAN +2 STD DEV			19.54	13.79	141.53	8.67	5.39	35226.66	129.13	37.69	35.86	6.52	0.36	0.02	0.29	0.003	7.747	0.08	0.09	
MEAN -2 STD DEV			7.71	5.04	62.02	7.46	-0.64	16998.34	-48.63	12.46	-18.61	0.05	-0.13	0.00	-0.15	0.000	-0.529	-0.02	0.00	
GEU MEAN +2 STD DEV			20.99	14.27	145.80	8.68	7.23	37598.80	377.32	35.29	362.49	7.97	1.13	0.02	0.28	0.004	12.971	0.11	0.12	
GEU MEAN -2 STD DEV			8.69	5.95	68.87	7.48	0.54	17602.97	1.29	13.78	0.00	1.07	0.00	0.01	0.01	0.001	0.694	0.00	0.01	
SUM OF SQUARES			1383.24	649.11	74872.58	520.67	61.00	*****	26786.00	4255.92	1893.00	104.79	0.21	0.00	0.13	0.000	116.852	0.01	0.02	

Table 10, continued (Depth = 10 m)

PSS008 FORT GARDNER BAY AT PIER 3

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED O ₂ MG/L	00301 DO PERCENT SATURATION	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDITEC NTU	00095 CONDUCTIV @ 25 C MICROMHOS	70305 SALINITY CONDUCTIV g/l	00720 SWL P61 mg/l	00620 NITRATE 1 NO3-N mg/l	00615 NITRITE 1 NO2-N mg/l	00610 AMMONIA 1 NH3-N mg/l	00614 UR-URIC AMMONIA mg/l	00617 UR-URIC AMMONIA PERCENT	00671 DIS-ORTRD PHOSPHORUS mg/l P	00655 TOTAL PHOSPHORUS mg/l P
02/09/20	1450	10	8.6	9.4	96.3	7.9	2.0	33400	28.5	0	0.23	0.01	0.07	0.001	1.308	0.04	0.06
02/09/21	1400	10	9.0	8.7	90.2	7.8	4.3	33500	29.0	5	0.20	0.01	0.06	0.001	1.075	0.04	0.05
02/09/21	1450	10	11.0	8.4	90.8	7.9	2.3	30500	28.7	5	0.15	0.01	0.07	0.001	1.575	0.04	0.06
02/09/22	1450	10	15.0	7.4	86.6	7.8	1.3	32500	28.7	5	0.18	0.01	0.10	0.002	1.659	0.05	0.08
02/09/16	1505	10	12.5	7.1	78.9	7.8	2.0	32400	28.5	5	0.23	0.01	0.07	0.001	1.408	0.05	0.06
02/09/23	1445	10	11.8	6.5	71.4	7.9	1.9	32600	28.7	5	0.25	0.01	0.08	0.001	1.674	0.04	0.06
02/10/27	1300	10				7.8	3.0	30700	29.8	5	0.32	0.02	0.08			0.05	0.08
02/11/15	1415	10	10.3	7.2	77.4	7.8	2.0	31600	30.3	0	0.31	0.01	0.01	0.000	1.189	0.06	0.07
NUMBER OF SAMPLES			7	7	7	8	8	5	8	8	8	8	8	7	7	8	8
MAXIMUM VALUE			15.00	9.40	96.30	7.90	4.00	33500.00	30.30	5.00	0.32	0.02	0.10	0.002	1.659	0.06	0.08
MINIMUM VALUE			8.60	6.50	71.40	7.80	1.00	30700.00	28.50	0.00	0.15	0.01	0.00	0.000	1.075	0.04	0.05
ARITHMETIC MEAN			11.17	7.81	84.49	7.84	2.13	32262.50	29.08	3.75	0.23	0.01	0.06	0.001	1.418	0.05	0.07
GEOMETRIC MEAN			10.99	7.76	84.08	7.84	1.92	32245.77	29.07	1.58	0.23	0.01	0.05	0.002	1.400	0.05	0.07
LOG/GEOMETRIC MEAN			2.40	2.05	4.43	2.08	0.64	10.38	3.37	0.46	-1.48	-4.52	-2.55	-6.250	0.337	-3.08	-2.71
MEDIAN			11.00	7.40	86.60	7.80	2.00	32600.00	28.90	5.00	0.23	0.01	0.07	0.001	1.408	0.05	0.07
STANDARD DEV OF LOGS			0.19	0.13	0.11	0.01	0.48	0.03	0.02	2.13	0.26	0.25	0.76	1.457	0.175	0.16	0.18
STANDARD DEVIATION			2.20	1.04	8.82	0.05	0.99	1105.75	0.64	2.31	0.06	0.00	0.05	0.001	0.242	0.01	0.01
VARIANCE			4.82	1.07	77.79	0.00	0.98	1222.88	0.41	5.36	0.00	0.00	0.00	0.000	0.059	0.00	0.00
COEFF OF VARIATION			19.86	13.25	10.44	0.66	46.64	3.43	2.21	61.72	25.35	31.43	49.88	57.735	17.064	16.09	17.26
SUM OF VALUES			78.20	54.70	591.40	62.70	17.00	258100.00	232.60	30.00	1.87	0.07	0.50	0.007	9.928	0.37	0.54
MEAN +2 STD DEV			15.56	9.88	102.13	7.94	4.11	34474.00	30.36	8.38	0.35	0.02	0.12	0.002	1.902	0.08	0.09
MEAN -2 STD DEV			6.78	5.74	66.85	7.73	0.14	30051.00	27.79	0.88	0.12	0.00	0.00	0.000	0.934	0.03	0.04
COV MEAN +2 STD DEV			16.16	10.08	103.94	7.94	5.01	34549.94	30.37	112.51	0.38	0.02	0.24	0.016	1.988	0.06	0.09
COV MEAN -2 STD DEV			7.43	5.97	68.02	7.73	0.74	30095.27	27.80	0.02	0.14	0.01	0.01	0.000	0.986	0.03	0.05
SUM OF SQUARES			902.54	433.87	50431.58	491.43	43.00	1111111.11	8765.74	150.00	0.40	0.00	0.05	0.000	14.432	0.02	0.04

Table 10, continued (Depth = 0 m)

PSS008 FORT GARDNER BAY AT PIER 3

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBUDEFER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml ml	70305 SALINITY g/l	00760 SPL PH	00008 TRANSPAR SECCHI METERS	00620 NITRAE T NO3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 AMMONIA mg/l	07617 NH-IONZD AMMONIA PERCENT	00671 DIS-NITRO PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P
83/04/18	1355	0	12.1	13.1	138.4	8.2	3.0	26900	68	22.1	0	3.0	0.05	0.01K	0.02	0.001	3.360	0.02	0.05
83/05/23	1335	0	14.2	12.1	133.0	8.3	3.0	24900	16008	21.5	14	2.0	0.01K	0.01	0.01	0.000	4.891	0.01K	0.03
83/06/27	1140	0	15.5	8.9	99.9	8.0	1.0	24300	44	20.7	9	3.5	0.05	0.01K	0.02	0.001	2.785	0.01	0.03
83/07/19	1435	0	15.6	9.4	104.2	7.9	1.0	26700	280	18.4	0	3.0	0.09	0.01K	0.04	0.001	2.225	0.02	0.04
83/08/23	1420	0	16.0	9.0	105.1	8.1	3.0	35500	6808	25.6	0	2.5	0.02	0.01K	0.02	0.001	3.584	0.02	0.06
83/09/26	1505	0	14.1	8.0	91.0	7.9	1.0	30000	4008	27.3	0	2.9	0.22	0.01K	0.02	0.000	1.991	0.04	0.05
83/10/26	1440	0	12.5	7.1	78.6	7.4	1.0	38200	19008	27.9	13	2.0	0.29	0.01K	0.24	0.001	0.565	0.10	0.10
83/11/14	1440	0	10.6			7.5	3.0	33700	200	25.0	32	1.3	0.34	0.01K	0.12	0.001	0.614	0.08	0.08
NUMBER OF SAMPLES			8	7	7	8	8	8	8	8	8	8	8	8	8	8	8	8	8
MAXIMUM VALUE			16.00	13.10	138.40	8.40	3.00	38200.00	1900.00	27.90	32.00	3.30	0.34	0.01	0.24	0.001	4.891	0.10	0.10
MINIMUM VALUE			10.60	7.10	78.60	7.40	1.00	24300.00	6.00	18.40	0.00	1.30	0.01	0.01	0.01	0.000	0.565	0.01	0.03
ARITHMETIC MEAN			13.83	9.66	107.17	7.91	2.00	30912.50	607.25	23.56	8.50	2.53	0.13	0.01	0.06	0.001	2.499	0.04	0.06
GEOMETRIC MEAN			13.70	9.46	105.35	7.91	1.73	30400.05	182.35	23.35	0.87	2.42	0.07	0.01	0.03	0.003	1.994	0.03	0.05
LOG/GEOMETRIC MEAN			2.62	2.25	4.66	2.07	0.55	10.32	5.21	3.15	0.14	0.88	-1.59	-4.61	-3.38	-5.930	0.690	-3.62	-2.98
MEDIAN			14.15	9.00	104.20	7.95	2.00	30200.00	300.00	23.55	4.50	2.70	0.07	0.01	0.02	0.001	2.495	0.02	0.05
STANDARD DEV OF LOGS			0.15	0.22	0.20	0.04	0.59	0.29	2.06	0.15	3.07	0.32	1.28	0.00	1.07	1.810	0.803	0.87	0.43
STANDARD DEVIATION			1.93	2.17	21.55	0.32	1.07	6022.60	745.00	3.39	11.29	0.72	0.13	0.00	0.08	0.000	1.480	0.93	0.62
VARIANCE			3.72	4.70	464.56	0.10	1.14	3627.36	555019.36	11.46	127.43	0.51	0.02	0.00	0.01	0.600	2.191	0.90	0.60
COEFF OF VARIATION			13.95	22.44	20.11	4.02	53.45	19.43	122.68	14.37	132.81	28.38	97.31	0.00	131.32	61.721	59.224	90.99	44.54
SUM OF VALUES			110.60	67.60	750.20	63.30	16.00	247300.00	4858.00	188.50	68.00	20.20	1.07	0.08	0.49	0.006	19.995	0.30	0.44
MEAN +2 STD DEV			17.68	13.99	150.27	8.55	4.14	42957.80	2097.24	30.33	31.08	3.96	0.39	0.01	0.22	0.002	5.460	0.11	0.10
MEAN -2 STD DEV			9.97	5.32	64.07	7.28	-0.14	18867.10	-882.74	16.79	-14.08	1.09	-0.13	0.01	-0.10	0.000	-0.461	-0.03	0.01
GE0 MEAN +2 STD DEV			18.32	14.61	157.03	8.58	5.61	44957.20	11265.13	31.30	406.92	4.60	0.96	0.01	0.29	0.099	9.945	0.15	0.12
GE0 MEAN -2 STD DEV			10.24	6.13	70.68	7.29	0.54	20558.50	2.95	17.41	0.00	1.28	0.01	0.01	0.00	0.000	0.400	0.00	0.02
SUM OF SQUARES			1555.08	681.00	83186.18	501.57	40.00	333333.33	333333.33	4521.77	1470.00	34.60	0.00	0.00	0.08	0.000	65.313	0.02	0.03

Table 10, continued (Depth = 10 m)

P35008 PORT BARDNER BAY AT PIER 3

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDITEK NTU	00095 CONDUCTIVY @ 25 C MICROMHOS	70305 SALINITY CONDUCTIVY g/l	00760 SWL PBI mg/l	00620 NITRATE I NO3-N mg/l	00610 NITRITE I NO2-N mg/l	00610 AMMONIA I NH3-N mg/l	00610 NH-IONZD AMMONIA mg/l	00617 NH-IONZD AMMONIA PERCENT	00671 PHOSPHORUS I IS-OR INH mg/l P	00665 TOTAL PHOSPHORUS mg/l P
83/05/18 1900		10	9.5	11.0	114.9	7.8	1.0	32200	28.5	0	0.28	0.01	0.03	0.000	1.118	0.08	0.08
83/05/23 1900		10	11.0	9.9	108.9	7.9	1.0	32000	28.8	5	0.19	0.01	0.03	0.000	1.575	0.02	0.04
83/06/27 1100		10	13.0	7.5	83.3	7.8	2.0	29500	26.9	14	0.14	0.01K	0.06	0.001	1.462	0.04	0.06
83/07/19 1900		10	11.9	7.9	87.3	7.9	1.0	40000	29.5	0	0.23	0.01K	0.01	0.000	1.687	0.03	0.04
83/08/23 1420		10	13.0	7.5	85.0	7.8	2.0	40400	29.9	0	0.20	0.01K	0.01K	0.000K	1.462K	0.04	0.04
83/09/26 1010		10	13.4	5.7	65.1	7.8	1.0	41000	30.0	0	0.26	0.01K	0.01	0.000	1.507	0.05	0.05
83/10/28 1900		10	12.0	8.5	72.3	7.1	1.0	40500	30.1	9	0.32	0.01K	0.01	0.000	0.273	0.04	0.05
83/11/15 1900		10	11.0			7.7	2.0	37400	29.7	9	0.35	0.01K	0.01K	0.000K	1.000K	0.05	0.05
NUMBER OF SAMPLES			8	7	7	8	8	8	8	8	8	8	8	8	8	8	8
MAXIMUM VALUE			13.40	11.00	114.90	7.90	2.00	41000.00	30.10	14.00	0.35	0.01	0.06	0.001	1.687	0.06	0.08
MINIMUM VALUE			9.50	5.70	65.10	7.10	1.00	29500.00	26.90	0.00	0.14	0.01	0.03	0.000	0.273	0.02	0.04
ARITHMETIC MEAN			11.85	8.00	87.83	7.73	1.73	36875.00	29.18	4.63	0.25	0.01	0.03	0.000	1.261	0.04	0.05
GEOMETRIC MEAN			11.78	7.82	86.33	7.72	1.70	36291.11	29.16	0.66	0.24	0.01	0.02	0.031	1.128	0.04	0.05
LOG-GEOMETRIC MEAN			2.47	2.06	4.46	7.04	0.56	10.51	3.37	-0.42	-1.44	-4.61	-3.90	-3.486	0.120	-3.24	-3.00
MEDIAN			11.95	7.50	85.00	7.80	1.60	39700.00	29.80	2.50	0.25	0.01	0.02	0.000	1.462	0.04	0.05
STANDARD DEV OF LOGS			0.11	0.23	0.20	0.03	0.36	0.13	0.04	2.77	0.50	0.00	0.73	1.301	0.600	0.34	0.24
STANDARD DEVIATION			1.31	1.86	17.72	0.26	0.52	4761.90	1.08	5.50	0.07	0.00	0.02	0.000	0.461	0.01	0.01
VARIANCE			1.72	3.44	313.85	0.07	0.77	*****.00	1.17	30.27	0.00	0.00	0.00	0.000	0.212	0.00	0.00
COEFF OF VARIATION			11.07	23.20	26.17	1.37	37.64	12.91	5.71	118.95	28.46	0.00	28.61	202.343	36.534	30.22	26.46
SUM OF VALUES			94.80	56.00	614.80	61.80	11.60	295000.00	233.40	37.00	1.97	0.08	0.21	0.001	10.084	0.33	0.41
MEAN +2 STD DEV			14.47	11.71	123.26	8.25	2.41	46378.95	31.34	15.63	0.39	0.01	0.07	0.001	2.182	0.07	0.08
MEAN -2 STD DEV			9.23	4.29	52.40	7.20	0.74	27351.05	27.01	-8.38	0.11	0.01	-0.02	-0.001	0.339	0.02	0.02
GEU MEAN +2 STD DEV			14.82	12.32	128.81	4.28	2.68	47712.80	31.46	167.77	0.43	0.01	0.09	0.488	3.743	0.08	0.08
GEU MEAN -2 STD DEV			9.37	4.97	57.86	7.70	0.63	27944.71	27.02	0.00	0.13	0.01	0.09	0.002	0.340	0.02	0.03
SUM OF SQUARES			1135.42	468.86	35880.10	477.86	17.60	*****.00	6817.66	383.00	0.52	0.00	0.01	0.000	14.197	0.01	0.02

Table 10, continued (Depth = 0 m)

PSS000 PORT GARDNER BAY AT PIER 3

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ug/l	00301 DO PERCENT SATURAIN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICRONMOS	51616 FECAL COLIFORM /100ml MF	70305 SALINITY g/l	00760 SWL FBI ug/l	00978 TRANSPAR SECCHI METERS	00010 NITRATE T NH3-N ug/l	00615 NITRITE T NO2-N ug/l	00610 AMMONIA T NH3-N ug/l	00619 UN-IONZD AMMONIA ug/l	00617 UN-IONZD AMMONIA PERCENT	00671 O15-ORTHO PHOSPHRUS ug/l P	00665 TOTAL PHOSPHRUS ug/l P
84/04/10	1420	0	9.3	12.7	130.3	8.0	3.0	34400	248J	25.0	0	3.1	0.15	0.01K	0.02	0.000	1.801	0.03	0.06
84/05/14	1315	0	12.3	10.4	109.8	7.8	2.0	32300	1000J	22.3	5	3.5	0.22	0.01K	0.06	0.001	1.355	0.05	0.11
84/06/11	1400	0	14.1	9.3	98.6	7.8	2.0	23500	37J	16.0	5	3.0	0.09	0.01K	0.06	0.001	1.588	0.02	0.07
84/07/16	1355	0	19.3	9.6	115.2	8.0	1.0	29300	2J	20.5	0	4.2	0.02	0.01K	0.03	0.001	3.560	0.01	0.05
84/08/13	1410	0	16.2	8.9	104.1	7.9	1.0	31800	77J	25.2	0	3.5	0.08	0.01K	0.04	0.001	2.326	0.02	0.04
84/09/10	1415	0	14.5	8.0	91.3	7.8	1.0	37300	41	26.8	18	3.5	0.22	0.01K	0.04	0.001	1.636	0.05	0.07
84/10/16	1435	0	12.0	7.6	83.0	7.6	2.0	33000	1800J	27.5	5	2.5	0.36	0.01K	0.10	0.001	0.859	0.08	0.12
84/11/13	1425	0	9.5	9.3	89.6	7.7	2.0	29800	46J	16.4		1.7	0.38	0.01K	0.33	0.000	0.890	0.04	0.06
NUMBER OF SAMPLES			8	8	8	8	8	8	8	8	7	8	8	8	3	8	8	8	8
MAXIMUM VALUE			19.00	12.70	130.30	8.00	3.00	37300.00	1800.00	27.50	18.00	4.00	0.38	0.01	0.02	0.000	0.859	0.01	0.04
MINIMUM VALUE			9.50	7.60	83.00	7.60	1.00	23500.00	2.00	16.00	0.00	1.70	0.02	0.01	0.05	0.001	1.252	0.04	0.07
ARITHMETIC MEAN			13.39	9.48	102.74	7.83	1.75	31387.50	406.38	22.44	5.29	3.10	0.18	0.01	0.05	0.003	1.587	0.03	0.07
GEOMETRIC MEAN			13.05	9.37	101.75	7.82	1.62	31137.65	91.23	22.02	0.91	3.01	0.14	0.01	0.04	0.001	1.612	0.04	0.07
LOG/GEOMETRIC MEAN			2.57	2.24	4.62	2.06	0.48	14.35	4.51	2.75	-0.10	1.10	-1.39	-4.61	-3.16	-5.930	0.462	-3.46	-2.69
MEDIAN			13.45	9.30	101.35	7.80	2.00	31904.00	61.50	23.65	5.00	3.20	0.19	0.01	0.04	0.001	1.612	0.04	0.07
STANDARD DEV OF LOGS			0.14	0.16	0.15	0.02	0.42	4.14	2.14	0.21	2.75	0.27	0.12	0.00	0.03	0.000	0.873	0.02	0.03
STANDARD DEVIATION			3.23	1.57	15.48	0.14	0.71	4075.51	653.72	4.45	6.58	0.72	0.01	0.00	0.00	0.000	0.763	0.00	0.00
VARIANCE			10.43	2.48	239.55	0.02	0.50	16441.11	427353.98	19.83	43.24	0.52	0.01	0.00	0.00	0.000	0.763	0.00	0.00
COEFF OF VARIATION			24.12	16.62	15.06	1.77	40.41	12.98	160.87	19.85	124.40	23.20	66.19	0.00	53.67	61.721	49.852	60.05	58.84
SUM OF VALUES			107.10	75.80	821.90	62.60	14.00	251103.00	3251.00	179.50	37.00	24.80	1.46	0.08	0.38	0.006	14.015	0.30	0.58
MEAN +2 STD DEV			19.35	12.62	133.69	8.10	3.16	39538.53	1713.82	31.34	18.44	4.54	0.42	0.01	0.10	0.002	3.499	0.08	0.13
MEAN -2 STD DEV			6.73	6.33	71.78	7.55	0.34	23236.47	-901.07	13.53	-7.87	1.66	0.06	0.01	0.00	0.000	0.005	-0.01	0.02
GED MEAN +2 STD DEV			21.08	12.86	136.79	8.11	3.78	40978.39	6641.09	33.62	220.21	5.17	0.71	0.01	0.12	0.003	4.059	0.12	0.14
GED MEAN -2 STD DEV			8.08	6.83	75.68	7.55	0.70	23663.15	1.25	14.42	0.00	1.75	0.02	0.01	0.02	0.000	0.619	0.01	0.03
SUM OF SQUARES			1506.79	735.56	86116.79	489.98	28.00	111111.11	111111.11	4166.35	455.00	80.50	6.37	0.00	0.02	0.000	29.892	0.01	0.05

Table 10, continued (Depth = 10 m)

PSS005 PORT GARDNER BAY AT PIER 3

DATE	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00000 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	00505 SALINITY CONDUCTIVITY µS/cm	00760 SML FBI mg/l	00620 NITRATE T NO2-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00617 UN-IONIZD AMMONIA PERCENT	00671 DIS-ORING PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P	
04/04/10	1425	10	10.0	11.0	115.8	7.9	2.0	38000	28.2	0	0.23	0.01K	0.04	0.001	1.458	0.06	0.07
04/05/10	1320	10	11.0	9.4	100.5	7.7	2.0	36500	27.4	5	0.28	0.01K	0.05	0.000	1.000	0.06	0.14
04/06/10	1405	10	11.9	9.3	102.2	8.0	1.0	38900	28.7	0	0.18	0.01K	0.02	0.000	2.115	0.04	0.06
04/07/10	1400	10	13.0	8.7	98.0	7.8	4.0	39300	29.0	5	0.25	0.01K	0.02	0.000	1.462	0.04	0.06
04/08/10	1415	10	13.8	7.8	85.9	7.9	1.0	39700	27.2	0	0.14	0.01K	0.03	0.001	1.947	0.02	0.04
04/09/10	1410	10	12.5	7.2	80.8	7.9	1.0	40700	29.9	5	0.24	0.01K	0.01	0.000	1.768	0.04	0.06
04/10/10	1450	10	11.8	7.4	81.9	7.8	1.0	35300	30.0	0	0.34	0.01K	0.02	0.000	1.335	0.09	0.11
04/11/10	1430	10	10.5	6.8	72.7	7.7	1.0	40500	28.9		0.40	0.01K	0.04	0.000	0.967	0.06	0.08
NUMBER OF SAMPLES			8	8	8	8	8	8	8	7	8	8	8	8	8	8	8
MAXIMUM VALUE			13.80	11.00	115.80	8.00	4.00	40700.00	30.00	5.00	0.40	0.01	0.05	0.001	2.115	0.09	0.14
MINIMUM VALUE			10.00	6.80	72.70	7.70	1.00	35900.00	27.20	0.00	0.14	0.01	0.000	0.962	0.02	0.04	0.04
ARITHMETIC MEAN			11.81	8.43	92.23	7.84	1.63	38137.50	28.86	2.14	0.26	0.01	0.03	0.000	1.506	0.05	0.06
GEOMETRIC MEAN			11.75	8.32	91.27	7.84	1.41	38089.42	28.85	0.35	0.25	0.01	0.03	0.019	1.453	0.05	0.07
LOG/GEOMETRIC MEAN			2.46	2.12	4.51	2.06	0.35	10.55	3.36	-1.02	-1.40	-4.61	-3.66	-3.975	0.374	-3.05	-2.63
MEDIAN			11.85	8.15	91.95	7.85	1.00	38700.00	28.80	0.00	0.25	0.01	0.03	0.000	1.460	0.05	0.07
STANDARD DEV OF LOGS			0.11	0.17	0.15	0.01	0.50	0.06	0.04	2.46	0.33	0.30	0.55	1.810	0.288	0.45	0.39
STANDARD DEVIATION			1.28	1.43	14.22	0.11	1.06	2397.58	1.03	2.67	0.08	0.30	0.01	0.000	0.417	0.02	0.03
VARIANCE			1.64	2.04	202.21	0.01	1.13	HHHHHH.HH	1.06	7.14	0.01	0.30	0.00	0.000	0.174	0.00	0.00
COEFF OF VARIATION			10.35	16.96	15.42	1.15	65.27	6.29	3.60	124.72	32.34	0.30	4.117	185.184	27.710	40.98	41.81
SUM OF VALUES			94.50	67.40	737.80	62.70	13.00	305100.00	229.30	15.00	2.06	0.38	0.23	0.002	12.045	0.41	0.62
MEAN +2 STD DEV			14.38	11.28	120.67	8.95	3.75	42932.66	30.72	7.49	0.42	0.31	0.05	0.001	2.340	0.09	0.14
MEAN -2 STD DEV			9.25	5.57	63.78	7.53	0.50	33542.34	26.50	-3.20	0.09	0.01	0.00	-0.001	0.671	0.01	0.01
STD MEAN +2 STD DEV			14.61	11.56	124.17	8.95	4.03	43305.53	30.79	49.50	0.48	0.31	0.07	0.701	2.587	0.12	0.16
STD MEAN -2 STD DEV			9.45	5.58	67.09	7.33	0.50	33466.42	26.65	0.00	0.13	0.01	0.01	0.001	0.817	0.02	0.03
SUM OF SQUARES			1127.79	582.14	69459.08	491.19	29.00	HHHHHH.HH	6579.75	75.00	0.58	0.30	0.01	0.000	19.354	0.02	0.03

Table 10, continued (Depth = 0m).

PSS008 PORT GARDNER BAY AT PIER 3

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MP	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PSI mg/l	00078 TRANSPAR SECCHI METERS	00020 NITRATE 1 NO3-N mg/l	00615 NITRITE 1 NO2-N mg/l	00610 AMMONIA 1 NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-ORIND PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P
85/04/08	1410	0	9.5	10.8	106.4	7.9	1.0	34700	13J	21.8	4	2.8	0.15	0.01K	0.10	0.001	1.403	0.03	0.06
85/05/20	1340	0	13.2	10.5	109.9	8.1	1.0K	25100	470J	17.0	4	2.0	0.01K	0.01K	0.01	0.000	2.918	0.02	0.03
85/06/17	1330	0	15.5	10.3	113.7	8.2	2.0	24600	220	18.0	14	1.5	0.04	0.01K	0.06	0.005	4.313	0.02	0.03
NUMBER OF SAMPLES			3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
MAXIMUM VALUE			15.50	10.80	113.70	8.20	2.00	34700.00	470.00	21.80	14.00	2.80	0.15	0.01	0.10	0.005	4.313	0.03	0.06
MINIMUM VALUE			9.50	10.30	106.40	7.90	1.00	24600.00	13.00	17.00	4.00	1.50	0.01	0.01	0.01	0.000	1.403	0.02	0.03
ARITHMETIC MEAN			12.73	10.53	110.00	8.07	1.33	28200.00	234.33	18.93	7.33	2.10	0.07	0.01	0.06	0.001	2.878	0.02	0.04
GEOMETRIC MEAN			12.48	10.53	109.96	8.07	1.26	27848.07	110.36	18.82	6.07	2.03	0.04	0.01	0.04	0.005	2.604	0.02	0.04
LOG/GEOMETRIC MEAN			2.52	2.35	4.70	2.09	0.23	10.23	4.70	2.94	1.80	0.71	-3.24	-4.61	-3.24	-5.238	0.957	-3.78	-3.28
MEDIAN			13.20	10.50	109.90	8.10	1.00	25100.00	220.00	18.00	4.00	2.00	0.04	0.01	0.06	0.001	2.918	0.02	0.03
STANDARD DEV OF LEGS			0.25	0.02	0.63	0.02	0.40	0.19	1.89	0.13	0.72	0.31	1.35	0.00	1.21	2.017	0.570	0.25	0.40
STANDARD DEVIATION			3.03	0.25	3.65	0.15	0.58	5640.04	228.84	2.53	5.77	0.66	0.07	0.00	0.05	0.002	1.455	0.01	0.02
VARIANCE			9.16	0.06	13.33	0.02	0.33	*****.00	52366.33	6.41	33.33	0.43	0.01	0.00	0.00	0.000	2.118	0.00	0.00
COEFF OF VARIATION			23.77	2.39	3.32	1.89	43.30	20.00	97.65	13.38	78.73	31.23	116.57	0.00	79.57	114.564	50.570	24.74	43.30
SUM OF VALUES			38.20	31.60	330.00	24.20	4.00	84600.00	703.00	56.80	22.00	6.30	0.20	0.03	0.17	0.004	8.634	0.07	0.12
MEAN +2 STD DEV			18.79	11.04	117.30	8.37	2.49	39400.07	692.01	24.00	18.88	3.41	0.21	0.01	0.15	0.004	5.789	0.03	0.07
MEAN -2 STD DEV			6.68	10.03	102.70	7.76	0.18	16919.93	-223.34	13.87	-4.21	0.79	-0.08	0.01	-0.03	-0.002	-0.033	0.01	0.01
GED MEAN +2 STD DEV			20.56	11.05	117.50	8.38	2.81	40805.03	4845.01	24.43	25.80	3.80	0.59	0.01	0.44	0.300	8.144	0.04	0.08
GED MEAN -2 STD DEV			7.58	10.04	102.90	7.77	0.57	19005.37	2.51	14.51	1.43	1.09	0.00	0.01	0.00	0.000	0.833	0.01	0.02
SUM OF SQUARES			504.74	332.98	36326.66	195.26	6.00	*****.00	269469.00	1083.24	228.00	14.09	0.39	0.00	0.01	0.000	29.085	0.00	0.01

Table 10, continued (Depth = 10 m).

P85603 PORT GARDNER BAY AT PIER 3

DATE FROM TO	TIDE	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDITY NTU	00095 CONDUCTIVITY @ 25 C MICROHMUS	70305 SALINITY g/l	00760 SUL PBT mg/l	00015 NITRITE I NO2-N mg/l	00010 NITROGEN I NH3-N mg/l	00014 AMMONIA NH4-N mg/l	00017 ORP PERCENT	00071 DIS-ORPHO PHOSPHORUS mg/l P	00065 TOTAL PHOSPHORUS mg/l P
85/04/08 1415	1415	10	8.0	7.5	77.3	7.6	1.0	44400	29.8	0	0.01K	0.20	0.001	0.629	0.07	0.14
85/05/20 1345	1345	10	9.8	8.3	98.0	7.8	1.0K	40800	28.9	0	0.01K	0.09	0.001	1.144	0.07	0.08
85/06/17 1335	1335	10	12.2	8.3	92.0	7.8	1.0	37400	29.0	5	0.01K	0.04	0.001	1.370	0.04	0.04
NUMBER OF SAMPLES			3	3	3	3	3	3	3	3	3	3	3	3	3	3
MAXIMUM VALUE			12.20	9.30	98.00	7.80	1.00	44400.00	29.80	5.00	0.01	0.20	0.001	1.370	0.07	0.14
MINIMUM VALUE			8.00	7.50	77.30	7.60	1.00	37400.00	28.90	0.00	0.01	0.04	0.001	0.629	0.04	0.04
ARITHMETIC MEAN			10.00	8.37	89.10	7.73	1.00	40866.67	29.23	1.67	0.01	0.11	0.001	1.050	0.06	0.07
GEOMETRIC MEAN			9.85	8.33	88.66	7.73	1.00	40766.64	29.23	0.23	0.01	0.09	0.001	0.997	0.06	0.08
LOGGEOMETRIC MEAN			2.29	2.12	4.48	1.05	0.00	10.62	3.38	-1.46	-4.61	-2.41	-0.706	-0.003	-2.83	-2.57
MEDIAN			9.80	8.30	92.00	7.80	1.00	40600.00	29.00	0.00	0.01	0.09	0.001	1.144	0.07	0.08
STANDARD DEV OF MEAN			0.21	0.11	0.12	0.01	0.00	0.09	0.02	2.66	0.00	0.30	0.000	0.409	0.32	0.63
STANDARD DEVIATION			0.11	0.09	0.05	0.12	0.00	3500.48	0.49	2.89	0.00	0.03	0.000	0.362	0.02	0.05
VARIANCE			4.54	0.81	113.43	4.01	0.00	88888.88	0.24	8.33	0.00	0.01	0.000	0.148	0.00	0.00
DIFF OF VARIATION			21.07	10.78	11.95	1.49	0.00	8.57	1.89	173.21	0.00	71.41	0.000	30.434	28.87	58.08
SUM OF VALUES			30.00	25.10	267.30	23.20	3.00	122600.00	87.70	5.00	0.03	0.33	0.003	3.149	0.18	0.28
MEAN + 2 STD DEV			14.21	10.17	110.40	7.96	1.00	47867.82	30.22	7.44	0.01	0.27	0.001	1.014	0.09	0.19
MEAN - 2 STD DEV			5.79	6.56	67.80	7.50	1.00	33865.71	28.25	-4.11	0.01	-0.05	0.001	0.385	0.03	-0.01
STD MEAN + 2 STD DEV			15.03	10.34	113.36	7.97	1.00	48397.06	30.23	47.37	0.01	0.45	0.001	2.759	0.11	0.27
STD MEAN - 2 STD DEV			6.46	6.72	89.34	7.50	1.00	34397.35	28.26	0.00	0.01	0.02	0.001	0.440	0.03	0.02
SUM OF SQUARES			303.88	211.63	24043.29	177.44	3.00	888888.88	2564.25	25.00	0.00	0.05	0.000	3.598	0.01	0.03

Table 11 (Depth = 0 m)

FB50-05 FORT GARDNER BAY AT SCOTT DOCK

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00077 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI mg/l	00378 TRANSPAR SECCHI METERS	00620 NITRATE mg/l	00615 NITRITE mg/l	00610 AMMONIA mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS ORTHO PHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P
73/08/15	1500	C	15.5	7.5		7.8	2.0	44000	40K		18		0.36	0.00	0.02	0.000	1.763	0.03	0.08
73/09/12	1515	C	15.8			7.2	2.0	23000	26K	25.7	82		0.16	0.01	0.15	0.001	0.459	0.01	0.03
73/10/17	1625	C	12.1	5.5		7.2	2.0	22000	20K	26.7	36		0.35	0.01	0.05	0.000	0.347	0.03	0.05
73/12/05	1335	C	8.4	7.0		7.1	5.0	20000	26K	23.3	77		0.27	0.01	0.05	0.000	0.206	0.00	0.02
NUMBER OF SAMPLES			4	3	0	4	4	4	4	3	4	0	4	4	4	4	4	4	4
MAXIMUM VALUE			15.80	7.50		7.80	5.00	44000.00	40.00	26.70	82.00		0.36	0.01	0.15	0.001	1.763	0.03	0.08
MINIMUM VALUE			8.40	5.50		7.10	2.00	20000.00	20.00	23.30	18.00		0.16	0.00	0.02	0.000	0.206	0.00	0.02
ARITHMETIC MEAN			12.95	6.67		7.33	2.75	27250.00	25.00	25.23	53.25		0.29	0.01	0.05	0.000	0.594	0.02	0.05
GEOMETRIC MEAN			12.56	6.61		7.32	2.51	25832.02	23.78	25.19	44.97		0.27	0.01	0.05	0.019	0.490	0.03	0.04
LOG/GEOMETRIC MEAN			2.53	1.89		1.99	0.92	10.16	3.17	3.23	3.81		-1.30	-4.20	-3.05	-3.975	-0.712	-3.65	-3.24
MEDIAN			13.80	7.00		7.20	2.00	22500.00	20.00	25.70	56.50		0.31	0.01	0.05	0.000	0.403	0.02	0.04
STANDARD DEV OF LOGS			0.29	0.16		0.04	0.46	0.36	0.35	0.07	0.72		0.38	0.80	0.85	1.955	0.915	0.68	0.60
STANDARD DEVIATION			3.47	1.04		0.32	1.50	11236.10	10.00	1.75	31.26		0.69	0.01	0.05	0.001	0.720	0.02	0.03
VARIANCE			12.02	1.08		0.10	2.25	12560.00	100.00	3.05	976.92		0.61	0.00	0.09	0.000	0.519	0.09	0.00
COEFF OF VARIATION			26.77	15.61		4.37	54.55	41.23	40.00	6.92	58.70		32.48	66.67	94.54	200.000	103.828	85.71	50.79
SUM OF VALUES			51.80	20.00		29.30	11.00	109000.00	100.00	75.70	213.00		1.14	0.03	0.25	0.001	2.775	0.07	0.18
MEAN +2 STD DEV			19.88	8.75		7.97	5.75	49722.21	45.00	28.73	115.78		0.47	0.02	0.11	0.001	2.134	0.05	0.10
MEAN -2 STD DEV			6.02	4.59		6.68	-0.25	4777.79	5.00	21.74	-9.26		0.10	0.00	-0.04	-0.001	-0.747	-0.01	-0.01
GED MEAN +2 STD DEV			22.64	9.15		7.98	6.29	53049.48	47.57	28.99	188.31		0.38	0.07	0.25	0.037	3.059	0.10	0.13
GED MEAN -2 STD DEV			6.97	4.77		6.72	1.01	12578.59	11.89	21.89	10.74		0.13	0.00	0.01	0.000	0.079	0.01	0.01
SUM OF SQUARES			706.86	135.50		214.93	37.00	1111111.11	2800.00	1916.27	14273.00		0.35	0.00	0.03	0.000	3.482	0.00	0.01

Table 11, continued (Depth = 10 m)

00000 FORT GARDNER BAY AT SCOTT DOCK

DATE	TIME	DEPTH	00010	00300	00301	00400	00070	00075	70105	00760	00020	00010	00010	00017	00071	00065	
FROM	TIME	METERS	WATER	DISSOLVED	DO	pH	TURBIDITY	CONDUCTIV	SALINITY	SWL	NITRATE	NITRITE	AMMONIA	UN-IONZD	UN-IONZD	DIS-ORTHO	TOTAL
TO			TEMP	OXYGEN	PERCENT	STANDARD	TURBIDITY	@ 25 C	g/l	P81	F NO3-N	F NO2-N	F NH3-N	AMMONIA	AMMONIA	PHOSPHUS	PHOSPHUS
			DEG-C	mg/l	SATURATN	UNITS	NTU	microhmS		mg/l	mg/l	mg/l	mg/l	PERCENT	mg/l P	mg/l P	mg/l P
73/08/15	1505	10	12.5	5.5		7.6	2.0	50000		18	0.42	0.06	0.02	0.000	0.893	0.03	0.06
73/09/12	1520	10	12.0			7.3	2.0	25000	27.5	117	0.19	0.02	0.17	0.001	0.433	0.01	0.03
73/10/17	1650	10	11.4	2.8		7.3	1.0	25000	50.9	82	0.37	0.01	0.05	0.000	0.413	0.03	0.05
73/12/05	1540	10	9.4	6.9		7.6	3.0	26000	29.8	18	0.39	0.01	0.03	0.000	0.703	0.00	0.02
NUMBER OF SAMPLES			4	3	0	4	4	4	3	4	4	4	4	4	4	4	4
MAXIMUM VALUE			12.50	6.90		7.60	3.00	50000.00	30.90	117.00	0.42	0.02	0.17	0.001	0.893	0.03	0.06
MINIMUM VALUE			9.40	2.80		7.30	1.00	25000.00	27.50	18.00	0.19	0.00	0.02	0.000	0.413	0.00	0.02
ARITHMETIC MEAN			11.33	5.07		7.45	2.00	31500.00	29.40	58.75	0.34	0.01	0.07	0.000	0.611	0.02	0.04
GEOMETRIC MEAN			11.26	4.74		7.45	1.88	30023.12	29.37	41.99	0.33	0.02	0.05	0.019	0.579	0.03	0.04
LOG/GEOMETRIC MEAN			2.42	1.56		2.01	0.62	10.41	3.38	3.74	-1.12	-4.03	-3.05	-3.975	-0.547	-3.65	-3.31
MEDIAN			11.70	5.50		7.45	2.00	25500.00	29.80	50.00	0.38	0.01	0.04	0.000	0.568	0.02	0.04
STANDARD DEV OF LOGS			0.13	0.47		0.02	0.46	0.34	0.06	0.99	0.37	0.76	0.93	1.955	0.376	0.68	0.50
STANDARD DEVIATION			1.36	2.08		0.17	0.82	1242.34	1.73	49.18	0.16	0.01	0.27	0.001	0.230	0.02	0.02
VARIANCE			1.85	4.34		0.03	0.67	1544.88	3.01	2418.25	0.31	0.00	0.00	0.000	0.053	0.00	0.00
COEFF OF VARIATION			12.01	41.13		2.32	40.82	39.18	5.50	83.70	30.28	81.65	102.91	200.000	37.695	65.71	45.34
SUM OF VALUES			45.30	15.20		29.80	8.00	126000.00	88.20	235.00	1.37	0.04	0.27	0.001	2.442	0.07	0.16
MEAN +2 STD DEV			14.04	7.23		7.80	3.63	58164.68	32.87	157.10	0.35	0.03	0.21	0.001	1.071	0.05	0.08
MEAN -2 STD DEV			8.61	3.90		7.10	0.37	6815.32	25.93	-39.80	0.4	-0.01	-0.07	-0.001	0.150	-0.01	0.00
STD MEAN +2 STD DEV			14.49	12.10		7.80	4.63	59325.91	33.09	303.38	0.48	0.08	0.30	0.037	1.228	0.10	0.10
STD MEAN -2 STD DEV			8.75	1.85		7.11	0.75	15193.83	26.68	-9.81	0.16	0.00	0.01	0.000	0.273	-0.01	0.01
SUM OF SQUARES			518.57	85.70		222.10	18.00	888888.88	2099.10	21661.00	0.50	0.00	0.03	0.000	1.650	0.00	0.11

Table 11, continued (Depth = 0 m).

FISB004 FORT GARDNER BAY AT SCOTT FOCK

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ug/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00670 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml AF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI ug/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE T NO3-N ug/l	00615 NITRITE T NO2-N ug/l	00610 AMMONIA T NH3-N ug/l	00619 UN-IONZD AMMONIA ug/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-OR HO PHOSPHRUS ug/l P	00665 TOTAL PHOSPHRUS ug/l P
74/04/09	1315	0	8.6	9.1		7.2	4.0	16000	60	17.0	55		0.41	0.01	0.30	0.000	0.264	0.00	0.05
74/05/15	1405	0	9.4	11.5		7.5	4.0	16000	70	17.1	8		0.03	0.00	0.32	0.000	0.559	0.04	0.05
74/06/11	1130	0	14.0	7.1		7.4	1.0	15000	18	15.0	0		0.03	0.00	0.30	0.000	0.634	0.00	0.03
74/07/17	1335	0	12.3	5.4		7.4	3.0	40000	40	26.0	105		0.18	0.01	0.32	0.000	0.557	0.00	0.05
74/08/22	1350	0	15.2	5.3		7.2	1.0	39000	30	23.0	9								
74/09/11	1505	0	15.0	5.0		7.2	3.0	25000	450	18.0	41		0.10	0.00	0.40	0.000	0.432	0.00	0.08
74/10/09	1340	0	13.5	3.8		7.2	3.0	27000	220	28.0	0		0.24	0.00	0.42	0.000	0.386	0.01	0.05
74/11/18	1435	0	11.2	6.0		7.4	4.0	30000	140	26.4	38		0.08	0.00	0.38	0.000	0.511	0.00	0.04
NUMBER OF SAMPLES			8	8	0	8	8	8	8	8	8	0	7	7	7	7	7	7	7
MAXIMUM VALUE			15.20	11.50		7.50	4.00	40000.00	220.00	28.40	105.00		0.41	0.01	0.48	0.000	0.634	0.04	0.08
MINIMUM VALUE			8.60	3.80		7.20	1.00	15000.00	1.00	15.00	0.00		0.03	0.00	0.30	0.000	0.264	0.00	0.03
ARITHMETIC MEAN			12.40	6.65		7.31	2.88	26000.00	52.13	21.56	32.00		0.15	0.00	0.42	0.000	0.478	0.01	0.05
GEOMETRIC MEAN			12.17	6.28		7.31	2.54	24293.22	22.67	20.97	5.97		0.10	0.03	0.44	0.050	0.461	0.04	0.05
LOG/GEOMETRIC MEAN			2.50	1.84		1.99	0.93	10.10	3.12	3.04	1.79		-2.27	-3.46	-3.32	-2.998	-0.774	-3.26	-3.03
MEDIAN			12.90	5.70		7.30	3.00	26000.00	35.00	20.50	23.50		0.10	0.00	0.42	0.000	0.511	0.00	0.05
STANDARD DEV OF LOGS			0.21	0.35		0.02	0.59	0.40	1.62	0.25	3.08		1.00	0.78	0.38	0.000	0.298	0.60	0.29
STANDARD DEVIATION			2.49	2.52		0.12	1.25	10028.53	70.75	5.43	36.11		0.14	0.00	0.63	0.000	0.126	0.01	0.02
VARIANCE			6.38	6.34		0.02	1.55	10000.00	5004.98	29.49	1304.00		0.02	0.00	0.40	0.000	0.016	0.00	0.00
COEFF OF VARIATION			20.35	37.86		1.70	43.35	38.57	135.72	25.19	112.85		89.68	170.78	141.42	0.000	26.293	209.44	30.55
SUM OF VALUES			99.20	53.20		58.50	23.00	208000.00	417.00	172.50	256.00		1.07	0.02	0.14	0.000	3.343	0.05	0.35
MEAN +2 STD DEV			17.37	11.69		7.56	5.37	46057.06	193.62	32.42	104.22		0.43	0.01	0.68	0.000	0.729	0.04	0.08
MEAN -2 STD DEV			7.43	1.61		7.06	0.38	5942.94	-89.37	10.70	-40.22		-0.13	-0.01	-0.64	0.000	0.226	-0.02	0.02
GEO MEAN +2 STD DEV			18.53	12.75		7.56	8.27	53882.44	577.23	34.84	2816.05		0.77	0.15	0.11	0.050	0.836	0.13	0.09
GEO MEAN -2 STD DEV			7.74	3.10		7.07	0.78	10952.74	0.89	12.61	0.01		0.01	0.01	0.01	0.050	0.254	0.01	0.03
SUM OF SQUARES			1273.34	398.16		427.89	77.00	100000.00	56771.00	3925.97	17320.00		0.28	0.00	0.61	0.000	1.691	0.00	0.02

Table 11, continued (Depth = 10 m)

850000 FORT BRONER BAY AT SCOTT DOCK

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00000 DISSOLVED OX'GEN mg/l	00301 DO PERCENT SATURAIN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBAETER NTU	00095 CONDUCTIVITY @ 25 C MICROHMUS	00305 SALINITY CONDUCTIVITY j/l	00760 SWI PSI mg/l	00625 NITRATE T NOS-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 NH-IONZD AMMONIA mg/l	00617 ON-IONZD AMMONIA PERCENT	00671 DIS-ORPHO PHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P
74/04/09	1320	10	7.8	6.3		7.4	5.0	27000	27.5	20	0.51	0.01	0.02	0.000	0.392	0.00	0.02
74/05/15	1410	10	8.4	9.6		7.8	3.0	27000	28.1	15	0.27	0.00	0.02	0.000	1.026	0.04	0.06
74/06/11	1135	10	10.5	7.1		7.7	1.0	26000	27.0	0	0.18	0.00	0.02	0.000	0.962	0.00	0.03
74/07/17	1340	10	10.0	5.0		7.7	1.0	49000	29.3	15	0.29	0.01	0.00	0.000	0.925	0.00	0.06
74/08/22	1355	10	12.9	5.5		7.6	2.0	33000	28.0	5							
74/09/11	1510	10	13.8	5.6		7.4	2.0	30000	21.0	32	0.19	0.00	0.00	0.000	0.624	0.00	0.05
74/10/09	1345	10	11.8	3.6		7.3	1.0	30000	31.0	12	0.25	0.00	0.00	0.000	0.426	0.01	0.04
74/11/15	1500	10	10.8	3.6		7.5	2.0	44000	29.6	18	0.02	0.00	0.00	0.000	0.623	0.00	0.03
					0						7	7	7	7	7	7	7
NUMBER OF SAMPLES			8	8		8	8	8	8	8	7	7	7	7	7	7	7
MAXIMUM VALUE			13.80	9.60		7.80	5.00	49000.00	31.00	32.00	0.51	0.01	0.02	0.000	1.026	0.04	0.06
MINIMUM VALUE			7.80	3.60		7.30	1.00	26000.00	21.00	0.00	0.02	0.00	0.00	0.000	0.392	0.00	0.02
ARITHMETIC MEAN			10.75	5.79		7.55	2.13	32397.63	27.69	14.63	0.24	0.00	0.01	0.000	0.711	0.01	0.04
GEOMETRIC MEAN			10.57	5.52		7.55	1.82	32397.63	27.56	7.27	0.18	0.03	0.03	0.050	0.668	0.04	0.04
LOG-GEOMETRIC MEAN			2.36	1.71		2.02	0.60	10.39	3.32	1.98	-1.70	-3.46	-3.37	-2.998	-0.404	-3.26	-3.25
STANDARD DEV OF LOGS			0.20	0.33		0.02	0.58	0.24	0.12	2.08	1.03	0.78	0.49	0.000	0.391	0.60	0.41
STANDARD DEVIATION			2.07	1.96		0.18	1.36	8581.54	2.99	9.68	0.15	0.00	0.01	0.000	0.260	0.01	0.62
VARIANCE			4.27	3.83		0.03	1.84	*****.88	8.76	93.70	0.02	0.00	0.00	0.000	0.068	0.60	0.60
COEFF OF VARIATION			19.22	33.83		2.35	63.82	25.51	10.31	66.19	60.43	170.78	134.72	0.000	36.593	209.44	37.98
SUM OF VALUES			86.00	46.30		60.40	17.00	263000.00	221.50	117.00	1.71	0.02	0.02	0.000	4.978	0.05	0.29
MEAN +2 STD DEV			14.68	9.70		7.90	4.34	50413.08	33.67	35.98	0.54	0.01	0.03	0.000	1.232	0.04	0.07
MEAN -2 STD DEV			6.82	1.87		7.20	-0.59	16086.92	21.70	-4.73	-0.05	-0.01	-0.01	0.000	0.191	-0.02	0.01
STD MEAN +2 STD DEV			15.65	10.67		7.91	5.83	52002.57	34.66	465.90	1.43	0.15	0.09	0.050	1.481	0.13	0.09
STD MEAN -2 STD DEV			7.13	2.85		7.20	0.57	20183.32	21.74	0.11	0.02	0.01	0.01	0.050	0.305	0.01	0.02
SUM OF SQUARES			954.38	294.79		456.24	49.00	*****.88	8195.51	2367.00	0.55	0.00	0.00	0.000	3.946	0.60	0.61

Table 11, continued (Depth = 0 m).

858600 PORT GARDNER BAY AT SCOTT DOCK

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL FBI mg/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE 1 NO3-N mg/l	00615 NITRITE 1 NO2-N mg/l	00610 AMMONIA 1 NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-OR THO PHOSPHORUS mg/l P	00685 TOTAL PHOSPHORUS mg/l P
75/04/09	1520	0	9.2	9.0		7.3	5.0	23000	48	25.9	32		0.30	0.01	0.09	0.000	0.348	0.05	0.09
75/05/14	1430	0	13.1	9.4		7.3	4.0	17000	78	14.8	45		0.12	0.00	0.00	0.000	0.471	0.00	
75/06/11	1345	0	15.0	11.6		8.1	2.0	24000	48	16.0	5		0.02	0.00	0.00	0.000	3.333	0.04	0.07
75/07/09	1415	0	17.0	9.1		8.3	2.0	12000	48	12.4	17		0.08	0.00	0.03	0.002	5.971	0.04	0.05
75/08/13	1525	0	17.1	8.2		7.5	3.0	42000	28	24.9	15		0.18	0.00	0.02	0.000	1.064	0.05	0.10
75/09/10	1435	0	15.0	10.8		8.0	3.0	40000	28	24.5	18		0.04	0.00	0.00	0.000	2.665	0.02	0.04
75/10/07	1450	0	11.2			6.8	5.0	41000	108	28.7	50		0.37	0.00	0.18	0.000	0.129	0.08	0.12
75/11/11	1650	0	8.1	8.5		7.3	2.0	26000	1601	20.6	23		0.32	0.00	0.03	0.000	0.319	0.06	0.09
NUMBER OF SAMPLES			3	7	0	8	8	8	8	3	8	0	8	8	8	8	8	8	7
MAXIMUM VALUE			17.10	11.60		8.30	5.00	42000.00	160.00	28.70	50.00		0.37	0.01	0.18	0.002	5.971	0.08	0.12
MINIMUM VALUE			8.10	8.20		6.80	2.00	12000.00	2.00	12.40	5.00		0.02	0.00	0.00	0.000	0.129	0.00	0.04
ARITHMETIC MEAN			13.21	9.51		7.58	3.25	28375.00	24.13	20.98	25.63		0.18	0.00	0.04	0.000	1.780	0.04	0.08
GEOMETRIC MEAN			12.79	9.45		7.56	3.04	26158.09	6.41	20.17	21.01		0.12	0.04	0.05	0.035	0.880	0.05	0.08
LOG/GEOMETRIC MEAN			2.35	2.25		2.02	1.11	10.17	1.86	3.00	3.05		-2.10	-3.20	-1.01	-3.400	-0.128	-1.08	-2.59
MEDIAN			14.35	9.10		7.40	3.00	25500.00	4.00	22.55	20.50		0.15	0.00	0.03	0.000	0.738	0.05	0.09
STANDARD DEV OF LOGS			0.28	0.13		0.07	0.40	0.45	1.41	0.31	0.73		1.06	0.57	0.69	1.137	1.344	0.40	0.39
STANDARD DEVIATION			3.43	1.24		0.51	1.28	11426.00	54.97	5.96	15.53		0.14	0.00	0.66	0.001	2.070	0.62	0.03
VARIANCE			11.74	1.53		0.26	1.64	*****.00	3021.27	35.47	241.13		0.02	0.00	0.00	0.000	4.284	0.00	0.00
COEFF OF VARIATION			25.73	13.02		6.72	39.44	40.27	227.84	28.40	60.60		75.91	282.84	142.97	282.843	116.276	57.29	35.16
SUM OF VALUES			105.70	66.60		60.60	26.00	227000.00	193.00	167.80	205.00		1.43	0.01	0.35	0.002	14.740	0.34	0.56
MEAN +2 STD DEV			20.36	11.99		8.59	5.81	51227.01	134.06	32.89	56.68		0.45	0.01	0.17	0.002	5.971	0.09	0.14
MEAN -2 STD DEV			6.36	7.04		6.56	0.69	5522.99	-85.81	9.06	-5.43		-0.09	-0.01	-0.08	-0.001	-2.359	-0.01	0.02
GED MEAN +2 STD DEV			22.42	12.15		8.65	6.70	64165.32	107.84	37.21	91.01		1.01	0.13	0.20	0.325	12.947	0.10	0.17
GED MEAN -2 STD DEV			7.29	7.35		6.61	1.38	10463.79	0.38	10.94	4.85		0.01	0.01	0.01	0.003	0.060	0.02	0.03
SUM OF SQUARES			1478.71	642.86		460.86	96.00	*****.00	25805.00	3767.92	6941.00		0.38	0.00	0.04	0.000	35.333	0.02	0.05

Table 11, continued (Depth = 10 m)

F06007 FORT GARDNER BAY AT SCOTT DOCK

DATE FROM TO	TIME	DEPTH meters	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBAETER NTU	00095 CONDUCTIV e 25 C MICROMHUS	70305 SALINITY CORRECTD g/l	00760 SWL Ppt mg/l	00620 NITRATE 1 NO3-N mg/l	00615 NITRITE 1 NO2-N mg/l	00610 AMMONIA 1 NH3-N mg/l	00617 NH-TONZO AMMONIA mg/l	00617 NH-TONZO AMMONIA PERCENT	00671 DIS-OI-PHO PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P
75/04/09	1055	10	7.8	9.0		7.6	4.0	32000	28.6	14	0.15	0.01	0.00	0.000	0.620	4.05	0.09
75/05/14	1435	10	9.0	8.7		7.8	4.0	26000	28.0	23	0.10	0.00	0.03	0.000	0.561	4.00	0.15
75/06/11	1350	10	10.0	9.4		7.5	2.0	26000	28.2	18	0.13	0.00	0.00	0.000	0.586	4.02	0.18
75/07/09	1420	10	12.0	8.9		8.2	4.0	23000	29.2	8	0.00	0.00	0.00	0.001	3.335	4.04	0.18
75/08/13	1530	10	12.2	8.8		7.4	5.0	41000	27.8	25	0.12	0.00	0.02	0.000	0.552	4.07	0.12
75/09/10	1500	10	12.5	7.0		7.4	4.0	27000	28.0	28	0.19	0.00	0.00	0.000	0.565	4.02	0.08
75/10/07	1455	10	10.6			7.3	2.0	25000	29.3	18	0.18	0.00	0.00	0.000	0.388	4.08	0.09
75/11/11	1055	10	9.0	5.9		7.3	2.0	49000	28.3	0	0.12	0.00	0.00	0.000	0.342	4.08	0.12
NUMBER OF SAMPLES			8	7	0	8	8	8	8	8	8	8	8	8	8	8	7
MAXIMUM VALUE			12.50	9.40		8.20	5.00	49000.00	29.80	28.00	0.18	0.01	0.00	0.001	3.335	4.08	0.18
MINIMUM VALUE			7.30	5.90		7.30	2.00	13000.00	25.20	0.00	0.00	0.00	0.000	0.342	3.00	0.00	0.00
ARITHMETIC MEAN			10.39	7.96		7.54	3.38	21625.00	27.99	16.75	0.16	0.00	0.03	0.000	0.884	3.05	0.19
GEOMETRIC MEAN			10.26	7.85		7.53	3.17	10665.73	27.56	8.57	0.12	0.00	0.00	0.031	0.656	3.05	0.19
LOG/GEOMETRIC MEAN			2.33	2.08		2.02	1.15	10.33	3.33	2.15	-1.19	-3.20	-5.31	-3.486	-0.422	-3.09	-2.14
MEAN			10.30	8.70		7.45	4.00	20000.00	28.10	18.00	0.12	0.00	0.03	0.000	0.576	3.05	0.19
STANDARD DEV OF LOGS			0.17	0.18		0.04	0.39	0.26	0.05	2.12	0.14	0.57	0.36	1.352	0.698	3.56	0.10
STANDARD DEVIATION VARIABLE			1.74	1.36		0.29	1.19	3911.27	1.29	9.27	0.14	0.00	0.02	0.000	0.997	3.03	0.12
COEFF OF VARIATION			3.01	1.85		0.07	1.41	111111.11	1.66	85.93	0.12	0.00	0.00	0.000	0.994	3.00	0.10
SUM OF VALUES			16.71	17.09		5.88	35.19	28.18	4.80	55.34	51.70	282.84	76.02	262.543	112.837	67.19	27.12
MEAN ± 2 STD DEV			83.10	55.70		60.30	27.00	253000.00	223.90	134.00	2.19	0.01	0.01	0.001	7.069	3.36	0.13
MEAN ± 1 STD DEV			13.56	10.68		8.12	5.75	49447.54	50.56	35.29	0.13	0.01	0.07	0.001	2.878	3.11	0.14
MEAN ± 1 STD DEV			8.92	5.24		6.95	1.00	13802.46	25.41	-1.79	-0.11	-0.01	0.01	-0.001	-1.110	-0.02	0.00
STD MEAN ± 2 STD DEV			14.44	11.24		8.12	6.91	11277.82	50.73	590.56	0.79	0.13	0.00	0.468	2.556	3.14	0.10
STD MEAN ± 1 STD DEV			7.29	5.49		6.93	1.45	18342.65	25.44	0.12	0.15	0.01	0.02	0.002	0.162	3.01	0.05
SUM OF SQUARES			184.29	454.31		455.11	101.00	111111.11	678.01	2846.00	0.57	0.00	0.01	0.000	13.265	0.02	0.00

Table 11, continued (Depth = 0 m).

P5500- FORT GARDNER BAY AT SCOTT DOCK

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ug/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY g/l	00760 SWL P81 ug/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE 1 NO3-N ug/l	00615 NITRITE 1 NO2-N ug/l	00610 AMMONIA 1 NH3-N ug/l	00619 UN-IONZD AMMONIA ug/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-ORPHO PHOSPHORUS ug/l P	00665 TOTAL PHOSPHORUS ug/l P
76/04/14	1250	3	8.4	8.0		7.3	4.0	34900	300	21.6	23		0.18	0.00	0.12	0.000	0.360	0.03	0.31
76/05/05	1450	3	11.7	8.9		7.9	6.0	20300	140	11.6	5		0.04	0.00	0.04	0.001	1.599	0.01	0.04
76/06/23	1455	3	13.7	9.6		7.6	2.0	28300	20	17.7	14		0.03	0.00	0.06	0.001	0.978	0.02	0.05
NUMBER OF SAMPLES			3	3	0	3	3	3	3	3	3	0	3	3	3	3	3	3	3
MAXIMUM VALUE			13.74	9.60		7.90	6.00	34000.00	30.00	21.60	23.00		0.18	0.00	0.12	0.001	1.599	0.03	0.31
MINIMUM VALUE			8.99	8.00		7.30	2.00	20000.00	2.00	11.60	5.00		0.03	0.00	0.04	0.000	0.360	0.01	0.04
ARITHMETIC MEAN			11.21	8.83		7.60	4.00	27333.33	15.33	16.97	14.00		0.08	0.00	0.07	0.001	0.972	0.02	0.13
GEOMETRIC MEAN			11.09	8.81		7.60	3.63	26702.73	9.44	16.43	11.72		0.06	0.05	0.07	0.004	0.819	0.02	0.09
LOG/GEOMETRIC MEAN			2.41	2.18		2.03	1.29	10.19	2.24	2.80	2.46		-2.81	-3.00	-2.77	-5.604	-0.211	-4.01	-2.46
MEDIAN			11.24	8.90		7.60	4.00	28000.00	14.00	17.70	14.00		0.04	0.00	0.06	0.001	0.978	0.02	0.05
STANDARD DEV OF LOGS			0.22	0.09		0.04	0.56	0.27	1.40	0.32	0.78		0.96	0.00	0.56	2.257	0.791	0.56	1.12
STANDARD DEVIATION			2.40	0.80		0.30	2.00	7023.77	14.05	5.04	9.00		0.08	0.00	0.06	0.001	0.630	0.01	0.15
VARIANCE			5.74	0.64		0.09	4.00	*****.00	197.33	25.40	81.00		0.01	0.00	0.00	0.000	0.396	0.00	0.02
COEFF OF VARIATION			21.31	9.08		3.95	50.00	25.70	91.61	29.71	64.29		100.64	0.00	56.77	86.603	64.743	50.00	114.81
SUM OF VALUES			33.86	26.50		22.80	12.00	82000.00	46.00	50.90	42.00		0.25	0.00	0.21	0.002	2.717	0.06	0.40
MEAN +2 STD DEV			16.07	10.44		8.20	8.00	41380.87	43.43	27.05	32.00		0.25	0.00	0.16	0.002	2.231	0.04	0.44
MEAN -2 STD DEV			6.47	7.23		7.00	0.00	13285.79	-12.76	6.89	-4.00		-0.08	0.00	-0.01	0.000	-0.287	0.00	-0.17
GEO MEAN +2 STD DEV			17.02	10.58		8.22	11.04	45682.62	154.07	31.00	55.60		0.41	0.05	0.29	0.336	3.942	0.06	0.81
GEO MEAN -2 STD DEV			7.21	7.33		7.02	1.20	15608.47	0.58	8.71	2.47		0.01	0.05	0.07	0.000	0.167	0.01	0.01
SUM OF SQUARES			392.34	235.37		173.46	36.00	*****.00	1100.00	914.41	750.00		0.03	0.00	0.02	0.000	3.629	0.00	0.10

Table 11, continued (Depth = 10 m)

PROGRAM FORT GARDNER BAY AT SCOTT DOCK

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00100 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROHMS	70305 SALINITY CONDUCTIVITY g/l	00700 SWL PBT mg/l	00615 NITRATE Y NO2-N mg/l	00616 AMMONIA Y NH3-N mg/l	00617 CHLOROPHYLL A mg/l	00617 CHLOROPHYLL B mg/l	00671 DIS-ORTHO PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P
76/04/14	1300	10	7.5	7.1		7.1	2.0	42000	27.1	18	0.00	0.13	0.000	0.192	0.05	0.12
76/05/05	1400	10	9.3	8.8		7.4	2.0	41000	26.1	23	0.00	0.08	0.000	0.441	0.04	0.07
76/06/25	1500	10	10.7	8.7		7.6	1.0	44000	26.4	0	0.01	0.10	0.001	0.177	0.06	0.06
NUMBER OF SAMPLES			3	3	0	3	3	3	3	3	3	3	3	3	3	3
MAXIMUM VALUE			10.70	8.70		7.60	2.00	44000.00	28.40	23.00	0.01	0.13	0.001	0.177	0.06	0.12
MINIMUM VALUE			7.50	6.80		7.10	1.00	41000.00	26.10	0.00	0.00	0.08	0.000	0.192	0.04	0.06
ARITHMETIC MEAN			9.17	7.53		7.37	1.67	42333.33	27.20	13.67	0.00	0.10	0.000	0.470	0.05	0.08
GEOMETRIC MEAN			9.07	7.49		7.36	1.59	42315.09	27.18	2.74	0.03	0.10	0.014	0.404	0.05	0.08
LOG/GEOMETRIC MEAN			2.21	2.01		2.00	0.46	10.65	3.30	1.01	-3.53	-2.29	-4.501	-0.907	-3.01	-2.53
MEDIAN			9.30	7.10		7.40	2.00	42000.00	27.10	18.00	0.00	0.10	0.000	0.441	0.05	0.07
STANDARD DEV OF LOGS			0.18	0.13		0.03	0.40	0.04	0.04	3.47	0.93	0.24	1.257	0.703	0.20	0.36
STANDARD DEVIATION			1.60	1.02		0.25	0.58	1527.53	1.15	12.10	0.01	0.03	0.001	0.294	0.01	0.03
VARIANCE			2.57	1.04		0.06	0.33	0.00000.00	1.33	146.33	0.00	0.00	0.000	0.086	0.00	0.00
COEFF OF VARIATION			17.50	13.56		3.42	34.64	3.61	4.24	88.51	173.21	24.35	173.205	62.463	20.00	38.57
SUM OF VALUES			27.50	22.60		22.10	5.00	127000.00	81.60	41.00	0.01	0.31	0.001	1.410	0.15	0.25
MEAN +2 STD DEV			12.37	9.58		7.87	2.82	45388.38	29.51	37.86	0.01	0.15	0.001	1.057	0.07	0.15
MEAN -2 STD DEV			5.96	5.49		6.86	0.51	39278.28	24.89	-10.53	-0.01	0.05	0.001	-0.117	0.03	0.02
DEU MEAN +2 STD DEV			12.97	9.74		7.89	3.52	45464.78	29.58	2847.58	0.19	0.16	1.736	1.047	0.07	0.16
DEU MEAN -2 STD DEV			6.34	5.76		6.88	0.71	39363.61	24.98	0.00	0.00	0.05	0.000	0.099	0.03	0.04
SUM OF SQUARES			257.23	172.34		162.93	9.06	0.00000.00	2222.16	853.00	0.00	0.03	0.000	0.835	0.01	0.02

Table 12 (Depth = 0 m)

RSS615 SNOHOMISH RIVER AT HIGHWAY 99 BR

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURAIN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORMS /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI mg/l	00078 TRANSPAR SELCHI FTIERS	00520 NITRATE I N03-N mg/l	00615 NITRITE I N02-N mg/l	00610 AMMONIA I NH3-N mg/l	00619 AMMONIA NH-TION/O mg/l	00617 AMMONIA NH-TION/O mg/l	00671 DIS-ORPHO PHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P
73/08/15	1410	0	19.5	8.0		7.2	2.0	4500	60		5		0.02	0.00	0.03	0.000	0.503	0.01	0.09
73/09/12	1420	0	17.3			7.4	3.0	7600	29	10.5	14		0.11	0.00	0.12	0.001	0.811	0.00	0.01
73/10/17	1555	0	10.4	10.1		7.1	3.0	5000	70	5.4	0		0.21	0.00	0.06	0.000	0.241	0.01	0.05
73/12/05	1415	0	5.6	11.7		7.0	5.0	2600	20K	2.6	9		0.40	0.00	0.03	0.000	0.131	0.02	0.05
NUMBER OF SAMPLES			4	3	0	4	4	4	4	3	4	0	4	4	4	4	4	4	4
MAXIMUM VALUE			19.50	11.70		7.40	5.00	7600.00	70.00	10.50	14.00		0.40	0.00	0.12	0.001	0.811	0.02	0.09
MINIMUM VALUE			5.60	8.00		7.00	2.00	2600.00	20.00	2.30	0.00		0.01	0.00	0.03	0.000	0.131	0.00	0.01
ARITHMETIC MEAN			13.20	9.93		7.10	3.25	4425.00	44.75	6.23	7.00		0.19	0.00	0.06	0.000	0.447	0.01	0.05
GEOMETRIC MEAN			11.84	9.81		7.17	3.08	4041.38	39.51	5.41	2.37		0.12	0.05	0.05	0.019	0.352	0.02	0.04
LOG/GEOMETRIC MEAN			2.47	2.28		1.97	1.12	8.30	3.68	1.69	0.86		-2.15	-3.00	-2.99	-3.775	1.043	-4.03	-3.25
MEDIAN			13.85	10.10		7.15	3.00	3750.00	44.50	5.40	7.00		0.16	0.00	0.05	0.000	0.422	0.01	0.05
STANDARD DEV OF LOGS			0.57	0.19		0.02	0.38	0.48	0.59	0.66	2.61		1.29	0.00	0.66	1.355	0.338	0.76	0.54
STANDARD DEVIATION			6.38	1.86		0.17	1.26	2269.13	24.02	3.92	5.94		0.16	0.00	0.04	0.001	0.316	0.01	0.03
VARIANCE			40.70	3.44		0.03	1.58	*****.00	576.92	15.34	35.33		0.03	0.00	0.00	0.000	0.100	0.00	0.00
COEFF OF VARIATION			48.33	18.68		2.38	38.72	51.28	53.67	62.84	84.92		88.10	0.00	70.71	200.000	70.720	81.65	65.32
SUM OF VALUES			52.80	29.80		28.70	13.00	17700.00	179.00	18.70	28.00		0.74	0.00	0.24	0.001	1.786	0.04	0.20
MEAN +2 STD DEV			25.96	13.64		7.52	5.77	8763.36	92.79	14.07	18.89		0.51	0.00	0.14	0.001	1.078	0.03	0.12
MEAN -2 STD DEV			0.44	6.22		6.83	0.73	-113.36	-3.29	-1.60	-4.89		-0.14	0.00	-0.02	-0.001	-0.185	-0.01	-0.02
GED MEAN +2 STD DEV			36.92	14.40		7.52	6.52	10573.64	129.77	20.31	435.71		1.53	0.05	0.19	0.937	1.884	0.06	0.26
GED MEAN -2 STD DEV			3.80	6.69		6.84	1.45	1544.67	12.03	1.44	0.01		0.01	0.05	0.01	0.000	0.066	0.00	0.01
SUM OF SQUARES			819.06	302.90		206.01	47.00	*****.00	9741.00	147.25	302.00		0.22	0.00	0.02	0.000	1.097	0.00	0.01

Table 12, continued (Depth = 0 m)

PSS010 SNOBOMISH RIVER AT HIGHWAY 97 BR

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml AF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL P81	00078 TRANSPAR SECCHI METERS	00620 NITRATE 1 NO3-N mg/l	00615 NITRITE 1 NO2-N mg/l	00610 AMMONIA 1 NH3-N mg/l	00619 UN-IONIZED AMMONIA mg/l	00617 UN-IONIZED AMMONIA PERCENT	00671 DTS-ORTHO PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P
74/04/09	1325	0	8.5	12.0		7.4	5.0	290	80	2.7	20		0.29	0.01	0.00	0.000	0.353	0.00	0.01
74/05/15	1415	0	8.8	13.2		7.3	6.0	640	120	3.0	13		0.18	0.00	0.00	0.000	0.288	0.04	0.06
74/06/11	1140	0	11.5	8.9		7.5	5.0	34	70	1.0K	10		0.08	0.00	0.00	0.000	0.658	0.00	
74/07/17	1345	0	18.2	10.9		7.2	3.0	480	120	1.3	10		0.05	0.00	0.00	0.000	0.299	0.00	0.03
74/08/22	1405	0	14.8	9.9		7.3	2.0	5800	190	3.0	0								
74/09/11	1515	0	14.0	7.8		7.3	4.0	10000	300	12.0	32		0.23	0.00	0.00	0.000	0.586	0.00	0.05
74/10/09	1355	0	11.7	6.3		7.4	2.0	15000	100	26.0	3		0.22	0.00	0.00	0.000	0.574	0.01	0.04
74/11/18	1510	0	8.1	11.2		7.3	3.0	6800	80L	4.2	12		0.22	0.00	0.15	0.000	0.345	0.00	0.03
NUMBER OF SAMPLES			8	8	0	8	8	8	8	8	0	7	7	7	7	7	7	7	6
MAXIMUM VALUE			16.00	13.20		7.50	6.00	30000.00	190.00	26.00	32.00		0.29	0.01	0.15	0.000	0.658	0.04	0.06
MINIMUM VALUE			6.50	6.30		7.20	2.00	14.00	10.00	1.00	0.00		0.05	0.00	0.00	0.000	0.288	0.00	0.01
ARITHMETIC MEAN			10.95	10.03		7.34	3.75	8610.50	87.50	6.65	12.50		0.18	0.00	0.02	0.000	0.443	0.01	0.04
GEOMETRIC MEAN			10.45	9.78		7.34	3.48	1754.03	65.17	3.78	5.91		0.16	0.04	0.05	0.050	0.420	0.04	0.03
LOG/GEOMETRIC MEAN			2.35	2.28		1.99	1.25	7.47	4.19	1.33	1.78		-1.85	-3.23	-2.97	-2.998	-0.867	-3.26	-3.44
MEDIAN			10.85	10.40		7.30	3.50	3200.00	80.00	3.00	11.00		0.12	0.00	0.00	0.000	0.353	0.00	0.04
STANDARD DEV OF LOGS			0.33	0.24		0.01	0.42	2.39	0.93	1.08	2.04		0.65	0.61	0.51	0.000	0.350	0.00	0.63
STANDARD DEVIATION			3.48	2.28		0.09	1.49	12010.24	56.51	8.55	9.97		0.09	0.00	0.05	0.000	0.156	0.01	0.02
VARIANCE			12.10	5.18		0.01	2.21	14410.00	3192.86	73.12	99.43		0.01	0.00	0.00	0.000	0.024	0.00	0.00
COEFF OF VARIATION			31.77	22.70		1.25	39.68	132.16	64.58	128.59	79.77		67.57	264.58	226.11	0.000	35.226	209.44	47.76
SUM OF VALUES			87.60	80.20		58.76	30.00	6904.00	700.00	53.20	100.00		1.27	0.01	0.15	0.000	3.103	0.05	0.22
MEAN +2 STD DEV			17.91	14.58		7.52	6.73	32650.98	200.51	23.75	32.44		0.35	0.01	0.12	0.000	0.756	0.04	0.07
MEAN -2 STD DEV			3.99	5.47		7.15	0.77	-15389.98	-25.51	-10.45	-7.44		0.01	-0.01	-0.04	0.000	0.131	-0.02	0.00
GED MEAN +2 STD DEV			20.36	15.92		7.52	8.07	207509.18	427.61	32.87	353.14		0.57	0.13	0.15	0.050	0.847	0.13	0.11
GED MEAN -2 STD DEV			5.36	6.01		7.16	1.50	14.83	10.24	0.43	0.10		0.04	0.01	0.02	0.050	0.209	0.01	0.01
SUM OF SQUARES			1043.92	840.24		430.77	128.00	14410.00	83600.00	865.62	1946.00		0.28	0.00	0.02	0.000	1.522	0.00	0.01

Table 12, continued (Depth = 0 m)

PSS-10 SNOHOMISH RIVER AT HIGHWAY 99 BR

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml CF	70505 SALINITY CONDUCTIVITY g/l	00760 SWL PBT mg/l	00078 TRANSPAR SILICHI METERS	00620 NITRATE [NO3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 UN-ION70 AMMONIA mg/l	00617 UN-ION20 AMMONIA PERCENT	00671 DIS ORTHO PHOSPHRUS mg/l P	00655 TOTAL PHOSPHRUS mg/l P
75/04/09	1510	0	9.0	11.1		7.2	5.0	12000	36	7.7	9		0.26	0.00	0.40	0.000	0.272	0.02	0.05
75/05/14	1445	0	10.0	12.3		6.9	8.0	430	140	1.0K	5		0.10	0.00	0.90	0.000	0.148	0.00	
75/06/11	1400	0	11.0	12.6		6.7	5.0	350	200	1.0K	5		0.08	0.00	0.70	0.000	0.101	0.02	0.05
75/07/09	1425	0	13.9	10.8		7.6	6.0	330	62	1.0K	10		0.00	0.00	0.02	0.000	0.993	0.02	0.04
75/08/13	1540	0	17.2	9.6		7.3	2.0	1300	28	4.7	10		0.10	0.00	0.32	0.000	0.640	0.04	0.07
75/09/10	1510	0	15.0	9.7		7.3	5.0	1600	1608	3.8	9		0.13	0.00	0.03	0.000	0.543	0.02	0.04
75/10/07	1500	0	10.7			7.3	4.0	1800	520	3.8	9		0.21	0.00	0.37	0.000	0.391	0.04	0.07
75/11/11	1100	0	6.0	11.2		6.7	3.0	1300	200	3.3	23		0.41	0.00	0.34	0.000	0.068	0.02	0.04
NUMBER OF SAMPLES			8	7	0	8	8	8	8	8	8	0	5	8	3	8	8	8	7
MAXIMUM VALUE			17.20	12.60		7.60	8.00	12000.00	520.00	7.70	23.00		0.41	0.00	0.97	0.000	0.993	0.04	0.07
MINIMUM VALUE			6.00	9.60		6.70	2.00	330.00	2.00	1.00	5.00		0.00	0.00	0.00	0.000	0.068	0.00	0.04
ARITHMETIC MEAN			11.40	11.04		7.13	4.50	3734.75	165.00	3.25	10.00		0.16	0.00	0.02	0.000	0.395	0.02	0.05
GEOMETRIC MEAN			11.08	10.79		7.12	4.14	1911.14	82.18	2.54	8.97		0.14	0.05	0.04	0.050	0.280	0.03	0.05
LOG/GEOMETRIC MEAN			2.41	2.40		1.96	1.42	1.56	4.41	0.53	2.19		-2.00	-3.00	-3.38	-2.938	-1.275	-3.82	-3.00
MEDIAN			10.45	11.10		7.25	4.50	3950.00	150.00	3.55	9.00		0.12	0.00	0.02	0.000	0.332	0.02	0.05
STANDARD DEV OF LOGS			0.33	0.10		0.05	0.44	1.42	1.70	0.81	0.48		0.69	0.00	0.46	0.000	0.948	0.40	0.25
STANDARD DEVIATION			3.59	1.15		0.32	1.93	3840.75	161.66	2.32	5.63		0.13	0.00	0.42	0.000	0.318	0.01	0.01
VARIANCE			12.67	1.33		0.11	3.71	14731.25	26134.86	5.38	31.71		0.02	0.00	0.40	0.000	0.101	0.00	0.00
COEFF OF VARIATION			30.52	10.44		4.55	42.83	102.94	97.98	70.58	56.32		79.52	0.00	108.32	0.000	80.676	56.97	26.16
SUM OF VALUES			92.80	77.30		57.00	36.00	29916.00	1320.00	26.30	80.00		1.29	0.00	0.8	0.000	3.156	0.18	0.36
MEAN +2 STD DEV			18.77	13.35		7.77	8.35	11436.26	488.33	7.93	21.26		0.42	0.00	0.47	0.000	1.031	0.05	0.08
MEAN -2 STD DEV			4.43	8.74		6.48	0.65	-3950.76	-158.33	-1.35	-1.26		-0.10	0.00	-0.43	0.000	-0.242	0.00	0.02
GEO MEAN +2 STD DEV			21.50	13.56		7.60	10.07	3261.25	2472.97	12.86	23.29		0.54	0.05	0.49	0.050	1.880	0.06	0.08
GEO MEAN -2 STD DEV			5.72	8.91		6.50	1.70	117.69	2.73	0.50	3.45		0.03	0.05	0.32	0.050	0.042	0.01	0.03
SUM OF SQUARES			1166.54	861.59		406.86	188.00	140000.00	400744.00	124.15	1022.00		0.32	0.00	0.41	0.000	1.554	0.01	0.02

Table 12, continued (Depth = 0 m)

PSS-015 BROOKHOLM RIVER AT HIGHWAY 97 BR

DATE	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 O-DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00670 TURBIDITY NTU	00095 CONDUCTIVITY @ 25 C MICROHMUS	31116 FECHA COLIFORM /100ml cf	70305 SALINITY g/l	00700 SWL PBI mg/l	00078 TRANSPAR SECCHI METERS	00510 RITKITE TMD2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 NH-IONZD AMMONIA mg/l	00617 NH-ONZD AMMONIA PERLITN	00671 P15-ORTRD PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P	
76/04/14	1305	0	8.0	10.0		5.7	5.3	340	800	0.3	5		0.16	0.00	0.04	0.000	0.068	0.01	0.11
76/05/03	1520	0	8.0	10.8		7.2	13.9	500	130	0.1	0		0.13	0.00	0.04	0.000	0.252	0.01	0.06
76/06/23	1305	0	10.1	12.1		5.9	5.0	340	62	0.2	0		0.07	0.00	0.05	0.000	0.149	0.02	0.03
76/10/11	1415	0	14.0	9.4		7.1	2.0	3300	1600	4.6	0		0.13	0.00	0.13	0.000	0.319	0.04	0.04
76/11/08	1350	0	9.5	10.6		5.8	2.0	12000	74	6.7	9		0.25	0.01	0.13	0.000	0.113	0.04	0.06
NUMBER OF SAMPLES			5	5	0	5	5	5	5	5	5	0	5	5	5	5	5	5	5
MAXIMUM VALUE			14.00	12.10		7.20	13.00	12000.00	160.00	6.70	9.00		0.25	0.01	0.13	0.000	0.319	0.04	0.11
MINIMUM VALUE			8.00	9.40		6.70	2.00	340.00	62.00	0.10	0.00		0.07	0.00	0.04	0.000	0.068	0.01	0.03
ARITHMETIC MEAN			9.52	10.58		6.94	5.40	4336.00	101.20	2.38	2.80		0.14	0.00	0.08	0.000	0.190	0.02	0.06
GEOMETRIC MEAN			9.16	10.54		6.94	4.20	1556.76	94.74	0.71	0.35		0.13	0.04	0.07	0.050	0.156	0.02	0.05
LOG/GEOMETRIC MEAN			2.21	2.36		1.94	1.41	7.35	4.55	-0.34	-1.04		1.01	-3.32	-2.70	-1.650	-3.91	-2.91	
MEDIAN			9.50	10.60		6.90	5.00	540.00	30.00	0.30	0.00		0.13	0.00	0.05	0.000	0.149	0.02	0.03
STANDARD DEV OF LOGS			0.31	0.09		0.03	0.71	1.71	0.40	1.92	2.69		0.43	0.72	0.61	0.000	0.620	0.69	0.49
STANDARD DEVIATION			2.96	1.01		0.21	4.5	5466.76	41.37	3.08	4.09		0.06	0.00	0.05	0.000	0.103	0.02	0.03
VARIANCE			8.78	1.02		0.04	20.36	30000.00	1733.20	9.47	16.70		0.00	0.00	0.00	0.000	0.011	0.00	0.00
COEFF OF VARIATION			31.12	9.56		2.99	83.4	126.08	41.37	129.28	145.93		-0.37	213.61	61.06	0.000	17.201	63.19	31.37
SUM OF VALUES			47.60	52.90		34.70	27.00	21650.00	506.00	11.90	14.00		0.72	0.01	0.39	0.000	0.901	0.12	0.30
MEAN +2 STD DEV			15.45	12.60		7.35	14.4	15269.56	184.94	8.53	10.97		0.26	0.01	0.17	0.000	0.386	0.05	0.12
MEAN -2 STD DEV			3.59	8.56		6.53	-3.61	-6597.56	17.46	-3.77	-5.37		0.05	-0.01	-0.02	0.000	-0.076	-0.01	0.00
6SD MEAN +2 STD DEV			17.08	12.73		7.36	20.00	47596.68	211.40	33.08	77.29		0.32	0.15	0.23	0.050	0.539	0.08	0.15
6SD MEAN -2 STD DEV			4.91	8.73		6.54	0.88	50.92	42.46	0.02	0.00		0.06	0.01	0.02	0.050	0.045	0.01	0.00
SUM OF SQUARES			458.26	563.77		240.99	227.00	30000.00	58220.00	66.19	136.00		0.12	0.00	0.04	0.000	0.205	0.00	0.02

Table 12, continued (Depth = 0 m)

PSS015 SNOHOMISH RIVER AT HIGHWAY 99 BR

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURAIN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICKONHIS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWI PBI mg/l	00078 TRANSPAR SECCHI METERS	00670 NITRATE T NH3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-ORTRD PHOSPHUS mg/l P	00665 TOTAL PHOSPHUS mg/l P
77/04/11	1340	0	8.0	12.1		6.8	3.0	4990	348	2.6		5	9.26	0.00	0.05	0.000	0.100	0.02	0.03
77/05/09	1255	0	11.3	11.3		6.6	2.0	2800		2.2		9	0.21	0.00	0.43	0.000	0.082	0.01	0.02
77/06/13	1450	0	14.0	12.3		7.0	2.0	6000	248	3.2	7.0	5	0.11	0.00	0.44	0.000	0.253	0.04	0.03
77/07/13	1435	0	14.0	6.73		7.6	3.0	25000	40	16.4	9	1.4	0.00	0.00	0.66	0.001	1.000	0.07	0.03
77/08/09	1420	0	20.0	8.4		7.9	1.0	31000	68	20.18	14	2.4	0.04	0.00	0.08	0.002	3.059	0.04	0.08
77/09/13	1415	0	15.2			7.2	2.0	3300	2408	1.6		2.0	0.18	0.00				0.07	0.03
77/10/17	1500	0	10.5	9.8		7.5	2.0	12900	210	8.2		9	0.24	0.00	0.46	0.000	0.609	0.04	0.06
NUMBER OF SAMPLES			7	6	0	7	7	7	6	7	6	4	7	7	6	6	6	7	6
MAXIMUM VALUE			20.00	12.30		7.90	3.00	31000.00	240.00	20.10	14.00	7.00	0.30	0.00	0.48	0.002	3.059	0.04	0.08
MINIMUM VALUE			8.00	6.70		6.60	1.00	2800.00	6.00	1.80	5.00	1.40	0.04	0.00	0.43	0.000	0.082	0.01	0.02
ARITHMETIC MEAN			13.29	10.10		7.23	2.14	12271.43	92.33	7.75	8.50	3.21	0.19	0.00	0.46	0.001	0.851	0.03	0.04
GEOMETRIC MEAN			12.81	9.88		7.22	2.03	8300.79	46.32	5.09	7.96	2.63	0.16	0.05	0.45	0.015	0.396	0.02	0.04
LOG/GEOMETRIC MEAN			2.55	2.29		1.96	0.71	9.02	3.44	1.63	2.07	0.97	-1.31	-3.00	-2.73	-4.185	-0.926	-3.71	-3.30
MEDIAN			14.00	10.55		7.20	2.00	6000.00	37.00	3.20	9.00	2.22	0.21	0.00	0.36	0.000	0.431	0.02	0.03
STANDARD DEV OF LOGS			0.29	0.24		0.06	0.37	0.36	1.35	0.99	0.40	0.69	0.70	0.00	0.39	1.853	1.400	0.52	0.52
STANDARD DEVIATION			3.86	2.23		0.46	0.69	11180.26	103.84	7.54	3.33	2.56	0.09	0.00	0.32	0.001	1.137	0.01	0.02
VARIANCE			14.90	4.96		0.27	0.48	*****.88	10783.07	56.83	11.10	6.57	0.01	0.00	0.30	0.000	1.294	0.00	0.00
COEFF OF VARIATION			29.06	22.06		6.43	32.20	92.74	112.46	96.82	39.20	79.82	47.15	0.00	36.45	167.332	133.739	46.18	55.60
SUM OF VALUES			93.00	60.60		50.60	15.00	85900.00	554.00	54.50	51.00	12.84	1.34	0.00	0.34	0.003	5.103	0.19	0.25
MEAN +2 STD DEV			21.01	14.56		8.16	3.52	35031.54	300.02	22.86	15.16	8.33	0.37	0.00	0.10	0.002	3.125	0.05	0.05
MEAN -2 STD DEV			5.57	5.64		6.30	0.76	-10488.69	-115.35	-7.29	1.84	-1.91	0.01	0.00	0.32	-0.001	-1.424	0.00	0.00
GEO MEAN +2 STD DEV			23.08	15.91		8.21	4.24	56931.47	752.70	37.23	17.69	10.49	0.66	0.05	0.12	0.619	6.512	0.07	0.10
GEO MEAN -2 STD DEV			7.11	6.13		6.35	0.98	1210.34	2.85	0.70	3.58	0.66	0.04	0.05	0.32	0.000	0.024	0.01	0.01
SUM OF SQUARES			1324.98	636.88		367.06	35.00	*****.88	105068.00	765.29	489.00	60.91	0.31	0.00	0.32	0.000	10.309	0.01	0.01

Table 12, continued (Depth = 0 m)

PC5015 - BRUNSWICK RIVER AT HIGHWAY 29 BR

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TUBNELLE NTU	00095 CONDUCTIVITY @ 25 C MICROHMS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY g/l	00760 SWL PBI mg/l	00078 TRANSPAR SECCHI METERS	00020 NITRITE mg/l	00015 NITRATE mg/l	00010 AMMONIA mg/l	00619 AMMONIA mg/l	00017 AMMONIA mg/l	00071 DIS ORTHO PHOSPHRUS mg/l P	00065 TOTAL PHOSPHRUS mg/l P
78/05/08	1430	0	10.5			7.2	3.0	435	540	0.1	0		0.00	0.00	0.03	0.000	0.000	0.01	0.02
78/06/12	1410	0	13.2			7.4	4.0	440	1200	2.5	0		0.00	0.00	0.03	0.000	0.000	0.596	0.01
78/07/12	1430	0	15.9			7.4	2.0	3300	210	3.0	0		0.10	0.00	0.05	0.000	0.000	0.731	0.02
78/08/07	1510	0	21.5	10.4		7.8	3.0	1700	8200	0.6	0		0.01	0.00	0.01	0.000	0.000	2.719	0.02
78/09/11	1700	0	14.1	10.1		7.2	3.0	3680	590	1.7			0.17	0.00	0.08	0.000	0.000	0.404	0.00
78/10/09	1345	0	13.2	7.7		7.8	3.0	29500	600	21.9			0.23	0.00	0.16	0.002	0.000	1.484	0.05
78/11/13	1335	0	3.9	13.0		7.2	3.0	2860	1800	1.4	9		0.55	0.02K	0.07	0.000	0.000	0.181	0.00
NUMBER OF SAMPLES			7	4	0	7	7	7	7	7	5	0	7	7	7	7	7	7	7
MAXIMUM VALUE			21.50	13.00		7.80	4.00	29500.00	620.00	21.90	9.00		0.55	0.02	0.16	0.002	0.000	2.719	0.05
MINIMUM VALUE			3.90	7.70		7.20	2.00	435.00	60.00	0.10	0.00		0.01	0.00	0.01	0.000	0.000	0.161	0.00
ARITHMETIC MEAN			13.19	10.30		7.43	3.00	6773.57	328.57	4.46	1.80		0.19	0.00	0.06	0.000	0.000	0.917	0.02
GEOMETRIC MEAN			11.93	10.13		7.42	2.95	3253.64	241.41	1.57	0.14		0.12	0.04	0.05	0.032	0.000	0.630	0.02
LOG/GEOMETRIC MEAN			2.48	2.32		2.00	1.08	8.09	5.49	0.45	-1.96		-1.11	-3.13	-3.09	-3.457	-0.482	-3.72	-3.19
MEDIAN			13.20	10.25		7.40	3.00	3680.00	210.00	1.70	0.00		0.17	0.00	0.05	0.000	0.000	0.596	0.01
STANDARD DEV OF LOGS			0.54	0.21		0.04	0.20	1.31	0.91	1.84	2.32		1.75	0.35	0.89	1.216	0.928	0.73	0.72
STANDARD DEVIATION			5.33	2.17		0.27	0.58	10166.18	243.61	7.76	4.02		0.17	0.01	0.05	0.001	0.902	0.02	0.05
VARIANCE			28.46	4.70		0.07	0.33	HHHHHH.HH	59347.62	60.17	16.20		0.03	0.00	0.00	0.000	0.814	0.00	0.00
COEFF OF VARIATION			40.46	21.05		3.62	19.25	150.09	74.14	174.03	223.61		70.34	264.58	81.08	264.575	76.163	109.14	87.19
SUM OF VALUES			92.30	41.20		52.00	21.00	47415.00	2300.00	31.20	9.00		1.35	0.02	0.43	0.002	0.000	6.421	0.11
MEAN +2 STD DEV			23.86	14.64		7.97	4.15	27105.93	815.20	19.97	9.65		0.54	0.02	0.16	0.002	0.000	2.722	0.05
MEAN -2 STD DEV			2.52	5.96		6.89	1.85	-13558.79	-158.66	-11.06	-6.25		-0.18	-0.01	-0.04	-0.001	0.000	-0.007	-0.04
GEO MEAN +2 STD DEV			35.67	15.55		7.88	4.42	44342.52	1485.35	41.59	14.70		1.49	0.09	0.27	0.009	0.004	0.10	0.17
GEO MEAN -2 STD DEV			4.06	6.59		6.71	1.97	233.74	39.24	0.06	0.00		0.01	0.02	0.01	0.003	0.003	0.01	0.01
SUM OF SQUARES			1387.81	436.46		386.72	65.00	HHHHHH.HH	HHHHHH.HH	500.08	81.00		0.44	0.00	0.04	0.000	0.774	0.00	0.01

Table 12, continued (Depth = 0 m)

RESULTS INOHOMISH RIVER AT HIGHWAY 99 BR

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIV* @ 25 C MICRONHMS	31616 FECAL COLIFORM /100ml NF	70305 SALINITY CONDUCTIVITY g/l	00760 SW PBI mg/l	00073 TRANSPAR SECCDI METERS	00070 NITRATE T NDS-N mg/l	00615 NITRITE T NDS-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-ORTHO PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P
79/04/09	1500	0	7.9	12.4		7.1	2.0	666	450	0.3	0		3.40	0.01K	0.07	0.000	0.198	0.03	0.04
79/05/08	1325	0	9.0	11.8		7.3	3.0	254		0.1	9	1.5	3.17	0.01K	0.07	0.000	0.342	0.03	0.07
79/06/11	1330	0	13.0			7.2	3.0	364	660	4.8	28		3.03	0.01K	0.05	0.000	0.371	0.03	0.05
79/07/17	1405	0	18.7	12.0		7.3	3.0	540C	808	3.1	5	2.5	3.06	0.01K	0.05	0.000	0.715	0.02	0.03
79/08/28	1410	0	17.0	7.1	76.4	7.3	3.0	1310C	54	8.5	5	2.0	3.05	0.02K	0.11	0.001	0.531	0.05	0.08
79/09/11	1455	0	15.5	9.3	95.2	7.4	3.0	911C	3308	5.1	5	2.0	3.09	0.01K	0.10	0.001	0.709	0.05	0.05
79/10/16	1425	0				7.5	3.0	3000C	40	24.2	18	3.7	0.25	0.01K	0.05			0.06	0.07
NUMBER OF SAMPLES			6	5	2	7	7	7	6	7	7	5	7	7	7	6	6	7	7
MAXIMUM VALUE			18.70	12.40	95.20	7.50	3.00	30000.00	660.00	24.20	28.00	3.70	3.40	0.02	0.11	0.001	0.715	0.06	0.08
MINIMUM VALUE			7.90	7.10	76.40	7.10	1.00	254.00	40.00	0.10	0.00	1.50	0.03	0.01	0.03	0.000	0.198	0.02	0.03
ARITHMETIC MEAN			13.52	10.52	85.80	7.30	2.00	8412.57	269.00	6.59	10.00	2.34	4.15	0.01	0.07	0.000	0.494	0.04	0.06
GEOMETRIC MEAN			12.87	10.30	85.28	7.30	1.92	2746.79	160.25	2.45	4.32	2.23	4.10	0.01	0.06	0.014	0.448	0.04	0.05
LOG/GEOMETRIC MEAN			2.56	2.33	4.45	1.99	0.65	7.92	5.08	0.90	1.46	0.80	-1.26	-4.51	-2.76	-4.301	-0.804	-3.32	-2.94
MEDIAN			14.25	11.80	85.80	7.30	2.00	5400.00	205.00	4.80	5.00	2.00	0.09	0.01	0.07	0.000	0.501	0.03	0.05
STANDARD DEV OF LOGS			0.35	0.24	0.16	0.02	0.32	1.91	1.20	1.91	2.08	0.34	0.93	0.35	0.45	2.019	0.514	0.39	0.35
STANDARD DEVIATION			4.36	2.27	13.29	0.13	0.58	10715.99	254.46	8.29	9.70	0.84	0.13	0.00	0.03	0.001	0.219	0.01	0.02
VARIANCE			19.03	5.14	176.72	0.02	0.33	*****.00	64750.00	68.76	94.00	0.70	0.02	0.00	0.00	0.000	0.048	0.00	0.00
COEFF OF VARIATION			32.27	21.54	15.49	1.77	29.87	127.38	94.59	125.80	96.95	35.83	85.86	33.07	41.61	154.919	44.191	37.95	32.53
SUM OF VALUES			81.10	52.60	171.60	51.10	14.00	58288.00	1614.00	46.14	70.00	11.70	1.05	0.03	0.43	0.002	2.966	0.27	0.39
MEAN +2 STD DEV			22.24	15.05	112.39	7.56	3.15	29844.56	777.92	23.18	29.39	4.02	0.42	0.02	0.13	0.001	0.932	0.07	0.09
MEAN -2 STD DEV			4.79	5.99	59.21	7.04	0.85	-13019.42	-239.92	-9.99	-9.39	0.66	-0.12	0.00	0.01	-0.001	0.056	0.01	0.02
GEU MEAN +2 STD DEV			26.01	16.55	116.41	7.56	3.68	124701.45	1761.63	112.55	278.75	4.37	0.66	0.02	0.15	0.769	1.251	0.08	0.11
GEU MEAN -2 STD DEV			6.37	6.41	62.48	7.05	1.00	60.50	14.58	0.05	0.07	1.14	0.02	0.01	0.03	0.000	0.130	0.02	0.03
SUM OF SQUARES			1191.35	573.90	14900.00	373.13	30.00	*****.00	757916.00	716.63	1264.00	10.19	0.27	0.00	0.04	0.000	1.706	0.01	0.02

Table 12, continued (Depth = 0 m)

PCSD015 BROOKVIEW RIVER AT HIGHWAY 99 BR

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARDS UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORMS /100ml MP	70305 SALINITY CONDUCTIVITY g/l	00700 SWL PBL mg/l	00078 TRANSPIR SECCHI METERS	00020 NITRATE mg/l	00015 NITRITE mg/l	00010 AMMONIA mg/l	00619 NH-IONZD mg/l	00017 UN-IONZD AMMONIA PERCENT	00571 DIS-ORTHO PHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P
80/04/14	1450	0	10.0	10.6	93.9	7.3	3.0	1440	1140	0.7		1.5	0.25	0.01K	0.03	0.000	0.370	0.01K	0.02
80/05/13	1250	0	10.0	14.1	129.5	7.8	2.0	12400	50	6.8	0	1.5	0.08	0.01K	0.05	0.001	1.162	0.01	0.01
80/06/10	1540	0	14.1	11.4	119.5	8.1	2.0	21200	38	14.1		2.5	0.01	0.01K	0.03	0.001	3.119	0.05	0.05
80/07/09	1515	0	15.4	9.0	100.8	8.1	2.0	34200	56	20.7	5	2.2	0.02	0.01K	0.01	0.000	3.451	0.01	0.05
80/08/12	1500	0	19.0	9.9	107.6	7.8	1.0	5070	1708	3.1	0	1.5	0.17	0.01K	0.03	0.001	2.276	0.02	0.07
80/09/08	1515	0	15.5	6.5	69.8	7.7	2.0	17900	43	13.4	9	1.8	0.22	0.01K	0.04	0.001	1.405	0.03	0.06
80/10/21	1350	0	11.7	7.5	78.2	7.9	2.0	26900	820	21.4	9	2.0	0.25	0.01K	0.08	0.001	1.662	0.06	0.08
80/11/18	1415	0	10.0	8.3	82.4	7.4	1.0	26200	192	19.4	5	3.0	0.35	0.01K	0.04	0.000	0.468	0.05	0.06
NUMBER OF SAMPLES			8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
MAXIMUM VALUE			19.00	14.10	129.50	8.10	3.00	34200.00	182.00	21.40	9.00	3.00	0.35	0.01	0.08	0.001	3.451	0.06	0.08
MINIMUM VALUE			10.00	6.50	69.80	7.30	1.00	1440.00	38.00	0.70	0.00	1.50	0.01	0.01	0.01	0.000	0.370	0.01	0.01
ARITHMETIC MEAN			13.21	9.86	97.71	7.76	1.88	18413.75	94.13	12.45	4.67	2.01	0.18	0.01	0.04	0.001	1.736	0.03	0.05
GEOMETRIC MEAN			12.86	9.41	95.79	7.76	1.77	13141.58	79.55	8.36	1.31	1.75	0.10	0.01	0.03	0.004	1.355	0.02	0.04
LOG/GEOMETRIC MEAN			2.55	2.24	4.56	7.05	0.57	9.48	4.38	2.12	0.27	0.67	-2.31	-4.61	-3.39	-5.441	0.304	-3.75	-3.17
MEDIAN			12.90	9.45	97.35	7.80	2.00	19550.00	70.00	13.75	3.00	1.70	0.17	0.01	0.04	0.001	1.534	0.03	0.06
STANDARD DEV OF LOGS			0.25	0.25	0.21	0.04	0.38	1.08	0.61	1.20	2.54	0.26	1.30	0.00	0.60	2.024	0.821	0.78	0.72
STANDARD DEVIATION			3.33	2.41	20.71	0.29	0.64	11527.29	59.04	8.08	4.03	0.55	0.12	0.00	0.02	0.001	1.134	0.02	0.02
VARIANCE			11.08	5.80	428.76	0.09	0.41	HHHHHH.HH	3485.84	65.36	16.27	0.30	0.02	0.00	0.00	0.000	1.288	0.00	0.00
COEFF OF VARIATION			25.19	24.93	21.19	2.77	34.18	62.60	62.73	64.93	88.43	27.32	75.73	0.00	52.41	82.808	35.305	69.01	67.81
SUM OF VALUES			105.70	77.30	781.70	62.10	15.00	147310.00	753.00	99.60	28.00	16.05	1.50	0.08	0.31	0.005	13.891	0.24	0.40
MEAN +2 STD DEV			19.87	14.48	139.13	8.35	3.16	41565.33	212.21	28.62	12.73	3.10	0.41	0.01	0.08	0.002	4.004	0.07	0.10
MEAN -2 STD DEV			6.56	4.84	56.30	7.18	0.59	-4640.83	-23.96	-3.72	-3.40	0.91	-0.08	0.01	0.00	0.000	-0.531	-0.01	0.00
GEU MEAN +2 STD DEV			21.07	15.39	146.94	8.37	3.77	113515.57	271.43	92.29	212.44	3.29	1.34	0.01	0.11	0.248	7.001	0.11	0.18
GEU MEAN -2 STD DEV			7.85	5.75	62.45	7.19	0.83	1521.41	23.37	0.76	0.01	1.15	0.01	0.01	0.01	0.000	0.262	0.00	0.01
SUM OF SQUARES			1474.11	787.53	79383.15	482.65	31.00	HHHHHH.HH	95277.00	1897.52	212.00	34.30	0.32	0.00	0.01	0.000	33.121	0.01	0.02

Table 12, continued (Depth = 0 m)

065015 SPOONWASH RIVER AT HIGHWAY 99 BR

DATE FROM TO	L1NE	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHMS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL FBI mg/l	00078 TRANSPAR SCELCHI METERS	00620 NITRATE I NO3-N mg/l	00615 NITRITE I NO2-N mg/l	00610 AMMONIA I NH3-N mg/l	00619 UN-IONZO AMMONIA mg/l	00617 UN-IONZO AMMONIA PERCENT	00671 DIS-OF-THO PHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P
81/05/26	1150	0	11.5	10.9	99.7	7.3	7.0	576	4708	0.3		0.7	0.15	0.01X	0.05	0.000	0.416	0.01	0.01
81/06/16	1435	0	12.5	10.6	99.2	7.4	6.0	853	220	0.5	5	0.3	0.19	0.01X	0.07	0.000	0.583	0.02	0.03
81/07/27	1410	0				8.2	1.0	24900	23	19.4	27	2.2	0.03	0.01X	0.05			0.01	0.04
81/08/18	1410	0	15.0	7.8	89.3	7.6	1.0	2670	1706	1.7	5	1.3	0.13	0.01X	0.05	0.001	1.078	0.01	0.06
81/09/14	1400	0	17.0			7.6	3.0	8310	100	5.3	0	1.3	0.21	0.01X	0.06	0.001	1.751	0.35	0.07
81/10/21	1425	0	10.5	7.8	80.5	7.7	2.0	28400	108	23.7	0	2.3	0.30	0.01	0.01	0.000	0.962	0.06	0.08
81/11/03	1445	0	10.1	10.4	94.6	7.4	3.0	7530	180	4.8	9	1.3	0.30	0.01	0.08	0.000	0.469	0.03	0.04
NUMBER OF SAMPLES			6	5	5	7	7	7	7	6	7	7	7	7	7	6	6	7	7
MAXIMUM VALUE			17.00	10.90	99.70	8.20	7.00	28400.00	470.00	23.70	27.00	2.20	0.30	0.01	0.08	0.001	1.751	0.35	0.08
MINIMUM VALUE			10.10	7.80	80.50	7.30	1.00	576.00	10.00	0.30	0.00	0.30	0.03	0.01	0.03	0.000	0.416	0.01	0.01
ARITHMETIC MEAN			12.77	9.50	92.66	7.60	3.29	10462.71	167.57	7.96	7.67	1.45	0.19	0.01	0.06	0.000	0.790	0.07	0.05
GEOMETRIC MEAN			12.54	9.39	92.37	7.60	2.58	4792.28	95.56	3.14	1.57	1.30	0.15	0.01	0.05	0.014	0.723	0.03	0.04
LOG/GEOMETRIC MEAN			2.53	2.24	4.53	2.03	0.95	8.47	4.56	1.14	0.45	0.25	-1.87	-4.81	-2.93	-4.301	-0.324	-3.59	-3.22
MEDIAN			12.00	10.40	94.60	7.60	3.00	7530.00	170.00	4.80	5.00	1.50	0.19	0.01	0.05	0.000	0.784	0.02	0.04
STANDARD DEV OF LOGS			0.21	0.17	0.09	0.04	0.78	1.54	1.36	1.69	2.74	0.35	0.75	0.00	0.32	2.017	0.468	1.31	0.70
STANDARD DEVIATION			2.71	1.56	7.99	0.30	7.36	11505.34	155.28	9.57	10.07	0.64	0.10	0.00	0.02	0.001	0.174	0.02	0.00
VARIANCE			7.37	2.44	63.81	0.09	5.57	*****.00	24111.29	91.53	101.47	0.41	0.01	0.00	0.00	0.000	0.174	0.02	0.00
COEFF OF VARIATION			21.26	16.44	8.62	3.95	71.84	109.97	92.66	120.24	131.39	43.92	51.32	0.00	29.05	154.919	41.514	178.24	51.34
SUM OF VALUES			76.60	47.50	463.30	53.20	23.00	73239.00	1173.00	55.70	46.00	10.20	1.31	0.07	0.39	0.002	4.741	0.49	0.33
MEAN +2 STD DEV			18.19	12.62	108.64	8.20	8.01	33473.39	478.13	27.09	27.81	2.74	0.38	0.01	0.07	0.001	1.494	0.32	0.10
MEAN -2 STD DEV			7.34	6.38	76.68	7.00	-1.44	-12547.96	-142.98	-11.10	-12.48	0.13	0.00	0.01	0.02	-0.001	0.007	0.18	0.00
GEO MEAN +2 STD DEV			18.90	13.21	110.33	8.21	12.17	103924.89	1449.49	91.98	379.28	4.01	0.75	0.01	0.10	0.769	1.844	0.38	0.16
GEO MEAN -2 STD DEV			8.32	6.68	77.34	7.05	0.55	220.99	6.30	0.11	0.01	0.42	0.02	0.01	0.03	0.000	0.284	0.00	0.01
SUM OF SQUARES			1014.76	461.01	43184.63	404.86	109.60	*****.00	31229.00	992.41	860.00	17.32	0.30	0.00	0.02	0.000	1.365	0.13	0.02

Table 12, continued (Depth = 0 m)

PS0010 BRUHARISH RIVER AT HIGHWAY 99 BR

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00030 DISSOLVED OXYGEN mg/l	00101 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY u S/C MICROHMUS	31316 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SML PBI ug/l	00078 TRANSPAR SECCHI METERS	00020 NITRATE T NO3-N mg/l	00015 NITRITE T NO2-N mg/l	00010 AMMONIA T NH3-N mg/l	00019 UN-IONZD AMMONIA mg/l	00017 UN-IONZD AMMONIA PERCENT	00071 DIS-ORTHO PHOSPHRUS mg/l P	00005 TOTAL PHOSPHRUS mg/l P
82/04/26	1435	0	9.0	12.5	108.0	7.8	5.0	131	180	0.4	0	1.3	0.23	0.01	0.22	0.002	1.075	0.01	0.02
82/05/17	1355	0	9.5	12.6	110.1	7.3	7.0	575	120	0.3	0	1.0	0.13	0.01K	0.03	0.000	4.356	0.02	0.03
82/06/21	1425	0	12.0	11.7	109.0	7.2	17.0		140	0.1	5	0.5	0.02	0.01K	0.03	0.000	4.344	0.02	0.05
82/07/27	1440	0	17.5	8.1	85.1	7.3	3.0	3900	76	2.4	5	3.5	0.07	0.01K	0.14	0.001	4.055	0.01	0.03
82/08/16	1510	0	15.6	8.6	96.3	7.9	3.0	24400	140	20.1	0	3.4	0.17	0.01K	0.07	0.002	1.225	0.02	0.04
82/09/21	1435	0	14.8	8.7	87.3	7.5	1.0	6240	2700	4.1	5	2.5	0.19	0.01K	0.09	0.001	4.046	0.05	0.05
82/10/27	1445	0				7.6	5.0	13000	320	10.0	5	2.0	0.27	0.01	0.08			0.03	0.06
82/11/15	1405	0	5.4	11.7	95.9	7.5	2.0	8990	200	6.2	5	2.0	0.29	0.01K	0.09	0.000	3.407	0.04	0.05
NUMBER OF SAMPLES			7	7	7	8	8	7	8	8	8	8	8	8	8	7	7	8	8
MAXIMUM VALUE			17.50	12.60	110.10	7.90	17.00	24500.00	320.00	20.10	5.00	3.50	0.29	0.01	0.22	0.002	1.225	0.05	0.06
MINIMUM VALUE			5.40	8.10	85.10	7.20	1.00	131.00	76.00	0.10	0.00	0.50	0.02	0.01	0.03	0.000	4.344	0.01	0.02
ARITHMETIC MEAN			11.97	10.56	98.81	7.51	5.38	8176.57	180.75	5.45	3.13	1.93	0.17	0.01	0.09	0.001	4.344	0.03	0.04
GEOMETRIC MEAN			11.22	10.39	98.34	7.51	3.90	3397.68	165.25	1.87	0.89	1.65	0.13	0.01	0.08	0.007	4.078	0.02	0.04
LOG/GEOMETRIC MEAN			2.42	2.34	4.59	2.02	1.36	8.13	5.11	0.62	-0.12	0.50	-0.01	-4.01	-2.56	-5.034	-4.385	-3.83	-3.24
MEDIAN			12.00	11.70	96.30	7.50	4.00	6240.00	160.00	3.25	5.00	2.00	0.18	0.01	0.09	0.001	4.655	0.02	0.05
STANDARD DEV OF LOGS			0.41	0.20	0.11	0.03	0.25	1.86	0.46	1.88	2.38	0.62	0.39	0.00	0.69	1.926	4.684	0.54	0.37
STANDARD DEVIATION			4.28	1.99	10.42	0.25	5.07	8485.15	80.81	6.84	2.59	0.75	0.09	0.00	0.06	0.001	4.688	0.01	0.01
VARIANCE			18.31	3.98	108.49	0.06	25.70	*****.88	6530.21	46.81	6.70	0.79	0.01	0.00	0.00	0.000	4.446	0.00	0.00
COEFF OF VARIATION			35.74	18.90	10.54	3.29	94.31	105.74	45.71	125.54	82.81	50.01	35.17	0.00	66.23	104.989	75.110	56.57	32.86
SUM OF VALUES			83.80	73.90	691.70	60.10	43.00	57236.00	1446.00	43.60	25.00	15.29	1.39	0.08	0.75	0.006	1.998	0.20	0.33
MEAN +2 STD DEV			20.53	14.55	119.65	8.01	15.51	25140.87	342.37	19.13	8.50	3.80	0.36	0.01	0.22	0.003	1.160	0.05	0.07
MEAN -2 STD DEV			3.41	6.57	77.98	7.02	-4.76	-8787.73	19.13	-8.23	-2.05	0.00	-0.02	0.01	-0.03	-0.001	-0.492	0.00	0.01
GED MEAN +2 STD DEV			25.37	15.35	121.73	8.01	21.39	140457.28	414.78	80.94	104.65	5.64	0.80	0.01	0.30	0.006	1.686	0.07	0.08
GED MEAN -2 STD DEV			4.96	7.03	79.44	7.03	0.71	82.19	65.83	0.04	0.01	0.44	0.02	0.01	0.02	0.000	0.173	0.01	0.02
SUM OF SQUARES			1113.06	804.05	69000.81	451.93	411.00	*****.88	567078.00	565.28	125.00	35.20	0.30	0.00	0.10	0.000	1.682	0.01	0.01

Table 12, continued (Depth = 0 m)

POSSID BROOKMISH RIVER AT HIGHWAY 59 BR

DATE	TIME	DEPTH	00010	00300	00301	00400	00070	00095	31816	70305	00760	00078	00620	00615	00610	00619	00617	00671	00665
FRUN	TIME	DEPTH	WATER	DISSOLVED	DO	pH	TURBIDITY	CONDUCTIVITY	FECAL	SALINITY	SUL	TRANSAR	NITRATE	NITRITE	AMMONIA	UN-IONZD	UN-IONZD	DIS-ORTHO	TOTAL
TO		METERS	TEMP	OXYGEN	PERCENT	STANDARD	TURBIDIT	@ 25 C	COLIFORM	CONDUCTIV	PBI	SECTH	1 NH3-N	1 NH2-N	1 NH3-N	AMMONIA	AMMONIA	PHOSPHORUS	PHOSPHORUS
			DEG-C	MG/L	SATURATN	UNITS	NTU	MICROHMS	/100ml AF	G/L	MG/L	METERS	MG/L	MG/L	MG/L	MG/L	PERCENT	MG/L P	MG/L P
83/04/18	1345	0	11.5	12.4	113.5	7.3	7.0	88	3608	0.5	5	2.6	3.24	0.01K	0.04	0.000	0.416	0.02	0.04
83/05/23	1325	0	13.0	12.1	114.3	7.4	4.0	250	85	0.1	5	2.5	3.07	0.01K	0.03	0.000	0.587		0.01
83/06/27	1135	0	14.0	9.9	95.9	7.4	6.0	1310	250	0.8	5	1.5	3.11	0.01K	0.03	0.000	0.634	0.02	0.02
83/07/19	1425	0	14.3	10.8	105.2	7.2	7.0	1140	170	0.7	5	0.7	3.15	0.01K	0.04	0.000	0.410	0.02	0.03
83/08/23	1415	0	18.0	9.3	100.5	7.7	4.0	9240	160	5.7	0	2.0	3.03	0.01K	0.02	0.000	1.689	0.02	0.04
83/09/26	1455	0	14.1	9.5	94.3	7.4	3.0	7910	270	4.8	0	1.0	3.22	0.01K	0.10	0.001	0.638	0.04	0.04
83/10/26	1435	0	10.0	11.4	106.3	7.4	3.0	14940	230	9.3	5	1.5	0.28	0.01K	0.12	0.001	0.466	0.04	0.04
83/11/14	1455	0	8.8			7.3	8.0	4770	210	2.8	9	0.9	3.50	0.01K	0.10	0.000	0.337	0.03	0.03
NUMBER OF SAMPLES			8	7	7	8	8	8	8	8	8	8	8	8	8	8	8	7	8
MAXIMUM VALUE			18.00	12.40	114.30	7.70	4.00	14900.00	360.00	9.30	9.00	2.50	4.40	0.01	0.12	0.001	1.689	0.04	0.04
MINIMUM VALUE			8.80	9.30	94.30	7.20	1.00	250.00	85.00	0.10	0.00	0.70	4.07	0.01	0.02	0.000	0.537	0.02	0.01
ARITHMETIC MEAN			12.96	10.77	104.29	7.39	4.25	5063.50	216.88	3.09	4.75	1.51	3.17	0.01	0.06	0.000	0.647	0.03	0.03
GEOMETRIC MEAN			12.68	10.71	104.03	7.39	4.91	2558.58	201.46	1.45	1.83	1.39	3.16	0.01	0.05	0.019	0.567	0.03	0.03
LOG/GEOMETRIC MEAN			2.54	2.37	4.44	2.00	1.59	7.85	5.31	0.37	0.60	0.33	-1.80	-4.61	-4.01	-3.975	-0.567	-3.66	-3.55
MEDIAN			13.50	10.80	105.20	7.40	3.00	3050.00	220.00	1.80	5.00	1.50	3.19	0.01	0.04	0.000	0.527	0.02	0.04
STANDARD DEV OF LOGE			0.23	0.12	0.08	0.02	0.40	1.41	0.43	1.53	2.24	0.45	0.62	0.00	0.67	1.810	0.497	0.35	0.49
STANDARD DEVIATION			2.87	1.25	7.90	0.15	1.98	5239.34	82.33	3.27	3.41	0.63	0.11	0.00	0.04	0.000	0.436	0.01	0.01
VARIANCE			8.25	1.56	62.41	0.02	0.93	27966.66	6778.13	10.71	11.64	0.39	0.01	0.00	0.00	0.000	0.190	0.00	0.00
COEFF OF VARIATION			22.16	11.59	7.58	1.97	37.75	103.47	37.96	104.01	71.84	41.43	56.52	0.00	66.07	185.164	67.307	35.04	36.03
SUM OF VALUES			103.70	75.40	730.00	59.10	42.00	40508.00	1735.00	24.70	38.00	12.10	1.55	0.68	0.48	0.002	5.177	0.19	0.25
MEAN +2 STD DEV			18.71	13.27	120.09	7.68	5.21	15542.08	381.53	9.63	11.57	2.77	6.42	0.01	0.14	0.001	1.518	0.05	0.05
MEAN -2 STD DEV			7.22	8.27	88.49	7.10	1.29	-5415.18	52.22	-3.46	-2.07	0.26	-6.03	0.01	-0.02	-0.001	-0.724	0.01	0.01
GE0 MEAN +2 STD DEV			19.94	13.51	121.07	7.68	10.85	43095.88	479.39	30.94	160.92	3.39	6.57	0.01	0.19	0.701	1.533	0.05	0.08
GE0 MEAN -2 STD DEV			8.07	8.49	89.39	7.10	2.22	151.90	84.66	0.07	0.02	0.37	0.05	0.01	0.01	0.001	0.110	0.01	0.01
SUM OF SQUARES			1401.99	821.52	76503.02	436.75	242.00	222222.22	423725.00	151.75	262.00	21.05	6.37	0.00	0.04	0.000	9.475	0.01	0.01

Table 12, continued (Depth = 0 m)

PS5010 BRUHOMISH RIVER AT HIGHWAY 99 BR

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVY @ 25 C MICROHMUS /100ml M	31616 HECAL CALIFORN g/l	70305 SALINITY CONDUCTIVY g/l	00760 SWL PBI mg/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE I NO3-N mg/l	00615 NITRITE I NO2-N mg/l	00610 AMMONIA I NH3-N mg/l	00619 NH-IONZD AMMONIA mg/l	00617 NH-IONZD AMMONIA PERCENT	00671 DIS-ORPHO PHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P
84/04/10	1410	0	8.9	13.5	118.6	7.4	5.0	6100	270	3.6	0	2.0	0.56	0.01K	0.10	0.000	0.427	0.04	0.04
84/05/14	1310	0	10.0	13.1	115.7	7.6	8.0	75	200	0.1	0	2.5	0.12	0.01K	0.04	0.000	0.736	0.05	0.08
84/06/11	1355	0	11.9	11.8	108.8	7.8	5.0	607	320	0.1	5	1.5	0.16	0.01K	0.10	0.001	1.345	0.02	0.05
84/07/16	1350	0	17.0	11.1	114.0	7.6	6.0	156	96	0.1	0	2.5	0.03	0.01K	0.10	0.001	1.251	0.03	0.14
84/08/13	1400	0	18.0	9.4	98.8	7.5	2.0	387	520	0.6	0	3.0	0.14	0.01K	0.03	0.000	1.073	0.02	0.04
84/09/10	1410	0	14.5	10.4	102.4	7.3	5.0	3630	160	2.2	18	2.3	0.18	0.01K	0.09	0.000	0.523	0.03	0.10
84/10/16	1425	0	9.8	11.8	107.6	7.4	5.0	3770	390	6.4	0	2.5	0.26	0.01K	0.12	0.001	0.459	0.04	0.10
84/11/13	1415	0	8.2	11.7	100.9	7.2	5.0	5670	710J	3.3	5	1.4	0.40	0.01K	0.06	0.000	0.256	0.02	0.04
NUMBER OF SAMPLES			8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
MAXIMUM VALUE			18.00	13.50	118.60	7.80	8.00	8770.00	710.00	6.40	18.00	3.00	0.40	0.01	0.12	0.001	1.345	0.05	0.14
MINIMUM VALUE			8.20	9.40	98.80	7.20	2.00	75.00	96.00	0.10	0.00	1.40	0.03	0.01	0.03	0.000	0.256	0.02	0.04
ARITHMETIC MEAN			12.29	11.60	108.38	7.43	5.13	3256.88	333.25	2.05	3.50	2.14	0.22	0.01	0.08	0.000	0.759	0.03	0.07
GEOMETRIC MEAN			11.81	11.53	108.16	7.47	4.84	1273.91	280.60	0.75	0.33	2.1	0.20	0.01	0.07	0.012	0.657	0.03	0.07
LOG/GEOMETRIC MEAN			2.47	2.45	4.68	2.01	1.58	7.15	5.64	-0.29	-1.11	0.73	1.07	-4.61	-2.62	-4.464	-0.420	-3.52	-2.72
MEDIAN			10.95	11.75	108.20	7.43	5.00	2258.50	295.00	1.40	0.00	2.25	0.18	0.01	0.10	0.000	0.630	0.03	0.07
STANDARD DEV OF LOGS			0.30	0.12	0.07	0.01	0.39	1.30	0.65	1.80	2.64	0.21	0.53	0.00	0.50	2.024	0.590	0.36	0.50
STANDARD DEVIATION			3.77	1.34	7.29	0.11	1.64	3312.64	202.93	2.28	6.28	0.55	0.11	0.00	0.03	0.001	0.413	0.01	0.04
VARIANCE			14.21	1.78	53.08	0.04	2.70	11181.84	5.20	39.43	0.31	0.01	0.00	0.00	0.000	0.000	0.171	0.00	0.00
COEFF OF VARIATION			30.68	11.51	6.72	2.55	32.04	102.34	60.90	111.27	179.41	25.27	30.49	0.00	40.64	138.013	54.421	38.03	50.70
SUM OF VALUES			98.30	72.80	867.00	59.80	41.00	25895.00	2668.00	16.40	28.00	17.40	1.76	0.08	0.64	0.003	6.070	0.25	0.59
MEAN +2 STD DEV			19.83	14.27	122.95	7.86	8.41	9862.15	739.12	6.61	16.06	3.27	0.45	0.01	0.15	0.001	1.585	0.05	0.15
MEAN -2 STD DEV			4.75	8.93	93.80	7.01	1.84	-3368.40	-72.62	-2.51	-9.06	1.08	0.00	0.01	0.01	-0.001	-0.367	0.01	0.00
GE0 MEAN +2 STD DEV			21.49	14.56	123.73	7.86	10.63	46377.80	1027.22	27.37	64.11	3.66	0.57	0.01	0.20	0.659	2.139	0.06	0.18
GE0 MEAN -2 STD DEV			6.49	9.12	94.55	7.10	2.20	34.99	78.54	0.02	0.00	1.24	0.07	0.01	0.03	0.000	0.102	0.01	0.02
SUM OF SQUARES			1307.35	1038.96	94332.66	447.26	229.00	111111.11	111111.11	70.04	374.00	39.96	0.48	0.00	0.06	0.000	5.779	0.01	0.05

Table 12, continued (Depth = 0 m)

ROBERTS SNOHOMISH RIVER AT HIGHWAY 99 BR

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ug/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00077 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml NF	70505 SALINITY CONDUCTIVITY ug/l	00760 SWL PBT ug/l	00378 TRANSPAR SELCHI METERS	00020 NITRITE 1 NOS-N ug/l	00615 NITRITE 1 NOS-N ug/l	00610 AMMONIA 1 NH3-N ug/l	00619 UR-TURBID AMMONIA ug/l	00617 UR-TURBID AMMONIA PERCENT	00671 BIS-ORTHOPHOSPHORUS ug/l P	00665 TOTAL PHOSPHORUS ug/l P
85/04/08	1400	0	8.1	13.0	110.8	7.4	2.0	139	104	3.6K	9	1.4	0.24	0.01K	0.0	0.000	0.401	0.02	0.10
85/05/20	1330	0	8.1	12.3	107.8	7.1	4.0	60	120	3.6K	4	1.0	0.10	0.01K	0.0	0.000	0.213	0.02	0.05
85/06/17	1325	0	13.2	11.2	108.3	7.6	3.0	76	56	3.6K	9	1.0	0.10	0.01K	0.0	0.000	0.942	0.02	0.03
NUMBER OF SAMPLES			3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
MAXIMUM VALUE			13.20	13.00	110.80	7.60	4.00	139.00	120.00	3.60	9.00	1.40	0.24	0.01	0.0	0.000	0.942	0.02	0.10
MINIMUM VALUE			8.10	11.20	107.80	7.10	2.00	60.00	56.00	3.60	4.00	1.00	0.10	0.01	0.0	0.000	0.213	0.02	0.05
ARITHMETIC MEAN			10.03	12.17	108.97	7.37	3.00	91.67	93.33	3.60	7.33	1.13	0.15	0.01	0.0	0.000	0.519	0.02	0.06
GEOMETRIC MEAN			9.89	12.14	108.96	7.36	2.88	85.90	88.74	3.60	6.87	1.12	0.15	0.01	0.0	0.000	0.430	0.02	0.05
LOG/GEOMETRIC MEAN			2.23	2.50	4.89	1.00	1.06	4.45	4.49	1.28	1.93	0.11	2.01	-4.61	-3.91	2.998	-0.440	-3.91	-2.75
MEDIAN			8.89	12.30	108.30	7.40	3.00	76.00	104.00	3.60	9.00	1.00	0.10	0.01	0.0	0.000	0.691	0.0	0.05
STANDARD DEV OF LOGS			0.25	0.08	0.01	0.03	0.35	0.43	0.00	0.47	0.15	0.31	0.00	0.00	0.0	0.000	0.746	0.00	0.60
STANDARD DEVIATION			2.73	0.91	1.61	0.25	1.00	41.77	31.31	0.00	2.89	0.23	0.00	0.00	0.0	0.000	0.376	0.00	0.64
VARIANCE			7.64	0.82	2.58	0.06	1.00	1744.33	1109.33	0.00	8.33	0.05	0.01	0.00	0.00	0.000	0.143	0.00	0.90
COEFF OF VARIATION			27.55	7.46	1.48	3.42	33.33	45.56	35.69	0.00	39.36	20.38	55.11	0.00	0.00	0.000	72.971	0.00	60.09
SUM OF VALUES			30.10	36.50	326.90	22.10	9.00	275.00	280.00	10.80	22.00	3.40	0.44	0.03	0.0	0.000	1.536	0.06	0.18
MEAN +2 STD DEV			15.55	13.98	112.18	7.87	5.00	175.20	159.95	3.60	13.11	1.60	0.31	0.01	0.00	0.000	1.276	0.02	0.13
MEAN -2 STD DEV			4.53	10.35	105.75	6.86	1.00	8.14	26.72	3.60	1.56	0.67	-0.01	0.01	-0.0	0.000	-0.236	0.02	-0.01
GEO MEAN +2 STD DEV			16.55	14.12	112.21	7.89	5.79	204.32	199.52	3.60	17.52	1.65	0.37	0.01	0.00	0.000	1.820	0.02	0.18
GEO MEAN -2 STD DEV			5.81	10.45	105.80	6.86	1.44	36.11	39.47	3.60	2.69	0.76	0.05	0.01	0.0	0.000	0.697	0.02	0.03
SUM OF SQUARES			317.27	445.73	35626.37	162.93	29.00	28697.00	28352.00	34.88	178.00	3.96	0.03	0.00	0.000	0.000	1.094	0.00	0.61

Table 13 (Depth = 0 m)

PSS019 POSSESSION SOUND OFF E BEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVY @ 25 C MICROMHOS	31616 FECA. COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBT ug/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE T NO3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-ORTHO PHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P
80/07/02	1555	0	13.9	7.9	109.6	8.5	1.0	35400	1K	23.6			0.01K	0.01K	0.01K	0.001K	7.378K	0.01K	0.03
80/08/05	1435	0	14.4	8.3	94.9	8.3	1.0	39300	1K	27.1			0.01	0.01K	0.01	0.000	4.942	0.04	0.08
80/09/02	1525	0	13.4			7.8	2.0	42200	1K	27.8	6		0.19	0.01K	0.01K	0.000K	1.547K	0.05	0.07
80/10/06	1600	0	14.0	8.6	95.6	8.3	1.0	34700	1B	24.0	5		0.01K	0.01K	0.01	0.000	4.810	0.02	0.05
NUMBER OF SAMPLES			4	3	3	4	4	4	4	4	2	4	4	4	4	4	4	4	4
MAXIMUM VALUE			14.40	9.90	109.60	8.50	2.00	42200.00	1.00	27.80	5.00	6.00	0.19	0.01	0.01	0.001	7.378	0.05	0.08
MINIMUM VALUE			13.40	8.30	94.90	7.80	1.00	34700.00	1.00	23.60	0.00	2.50	0.01	0.01	0.01	0.000	1.547	0.01	0.03
ARITHMETIC MEAN			13.93	8.93	100.03	8.23	1.25	37900.00	1.00	25.63	2.50	3.88	0.06	0.01	0.01	0.000	4.667	0.03	0.06
GEOMETRIC MEAN			13.92	8.91	99.81	8.22	1.19	37779.78	1.00	25.56	0.50	3.60	0.02	0.01	0.01	0.019	4.018	0.03	0.05
LOG/GEOMETRIC MEAN			2.63	2.19	4.60	2.11	0.17	10.54	0.00	3.24	-0.65	1.28	-3.87	-4.61	-4.61	-3.975	1.356	-3.68	2.92
MEDIAN			13.95	8.60	95.60	8.30	1.00	37350.00	1.00	25.55	2.50	3.50	0.01	0.01	0.01	0.000	4.851	0.03	0.06
STANDARD DEV OF LOGS			0.03	0.09	0.08	0.04	0.35	0.09	0.00	0.08	3.26	0.44	1.47	0.00	0.00	1.955	0.615	0.73	0.44
STANDARD DEVIATION			0.41	0.85	8.29	0.30	0.50	3509.04	0.00	2.13	3.54	1.70	0.09	0.00	0.00	0.001	2.411	0.07	0.02
VARIANCE			0.17	0.72	68.76	0.09	0.25	12330.00	0.00	4.55	12.50	2.90	0.01	0.00	0.00	0.000	5.815	0.00	0.00
COEFF OF VARIATION			2.95	9.52	8.29	3.63	40.00	9.26	0.00	8.32	141.42	43.92	163.64	0.00	0.00	200.000	51.673	60.86	38.56
SUM OF VALUES			55.70	26.80	300.10	32.90	5.00	151600.00	4.00	102.50	5.00	15.50	0.22	0.04	0.04	0.001	18.667	0.12	0.23
MEAN +2 STD DEV			14.75	10.63	116.62	8.82	2.25	44918.07	1.00	29.89	9.57	7.28	0.24	0.01	0.01	0.001	9.490	0.07	0.10
MEAN -2 STD DEV			13.10	7.23	83.45	7.63	0.25	30881.93	1.00	21.36	-4.57	0.47	-0.13	0.01	0.01	-0.001	-0.136	-0.01	0.01
GEU MEAN +2 STD DEV			14.77	10.73	117.39	8.85	2.38	45390.65	1.00	30.19	337.44	8.66	0.40	0.01	0.01	0.937	15.899	0.11	0.13
GEU MEAN -2 STD DEV			13.12	7.39	84.87	7.64	0.59	31445.06	1.00	21.64	0.00	1.50	0.00	0.01	0.01	0.000	1.026	0.01	0.02
SUM OF SQUARES			776.13	240.86	30157.53	270.87	7.00	123330.00	4.00	2640.21	25.00	68.75	0.04	0.00	0.00	0.000	104.560	0.00	0.01

Table 13, continued (Depth =10 m)

P55019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBAETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	70305 SALINITY g/l	00760 SWL PSI mg/l	00620 NITRATE T NO3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00614 UN-IUNZD AMMONIA mg/l	00617 UN-IUNZD AMMONIA PERCENT	00671 DIS-OLTHO PHOSPHRUS mg/l P	00663 TOTAL PHOSPHRUS mg/l P
80/07/02	1600	10	13.0	7.7	106.2	8.4	2.0	37400	24.7		0.01K	0.01K	0.01K	0.001K	5.577K	4.01	0.64
80/08/05	1500	10	13.0	7.8	87.6	8.1	2.0	40400	28.6		0.03	0.01K	0.01	0.000	2.875	4.04	0.68
80/09/02	1530	10	12.0			7.7	1.0	43900	29.0	0	0.18	0.01K	0.01K	0.000K	1.079K	4.06	0.68
80/10/08	1605	10	12.5	4.3	70.1	8.0	1.0	39800	28.7	0	0.16	0.01K	0.01	0.000	2.213	4.04	0.67
NUMBER OF SAMPLES			4	3	3	4	4	4	4	2	4	4	4	4	4	4	4
MAXIMUM VALUE			13.00	9.70	106.20	8.40	2.00	43900.00	29.00	0.00	0.18	0.01	0.01	0.001	5.577	4.06	0.68
MINIMUM VALUE			12.00	6.30	70.10	7.70	1.00	37400.00	24.70	0.00	0.01	0.01	0.01	0.000	1.079	4.01	0.64
ARITHMETIC MEAN			12.63	7.93	87.97	8.05	1.50	40375.00	27.75	0.00	0.15	0.01	0.01	0.000	2.956	4.04	0.67
GEOMETRIC MEAN			12.62	7.81	86.72	8.05	1.41	40508.83	27.69	0.05	0.07	0.01	0.01	0.019	2.487	4.03	0.67
LOG-GEOMETRIC MEAN			12.54	7.66	84.46	8.05	1.35	40100.00	27.32	-3.00	-2.68	-4.61	-4.61	-3.975	0.911	-2.46	-2.73
MEAN			12.75	7.80	87.60	8.05	1.50	40100.00	28.65	0.00	0.15	0.01	0.01	0.000	2.544	4.04	0.65
STANDARD DEV OF LOGS			0.04	0.22	0.21	0.04	0.40	0.07	0.08	0.00	1.45	0.00	0.00	1.955	0.679	0.78	0.33
STANDARD DEVIATION			0.43	1.70	18.05	0.29	0.58	2683.75	2.04	0.00	0.14	0.00	0.00	0.001	1.910	0.02	0.02
VARIANCE			0.25	2.90	325.90	0.08	0.33	88888.88	4.16	0.00	0.02	0.00	0.00	0.000	3.650	0.00	0.00
COEFF OF VARIATION			3.79	21.48	20.52	3.59	38.49	6.45	7.35	0.00	99.86	0.00	0.00	200.000	65.071	54.97	28.04
SUM OF VALUES			50.50	23.60	263.90	32.20	6.00	161500.00	111.00	0.00	0.78	0.04	0.04	0.001	11.744	16.15	0.27
MEAN +2 STD DEV			13.58	11.34	124.07	8.63	2.65	45742.49	31.83	0.00	0.43	0.01	0.01	0.001	8.757	4.08	0.11
MEAN -2 STD DEV			11.67	4.53	51.86	7.47	0.35	35007.51	23.67	0.00	-0.14	0.01	0.01	-0.001	-0.885	0.00	0.03
GEO MEAN +2 STD DEV			13.62	12.03	131.43	8.64	3.15	45994.85	32.26	0.05	1.45	0.01	0.01	0.957	9.677	4.15	0.13
GEO MEAN -2 STD DEV			11.89	5.07	57.22	7.49	0.64	35325.72	23.77	0.05	0.00	0.01	0.01	0.000	0.639	0.01	0.03
SUM OF SQUARES			638.25	194.62	23866.21	259.46	10.00	888888.88	3052.74	0.00	0.15	0.00	0.00	0.000	45.430	0.01	0.02

Table 13, continued (Depth =30 m)

PSS019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00030 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROHMOS	79305 SALINITY g/l	00760 SWL P81 mg/l	00620 NITRATE T NO3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3 N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-ORTHO PHOSPHRUS mg/l P	00665 TOTA. PHOSPHRUS mg/l P
80/07/02	1605	30	10.4	6.5	69.6	7.8	1.0	44300	29.3		0.28	0.01K	0.0 K	0.000K	1.198K	0.04	0.07
80/08/05	1505	30	11.2	6.6	71.9	7.8	1.0	41800	29.5		0.04	0.01K	0.0	0.000	1.275	0.09	0.10
80/09/02	1535	30	11.3			7.7	1.0	45300	29.6	0	0.34	0.01K	0.0 K	0.000K	1.023K	0.06	0.08
80/10/06	1610	30	12.0	4.9	54.4	7.8	1.0	41700	30.0	0	0.36	0.01K	0.0	0.000	1.355	0.06	0.07
NUMBER OF SAMPLES			4	3	3	4	4	4	4	2	4	4	4	4	4	4	4
MAXIMUM VALUE			12.00	6.60	71.90	7.80	1.00	45300.00	30.00	0.00	0.36	0.01	0.0	0.000	1.355	0.09	0.10
MINIMUM VALUE			10.40	4.90	54.40	7.70	1.00	41700.00	29.30	0.00	0.04	0.01	0.0	0.000	1.023	0.04	0.07
ARITHMETIC MEAN			11.23	6.00	65.30	7.78	1.00	43275.00	29.60	0.00	0.28	0.01	0.00	0.000	1.213	0.06	0.08
GEOMETRIC MEAN			11.21	5.95	64.81	7.77	1.00	43246.76	29.60	0.00	0.19	0.01	0.00	0.000	1.206	0.06	0.08
LOG/GEOMETRIC MEAN			2.42	1.78	4.17	2.05	0.00	10.67	3.39	-3.00	-1.65	-4.61	-4.01	-2.978	0.188	-2.81	-2.54
MEAN			11.25	6.50	69.60	7.80	1.00	43050.00	29.55	0.00	0.31	0.01	0.00	0.000	1.237	0.06	0.08
STANDARD DEV OF LOGS			0.06	0.17	0.15	0.01	0.00	0.04	0.01	0.00	1.05	0.00	0.00	0.000	0.121	0.33	0.17
STANDARD DEVIATION			0.66	0.95	9.51	0.05	0.00	1808.08	0.29	0.00	0.15	0.00	0.00	0.000	0.142	0.07	0.01
VARIANCE			0.43	0.91	90.43	0.00	0.00	#####.##	0.09	0.00	0.02	0.00	0.00	0.000	0.020	0.00	0.00
COEFF OF VARIATION			5.84	15.90	14.56	0.64	0.00	4.18	0.99	0.00	57.77	0.00	0.00	0.000	11.694	32.98	7.68
SUM OF VALUES			44.90	18.00	195.90	31.10	4.00	173100.00	118.40	0.00	1.02	0.04	0.00	0.000	4.851	0.25	0.32
MEAN +2 STD DEV			12.54	7.91	84.32	7.88	1.00	46891.17	30.19	0.00	0.55	0.01	0.01	0.000	1.456	0.10	0.11
MEAN -2 STD DEV			9.91	4.09	46.28	7.68	1.00	39658.83	29.01	0.00	-0.04	0.01	0.01	0.000	0.929	0.02	0.05
DEV MEAN +2 STD DEV			12.61	8.32	87.93	7.88	1.00	47007.55	30.19	0.05	1.58	0.01	0.01	0.000	1.556	0.12	0.11
DEV MEAN -2 STD DEV			9.97	4.25	47.77	7.68	1.00	39786.85	29.02	0.05	0.02	0.01	0.01	0.000	0.947	0.03	0.06
SUM OF SQUARES			505.29	109.82	12973.13	241.81	4.00	#####.##	3504.90	0.00	0.33	0.00	0.00	0.000	5.943	0.02	0.03

Table 13, continued (Depth =0 m)

POB019 POSSESSION SOUND OFF E BEDKEY IS

DATE	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ug/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml ml	70305 SALINITY g/l	00760 SWL PBI ug/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE mg/l	00615 NITRITE mg/l	00610 AMMONIA mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 BIS-ORHO PHOSPHORUS ug/l P	00605 TRIS-ORHO PHOSPHORUS ug/l P
81/04/14	1510	0	9.4	10.2	97.7	7.8	1.0	22600	IK	17.3	5	3.2	0.38	0.01K	0.02	0.000	1.075	0.03	0.05
81/05/11	1455	0	13.4	9.4	99.9	7.9	2.0	24200	IK	20.0		5.0	0.24	0.01K	0.02	0.000	1.833	0.03	0.04
81/06/15	1515	0	14.1	12.5	136.8	8.6	2.0	25.00	IK	19.2		2.5	0.01K	0.01K	0.11	0.011	9.631	0.01A	0.02
81/07/07	1530	0	14.4	10.1	111.7	8.1	1.0	27000	IB	23.2	0	5.5	0.01	0.01K	0.03	0.001	3.096	0.01	0.04
81/08/04	1445	0	18.4	10.2	124.1	8.1	2.0	30700	IK	25.9	0	4.6	0.01K	0.01K	0.03	0.001	4.138	0.01K	0.03
81/09/29	1535	0	10.4	9.3	97.4	7.9	2.0	30500	IB	26.2		4.5	0.26	0.01	0.02	0.000	1.504	0.04	0.07
81/10/28	1600	0	10.4	8.1	87.2	7.9	1.0	32400	IK	28.6		7.0	0.32	0.01	0.26	0.004	1.563	0.07	0.09
NUMBER OF SAMPLES			7	7	7	7	7	7	7	7	3	7	7	7	7	7	7	7	7
MAXIMUM VALUE			18.00	12.50	136.80	8.60	2.00	32900.00	1.00	28.60	5.00	7.00	0.38	0.01	0.02	0.011	9.631	0.07	0.09
MINIMUM VALUE			9.00	8.10	87.20	7.80	1.00	22800.00	1.00	17.30	0.00	2.50	0.01	0.01	0.02	0.000	1.075	0.01	0.02
ARITHMETIC MEAN			12.84	9.97	107.83	8.04	1.57	27714.29	1.00	22.91	1.67	4.61	0.18	0.01	0.07	0.002	3.263	0.03	0.05
GEOMETRIC MEAN			12.55	9.90	106.68	8.04	1.49	27488.91	1.00	22.58	0.23	4.40	0.07	0.01	0.04	0.009	2.477	0.02	0.04
LOG-GEOMETRIC MEAN			2.55	2.29	4.67	2.08	0.40	10.22	0.00	3.12	-1.46	1.48	-2.07	-4.61	-3.19	-4.691	0.907	-3.02	-3.13
MEDIAN			13.06	10.10	99.90	7.90	2.00	27800.00	1.00	23.20	0.00	4.60	0.24	0.01	0.03	0.001	1.833	0.03	0.04
STANDARD DEV OF MEANS			0.24	0.13	0.16	0.03	0.37	0.14	0.00	0.19	2.66	0.34	1.22	0.00	1.01	1.787	0.753	0.79	0.50
STANDARD DEVIATION			3.05	1.34	17.41	0.27	0.53	3805.89	0.00	4.20	2.89	1.48	0.16	0.00	0.09	0.004	3.004	0.02	0.02
VARIANCE			9.30	1.80	303.14	0.07	0.29	14498.88	0.00	17.65	8.33	2.18	0.03	0.00	0.01	0.000	9.027	0.00	0.00
COEFF OF VARIATION			23.74	13.45	16.15	3.36	34.02	13.73	0.00	18.34	173.21	32.03	91.02	0.00	128.31	166.170	92.081	76.76	49.52
SUM OF VALUES			90.00	69.80	754.80	56.30	11.00	194000.00	7.00	160.40	5.00	32.50	1.23	0.07	0.49	0.017	22.840	0.20	0.34
MEAN +2 STD DEV			18.92	12.65	142.65	8.58	2.64	35326.06	1.00	31.32	7.44	7.57	0.50	0.01	0.25	0.010	9.272	0.07	0.10
MEAN -2 STD DEV			6.75	7.29	73.01	7.50	0.50	20102.52	1.00	14.51	-4.11	1.66	-0.15	0.01	-0.11	-0.006	-2.746	-0.02	0.00
GEU MEAN +2 STD DEV			20.12	12.87	146.01	8.59	3.12	36254.29	1.00	32.81	47.37	8.73	2.61	0.01	0.31	0.327	11.175	0.11	0.12
GEU MEAN -2 STD DEV			7.83	7.61	77.93	7.53	0.71	20842.78	1.00	15.54	0.00	2.22	0.00	0.01	0.01	0.000	0.549	0.00	0.02
SUM OF SQUARES			1213.06	706.80	83207.84	453.25	9.00	111111.88	7.00	3781.38	25.00	162.15	0.37	0.00	0.08	0.000	128.635	0.01	0.02

Table 13, continued (Depth =10 m)

PEB019 POSSESSION SOUND OFF E GEDNEY IS

GATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURAIN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROHMUS	70505 SALINITY CONDUCTIVITY g/l	00780 SWL P81 mg/l	00620 NITRITE I NO3-N mg/l	00615 NITRITE I NO2-N mg/l	00610 AMMONIA I NH3-N mg/l	00619 UR-TONZO AMMONIA mg/l	00617 UR-TONZO AMMONIA PERCENT	00571 DIS-ORTHO PHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P
81/04/14	1515	10	8.7	8.6	87.2	7.8	2.0	32500	28.8	0	0.31	0.01K	0.01	0.000	1.050	0.06	0.07
81/05/11	1500	10	11.0	8.9	89.5	7.9	2.0	22100	17.9		0.25	0.01K	0.1	0.004	1.575	0.03	0.04
81/06/15	1520	10	11.5	8.4	91.6	7.9	1.0	34300	28.7		0.24	0.01K	0.1	0.003	1.636	0.04	0.04
81/07/07	1535	10	12.2	8.8	97.2	7.8	1.0	32300	28.5	0	0.17	0.01K	0.01	0.000	1.376	0.04	0.09
81/08/04	1450	10	14.0	8.6	98.6	7.9	1.0	33400	28.7	5	0.23	0.01K	0.24	0.005	1.976	0.03	0.06
81/09/29	1540	10	12.0	7.9	87.5	7.8	1.0	33700	27.5		0.30	0.01	0.07	0.001	1.355	0.05	0.06
81/10/28	1605	10	11.5	7.6	83.5	7.9	1.0	34500	29.9		0.32	0.01	0.05	0.001	1.636	0.07	0.10
NUMBER OF SAMPLES			7	7	7	7	7	7	7	3	7	7	7	7	7	7	7
MAXIMUM VALUE			14.00	8.90	98.60	7.90	2.00	34500.00	29.90	5.00	0.32	0.01	0.24	0.005	1.976	0.07	0.10
MINIMUM VALUE			8.70	7.60	83.50	7.80	1.00	22100.00	17.90	0.00	0.17	0.01	0.02	0.000	1.050	0.03	0.04
ARITHMETIC MEAN			11.56	8.40	90.73	7.86	1.29	31828.57	27.14	1.67	0.26	0.01	0.13	0.002	1.515	0.05	0.07
GEOMETRIC MEAN			11.46	8.39	90.59	7.86	1.22	31518.59	26.80	0.23	0.25	0.01	0.09	0.005	1.490	0.04	0.06
LOG/GEOMETRIC MEAN			2.44	2.13	4.51	2.06	0.20	10.36	3.29	-1.46	-1.37	-1.61	-2.38	-5.206	0.399	-3.13	-2.78
MEDIAN			11.50	8.60	89.50	7.90	1.00	33400.00	28.70	0.00	0.25	0.01	0.07	0.001	1.575	0.04	0.06
STANDARD DEV OF LOGS			0.14	0.06	0.06	0.01	0.34	0.16	0.18	2.66	0.22	0.00	0.94	1.634	0.199	0.33	0.36
STANDARD DEVIATION			1.58	0.48	5.50	0.05	0.49	4369.10	4.19	2.89	0.05	0.00	0.09	0.002	0.291	0.02	0.02
VARIANCE			2.51	0.23	30.21	0.00	0.24	1757.00	17.57	8.33	0.00	0.00	0.01	3.000	0.084	0.00	0.00
COEFF OF VARIATION			13.71	5.71	6.06	0.63	17.95	13.73	15.44	173.21	20.59	0.00	72.29	100.000	19.181	33.07	54.99
SUM OF VALUES			80.90	58.80	635.10	55.00	9.00	222800.00	190.00	5.00	1.82	0.07	0.08	0.014	10.604	0.32	0.46
MEAN +2 STD DEV			14.73	9.36	101.72	7.96	2.26	40566.77	35.53	7.44	0.37	0.01	0.11	0.006	2.096	0.08	0.11
MEAN -2 STD DEV			8.39	7.44	79.74	7.75	0.31	23090.37	18.76	-4.11	0.15	0.01	-0.16	-0.002	0.934	0.02	0.02
GEO MEAN +2 STD DEV			15.27	9.43	102.17	7.96	2.40	43274.74	38.52	47.37	0.40	0.01	0.09	0.144	2.219	0.08	0.13
GEO MEAN -2 STD DEV			8.60	7.46	80.32	7.75	0.62	22956.16	18.65	0.00	0.16	0.01	0.01	0.000	1.000	0.02	0.03
SUM OF SQUARES			950.03	495.30	57802.95	432.16	13.00	111111.11	5262.54	25.00	0.49	3.00	0.00	0.000	16.570	0.02	0.03

Table 13, continued (Depth =30 m)

P35019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURAIN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBAFETER NTU	00095 CONDUCTIVI @ 25 C MICROHMUS	70305 SALINITY g/l	00700 SWL Psi	00620 NITRATE I NO3-N mg/l	00615 NITRITE I NO2-N mg/l	00610 AMMONIA I NH3-N mg/l	00617 ORP mV mg/l	00617 ORP mV PERCENT	00671 DIS-ORTHO PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P
81/09/14	1520	30	8.4	7.8	79.9	7.7	2.0	35500	29.2	0	0.37	0.01K	0.00	0.000	0.816	0.06	0.07
81/09/11	1505	30	10.1	8.5	88.5	7.8	4.0	30300	26.2		0.32	0.01K	0.00	0.000	1.171	0.05	0.06
81/09/15	1525	30	10.6	7.4	79.6	7.8	1.0	36000	29.4		0.36	0.01K	0.00	0.000	1.217	0.05	0.06
81/07/07	1540	30	11.5	7.7	84.4	7.3	1.0	33700	29.5	0	0.27	0.01K	0.01	0.000	1.304	0.05	0.07
81/09/04	1455	30	12.0	6.8	75.4	7.7	1.0	35100	29.6	5	0.31	0.01K	0.00	0.000	1.079	0.05	0.07
81/09/29	1545	30	11.5	8.4	70.4	7.7	2.0	34800	30.1		0.34	0.01	0.01	0.000	1.039	0.06	0.08
81/10/28	1610	30	10.5	6.5	70.3	7.8	1.0	35700	30.5		0.33	0.01	0.01	0.000	1.208	0.08	0.09
NUMBK OF SAMPLES			7	7	7	7	7	7	3		7	7	7	7	7	7	7
MAXIMUM VALUE			12.00	8.50	88.50	7.80	4.00	36000.00	30.50	5.00	0.37	0.01	0.01	0.000	1.304	0.08	0.09
MINIMUM VALUE			8.40	6.40	70.30	7.70	1.00	30300.00	26.20	0.00	0.27	0.01	0.01	0.000	0.816	0.05	0.06
ARITHMETIC MEAN			10.60	7.30	78.36	7.76	1.71	34462.86	29.21	1.67	0.33	0.01	0.00	0.000	1.119	0.06	0.07
GEOMETRIC MEAN			10.59	7.27	78.10	7.76	1.59	34391.50	29.18	0.23	0.33	0.01	0.00	0.016	1.108	0.06	0.07
LOGGEOMETRIC MEAN			2.36	1.98	4.38	2.05	0.40	10.45	3.37	-1.46	-1.12	-4.61	-3.63	-4.115	0.103	-2.88	-2.65
MEDIAN			10.60	7.40	79.60	7.80	1.00	35100.00	29.50	0.00	0.33	0.01	0.00	0.000	1.171	0.05	0.07
STANDARD DEV OF LOGS			0.12	0.11	0.09	0.01	0.55	0.00	0.05	2.68	0.10	0.00	0.00	1.908	0.155	0.18	0.15
STANDARD DEVIATION			1.20	0.77	6.83	0.05	1.11	1974.72	1.40	2.89	0.03	0.00	0.00	0.000	0.160	0.01	0.01
VARIANCE			1.44	0.59	46.72	0.00	1.24	*****.00	1.96	8.33	0.00	0.00	0.00	0.000	0.026	0.00	0.00
COEFF OF VARIATION			11.27	10.95	8.72	0.69	64.91	5.73	4.80	173.21	10.16	0.00	88.33	170.723	14.327	19.47	14.97
SUM OF VALUES			74.60	51.10	548.50	54.30	12.00	241100.00	204.50	5.00	2.30	0.07	0.00	0.000	7.834	0.40	0.50
MEAN +2 STD DEV			13.00	8.84	92.03	7.86	3.94	38392.30	32.02	7.44	0.40	0.01	0.00	0.000	1.440	0.08	0.09
MEAN -2 STD DEV			6.25	5.76	64.69	7.65	-0.51	30493.41	26.41	-4.11	0.26	0.01	-0.03	-0.001	0.798	0.03	0.05
GEU MEAN +2 STD DEV			13.45	8.96	92.98	7.86	4.42	38785.84	32.24	47.37	0.40	0.01	0.14	0.741	1.511	0.08	0.09
GEU MEAN -2 STD DEV			6.35	5.89	65.60	7.65	0.50	30510.92	26.42	0.00	0.27	0.01	0.00	0.000	0.813	0.04	0.05
SUM OF SQUARES			603.38	376.59	43259.19	421.23	28.60	*****.00	5786.11	25.00	0.76	0.00	0.01	0.000	8.922	0.02	0.04

Table 13, continued (Depth =0 m)

PSS019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ug/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY g/l	00760 SWL PBI ug/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE T NO3-N ug/l	00615 NITRITE T NO2-N ug/l	00610 AMMONIA T NH3-N ug/l	00619 UN-IONZD AMMONIA ug/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-ORTHO PHOSPHRUS ug/l P	00665 TOTAL PHOSPHRUS ug/l P
82/04/20	1545	0	10.0	13.4	133.5	8.5	1.0	23200	1K	19.9	9	3.0	0.01	0.01K	0.01K	0.001K	5.564K	0.01K	0.02
82/05/10	1430	0	11.9	14.0	140.0	8.3	1.0	18600	2B	14.0	5	2.3	0.05	0.01K	0.01	0.000	4.132	0.01	0.01
82/06/16	1535	0	15.0	-	-	8.4	1.0	22800	1K	17.0	5	8.5	0.25	0.01K	0.10	0.006	6.436	0.04	0.05
82/07/20	1610	0	-	-	-	8.1	1.0	20500	5B	16.6	0	5.5	0.04	0.01	0.02	-	-	0.02	0.03
82/08/11	1555	0	16.0	-	-	8.1	1.0	28400	1K	24.4	0	7.0	0.01	0.01K	0.06	0.002	3.584	0.02	0.04
82/09/14	1440	0	14.0	10.1	108.6	8.2	4.0	23800	18B	18.6	0	2.5	0.11	0.01K	0.05	0.002	3.867	0.02	0.04
82/10/18	1525	0	11.2	8.3	86.5	7.8	2.0	25400	1B	22.9	5	6.0	0.24	0.01K	0.02	0.000	1.275	0.05	0.06
82/11/09	1530	0	8.0	11.5	109.9	7.8	1.0	21000	5B	20.3	5	2.0	0.31	0.02	0.03	0.000	0.994	0.04	0.06
NUMBER OF SAMPLES			7	5	5	8	8	8	8	8	8	8	8	8	8	7	7	8	8
MAXIMUM VALUE			16.00	14.00	140.00	8.50	4.00	28400.00	18.00	24.40	5.00	8.50	0.31	0.02	0.10	0.006	6.436	0.05	0.06
MINIMUM VALUE			8.00	8.30	86.50	7.80	1.00	18600.00	1.00	14.00	0.00	2.00	0.01	0.01	0.01	0.000	0.994	0.01	0.01
ARITHMETIC MEAN			12.30	11.46	115.70	8.15	1.50	22962.50	4.25	19.21	3.63	4.60	0.13	0.01	0.04	0.002	3.693	0.03	0.04
GEOMETRIC MEAN			12.00	11.26	114.05	8.15	1.30	22787.92	2.34	18.94	6.96	4.02	0.07	0.01	0.03	0.008	3.075	0.02	0.03
LOG/GEOMETRIC MEAN			2.48	2.42	4.74	2.10	0.26	10.03	0.85	2.94	-0.04	1.37	-2.70	-4.52	-3.58	-4.778	1.173	-3.60	-3.39
MEDIAN			11.90	11.50	109.90	8.15	1.00	23000.00	1.50	19.25	5.00	4.25	0.08	0.01	0.03	0.001	3.867	0.02	0.04
STANDARD DEV OF LOGS			0.24	0.21	0.19	0.03	0.52	0.13	1.08	0.18	2.45	0.57	1.39	0.25	0.84	1.746	0.720	0.62	0.61
STANDARD DEVIATION			2.86	2.35	21.47	0.26	1.07	3052.84	5.82	3.41	3.29	2.47	0.12	0.00	0.03	0.002	2.016	0.02	0.02
VARIANCE			8.17	5.51	461.01	0.07	1.14	932.87	33.93	11.63	10.84	6.11	0.01	0.00	0.00	0.000	4.065	0.00	0.00
COEFF OF VARIATION			23.24	20.49	18.56	3.15	71.27	13.29	137.05	17.75	90.82	53.73	94.93	31.43	82.81	136.767	54.594	57.37	46.65
SUM OF VALUES			86.10	57.30	578.50	65.20	12.00	183700.00	34.00	153.70	29.00	36.80	1.02	0.09	0.30	0.011	25.852	0.21	0.31
MEAN +2 STD DEV			18.02	16.16	158.64	8.66	3.64	29068.18	15.90	26.03	10.21	9.54	0.37	0.02	0.10	0.006	7.726	0.06	0.07
MEAN -2 STD DEV			6.58	6.76	72.76	7.64	-0.64	16856.82	-7.40	12.39	-2.96	-0.34	-0.11	0.00	-0.02	-0.003	-0.339	0.00	0.00
GED MEAN +2 STD DEV			19.57	17.27	167.35	8.68	3.64	29659.82	20.47	27.18	129.27	12.44	1.08	0.02	0.15	0.276	12.980	0.08	0.12
GED MEAN -2 STD DEV			7.36	7.34	77.72	7.65	0.46	17508.18	0.27	13.20	0.01	1.30	0.00	0.01	0.01	0.000	0.728	0.01	0.01
SUM OF SQUARES			1108.05	678.71	68776.47	531.84	26.00	932.87	382.00	3034.39	181.00	212.04	0.23	0.60	0.02	0.000	119.866	0.01	0.01

Table 13, continued (Depth =10 m)

POB019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATION	00400 pH STANDARD UNITS	00070 TURBIDITY TURBUDEK NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBL mg/l	00620 NITRATE I NO3-N mg/l	00c15 NITRITE I NO2-N mg/l	00610 AMMONIA I NH3-N mg/l	00619 NH4-N mg/l	00617 NH4-N PERCENT	00671 DIS-ORTHO PHOSPHORUS mg/l P	00685 TOTAL PHOSPHORUS mg/l P
82/05/20	1550	10	8.0	10.4	104.0	8.6	1.0	24300	27.0	5	0.02	0.01K	0.00	0.005	5.957	0.01K	0.02
82/05/16	1435	10	9.0	10.9	111.9	8.1	1.0	31800	27.5	0	0.13	0.01	0.10	0.002	2.122	0.03	0.03
82/06/16	1940	10	10.5			8.1	2.0	32100	28.2	5	0.17	0.01K	0.00	0.000	2.381	0.04	0.04
82/07/20	1015	10				8.0	2.0	30500	26.7	0	0.13	0.01	0.03			0.03	0.04
82/08/11	1400	10	12.2			7.8	1.0	32700	29.2	0	0.22	0.01K	0.03	0.000	1.376	0.03	0.05
82/09/14	1445	10	11.3	8.4	91.8	8.0	1.0	32700	28.1	0	0.17	0.01K	0.03	0.001	2.099	0.03	0.05
82/10/18	1530	10	11.3	6.7	72.7	7.7	4.0	30700	29.3	5	0.30	0.01K	0.01	0.000	1.000	0.06	0.07
82/11/09	1535	10	9.3	7.7	80.7	8.0	2.0	27500	29.4	0	0.31	0.02	0.01	0.000	1.760	0.06	0.08
NUMBER OF SAMPLES			7	5	5	8	8	8	8	8	8	8	8	7	7	8	8
MAXIMUM VALUE			12.24	10.90	111.90	8.60	4.00	32700.00	29.50	5.00	0.31	0.02	0.10	0.000	5.957	0.06	0.08
MINIMUM VALUE			8.00	6.70	72.70	7.70	1.00	24300.00	26.70	0.00	0.02	0.01	0.00	0.000	1.000	0.03	0.02
ARITHMETIC MEAN			10.24	8.82	92.22	8.04	1.75	30262.50	28.16	1.88	0.16	0.01	0.04	0.001	2.385	0.04	0.05
GEOMETRIC MEAN			10.15	8.67	91.08	8.03	1.54	30126.14	28.10	0.28	0.15	0.01	0.03	0.013	2.052	0.03	0.05
LOG/GEOMETRIC MEAN			2.32	2.18	4.51	2.08	0.43	10.31	3.34	-1.27	-1.93	-4.52	-3.54	-4.345	0.719	-3.43	-3.13
MEAN			10.50	8.40	91.80	8.00	1.50	31250.00	28.15	0.00	0.17	0.01	0.03	0.000	2.099	0.03	0.05
STANDARD DEV OF LOGS			0.15	0.20	0.18	0.03	0.52	0.10	0.04	2.38	0.37	0.25	0.00	1.743	0.557	0.56	0.45
STANDARD DEVIATION			1.53	1.79	16.12	0.27	1.04	2951.97	1.03	2.59	0.10	0.00	0.00	0.000	2.706	0.00	0.00
VARIANCE			2.33	3.19	260.00	0.07	1.07	88888.88	1.05	6.70	0.01	0.00	0.00	0.000	2.706	0.00	0.00
COEFF OF VARIATION			14.86	20.24	17.48	3.32	59.15	9.75	3.65	138.01	52.63	31.43	37.63	163.140	68.975	46.48*	41.73
SD OF VALUES			72.00	44.70	461.10	64.30	14.00	242100.00	225.30	15.00	1.45	0.09	0.01	0.000	16.695	0.29	0.38
MEAN +2 STD DEV			13.34	12.39	124.47	8.57	3.82	38166.43	30.21	7.05	0.37	0.02	0.11	0.000	5.675	0.07	0.09
MEAN -2 STD DEV			7.23	5.25	59.97	7.50	-0.32	24358.57	26.11	-3.30	-0.01	0.00	-0.00	-0.000	-0.905	0.00	0.01
GE0 MEAN +2 STD DEV			13.82	13.05	129.80	8.58	4.33	37070.20	30.28	33.08	0.83	0.02	0.16	0.424	6.247	0.10	0.11
GE0 MEAN -2 STD DEV			7.51	5.76	63.91	7.52	0.55	24462.35	26.16	0.00	0.03	0.01	0.01	0.000	0.674	0.01	0.02
SUM OF SQUARES			754.58	401.71	43562.63	517.31	32.00	888888.88	6352.39	75.00	0.33	0.00	0.02	0.000	36.055	0.01	0.02

Table 13, continued (Depth =30 m)

FSS019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ug/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	70305 SALINITY SWL	00760 SWL P81	00620 NITRATE 1 NO3-N ug/l	00615 NITRITE 1 NO2-N ug/l	00610 AMMONIA 1 NH3-N ug/l	00614 NH-NH2O ug/l	00617 NH-EDH2O PERCENT	00671 DIS-OLTHO PHOSPHORUS ug/l P	00665 TOTAL PHOSPHORUS ug/l P
82/05/20	1600	30	8.2	3.9	91.1	8.3	1.0	31400	29.7	5	0.48	0.014	0.42	0.013	3.125	4.02	0.05
82/05/20	1440	30	8.6	7.8	100.6	7.9	2.0	33000	28.9	0	0.23	0.01	0.05	0.001	1.308	4.04	0.06
82/05/20	1545	30				7.9	4.0	33800	29.1	5	0.27	0.014	0.06			4.04	0.06
82/05/20	1620	30				7.8	2.0	33400	29.6	0	0.27	0.01	0.02			4.05	0.05
82/05/21	1605	30	11.2			7.7	1.0	33600	29.6	0	0.29	0.014	0.02	0.000	1.015	4.04	0.05
82/09/14	1450	30	11.0	7.6	81.1	8.2	1.0	29500	27.0	5	0.88	0.014	0.03	0.001	3.094	4.02	0.05
82/10/18	1535	30	10.5	3.5	70.1	7.7	2.0	31500	30.2	0	0.25	0.014	0.02	0.000	0.962	4.07	0.07
82/11/09	1540	30	10.5	7.3	78.9	8.0	1.0	28600	30.4	0	0.31	0.02	0.01	0.000	1.901	4.05	0.08
NUMBER OF SAMPLES			6	5	5	8	8	8	8	8	1	3	8	8	8	8	8
MAXIMUM VALUE			11.20	9.80	100.60	8.30	4.00	33800.00	30.40	5.00	0.88	0.02	0.42	0.013	3.125	4.07	0.06
MINIMUM VALUE			8.20	6.50	70.10	7.70	1.00	28600.00	27.00	0.00	0.23	0.01	0.01	0.000	0.962	4.02	0.05
ARITHMETIC MEAN			10.00	8.02	84.36	7.94	1.75	31850.00	29.31	1.88	0.22	0.01	0.06	0.003	1.501	4.04	0.06
GEOMETRIC MEAN			9.93	7.93	83.71	7.93	1.54	31795.68	29.30	0.28	0.20	0.01	0.04	0.011	1.692	4.04	0.06
LOG-GEOMETRIC MEAN			2.30	2.07	4.43	2.07	0.43	10.37	3.38	-1.27	-1.42	-4.32	-3.32	-4.025	0.526	-0.27	-2.45
MEDIAN			10.50	7.60	81.10	7.90	1.50	32250.00	29.60	0.00	0.26	0.01	0.03	0.001	1.605	4.04	0.06
STANDARD DEV OF LOGS			0.13	0.16	0.14	0.03	0.52	0.06	0.04	2.38	0.57	0.25	1.14	1.518	0.529	0.44	0.18
STANDARD DEVIATION			1.28	1.32	11.76	0.22	1.04	1963.98	1.06	2.59	0.49	0.60	0.14	0.095	0.794	0.02	0.01
VARIANCE			1.63	1.74	138.24	0.05	1.07	HHHHHH.HH	1.12	6.70	0.41	0.60	0.02	0.090	0.988	0.00	0.00
COEFF OF VARIATION			12.76	16.43	13.94	2.77	59.15	6.17	3.61	138.01	40.56	31.43	176.40	266.688	52.291	35.81	19.17
SUM OF VALUES			50.00	40.10	421.80	63.50	14.00	254800.00	234.50	15.00	1.78	0.09	0.43	0.015	11.405	0.33	0.47
MEAN +2 STD DEV			12.55	10.66	107.87	8.38	3.82	35777.92	31.43	7.05	0.40	0.02	0.38	0.013	1.889	0.07	0.08
MEAN -2 STD DEV			7.45	5.38	60.85	7.50	-0.32	27922.08	27.19	-3.30	0.04	0.00	-0.20	-0.006	-0.087	0.01	0.04
GEO MEAN +2 STD DEV			12.98	10.99	110.47	8.38	4.33	35055.93	31.55	33.08	0.42	0.02	0.36	0.002	4.877	0.09	0.08
GEO MEAN -2 STD DEV			7.61	5.73	63.44	7.51	0.55	29038.80	17.21	0.00	0.08	0.01	0.00	0.000	0.587	0.02	0.04
SUM OF SQUARES			618.14	328.55	36136.00	504.37	32.00	HHHHHH.HH	8811.63	75.00	0.45	0.00	0.18	0.000	26.619	0.02	0.03

Table 13, continued (Depth =0 m)

PSS019 POSSESSION SOUND OFF E GEDNEY IS

DATE	TIME	DEPTH	00010	00300	00301	00400	00070	00075	31016	70305	00760	00075	00620	00615	00610	00619	00617	00671	00665
YR	HR	METERS	WATER	DISSOLVED	DO	pH	TURBIDITY	CONDUCTIVITY	FECAL	SALINITY	SML	TRANSPAR	NITRATE	NITRITE	AMMONIA	UM-IGN20	UM-ION20	DIS-OR10	PHOSPH
TO			TEMP	OXYGEN	PERCENT	STANDARD	TURBIDIMETER	@ 25 C	COLIFORM	CONDUCTIVITY	PBI	SECCHI	I NO3-N	I NO2-N	I NH3-N	AMMONIA	AMMONIA	PHOSPHORUS	PHOSPHORUS
			DEG-C	MG/L	SATURATN	UNITS	NTU	MICROSIOS	/100ML MF	G/L	MG/L	METERS	MG/L	MG/L	MG/L	MG/L	PERCENT	MG/L P	MG/L P
83/04/11	1510	0	9.7	10.2	103.8	7.9	2.0	27700	1K	24.1	0	6.0	0.21	0.01K	0.06	0.001	1.425	0.04	0.05
83/05/16	1500	0	12.5	10.6	108.1	8.0	5.0	19000	58	15.1	5	2.1	0.11	0.01	0.05	0.001	2.213	0.02	0.04
83/06/13	1420	0	16.5	11.3	128.1	8.0	1.0	23100	6B	19.1	0	6.5	0.01	0.01	0.03	0.001	2.975	0.01	0.03
83/07/20	1450	0	16.3	10.9	119.5	8.0	1.0	25700	3B	17.5	5	3.5	0.07	0.01K	0.02	0.001	2.725	0.02	0.02
83/08/16	1420	0	12.8	11.3	123.4	8.3	3.0	34900	1K	24.9	0	3.6	0.01K	0.01K	0.01K	0.000K	4.416K	0.03	0.05
83/09/06	1530	0	14.8	8.7	98.5	8.0	1.0	35100	1K	24.4	5	5.7	0.10	0.01K	0.01K	0.000K	2.626K	0.02	0.04
83/10/04	1435	0	14.5	8.1	92.3	7.8	4.0	37600	1K	26.3	5	4.0	0.21	0.01K	0.05	0.001	1.636	0.04	0.04
83/11/01	1355	0	12.0	9.1	99.4	7.8	1.0	38100	28	27.4	0	7.5	0.25	0.01K	0.02	0.000	1.355	0.04	0.06
NUMBER OF SAMPLES			8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
MAXIMUM VALUE			16.30	11.30	128.10	8.30	5.00	38100.00	58.00	27.40	5.00	7.50	0.25	0.01	0.06	0.001	4.416	0.04	0.06
MINIMUM VALUE			6.70	8.10	92.30	7.80	1.00	19000.00	1.00	15.10	0.00	2.10	0.01	0.01	0.01	0.000	1.355	0.01	0.02
ARITHMETIC MEAN			11.51	10.03	109.14	7.98	2.25	30150.00	9.13	22.35	2.50	4.86	0.12	0.01	0.03	0.001	2.421	0.03	0.04
GEOMETRIC MEAN			11.35	9.96	108.46	7.97	1.82	29334.45	2.60	21.92	0.50	4.53	0.07	0.01	0.03	0.004	2.250	0.03	0.04
LOG/GEOMETRIC MEAN			2.59	2.30	4.69	2.08	0.60	10.29	0.96	3.09	-0.69	1.51	-2.61	-4.61	-3.67	-5.441	0.811	-3.69	-3.24
MEDIAN			13.65	10.40	105.95	8.00	1.50	31300.00	1.50	24.25	2.50	4.85	0.11	0.01	0.03	0.001	2.420	0.03	0.04
STANDARD DEV OF LOGS			0.17	0.13	0.12	0.02	0.69	0.26	1.42	0.22	2.46	0.42	1.30	0.00	0.71	2.024	0.407	0.49	0.34
STANDARD DEVIATION			2.17	1.24	13.05	0.16	1.58	7226.93	19.82	4.50	2.67	1.83	0.09	0.00	0.02	0.001	1.015	0.01	0.01
VARIANCE			4.73	1.53	170.20	0.02	2.50	*****.00	192.98	20.22	7.14	3.35	0.01	0.00	0.00	0.000	1.030	0.00	0.00
COEFF OF VARIATION			16.09	12.33	11.95	1.98	70.27	23.97	217.25	20.12	106.90	37.65	76.54	0.00	62.70	82.898	41.912	42.36	30.22
SUM OF VALUES			108.10	80.20	873.10	63.80	18.00	241200.00	73.00	178.80	20.00	38.90	0.97	0.05	0.25	0.005	19.371	0.22	0.33
MEAN +2 STD DEV			17.86	12.50	135.23	8.29	5.41	44603.87	48.77	31.34	7.85	8.52	0.31	0.01	0.07	0.002	4.451	0.05	0.07
MEAN -2 STD DEV			9.16	7.55	83.05	7.66	-0.91	15896.13	-30.52	13.36	-2.85	1.20	-0.06	0.01	-0.01	0.000	0.392	0.00	0.02
DEV MEAN +2 STD DEV			18.73	12.81	137.52	8.29	7.23	48951.32	44.35	33.80	68.79	10.51	1.00	0.11	0.248	5.081	0.07	0.08	
DEV MEAN -2 STD DEV			9.52	7.72	85.55	7.67	0.46	17578.89	0.15	14.21	0.00	1.95	0.01	0.01	0.000	0.997	0.01	0.02	
SUM OF SQUARES			1493.81	814.77	96479.37	508.98	58.00	*****.00	3417.00	4137.70	100.00	212.61	0.18	0.00	0.01	0.000	54.114	0.01	0.01

Table 13, continued (Depth =10 m)

PSS019 POSSESSION SOUND OFF E. GEDNEY IS

DATE	TIME	DEPTH	00010	00300	00301	00400	00070	00095	70305	00760	00620	00615	00610	00619	00617	00671	00665
FROM	TO	METERS	WATER TEMP DEG-C	DISSOLVED OXYGEN mg/l	DO PERCENT SATURAIN	pH STANDARD UNITS	TURBIDITY TURBIDITY NTU	CONDUCTIVITY @ 25 C MICROMHOS	SALINITY CONDUCTIVITY g/l	SWL P61 mg/l	NITRATE 1 NO3-N mg/l	NITRITE 1 NO2-N mg/l	AMMONIA 1 NH3-N mg/l	LN UNZD AMMONIA mg/l	UN-IONZD AMMONIA PERCENT	DIS-ORHD PHOSPHORUS mg/l P	TOTAL PHOSPHORUS mg/l P
83/04/11	1515	10	9.1	9.8	100.7	7.9	1.0	30100	27.4	0	0.26	0.011	0.05	0.001	1.360	3.05	0.46
83/05/16	1505	10	10.0	9.1	95.9	7.9	3.0	31500	28.3	0	0.23	0.01	0.02	0.000	1.458	3.03	0.46
83/06/13	1425	10	12.5	10.7	118.6	8.2	2.0	31800	28.2	0	0.14	0.01	0.01	0.000	3.462	3.03	0.44
83/07/20	1455	10	11.3	8.8	95.5	7.9	2.0	40000	28.7	0	0.24	0.011	0.01	0.000	1.612	3.02	0.44
83/08/16	1425	10	12.8	7.7	86.5	7.9	2.0	40500	29.3	0	0.22	0.01	0.01	0.000	1.806	3.04	0.46
83/09/06	1535	10	13.2	6.7	75.7	7.9	3.0	40800	28.9	0	0.21	0.011	0.01	0.000	1.861	3.04	0.46
83/10/04	1440	10	13.2	6.5	73.9	7.8	4.0	42200	29.8	5	0.28	0.011	0.02	0.000	1.484	3.04	0.44
83/11/01	1340	10	12.0	7.3	80.9	7.7	1.0	40700	29.6	0	0.32	0.011	0.01	0.000	1.079	3.05	0.35
NUMBER OF SAMPLES			8	8	8	8	8	8	8	8	8	8	8	8	8	8	3
MAXIMUM VALUE			13.20	10.70	118.60	8.20	4.00	42200.00	29.80	5.00	0.32	0.01	0.05	0.001	3.462	3.05	0.36
MINIMUM VALUE			9.10	6.50	73.90	7.70	1.00	30100.00	27.40	0.00	0.14	0.01	0.01	0.000	1.079	3.02	0.34
ARITHMETIC MEAN			11.76	8.33	90.96	7.90	2.25	37200.00	28.78	0.63	0.24	0.01	0.02	0.000	1.765	3.04	0.35
GEOMETRIC MEAN			11.67	8.21	89.94	7.90	2.03	16880.63	28.77	0.09	0.23	0.01	0.01	0.031	1.667	3.04	0.35
LOG-GEOMETRIC MEAN			2.46	2.10	4.50	2.07	0.71	10.52	3.36	-2.42	-1.46	-4.61	-4.23	-3.486	0.511	-3.32	-2.39
MEDIAN			12.25	8.25	91.00	7.90	2.00	40250.00	28.80	0.00	0.24	0.01	0.01	0.030	1.548	3.04	0.36
STANDARD DEV OF LOGS			0.14	0.18	0.16	0.02	0.50	0.14	0.03	1.63	0.25	0.00	0.59	1.382	0.341	0.31	0.01
STANDARD DEVIATION			1.52	1.51	14.87	0.14	1.04	5084.99	0.80	1.77	0.09	0.00	0.61	0.960	0.729	0.01	0.01
VARIANCE			2.32	2.29	221.27	0.02	1.07	HHHHH.WW	0.64	3.12	0.00	0.00	0.60	0.930	0.532	0.00	0.00
COEFF OF VARIATION			12.94	18.19	16.35	1.79	46.00	13.67	2.78	282.84	22.37	0.00	79.35	182.843	41.308	27.60	19.34
SUM OF VALUES			94.10	66.60	727.70	63.20	18.00	277600.00	230.20	5.00	1.90	0.08	0.14	0.001	14.122	3.30	0.41
MEAN +2 STD DEV			14.81	11.35	120.71	8.18	4.32	47369.98	30.37	4.16	0.34	0.01	0.05	0.001	3.224	3.06	0.07
MEAN -2 STD DEV			8.72	5.30	61.21	7.62	0.18	27030.02	27.18	-2.91	0.13	0.01	-0.01	-0.001	0.307	3.02	0.03
GRD MEAN +2 STD DEV			15.34	11.80	123.73	8.18	5.35	49012.37	30.42	2.31	0.38	0.01	0.05	0.486	3.299	3.07	0.08
GRD MEAN -2 STD DEV			8.88	5.71	65.38	7.62	0.74	27751.78	27.20	0.00	0.14	0.01	0.00	0.002	0.842	3.02	0.03
SUM OF SQUARES			1123.07	576.50	67742.27	499.42	48.00	HHHHH.WW	628.48	25.00	0.47	0.00	0.00	0.000	28.651	0.01	0.02

Table 13, continued (Depth =30 m)

PSS019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	70005 SALINITY g/l	00760 SWL mg/l	00620 NITRATE Y NO3-N mg/l	00615 NITRITE Y NO2-N mg/l	00610 AMMONIA Y NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-OR-THO PHOSPHUS mg/l P	00665 TOTAL PHOSPHUS mg/l P
83/04/11	1520	30	3.9	7.1	94.1	7.8	1.0	31400	24.9	0	0.34	0.01K	0.01	0.000	1.067	0.07	0.02
83/05/16	1510	30	7.0	8.3	86.0	7.8	4.0	32300	24.0	0	0.32	0.01	0.01	0.000	1.075	0.05	0.07
83/05/13	1430	30	17.5	9.3	101.7	7.9	3.0	32700	24.1	5	0.24	0.01	0.01	0.000	1.516	0.05	0.05
83/07/20	1500	30	11.3	8.9	87.4	7.8	2.0	31500	24.6	0	0.22	0.01K	0.01K	0.000K	1.284K	0.04	0.04
83/08/16	1430	30	12.1	8.4	75.6	7.8	1.0	31000	24.7	0	0.22	0.01	0.01K	0.000K	1.365K	0.04	0.06
83/07/06	1540	30	12.0	5.4	65.4	7.8	1.0	31600	24.6	0	0.27	0.01K	0.01K	0.000K	1.355K	0.04	0.05
83/10/04	1445	30	12.5	5.2	62.8	7.8	2.0	31900	24.9	0	0.32	0.01K	0.01	0.000	1.408	0.04	0.04
83/11/01	1345	30	11.2	6.2	67.9	7.7	1.0	31300	24.2	0	0.32	0.01K	0.01	0.000	1.015	0.06	0.06
NUMBER OF SAMPLES			8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
MAXIMUM VALUE			12.50	9.50	101.70	7.90	4.00	31900.00	30.20	5.00	0.32	0.01	0.01	0.000	1.516	0.07	0.08
MINIMUM VALUE			3.90	5.80	62.80	7.70	1.00	31400.00	28.90	0.00	0.23	0.01	0.01	0.000	1.015	0.04	0.04
ARITHMETIC MEAN			10.94	7.43	80.11	7.80	1.88	37952.50	29.50	0.53	0.25	0.01	0.01	0.000	1.261	0.05	0.06
GEOMETRIC MEAN			10.86	7.29	79.00	7.80	1.62	37678.72	29.50	0.09	0.29	0.01	0.01	0.000	1.248	0.05	0.05
LOG/GEOMETRIC MEAN			2.38	1.99	4.37	2.05	0.48	10.54	3.38	-2.42	-1.24	-4.61	4.50	-1.998	0.222	-3.04	-2.91
MECHAN			11.25	7.46	80.80	7.80	1.50	41150.00	29.60	0.00	0.30	0.01	0.01	0.000	1.320	0.05	0.06
STANDARD DEV OF LOGS			0.13	0.20	0.18	0.01	0.56	0.13	0.02	1.63	0.17	0.00	0.43	0.000	0.150	0.22	0.25
STANDARD DEVIATION			1.37	1.50	14.32	0.05	1.13	4866.78	0.46	1.77	0.05	0.00	0.01	0.000	0.185	0.01	0.01
VARIANCE			1.89	2.25	205.02	0.00	1.27	4888.88	0.21	3.12	0.00	0.00	0.00	0.000	0.034	0.00	0.00
COEFF OF VARIATION			12.56	20.21	17.87	0.69	60.05	12.77	1.56	282.84	16.32	0.00	54.11	0.000	14.675	23.10	25.03
SUM OF VALUES			87.50	59.40	640.90	62.40	15.00	303740.00	236.00	5.00	2.34	0.05	0.11	0.000	10.085	0.39	0.45
MEAN +2 STD DEV			13.69	10.43	108.75	7.91	4.13	47666.05	30.42	4.16	0.39	0.01	0.03	0.000	1.631	0.07	0.08
MEAN -2 STD DEV			3.19	4.42	51.48	7.69	-0.58	28268.95	28.58	-2.91	0.20	0.01	-0.00	0.000	0.891	0.03	0.03
GEU MEAN +2 STD DEV			14.11	10.96	113.07	7.91	5.00	49117.52	30.43	2.31	0.40	0.01	0.03	0.000	1.685	0.07	0.09
GEU MEAN -2 STD DEV			6.36	6.85	55.19	7.69	0.53	28903.86	28.59	0.00	0.21	0.01	0.01	0.000	0.925	0.03	0.03
SUM OF SQUARES			770.23	458.80	52779.23	486.74	37.00	48888.88	6763.48	25.00	0.70	0.00	0.00	0.000	12.953	0.02	0.03

Table 13, continued (Depth =0 m)

PSS019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURAIN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MP	70305 SALINITY g/l	00760 SWL PBT mg/l	00073 TRANSPAR SECCHI METERS	00620 NITRATE 1 NO3-N mg/l	00615 NITRITE 1 NO2-N mg/l	00610 AMMONIA 1 NH3-N mg/l	00619 NH-IONZD AMMONIA PERCENT	00617 NH-IONZD AMMONIA PERCENT	00671 DIS-ORTHU PHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P	
84/04/02	1420	0	11.0	12.7	126.1	8.3	2.0	23800	6J	15.9	0	4.5	0.08	0.01K	0.01K	3.000K	3.364K	0.02	0.04	
84/05/01	1415	0	11.0	10.2	109.0	7.9	2.0	37100	59	27.3	0	6.5	0.24	0.01K	0.01K	3.000K	3.375K	0.06	0.10	
84/06/04	1420	0	13.0	9.7	102.6	8.4	1.0	27400	1K	19.3	0	2.5	0.01K	0.01K	0.04	3.002	5.577	0.03	0.04	
84/07/10	1525	0	14.8	12.5	139.7	8.5	3.0	31000	1K	22.3	0	2.5	0.01K	0.01K	0.08	3.006	7.459	0.02	0.06	
84/08/06	1405	0	16.0	11.5	133.8	8.3	3.0	35200	1K	25.0	5	7.0	0.01K	0.01K	0.18	3.010	5.364	0.02	0.05	
84/09/04	1450	0	14.0	10.0	113.6	7.8	2.0	37700	1K	27.3	0	5.0	0.12	0.01K	0.01K	3.000K	3.376K	0.02	0.06	
84/11/05	1505	0	9.0	10.7	101.5	7.8	7.0	24100	19J	15.7	5	2.0	0.35	0.01K	0.04	3.000	3.475	0.04	0.05	
NUMBER OF SAMPLES			7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
MAXIMUM VALUE			16.00	12.70	139.70	8.50	7.00	37700.00	59.00	27.30	5.00	7.00	0.35	0.01	0.01	0.18	3.010	7.459	0.06	0.10
MINIMUM VALUE			9.00	9.70	101.50	7.80	1.00	23800.00	1.00	15.70	0.00	2.00	0.01	0.01	0.01	3.000	3.475	0.02	0.04	
ARITHMETIC MEAN			12.69	11.04	118.04	8.14	2.86	30900.00	12.57	21.83	1.43	4.29	0.12	0.01	0.05	3.003	3.470	0.03	0.06	
GEOMETRIC MEAN			12.47	10.99	117.21	8.14	2.43	30398.49	3.52	21.32	0.19	3.88	0.05	0.01	0.03	3.019	3.460	0.03	0.05	
LOG/GEOMETRIC MEAN			2.52	2.40	4.76	2.10	0.89	10.32	1.26	3.06	-1.68	1.35	-2.99	-4.61	-3.50	-3.990	1.19	-3.60	-2.91	
MEDIAN			13.00	10.70	113.60	8.30	2.00	31000.00	1.00	22.30	0.00	4.50	0.08	0.01	0.04	3.000	3.464	0.02	0.05	
STANDARD DEV OF LOGS			0.20	0.11	0.13	0.04	0.59	0.20	1.70	0.24	2.25	0.56	1.58	0.00	1.15	1.325	0.179	0.44	0.31	
STANDARD DEVIATION			2.47	1.21	15.25	0.30	1.95	5945.31	21.51	4.99	2.44	2.02	0.13	0.00	0.06	3.004	2.383	0.02	0.02	
VARIANCE			6.09	1.47	232.65	0.09	3.81	35333.11	462.62	24.88	5.95	4.07	0.02	0.00	0.00	3.000	6.473	0.00	0.00	
COEFF OF VARIATION			19.46	10.97	12.92	3.67	68.31	19.24	171.09	22.85	170.78	47.08	113.01	0.00	116.48	153.693	66.749	50.92	36.03	
SUM OF VALUES			88.80	77.30	826.30	57.00	20.00	216300.00	88.00	152.80	10.00	30.00	0.82	0.07	0.37	3.018	27.490	0.21	0.40	
MEAN +2 STD DEV			17.62	13.46	148.55	8.74	6.76	42790.61	55.59	31.80	6.31	8.32	0.38	0.01	0.18	3.010	9.436	0.06	0.10	
MEAN -2 STD DEV			7.75	8.62	87.54	7.54	-1.05	19009.39	-30.45	11.85	-3.45	0.25	-0.15	0.01	-0.07	-0.005	-1.296	0.00	0.02	
GEO MEAN +2 STD DEV			18.67	13.64	151.42	8.76	7.97	45064.28	106.26	34.30	16.69	10.55	1.19	0.01	0.30	3.262	14.574	0.07	0.10	
GEO MEAN -2 STD DEV			8.33	8.85	90.73	7.56	0.74	20505.56	0.12	13.25	0.00	1.41	0.00	0.01	0.00	3.001	0.645	0.01	0.03	
SUM OF SQUARES			1163.04	862.41	98934.71	464.68	80.00	38822.00	3484.66	50.00	153.00	0.20	0.00	0.04	3.000	144.475	0.01	0.03		

Table 13, continued (Depth =10 m)

PSS019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURAIN	00400 pH STANDARD UNITS	00074 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROHMOS	70305 SALINITY SWL	00760 SWL P81 mg/l	00620 NITRATE } NO3-N mg/l	70615 NITRITE } NO2-N mg/l	00010 AMMONIA } NH3-N mg/l	00019 AMMONIA mg/l	00617 NH-NH2D PERCENT	00671 DIS-ORTHOPHOSPHRUS mg/l P	00665 TOTAL PHOSPHRUS mg/l P
84/04/02	1425	10	10.0	8.7	91.7	7.8	1.0	38000	28.3	0	0.26	0.01K	0.01k	0.000K	1.162K	0.04	0.06
84/05/01	1420	10	11.0	9.7	104.4	7.9	2.0	38200	28.3	0	0.27	0.01K	0.01k	0.000K	1.575k	0.06	0.07
84/05/04	1425	10	11.0	8.1	87.1	8.0	1.0	38200	28.2	0	0.22	0.01K	0.01	0.000	1.975	0.05	0.06
84/07/10	1530	10	12.5	8.3	92.3	7.9	1.0	38000	28.7	5	0.18	0.01K	0.01	0.001	1.766	0.04	0.06
84/08/08	1410	10	13.0	8.5	96.0	8.0	1.0	40500	29.4	9	0.20	0.01K	0.01k	0.000K	2.297K	0.03	0.06
84/09/04	1455	10	13.0	9.9	111.5	8.1	1.0	40000	29.1	0	0.20	0.01	0.01K	0.000K	2.875K	0.03	0.08
84/11/05	1510	10	10.0	7.3	77.1	7.8	1.0	40000	28.6	0	0.37	0.01K	0.01	0.000	1.162	0.05	0.08
MURDER OF SAMPLES			7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
MAXIMUM VALUE			13.00	9.90	111.50	8.10	2.00	40900.00	29.40	9.00	0.37	0.01	0.01	0.001	2.875	0.06	0.08
MINIMUM VALUE			10.00	7.30	77.10	7.80	1.00	38200.00	28.20	0.00	0.18	0.01	0.01	0.000	1.162	0.03	0.06
ARITHMETIC MEAN			11.50	8.64	94.30	7.93	1.14	39414.29	28.66	2.00	0.24	0.01	0.02	0.000	1.830	0.04	0.07
GEOMETRIC MEAN			11.47	8.60	93.72	7.93	1.10	39400.17	28.65	0.20	0.24	0.01	0.02	0.029	1.744	0.04	0.07
LOG/GEOMETRIC MEAN			2.44	2.15	4.54	2.07	0.10	10.58	3.36	-1.80	-1.44	-4.61	-4.11	3.550	0.556	-3.18	-2.71
MEDIAN			11.04	8.50	92.30	7.90	1.00	38800.00	28.60	0.00	0.22	0.01	0.01	0.000	1.766	0.04	0.06
STANDARD DEV OF LOGS			0.17	0.11	0.12	0.01	0.26	0.03	0.01	2.40	0.25	0.00	0.00	1.478	0.337	0.26	0.14
STANDARD DEVIATION			1.32	0.91	11.25	0.11	0.33	1142.26	0.45	3.61	0.00	0.00	0.01	0.000	0.618	0.01	0.01
VARIANCE			1.75	0.82	126.53	0.01	0.14	0.00000000	0.20	13.00	0.00	0.00	0.00	0.000	0.382	0.00	0.00
COEFF OF VARIATION			11.50	10.50	11.93	1.40	33.07	2.90	1.57	180.28	26.76	0.00	70.71	264.575	33.774	25.96	14.17
SUM OF VALUES			80.50	60.50	660.10	55.50	8.00	275900.00	200.60	14.00	1.70	0.07	0.14	0.001	12.812	0.30	0.47
MEAN +2 STD DEV			14.13	10.46	116.80	8.15	1.90	41698.81	29.56	9.21	0.37	0.01	0.05	0.001	3.067	0.07	0.09
MEAN -2 STD DEV			8.85	6.83	71.80	7.71	0.39	37129.76	27.76	-5.21	0.11	0.01	-0.01	-0.001	0.594	0.02	0.05
GEO MEAN +2 STD DEV			14.40	10.61	119.17	8.15	1.86	41742.13	29.57	24.47	0.39	0.01	0.06	0.048	3.421	0.07	0.09
GEO MEAN -2 STD DEV			9.04	6.97	73.71	7.71	0.65	37189.61	27.77	0.00	0.14	0.01	0.00	0.001	0.889	0.02	0.05
SUM OF SQUARES			936.25	527.83	63006.61	440.11	10.00	0.00000000	5749.84	106.00	0.44	0.00	0.00	0.000	25.742	0.01	0.03

Table 13, continued (Depth =30 m)

065019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHMS	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBT mg/l	00670 NITRATE 1 NO2-N mg/l	00615 NITRITE 1 NO2-N mg/l	00610 AMMONIA 1 NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DISE-ORTHO PHOSPHORUS ug/l P	00665 TOTAL PHOSPHORUS ug/l P
84/04/02	1430	30	9.7	8.2	86.3	7.8	1.0	39900	29.1	0	0.38	0.01K	0.01	0.000K	1.135K	0.06	0.07
84/05/01	1425	30	10.0	8.8	93.2	7.8	2.0	39700	29.0	0	0.34	0.01K	0.01	0.000K	1.162K	0.06	0.07
84/06/04	1430	30	11.0	7.7	83.3	7.9	1.0	39100	29.1	0	0.26	0.01K	0.01	0.000	1.575	0.06	0.07
84/07/10	1535	30	11.5	7.8	82.0	8.5	1.0	32400	23.2	5	0.01K	0.01K	0.01	0.001	6.012	0.02	0.06
84/08/06	1415	30	12.0	7.6	84.4	7.9	3.0	41800	29.9	5	0.28	0.01K	0.01K	0.000K	1.700K	0.04	0.06
84/09/04	1500	30	13.0	6.0	68.2	7.0	1.0	41900	30.3	5	0.37	0.01	0.01	0.000K	1.462K	0.04	0.06
84/11/05	1515	30	11.0	7.1	70.5	7.9	6.0	24100	15.9	5	0.34	0.01K	0.04	0.001	1.575	0.04	0.05
NUMBER OF SAMPLES			7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
MAXIMUM VALUE			13.00	8.80	93.20	8.50	6.00	41800.00	30.30	5.00	0.38	0.01	0.04	0.001	6.212	0.06	0.07
MINIMUM VALUE			9.70	6.00	68.20	7.80	1.00	24100.00	15.90	0.00	0.01	0.01	0.000	1.135	0.02	0.05	
ARITHMETIC MEAN			11.17	7.60	81.13	7.94	2.14	36971.43	26.64	2.86	0.28	0.01	0.02	0.000	2.117	0.05	0.06
GEOMETRIC MEAN			11.12	7.55	80.70	7.94	1.67	36389.77	26.08	0.69	0.19	0.01	0.01	0.000	1.751	0.04	0.06
LOG/GEOMETRIC MEAN			2.41	2.02	4.39	2.07	0.51	10.50	3.26	-0.37	-1.64	-4.61	-4.115	0.560	-3.14	-2.77	
MEDIAN			11.00	7.70	83.30	7.90	1.00	39700.00	29.10	5.00	0.32	0.01	0.01	0.000	1.575	0.04	0.06
STANDARD DEV OF LOGS			0.10	0.12	0.11	0.03	0.71	0.20	0.24	2.46	1.31	0.20	0.55	1.908	0.59	3.12	
STANDARD DEVIATION			1.14	0.88	8.84	0.25	1.86	6503.26	5.31	2.67	0.12	0.00	0.01	0.000	1.818	0.02	3.01
VARIANCE			1.29	0.78	78.13	0.06	3.48	*****.00	28.15	7.14	0.02	0.00	0.00	0.000	3.306	0.00	3.00
COEFF OF VARIATION			10.16	11.60	10.89	3.16	37.01	17.59	19.91	93.54	44.90	0.00	72.16	170.783	85.876	33.07	12.93
SUM OF VALUES			78.20	53.20	567.90	55.60	15.00	258000.00	186.50	20.00	1.93	0.07	0.11	0.002	14.821	0.32	3.44
MEAN +2 STD DEV			13.44	9.36	98.81	8.44	5.87	49977.95	37.25	8.20	0.52	0.01	0.04	0.001	5.754	0.08	3.08
MEAN -2 STD DEV			8.90	5.84	63.45	7.44	-1.59	23964.91	16.03	-2.49	0.03	0.01	-0.01	-0.001	-1.519	0.02	3.05
GE0 MEAN +2 STD DEV			13.62	9.63	100.94	8.44	6.97	54419.60	41.84	95.60	2.68	0.01	0.04	0.741	5.582	0.09	3.08
GE0 MEAN -2 STD DEV			9.08	5.93	64.52	7.47	0.40	24333.33	16.26	0.01	0.01	0.01	0.00	0.000	0.549	0.02	3.05
SUM OF SQUARES			881.34	438.98	46541.67	442.00	53.00	*****.00	3137.77	100.00	0.62	0.00	0.00	0.000	51.216	0.02	3.03

Table 13 (Depth = 0 m)

P55019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMMHS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI mg/l	07078 TRANSPAR SICCHI METERS	00610 NITRATE I NO3-N mg/l	00615 NITRITE I NO2-N mg/l	00616 AMMONIA I NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	01671 DIS-ORTHO PHOSPHRUS mg/l P	00655 TOTAL PHOSPHRUS mg/l P
85/04/01	1450	0	8.5	11.5	112.3	8.0	2.0	32900	18	21.9	4	1.5	0.01	0.018	0.03	0.000	1.629	0.04	0.05
85/06/03	1450	0	14.3			8.3	1.0	19400		15.0	4	3.4	0.03	0.018	0.01	0.000	4.820	0.01	0.03
NUMBER OF SAMPLES			2	1	1	2	2	2	1	2	2	2	2	2	2	2	2	2	2
MAXIMUM VALUE			14.00	11.50	112.30	8.30	2.00	32900.00	1.00	21.90	4.00	3.40	0.03	0.01	0.03	0.000	4.820	0.04	0.06
MINIMUM VALUE			8.50	11.50	112.30	8.00	1.00	19400.00	1.00	15.00	4.00	1.50	0.03	0.01	0.01	0.000	1.629	0.01	0.03
ARITHMETIC MEAN			11.25			8.15	1.50	26150.00		18.45	4.00	2.45	0.12	0.01	0.02	0.000	3.225	0.03	0.05
GEOMETRIC MEAN			10.91			8.15	1.41	25263.81		18.12	4.00	2.26	0.08	0.01	0.02	0.050	2.802	0.02	0.04
LOG/GEOMETRIC MEAN			2.3*			2.10	0.35	10.14		2.90	1.39	0.81	-2.53	-4.61	-4.06	-2.998	1.030	-3.91	-3.16
MEAN			11.25			8.15	1.50	26150.00		18.45	4.00	2.45	0.12	0.01	0.02	0.000	3.225	0.03	0.05
STANDARD DEV OF LOGS			0.35			0.03	0.49	0.37		0.27	0.00	0.58	1.38	0.00	0.78	0.000	0.767	0.98	0.49
STANDARD DEVIATION			3.85			0.21	0.71	9545.94		4.88	0.00	1.34	0.13	0.00	0.01	0.000	0.767	0.98	0.49
VARIANCE			15.12			0.05	0.50	9138.88		23.81	0.00	1.80	0.02	0.00	0.00	0.000	5.091	0.00	0.02
COEFF OF VARIATION			34.57			2.60	17.14	36.50		26.44	0.00	1.80	0.02	0.00	0.00	0.000	5.091	0.00	0.02
SUM OF VALUES			22.50			16.30	3.00	52300.00		36.90	8.00	4.90	0.24	0.02	0.04	0.000	69.976	0.07	0.10
MEAN +2 STD DEV			19.03			8.57	2.91	45241.88		28.21	4.00	5.14	0.37	0.01	0.05	0.000	7.737	0.07	0.09
MEAN -2 STD DEV			3.47			7.73	0.09	7058.12		8.69	4.00	-0.24	-0.13	0.01	-0.01	0.000	-1.288	-0.02	0.00
GEU MEAN +2 STD DEV			22.09			8.58	3.77	53322.58		30.95	4.00	7.18	1.24	0.01	0.08	0.050	12.994	0.14	0.11
GEU MEAN -2 STD DEV			5.39			7.74	0.53	11969.79		10.61	4.00	0.71	0.01	0.01	0.00	0.050	0.604	0.00	0.02
SUM OF SQUARES			268.25			132.89	5.00	9138.88		704.61	32.00	13.81	0.05	0.00	0.00	0.000	25.886	0.00	0.00

Table 13, continued (Depth =10 m)

PSS019 POSSESSION SOUND OFF E GEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	04010 WATER TEMP DIG-C	00360 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDITY NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	74305 SALINITY CONDUCTIVITY g/l	00760 SWL PBT mg/l	00620 NITRATE f NO3-N mg/l	00615 NITRITE f NO2-N mg/l	00610 AMMONIA f NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 BIS-ORTHO PHOSPHORUS mg/l P	00655 TOTAL PHOSPHORUS mg/l P
85/04/01	1455	10	7.0	9.9	97.6	7.9	1.0	42000	28.2	14	0.21	3.01K	0.43	0.000	1.154	0.05	0.06
85/06/03	1455	10	11.0			8.0	1.0K	34300	28.2	4	0.17	3.01K	0.45	0.001	1.975	0.05	0.06
NUMBER OF SAMPLES			2	1	1	2	2	2	2	2	2	2	1	2	2	2	2
MAXIMUM VALUE			11.00	9.90	97.60	8.00	1.00	42000.00	28.20	14.00	0.21	3.01	0.45	0.001	1.975	0.05	0.06
MINIMUM VALUE			7.00	9.90	97.60	7.90	1.00	34300.00	28.20	4.00	0.17	3.01	0.43	0.000	1.154	0.05	0.06
ARITHMETIC MEAN			9.00			7.95	1.00	38150.00	28.20	9.00	0.19	3.01	0.44	0.001	1.565	0.05	0.06
GEOMETRIC MEAN			8.77			7.95	1.00	37955.24	28.20	7.48	0.19	3.01	0.44	0.007	1.510	0.05	0.06
LOG-GEOMETRIC MEAN			2.17			2.07	0.00	10.54	3.34	2.01	-1.67	-4.61	-3.15	-4.953	0.412	-3.00	-2.81
MEDIAN			9.00			7.95	1.00	38150.00	28.20	9.00	0.19	3.01	0.44	0.001	1.565	0.05	0.06
STANDARD DEV OF LOGS			0.52			0.01	0.00	0.14	0.00	0.89	0.15	3.00	0.43	0.001	0.581	0.00	0.00
STANDARD DEVIATION			2.83			0.07	0.00	5444.72	0.00	7.07	0.03	3.00	0.41	0.001	0.581	0.00	0.00
VARIANCE			8.00			0.00	0.00	HHHHHH.HH	0.00	50.00	0.00	3.00	0.40	0.000	0.337	0.00	0.00
COEFF OF VARIATION			31.43			0.89	0.00	14.27	0.00	78.57	14.89	3.00	35.18	141.421	37.107	0.00	0.00
SUM OF VALUES			18.00			15.90	2.00	76300.00	56.40	18.00	0.38	3.02	0.48	0.001	3.129	0.10	0.12
MEAN +2 STD DEV			14.66			8.09	1.00	49039.44	28.20	23.14	0.75	3.01	0.47	0.001	2.778	0.05	0.06
MEAN -2 STD DEV			3.34			7.81	1.00	27260.56	28.20	-5.14	0.13	3.01	0.41	-0.001	0.403	0.05	0.06
GE0 MEAN +2 STD DEV			16.63			8.09	1.00	50542.76	28.20	44.01	0.25	3.01	0.43	1.780	3.228	0.05	0.06
GE0 MEAN -2 STD DEV			4.63			7.81	1.00	28502.60	28.20	1.27	0.14	3.01	0.43	0.000	0.706	0.05	0.06
SUM OF SQUARES			170.00			126.41	2.00	HHHHHH.HH	1590.48	212.00	0.07	3.00	0.40	0.000	5.232	0.41	0.01

Table 13, continued (Depth =30 m)

F85019 POSSESSION SOUND OFF E BEDNEY IS

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00670 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	70505 SALINITY CONDUCTIVITY g/l	00760 SWL PBT mg/l	00620 NITRATE [NO3-N mg/l	00615 NITRITE [NO2-N mg/l	00610 AMMONIA [NH3-N mg/l	00619 AMMONIA mg/l	00617 ON-IONZD AMMONIA PERCENT	00671 DIS-ORITHO PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P
85/04/01	1500	30	7.7	7.7	77.8	7.7	1.0	44200	30.9	4	0.34	0.01K	0.05	0.000	0.743	0.07	0.08
85/06/03	1500	30	9.0			7.9	1.0	3400	29.7	0	0.28	0.01K	0.05	0.001	1.350	0.07	0.07
NUMBER OF SAMPLES			1	1	1	2	2	2	2	2	2	2	2	2	2	2	2
MAXIMUM VALUE			7.00	7.70	77.80	7.90	1.00	44200.00	30.90	4.00	0.34	0.01	0.05	0.001	1.350	0.07	0.08
MINIMUM VALUE			7.20	7.70	77.80	7.70	1.00	36400.00	29.70	0.00	0.28	0.01	0.05	0.000	0.743	0.07	0.07
ARITHMETIC MEAN			8.10			7.80	1.00	40300.00	30.30	2.00	0.31	0.01	0.05	0.001	1.047	0.07	0.08
GEOMETRIC MEAN			8.05			7.80	1.00	40110.85	30.29	0.45	0.31	0.01	0.05	0.007	1.002	0.07	0.07
LOG/GEOMETRIC MEAN			2.09			2.05	0.00	10.60	3.41	-0.81	-1.18	-4.31	-3.35	-4.953	0.002	-2.66	-2.59
MEDIAN			8.10			7.80	1.00	40300.00	30.30	2.00	0.31	0.01	0.05	0.001	1.047	0.07	0.08
STANDARD DEV OF LOGS			0.15			0.02	0.00	0.14	0.05	3.10	0.14	0.00	0.05	0.001	1.047	0.07	0.08
STANDARD DEVIATION			1.27			0.14	0.00	5515.45	0.55	2.83	0.04	0.00	0.05	0.001	0.422	0.00	0.09
VARIANCE			1.61			0.02	0.00	*****.00	0.73	8.00	0.00	0.00	0.00	0.001	0.429	0.00	0.01
COEFF OF VARIATION			15.71			1.81	0.00	13.69	2.80	141.42	13.89	0.00	20.70	151.421	41.014	0.00	9.43
SUM OF VALUES			16.20			15.60	2.00	80600.00	50.60	4.00	0.62	0.02	0.07	0.001	2.093	0.14	0.15
MEAN +2 STD DEV			10.55			8.08	1.00	51350.87	32.00	7.56	0.39	0.01	0.05	0.002	1.905	0.07	0.09
MEAN -2 STD DEV			5.55			7.52	1.00	29269.13	28.60	-3.66	0.23	0.01	0.02	-0.001	0.188	0.07	0.06
95U MEAN +2 STD DEV			11.04			8.09	1.00	52784.89	32.04	270.13	0.41	0.01	0.05	1.750	2.330	0.07	0.09
95U MEAN -2 STD DEV			5.37			7.52	1.00	30479.93	28.64	0.00	0.23	0.01	0.02	0.000	0.430	0.07	0.06
SUM OF SQUARES			192.84			121.70	2.00	*****.00	1636.90	16.00	0.19	0.00	0.00	0.000	2.375	0.01	0.01

Table 14.

PSS020 EBEY SLOUGH NEAR MARYSVILLE

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORA /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI ug/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE I NO3-N ug/l	00615 NITRITE I NO2-N ug/l	00610 AMMONIA I NH3-N ug/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-ORTH PHOSPHORUS ug/l P	00665 TOTAL PHOSPHORUS ug/l P
73/08/15	1400	0	19.0	6.2		7.2	3.0	20000	40X		5		0.18	0.00	0.04	0.000	0.582	0.02	0.08
73/09/12	1410	0	18.1			7.4	4.0	12000	23	12.8	23		0.13	0.00	0.06	0.001	0.860	0.08	0.11
73/10/17	1545	0	10.4	9.8		7.1	4.0	3400	120	5.4	9		0.14	0.00	0.05	0.000	0.241	0.03	0.04
73/12/05	1400	0	5.9	11.1		7.0	5.0	3700	47	3.7	9		0.15	0.01	0.03	0.000	0.134	0.02	0.05
NUMBER OF SAMPLES			4	3	0	4	4	4	4	3	4	0	4	4	4	4	4	4	4
MAXIMUM VALUE			19.00	11.10		7.40	5.00	20000.00	120.00	12.80	23.00		0.15	0.01	0.06	0.001	0.860	0.08	0.11
MINIMUM VALUE			5.90	6.20		7.00	3.00	3400.00	23.00	3.70	5.00		0.08	0.00	0.03	0.000	0.134	0.02	0.04
ARITHMETIC MEAN			13.35	9.03		7.15	4.00	9775.00	57.50	7.30	11.50		0.13	0.00	0.05	0.000	0.454	0.04	0.07
GEOMETRIC MEAN			12.05	8.77		7.17	3.94	7412.64	47.73	6.35	9.82		0.18	0.03	0.04	0.019	0.357	0.03	0.06
LOG/GEOMETRIC MEAN			2.49	2.17		1.97	1.17	8.91	3.87	1.85	2.28		-1.70	-3.40	-3.13	-3.975	-1.031	-3.46	-2.74
MEDIAN			14.25	9.80		7.15	4.00	7850.00	43.50	5.40	9.00		0.19	0.00	0.05	0.000	0.412	0.03	0.07
STANDARD DEV OF LOGS			0.55	0.31		0.02	0.11	0.88	0.69	0.64	0.63		0.75	0.80	0.30	1.955	0.842	0.65	0.46
STANDARD DEVIATION			6.29	2.54		0.17	0.42	7896.15	42.87	4.84	7.90		0.16	0.01	0.01	0.001	0.331	0.03	0.03
VARIANCE			39.56	6.44		0.03	0.67	6197.00	1837.67	23.41	62.33		0.03	0.00	0.00	0.000	0.110	0.00	0.00
COEFF OF VARIATION			47.12	28.10		2.38	20.41	80.78	74.55	66.28	68.65		72.98	200.00	78.69	200.000	2.901	76.59	45.18
SUM OF VALUES			53.40	27.10		28.70	16.00	39100.00	230.00	21.90	46.00		0.90	0.01	0.18	0.001	1.817	0.15	0.28
MEAN +2 STD DEV			25.93	14.11		7.52	5.63	25567.30	143.24	16.98	27.29		0.56	0.01	0.07	0.001	1.117	0.09	0.13
MEAN -2 STD DEV			0.77	3.96		6.83	2.37	-6017.30	-28.24	-2.38	-4.29		-0.16	-0.01	0.02	-0.001	-0.208	-0.02	0.01
GED MEAN +2 STD DEV			36.14	16.19		7.52	5.18	42829.69	188.44	22.65	34.72		0.82	0.17	0.08	0.937	1.920	0.12	0.16
GED MEAN -2 STD DEV			4.02	4.75		6.84	2.59	1282.92	12.09	1.78	2.78		0.04	0.01	0.02	0.000	0.066	0.01	0.03
SUM OF SQUARES			831.58	257.69		206.01	66.00	6197.00	18738.00	206.69	116.00		0.23	0.00	0.01	0.000	1.154	0.01	0.02

Table 14, continued.

PSS020 EBET SLOUGH NEAR MARYSVILLE

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SML PBI mg/l	00078 TRANSPAR SECCHI METERS	00020 NITRATE I NO3-N mg/l	00015 NITRITE I NO2-N mg/l	00010 AMMONIA I NH3-N mg/l	00019 UM-IORZD AMMONIA PERCENT	00017 UM-IORZD AMMONIA PERCENT	00071 DIS-ORHO PHOSPHRUS mg/l P	00065 TOTAL PHOSPHRUS mg/l P
74/04/09	1245	0	6.4	11.8		7.4	5.0	500	40	2.7	15		0.29	0.01	0.00	0.000	0.356	0.00	0.02
74/05/15	1345	0	7.3	12.7		7.2	6.0	400	60	2.8	25		0.17	0.00	0.00	0.000	0.238	0.00	0.06
74/06/11	1110	0	12.0	8.5		7.5	4.0	300	30	1.0K	5		0.08	0.00	0.00	0.000	0.884	0.00	0.04
74/07/17	1315	0	12.0	9.5		7.1	5.0	1300	140	2.5	15		0.05	0.00	0.00	0.000	0.273	0.00	0.02
74/08/22	1330	0	16.1	8.6		7.2	4.0	6700	120	3.0	0								
74/09/11	1450	0	16.5	8.3		7.4	3.0	10000	50	7.0	23		0.14	0.00	0.00	0.000	0.764	0.00	0.03
74/10/09	1325	0	15.1	7.8		7.4	4.0	19000	800L	18.0	7		0.11	0.00	0.00	0.000	0.592	0.03	0.04
74/11/18	1430	0	9.7	11.0		7.3	3.0	11000	4000	10.6	10		0.22	0.00	0.00	0.00	0.368	0.00	0.02
NUMBER OF SAMPLES			8	8	0	8	8	8	8	8	8	0	7	7	7	7	7	7	7
MAXIMUM VALUE			16.50	12.70		7.50	6.00	19000.00	800.00	18.00	25.00		0.29	0.01	0.00	0.000	0.764	0.04	0.06
MINIMUM VALUE			6.69	7.80		7.10	3.00	300.00	30.00	1.00	0.00		0.05	0.00	0.00	0.000	0.238	0.00	0.02
ARITHMETIC MEAN			11.67	9.78		7.31	4.25	6150.00	205.00	5.95	12.50		0.15	0.00	0.01	0.000	0.468	0.01	0.03
GEOMETRIC MEAN			11.15	9.63		7.31	4.14	2397.67	108.60	4.07	6.23		0.13	0.04	0.04	0.050	0.428	0.04	0.03
LOG/GEOMETRIC MEAN			2.41	2.27		1.99	1.42	7.78	4.69	1.40	1.63		-2.03	-3.23	-3.10	-2.998	-0.848	-3.10	-3.50
MEDIAN			12.00	9.05		7.35	4.00	4000.00	90.00	2.90	12.50		0.14	0.00	0.00	0.000	0.368	0.00	0.03
STANDARD DEV OF LOSS			0.34	0.18		0.02	0.24	1.69	1.16	0.93	2.03		0.60	0.61	0.36	0.000	0.459	0.20	0.44
STANDARD DEVIATION			5.65	1.83		0.14	1.04	6829.56	268.97	5.78	8.68		0.08	0.00	0.02	0.000	0.209	0.02	0.01
VARIANCE			13.33	3.33		0.02	1.07	47252.86	72342.86	33.36	75.43		0.01	0.00	0.00	0.000	0.044	0.00	0.00
COEFF OF VARIATION			31.21	18.67		1.85	24.36	111.05	131.20	97.07	69.48		0.491	204.58	198.43	0.000	44.760	175.21	45.53
SUM OF VALUES			93.50	78.20		58.50	34.00	49200.00	1640.00	47.60	100.00		1.06	0.01	0.03	0.000	3.275	0.07	0.23
MEAN +2 STD DEV			18.98	13.43		7.58	6.32	19809.12	742.93	17.50	29.87		0.52	0.01	0.06	0.000	0.837	0.04	0.06
MEAN -2 STD DEV			4.39	6.12		7.04	2.18	-7569.12	-332.93	-5.60	-4.87		-0.01	-0.01	-0.01	0.000	0.049	-0.02	0.00
GEO MEAN +2 STD DEV			21.87	13.85		7.39	6.76	70822.81	1098.21	26.06	353.99		0.44	0.13	0.09	0.050	1.072	0.07	0.07
GEO MEAN -2 STD DEV			5.69	6.70		7.04	2.54	81.17	10.74	0.64	0.11		0.04	0.01	0.02	0.050	0.171	0.03	0.01
SUM OF SQUARES			1185.91	787.72		427.91	152.00	842600.00	516.74	1778.00			0.20	0.00	0.00	0.000	1.795	0.00	0.01

Table 14, continued.

PSS020 EBAY SLOUGH NEAR MARYSVILLE

DATE	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ug/l	00301 DO PERCENT SATURAIN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROHMOS	31616 FECAL COLIFORA /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL P81 ug/l	00078 TRANSPAR SEECHE METERS	00676 NITRATE T NO3-N ug/l	00615 NITRITE T NO2-N ug/l	00610 AMMONIA T NH3-N ug/l	00619 NH-IONZD AMMONIA ug/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-ORPHO PHOSPHRUS ug/l P	00665 TOTAL PHOSPHRUS ug/l P
75/04/09	1505	0	9.1	11.0		7.2	4.0	12000	26	6.4	9		0.29	0.00	0.00	0.000	0.274	0.02	0.05
75/05/14	1410	0	11.0	11.6		7.0	8.0	490	110	1.0K	9		0.33	0.00	0.00	0.000	0.201	0.03	
75/06/11	1325	0	12.0	12.3		6.9	4.0	450	52	1.0K	18		0.35	0.00	0.00	0.000	0.173	0.00	0.02
75/07/09	1400	0	14.0	9.3		7.6	7.0	340	70	1.0K	8		0.30	0.00	0.00	0.000	1.000	0.04	0.05
75/08/13	1505	0	17.9	8.8		7.3	6.0	6500	148	7.9	20		0.38	0.00	0.02	0.000	0.674	0.04	0.10
75/09/10	1435	0	15.9	7.3		7.2	5.0	12000	3008	6.5	18		0.13	0.00	0.02	0.000	0.462	0.02	0.05
75/10/07	1425	0	11.9	8.2		7.2	5.0	7900	260	8.0	14		0.20	0.00	0.03	0.000	0.341	0.04	0.07
75/11/11	1030	0	6.1	10.7		7.0	15.0	7760	3406	5.2	9		0.40	0.00	0.04	0.000	0.136	0.02	0.09
NUMBER OF SAMPLES			8	8	0	8	3	8	8	8	8	0	5	8	8	8	8	8	7
MAXIMUM VALUE			17.90	12.30		7.60	15.30	12000.00	340.00	8.00	20.00		0.40	0.00	0.04	0.000	1.000	0.04	0.10
MINIMUM VALUE			6.10	7.30		6.90	4.30	340.00	14.00	1.00	8.00		0.30	0.00	0.00	0.000	0.136	0.00	0.02
ARITHMETIC MEAN			12.24	9.90		7.13	6.75	5922.50	146.50	4.63	13.13		0.19	0.00	0.01	0.000	0.408	0.03	0.06
GEOMETRIC MEAN			11.68	9.76		7.17	6.14	2843.05	88.80	3.29	12.32		0.15	0.05	0.04	0.050	0.329	0.03	0.06
LOG/GEOMETRIC MEAN			2.46	2.28		1.97	1.31	7.95	4.49	1.19	2.51		-1.37	-3.00	-3.32	-2.998	-1.111	-3.49	-2.90
MEDIAN			11.95	10.00		7.20	5.50	7100.00	90.00	5.80	11.50		0.17	0.00	0.01	0.000	0.303	0.03	0.05
STANDARD DEV OF LOGS			0.34	0.18		0.03	0.14	1.60	1.18	0.99	0.38		0.77	0.00	0.41	0.000	0.590	0.38	0.53
STANDARD DEVIATION			3.74	1.76		0.22	3.42	4955.52	132.06	3.13	4.97		0.14	0.00	0.02	0.000	0.297	0.01	0.03
VARIANCE			13.97	3.10		0.05	13.67	*****.00	17439.71	9.79	24.70		0.02	0.00	0.00	0.000	0.088	0.00	0.00
COEFF OF VARIATION			30.54	17.79		3.05	53.36	83.67	90.14	67.65	37.86		74.30	0.00	116.22	0.000	72.930	53.63	44.51
SUM OF VALUES			97.90	79.20		57.40	54.00	47380.00	1172.00	37.00	105.00		1.51	0.00	0.11	0.000	3.261	0.21	0.43
MEAN +2 STD DEV			19.71	13.42		7.61	15.38	15833.54	410.62	10.88	23.06		0.17	0.00	0.05	0.000	1.007	0.05	0.12
MEAN -2 STD DEV			4.76	6.38		6.74	-0.48	-3588.54	-117.62	-1.63	3.19		-0.49	0.00	-0.02	0.000	-0.187	0.00	0.01
GEO MEAN +2 STD DEV			22.97	14.07		7.62	14.71	69422.79	940.66	24.05	26.43		0.71	0.05	0.08	0.050	1.309	0.07	0.16
GEO MEAN -2 STD DEV			5.94	6.77		6.75	2.56	116.43	8.38	0.45	5.74		0.43	0.05	0.02	0.050	0.063	0.01	0.02
SUM OF SQUARES			1295.85	805.80		412.18	456.00	*****.00	293776.00	239.66	1151.00		0.12	0.00	0.00	0.000	1.948	0.01	0.03

Table 14, continued.

P55020 EBEEY SLOUGH NEAR MARYSVILLE

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31816 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI mg/l	00078 TRANSPAR SECCHI METERS	00820 NITRATE T NO3-N mg/l	00815 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-UK10 PHOSPHRUS mg/l P	00685 TOTAL PHOSPHRUS mg/l P
76/04/14	1240	0	7.0	10.9		6.9	7.0	820	408	0.4	9		0.26	0.00	0.02	0.000	0.117	0.01	0.07
76/05/05	1435	0	8.6	10.5		6.9	14.0	540	1608	0.1	0		0.13	0.00	0.05	0.000	0.132	0.02	0.07
76/06/23	1430	0	11.5	11.5		7.0	5.0	1700	40	1.0	5		0.09	0.00	0.02	0.000	0.209	0.02	0.04
76/10/11	1405	0	14.2	8.2		7.3	3.0	17000	37	9.7	5		0.15	0.00	0.13	0.001	0.512	0.04	0.07
76/11/08	1325	0	9.5	10.4		6.9	2.0	17000	54	9.0	9		0.26	0.01	0.09	0.000	0.142	0.04	0.07
NUMBER OF SAMPLES			5	5	0	5	5	5	5	5	5	5	5	5	5	5	5	5	5
MAXIMUM VALUE			14.20	11.50		7.30	14.00	17000.00	160.00	9.70	7.00		0.26	0.01	0.13	0.001	0.512	0.04	0.07
MINIMUM VALUE			7.00	8.20		6.70	2.00	540.00	37.00	0.10	0.00		0.09	0.00	0.02	0.000	0.117	0.01	0.04
ARITHMETIC MEAN			10.16	10.30		7.30	6.20	7412.00	68.20	4.04	3.60		0.18	0.00	0.06	0.000	0.222	0.03	0.06
GEOMETRIC MEAN			9.86	10.23		7.30	4.94	2934.34	55.18	1.28	2.52		0.16	0.04	0.05	0.023	0.188	0.02	0.06
LOG/GEOMETRIC MEAN			2.29	2.33		1.75	1.60	7.98	4.01	0.25	1.92		-1.81	-3.32	-3.05	-3.730	-1.671	-3.77	-2.77
MEDIAN			9.50	10.50		6.70	5.00	1700.00	40.00	1.00	5.00		0.15	0.00	0.05	0.000	0.142	0.02	0.07
STANDARD DEV OF LOGS			0.27	0.13		0.32	0.75	1.66	0.61	1.99	2.21		0.46	0.72	0.85	1.749	0.601	0.58	0.25
STANDARD DEVIATION			2.78	1.25		0.17	4.76	8783.07	52.65	4.86	3.71		0.08	0.00	0.05	0.000	0.186	0.01	0.01
VARIANCE			7.74	1.57		0.33	22.70	HHHHHH.HH	2793.20	23.66	13.80		0.01	0.00	0.00	0.000	0.027	0.00	0.00
COEFF OF VARIATION			27.39	12.15		2.67	76.85	118.23	79.83	120.41	66.34		43.77	223.61	76.85	223.607	74.494	51.60	20.96
SUM OF VALUES			50.80	51.50		35.30	31.00	17060.00	331.00	20.20	28.00		0.89	0.01	0.31	0.001	1.112	0.13	0.32
MEAN +2 STD DEV			15.73	12.80		7.35	15.73	24938.13	171.90	13.77	13.03		0.33	0.01	0.16	0.001	0.554	0.05	0.09
MEAN -2 STD DEV			4.59	7.80		6.55	-3.33	-10114.13	-39.50	-5.69	-1.83		0.02	-0.01	-0.03	-0.001	-0.109	0.00	0.04
GE0 MEAN +2 STD DEV			16.97	13.27		7.35	22.31	80413.76	187.83	68.54	209.77		0.41	0.15	0.26	0.754	0.625	0.07	0.10
GE0 MEAN -2 STD DEV			5.73	7.89		6.56	1.09	107.08	16.21	6.02	0.03		0.07	0.01	0.01	0.001	0.057	0.01	0.04
SUM OF SQUARES			547.10	536.71		245.12	283.00	HHHHHH.HH	33085.00	176.26	212.00		0.16	0.00	0.03	0.000	0.357	0.00	0.02

Table 14, continued.

PSS020 EBEBY SLOUGH NEAR MARYSVILLE

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIV* @ 25 C MICROHMOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI mg/l	00078 TRANSPAR SECCHI METERS	00670 NITRATE T NO3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 UN-IONZO AMMONIA mg/l	00617 UN-IONZO AMMONIA PERCENT	00671 DIS-ORTHO PHOSPHUS mg/l P	00685 TOTAL PHOSPHUS mg/l P
77/04/11	1335	0	8.2	12.0		6.7	3.0	2004	58	1.0	0		0.23	0.00	0.04	0.000	0.081	0.03	0.03
77/05/09	1250	0	12.0	7.9		6.8	3.0	2704		1.6	9		0.26	0.00	0.04	0.000	0.137	0.02	0.06
77/06/13	1445	0	14.5	11.0		6.5	2.0	7304	110	3.9	14	5.0	0.12	0.00	0.04	0.000	0.083	0.04	0.04
77/07/13	1425	0	15.2	6.5J		7.4	4.0	1070J	230	10.0	9	0.9	0.09	0.00	0.06	0.000	0.894	0.03	0.004
77/08/09	1410	0	20.2	8.9		8.0	2.0	2600J	108	16.04	9	1.9	0.02	0.00	0.08	0.003	3.875	0.03	0.06
77/09/13	1405	0	16.0			7.2	3.0	1300J	1408	6.3		1.2	0.19	0.00				0.04	0.06
77/10/17	1450	0	10.5	8.3		7.5	2.0	1570J	120	9.8	14		0.25	0.00	0.06	0.000	0.609	0.05	0.07
NUMBER OF SAMPLES			7	6	0	7	7	7	6	7	8	4	7	7	6	6	6	7	7
MAXIMUM VALUE			20.20	12.00		8.00	4.00	26000.00	230.00	16.00	14.00	5.00	0.26	0.00	0.08	0.003	3.875	0.05	0.07
MINIMUM VALUE			8.20	6.50		6.50	2.00	2000.00	10.00	1.00	0.00	0.90	0.02	0.00	0.04	0.000	0.081	0.02	0.00
ARITHMETIC MEAN			13.80	9.10		7.16	2.71	11128.57	111.33	6.94	9.17	2.27	0.17	0.00	0.05	0.001	0.913	0.03	0.05
GEOMETRIC MEAN			13.30	8.91		7.14	2.63	8151.57	79.19	4.83	4.39	1.81	0.13	0.05	0.05	0.031	0.339	0.03	0.05
LOG/GEOMETRIC MEAN			2.59	2.19		1.97	0.97	9.01	4.37	1.58	1.48	0.59	-2.04	-3.00	-2.97	-3.466	-1.083	-3.41	-2.97
MEDIAN			14.50	8.60		7.20	1.00	10700.00	115.00	6.30	9.00	1.59	0.19	0.00	0.05	0.000	0.373	0.03	0.06
STANDARD DEV OF LOGS			0.30	0.22		0.07	0.27	0.94	1.11	1.02	2.20	0.75	0.71	0.00	0.29	1.148	1.526	0.30	0.02
STANDARD DEVIATION			3.95	2.04		0.53	0.76	8278.43	74.96	5.37	5.12	1.88	0.09	0.00	0.02	0.001	1.476	0.01	0.02
VARIANCE			15.62	4.18		0.28	0.57	6777.19	5618.67	28.85	26.17	3.52	0.01	0.00	0.00	0.000	2.179	0.00	0.00
COEFF OF VARIATION			28.64	22.47		7.34	27.85	74.39	67.33	77.36	55.80	82.65	54.96	0.00	30.62	244.949	161.667	28.48	53.37
SUM OF VALUES			96.60	54.60		50.10	19.00	77900.00	668.00	48.60	55.00	9.08	1.18	0.00	0.32	0.005	5.479	0.24	0.32
MEAN +2 STD DEV			21.71	13.19		8.21	4.23	27685.43	261.25	17.68	19.40	6.02	0.35	0.00	0.09	0.003	3.866	0.05	0.09
MEAN -2 STD DEV			5.89	5.01		6.11	1.20	-5428.79	-38.58	-3.80	-1.06	-1.48	-0.02	0.00	0.02	-0.002	-2.039	0.01	0.00
GEO MEAN +2 STD DEV			24.16	13.96		8.26	4.55	53084.11	723.92	37.41	39.95	8.14	0.81	0.05	0.09	0.010	7.184	0.06	0.09
GEO MEAN -2 STD DEV			7.32	5.69		6.17	1.52	1252.71	8.86	0.62	0.05	0.40	0.02	0.05	0.03	0.003	0.018	0.02	0.03
SUM OF SQUARES			1426.82	517.76		360.23	59.00	67777.19	102464.00	510.50	635.00	31.17	0.24	0.00	0.02	0.000	15.960	0.01	0.02

Table 14, continued.

PSS020 EBEEY SLOUGH NEAR MARYSVILLE

DATE	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00410 pH STANDARD UNITS	00070 TURBIDITY NTU	00095 CONDUCTIVITY @ 25 C MICROMHMS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY g/l	01760 SVL PPT	00018 TRANSPAR SECTH METERS	00020 NITRATE T NO3-N mg/l	00015 NITRITE T NO2-N mg/l	00010 AMMONIA T NH3-N mg/l	00019 NH-IONZD AMMONIA mg/l	00017 NH-IONZD AMMONIA mg/l	00071 DIS-ORTRD PHOSPHRUS mg/l P	00065 TOTAL PHOSPHRUS mg/l P
78/05/08	1425	0	11.0			7.3	4.0	3400	74	1.2			0.20	0.00	0.05	0.000	0.400	0.03	0.03
78/06/12	1400	0	14.1			7.4	4.0	3620	1708	2.0	0		0.06	0.00	0.02	0.000	0.638	0.01	0.04
78/07/12	1415	0	17.0			7.3	3.0	6430	390	3.5	32		0.10	0.00	0.06	0.000	0.631	0.02	0.04
78/08/07	1505	0	21.9	7.8		7.4	3.0	14400	208	9.1			0.03	0.00	0.04	0.000	1.133	0.03	0.06
78/09/11	1655	0	14.9	8.8		7.3	3.0	7070	740	4.3			0.20	0.00	0.07	0.000	0.539	0.02	0.06
78/10/09	1335	0	13.9	8.6		7.7	2.0	22200	608	15.6			0.19	0.00	0.04	0.000	1.247	0.04	0.08
78/11/13	1325	0	5.1	12.0		7.3	4.0	8950	1608	4.8	28		0.54	0.02K	0.07	0.000	0.251	0.00	0.05
NUMBER OF SAMPLES			7	4	0	7	7	7	7	7	3	0	7	7	7	7	7	7	7
MAXIMUM VALUE			21.90	12.00		7.70	4.00	22200.00	740.00	15.60	32.00		0.54	0.02	0.07	0.000	1.247	0.04	0.08
MINIMUM VALUE			5.10	7.80		7.30	2.00	3400.00	20.00	1.20	0.00		0.03	0.00	0.02	0.000	0.251	0.00	0.03
ARITHMETIC MEAN			13.99	9.30		7.39	3.29	9438.57	230.57	5.79	20.00		0.19	0.00	0.05	0.000	0.631	0.02	0.05
GEOMETRIC MEAN			12.95	9.17		7.38	3.20	7697.27	131.97	4.24	3.55		0.14	0.04	0.05	0.000	0.608	0.03	0.05
LOG/GEOMETRIC MEAN			2.56	2.22		2.00	1.16	8.95	4.88	1.44	1.27		-1.98	-3.13	-3.07	-2.998	-0.497	-3.67	-2.97
MEDIAN			14.10	8.70		7.30	3.00	7070.00	160.00	4.30	28.00		0.19	0.00	0.05	0.000	0.631	0.02	0.05
STANDARD DEV OF LOGS			0.46	0.19		0.02	0.25	0.64	1.21	0.87	3.69		0.91	0.35	0.44	0.000	0.560	0.53	0.37
STANDARD DEVIATION			5.17	1.85		0.15	0.76	6741.54	255.45	5.02	17.44		0.17	0.01	0.02	0.000	0.368	0.01	0.02
VARIANCE			26.74	3.43		0.02	0.57	HHHHH.HH	65255.62	25.18	304.00		0.05	0.00	0.00	0.000	0.135	0.00	0.00
COEFF OF VARIATION			36.97	19.90		1.98	23.01	71.43	110.79	86.73	87.18		87.54	264.56	56.51	0.000	53.226	62.76	36.62
SUM OF VALUES			97.90	37.20		51.70	23.00	66070.00	1614.00	40.50	60.00		1.34	0.02	0.35	0.000	4.839	0.15	0.38
MEAN +2 STD DEV			24.33	13.00		7.68	4.80	22921.63	741.46	15.82	54.87		0.33	0.02	0.09	0.000	1.427	0.05	0.09
MEAN -2 STD DEV			3.64	5.60		7.09	1.77	-4044.51	-280.33	-4.25	-14.87		0.14	-0.01	0.01	0.000	-0.045	-0.01	0.01
GEU MEAN +2 STD DEV			32.58	13.32		7.68	5.31	30276.77	1479.87	23.92	5734.30		0.86	0.09	0.11	0.050	1.863	0.07	0.11
GEU MEAN -2 STD DEV			5.15	6.32		7.10	1.93	1956.83	11.77	0.75	0.00		0.02	0.02	0.02	0.050	0.199	0.01	0.02
SUM OF SQUARES			1529.65	356.24		331.97	79.00	HHHHH.HH	763676.00	385.39	1808.00		0.43	0.00	0.02	0.000	4.157	0.00	0.02

Table 14, continued.

PSS020 EBEBY SLOUGH NEAR MARYSVILLE

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ug/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL FBI ug/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE 1 NO3-N ug/l	00615 NITRITE 1 NO2-N ug/l	00610 AMMONIA 1 NH3-N ug/l	00619 UN-IONZD AMMONIA ug/l	00617 UN-IONZD AMMONIA PERCENT	00671 DIS-ORTHO PHOSPHORUS ug/l P	00665 TOTAL PHOSPHORUS ug/l P
79/04/09	1445	0	9.3	11.6		7.1	2.0	4680	440	2.6	5		0.48	0.01K	0.11	0.000	0.222	0.06	0.05
79/05/08	1315	0	9.9	11.2		7.4	4.0	14300		0.7	5		0.16	0.01K	0.08	0.000	0.462	0.03	0.06
79/06/11	1320	0	13.9			7.0	5.0	954	88	1.2	9	0.5	0.04	0.01K	0.05	0.000	0.251	0.05	0.05
79/07/17	1460	0	19.0	11.5		7.2	4.0	7690	640	4.6	5	1.0	0.04	0.01K	0.14	0.001	0.582	0.01K	0.04
79/08/28	1400	0	17.5	5.2	57.5	7.2	3.0	17200	160K	11.6	14	1.5	0.06	0.02K	0.21	0.001	0.521	0.09	0.11
79/09/11	1445	0	16.0	7.9	83.8	7.3	2.0	14800	290	9.5	5	1.0	0.11	0.01K	0.12	0.001	0.586	0.07	0.07
79/10/16	1415	0				7.8	1.0	28600	5206	19.8	14	1.5	0.23	0.01K	0.10			0.06	0.09
NUMBER OF SAMPLES			6	5	2	7	7	7	6	7	7	5	7	7	7	6	6	7	7
MAXIMUM VALUE			19.00	11.60	83.80	7.80	5.30	28600.00	520.00	19.80	14.00	1.50	0.48	0.02	0.21	0.001	0.586	0.09	0.11
MINIMUM VALUE			9.30	5.20	57.50	7.00	1.30	954.00	64.00	0.70	5.00	0.50	0.04	0.01	0.05	0.000	0.222	0.01	0.04
ARITHMETIC MEAN			14.27	9.48	70.65	7.29	3.30	12603.43	260.33	7.14	8.14	1.10	0.16	0.01	0.12	0.001	0.437	0.05	0.07
GEOMETRIC MEAN			13.77	9.07	69.42	7.28	2.57	8633.23	197.75	4.17	7.30	1.02	0.11	0.01	0.11	0.007	0.407	0.04	0.06
LOG/GEOMETRIC MEAN			2.62	2.20	4.24	1.99	0.78	9.06	5.29	1.43	1.99	1.02	-2.21	-4.51	-2.24	-4.993	-0.895	-3.11	-2.76
MEDIAN			14.95	11.20	70.65	7.20	3.30	14300.00	225.00	4.60	5.00	1.00	0.11	0.01	0.11	0.001	0.452	0.06	0.06
STANDARD DEV OF LOGS			0.30	0.35	0.27	0.04	0.56	1.13	0.86	1.23	0.49	0.45	0.24	0.26	0.45	2.142	0.433	0.74	0.36
STANDARD DEVIATION			3.99	2.84	18.60	0.26	1.41	9195.59	189.16	6.95	4.26	3.42	0.16	0.00	0.05	0.001	0.162	0.03	0.02
VARIANCE			15.95	8.09	345.85	0.07	2.30	83555.59	35779.87	48.24	18.14	3.18	0.02	0.00	0.00	0.000	0.026	0.00	0.00
COEFF OF VARIATION			27.99	30.00	26.32	3.58	47.14	72.96	72.66	97.22	52.31	33.03	98.36	33.07	43.74	109.545	37.114	49.71	37.20
SUM OF VALUES			85.60	47.40	141.30	51.00	21.30	88224.00	1562.00	50.01	57.00	3.50	1.12	0.08	0.81	0.003	2.624	0.37	0.47
MEAN +2 STD DEV			22.25	15.17	107.84	7.81	5.33	30994.62	638.64	21.04	16.66	1.94	0.47	0.02	0.22	0.002	0.762	0.11	0.12
MEAN -2 STD DEV			6.28	3.79	33.46	6.76	0.17	-5787.76	-117.98	-6.75	-0.38	0.26	-0.15	0.00	0.01	-0.001	0.113	0.00	0.02
GEQ MEAN +2 STD DEV			25.03	18.26	118.25	7.81	8.13	83146.83	1103.30	49.10	19.60	2.51	0.21	0.02	0.26	0.512	0.969	0.19	0.13
GEQ MEAN -2 STD DEV			7.57	4.50	40.75	6.79	0.37	896.40	35.44	0.35	2.72	1.42	0.02	0.01	0.04	0.000	0.171	0.01	0.03
SUM OF SQUARES			1300.96	481.70	10328.69	371.98	75.90	83555.59	585540.00	646.75	573.00	3.75	0.33	0.00	0.11	0.000	1.279	0.02	0.04

Table 14, continued.

PSS020 EBEL SLOUGH NEAR MARYSVILLE

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDITEK NTU	00095 CONDUCTIV* @ 25 C MICROHMOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI mg/l	00075 TRANSPAR SECCHI METERS	00020 NITRAT* T NO3-N mg/l	00015 NITRITE T NO2-N mg/l	00010 AMMONIA T NH3-N mg/l	00019 UN-IONZD AMMONIA mg/l	00017 UN-IONZD AMMONIA PERCENT	00071 PIS-ORINO PHOSPHRUS mg/l P	00065 TOTAL PHOSPHRUS mg/l P
80/04/14	1440	0	10.3	9.9	88.5	7.2	1.0	2150	3550	1.0		1.0	0.32	0.01K	0.07	0.000	0.301	0.02	0.03
80/05/13	1510	0	11.5	14.2	130.3	8.5	3.0	1660	840	0.9	9	1.0	0.10	0.01K	0.04	0.002	6.212	0.01	0.04
80/06/10	1530	0	14.1	11.0	107.3	7.9	1.0	3700*	58	2.1	0	1.5	0.13	0.01K	0.13	0.003	1.991	0.06	0.06
80/07/09	1510	0	11.5	8.6	81.9	7.9	3.0	13100	66	7.3	0	1.2	0.06	0.01K	0.03	0.000	1.636	0.01	0.04
80/08/12	1455	0	18.1	7.1	80.3	7.8	1.0	21700	8608	13.5	0	1.2	0.13	0.01K	0.17	0.004	2.133	0.05	0.11
80/09/08	1505	0	16.0	6.5	67.1	7.6	3.0	7140	7108	4.7	9	0.5	0.24	0.01K	0.05	0.001	1.162	0.05	0.07
80/10/21	1345	0	12.3	8.5	86.1	7.7	1.0	20700	250	14.7	9	1.5	0.21	0.01K	0.06	0.001	1.104	0.04	0.08
80/11/18	1405	0	9.2	9.0	85.1	7.5	2.0	20900	270	14.5	5	2.0	0.36	0.01K	0.09	0.000	0.550	0.05	0.06
NUMBER OF SAMPLES			8	8	8	8	8	8	8	8	7	8	8	8	8	8	8	8	8
MAXIMUM VALUE			18.10	14.20	130.30	8.50	8.00	37600.00	860.00	14.70	9.00	2.00	0.36	0.01	0.17	0.004	6.212	0.05	0.11
MINIMUM VALUE			9.20	6.50	67.10	7.20	1.00	1660.00	66.00	0.90	0.00	0.50	0.06	0.01	0.03	0.000	0.301	0.01	0.03
ARITHMETIC MEAN			12.88	9.35	90.86	7.76	3.50	15618.75	332.88	7.34	4.57	1.25	0.19	0.01	0.08	0.001	1.836	0.04	0.06
GEOMETRIC MEAN			12.59	9.10	89.21	7.75	2.81	10207.24	220.14	4.58	0.89	1.17	0.17	0.01	0.07	0.006	1.319	0.03	0.06
LOG/GEOMETRIC MEAN			2.53	2.21	4.49	2.05	1.03	9.22	5.39	1.52	-0.11	0.16	-1.79	-4.61	-2.68	-5.044	0.277	-1.57	-2.27
MEDIAN			11.90	8.80	85.60	7.75	3.50	16900.00	260.00	6.00	5.00	1.25	0.17	0.01	0.07	0.001	1.399	0.05	0.06
STANDARD DEV OF LOGS			0.23	0.25	0.20	0.05	0.75	1.15	1.02	1.17	2.71	0.41	0.61	0.00	0.59	1.760	0.914	0.75	0.42
STANDARD DEVIATION			3.00	2.42	19.47	0.38	2.33	12120.55	101.12	8.08	4.50	0.44	0.11	0.00	0.05	0.002	1.862	0.02	0.03
VARIANCE			8.97	5.88	379.07	0.14	5.43	*****.01	90673.55	37.00	20.29	0.20	0.01	0.00	0.00	0.000	3.469	0.00	0.00
COEFF OF VARIATION			23.27	25.93	21.43	4.87	66.57	77.60	90.46	82.84	98.52	15.43	55.45	0.00	60.13	109.523	98.746	55.05	42.25
SUM OF VALUES			103.00	74.80	726.90	52.10	28.00	124950.00	2663.00	56.74	32.00	10.00	1.55	0.08	0.64	0.011	15.089	0.29	0.49
MEAN +2 STD DEV			18.87	14.20	129.80	8.52	8.16	39859.88	935.12	19.51	13.58	2.14	0.41	0.01	0.18	0.004	5.611	0.08	0.11
MEAN -2 STD DEV			6.88	4.50	51.92	7.01	-1.16	-8622.36	-269.37	-4.82	-4.44	0.36	-0.02	0.01	-0.02	-0.002	-1.839	0.00	0.01
GE0 MEAN +2 STD DEV			19.78	14.88	133.25	8.54	12.56	101052.88	1690.86	47.24	200.21	2.67	0.57	0.01	0.22	0.218	8.202	0.13	0.13
GE0 MEAN -2 STD DEV			8.01	5.56	59.73	7.04	0.63	1031.05	28.66	0.44	0.00	0.51	0.03	0.01	0.02	0.000	0.212	0.01	0.02
SUM OF SQUARES			1388.94	740.52	68701.43	431.05	136.00	*****.01	*****.00	690.27	268.00	13.88	0.38	0.00	0.07	0.000	52.741	0.01	0.03

Table 14, continued.

PSS020 EBEEY SLOUGH NEAR MARYSVILLE

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATH	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI mg/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE T NO3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 UN-IONIZED AMMONIA mg/l	00617 UN-IONIZED AMMONIA PERCENT	00671 DIS-ORPHO PHOSPHORUS mg/l P	00669 TOTAL PHOSPHORUS mg/l P	
81/05/26	1340	0	12.3	10.3	95.9	7.8	2.0	177	380	0.3		0.8	0.16	0.01K	0.03	0.000		1.366	0.02	0.03
81/06/16	1420	0	13.8	10.8	104.1	7.4	10.0	1030	9108	0.7	5	0.3	0.30	0.01K	0.21	0.001	0.624	0.07	0.11	
81/07/27	1405	0				7.6	1.0	13500	84	9.6	5	1.2	0.05	0.01K	0.04			0.61	0.06	
81/08/18	1400	0	14.5	5.9	58.1	7.4	1.0	16500	21008	12.7	5	1.0	0.10	0.01	0.23	0.002	0.658	0.10	0.15	
81/10/21	1415	0	11.0	8.3	81.9	7.6	2.0	19500	48	14.9	5	2.0	0.33	0.01	0.03	0.000	0.796	0.04	0.06	
81/11/03	1430	0	10.7	10.0	92.2	7.4	5.0	7310	880	4.9	5	1.2	0.33	0.01	0.09	0.000	0.492	0.03	0.03	
NUMBER OF SAMPLES			5	5	5	6	6	6	6	6	5	5	6	6	6	5	5	6	6	
MAXIMUM VALUE			14.50	10.80	104.10	7.80	10.00	19500.00	2100.00	14.90	5.00	2.00	0.33	0.01	0.23	0.002	1.366	0.10	0.15	
MINIMUM VALUE			10.70	5.90	58.10	7.40	1.00	177.00	4.00	0.30	5.00	0.30	0.09	0.01	0.03	0.000	0.492	0.01	0.03	
ARITHMETIC MEAN			12.46	9.06	86.44	7.53	3.50	9669.50	726.33	7.18	5.00	1.38	0.22	0.01	0.11	0.001	0.791	0.05	0.07	
GEOMETRIC MEAN			12.37	8.86	84.78	7.53	2.42	4237.37	244.71	3.51	5.00	0.94	0.19	0.01	0.07	0.012	0.741	0.04	0.06	
LOG/GEOMETRIC MEAN			2.52	2.18	4.44	2.02	0.88	8.35	5.50	1.26	1.61	-0.06	-1.66	-4.61	-2.61	-4.423	-0.309	-3.33	-2.79	
MEDIAN			12.30	10.00	92.20	7.50	2.00	10405.00	630.00	7.25	5.00	1.10	0.23	0.01	0.07	0.000	0.658	0.04	0.06	
STANDARD DEV OF LOGS			0.13	0.25	0.23	0.02	0.91	1.89	2.29	1.64	0.00	0.64	0.60	0.00	0.94	1.967	0.390	0.88	0.66	
STANDARD DEVIATION			1.67	2.00	17.74	0.16	3.51	8102.88	774.42	6.17	0.00	0.56	0.11	0.00	0.09	0.001	0.350	0.04	0.05	
VARIANCE			2.80	4.00	314.58	0.03	12.30	*****.00	599722.27	38.09	0.00	0.31	0.01	0.00	0.01	0.000	0.122	0.00	0.00	
COEFF OF VARIATION			13.44	22.08	20.52	2.17	100.20	83.80	106.62	85.92	0.00	51.70	52.42	0.00	0.63	0.003	0.956	0.29	0.44	
SUM OF VALUES			62.30	45.30	432.20	45.20	21.00	58017.00	4358.00	43.19	15.00	6.50	2.20	0.45	0.01	0.29	0.002	4.91	0.12	0.17
MEAN +2 STD DEV			15.81	13.06	121.91	7.86	10.51	25875.25	2275.17	19.53	5.00	2.20	0.45	0.01	0.29	0.002	4.91	0.12	0.17	
MEAN -2 STD DEV			9.11	5.06	50.97	7.21	-3.51	-6536.25	-822.50	-5.16	5.00	-0.04	-0.01	0.01	-0.08	-0.001	0.092	-0.03	-0.02	
GED MEAN +2 STD DEV			16.18	14.54	133.83	7.86	15.04	186496.72	23911.34	94.06	5.00	3.56	0.60	0.01	0.48	0.013	0.616	0.21	0.23	
GED MEAN -2 STD DEV			9.46	5.39	53.71	7.21	0.35	96.28	2.50	0.13	5.00	0.26	0.00	0.01	0.01	0.000	0.339	0.01	0.02	
SUM OF SQUARES			787.47	426.43	38617.68	340.64	135.00	*****.00	*****.00	500.05	125.00	8.61	0.35	0.00	0.11	0.000	3.619	0.02	0.04	

Table 14, continued.

PSSOZO EBEBY SLOUGH NEAR MARYSVILLE

DATE	FRQA	TIME	DEPTH	00010	00300	00301	00400	00070	00095	71616	70305	00760	00078	00620	00616	00610	00619	00617	00671	00665	
TO			METERS	TEMP	DISSOLVED	DO	pH	TURBIDITY	CONDUCTIVITY	FECAL	SALINITY	SML	TRANSPAR	NITRATE	NITRITE	AMMONIA	UN-IONZD	UN-IONZD	DIS-URINO	TOTAL	
				DEG-C	MG/L	PERCENT	STANDARD	TURBIDIMETER	@ 25 C	COLIFORMA	CONDUCTIVITY	PBI	SECCHI	MG/L	MG/L	MG/L	MG/L	PERCENT	MG/L P	MG/L P	
82/04/26	1430	0		10.1	11.8	105.6	7.8	9.0	2880	24	2.1	0	1.1	0.24	0.01	0.03	0.000		1.171	0.03	0.04
82/05/17	1350	0		10.0	11.9	105.2	7.4	5.0	257	56	0.3	0	1.5	0.14	0.01K	0.04	0.000		1.466	0.03	0.04
82/06/21	1420	0		13.3	11.4	109.5	7.3	1.0		77	0.4	5	0.5	0.00	0.01K	0.04	0.000		1.478	0.04	0.06
82/07/27	1430	0		18.0	6.9	73.4	7.3	5.0	4270	878	2.9	5	2.5	0.17	0.01K	0.12	0.001		1.679	0.03	0.05
82/08/16	1500	0		16.0	8.2	88.3	7.7	6.0	16700	84	12.2	0	1.3	0.15	0.01K	0.03	0.000		1.458	0.02	0.05
82/09/21	1425	0		15.0	7.6	77.5	7.4	2.0	8670	37	6.2	9	1.5	0.19	0.01K	0.07	0.000		1.683	0.05	0.06
82/10/27	1435	0					7.7	1.0	20700	1208	17.6	0	2.0	0.25	0.01	0.05				0.05	0.07
82/11/15	1355	0		5.5	12.4	102.7	7.6	3.0	10400	968	7.4	5	2.0	0.30	0.01K	0.06	0.000		0.516	0.04	0.06
NUMBER OF SAMPLES				7	7	7	8	8	7	8	8	8	3	3	3	3	7	7	3	8	
MAXIMUM VALUE				18.00	12.40	109.50	7.80	9.00	20700.00	120.00	17.60	9.00	2.50	0.30	0.01	0.12	0.001		1.458	0.05	0.07
MINIMUM VALUE				5.50	6.90	73.40	7.30	1.00	257.00	24.00	0.30	0.00	0.50	0.00	0.01	0.03	0.000		0.466	0.02	0.04
ARITHMETIC MEAN				12.56	10.03	94.60	7.53	4.00	9125.29	72.88	6.14	3.00	1.55	0.19	0.01	0.06	0.000		0.779	0.04	0.05
GEOMETRIC MEAN				11.80	9.78	93.56	7.52	3.08	5168.40	65.26	3.04	0.54	1.52	0.17	0.01	0.05	0.029		0.710	0.03	0.05
LOG/GEOMETRIC MEAN				2.47	2.28	4.54	2.02	1.12	8.55	4.18	1.11	-0.62	0.35	-1.77	-4.61	-3.00	-3.556		-0.342	-3.35	-2.94
MEDIAN				13.30	11.40	102.70	7.50	4.00	8070.00	80.50	6.55	2.50	1.30	0.18	0.01	0.05	0.000		0.679	0.04	0.06
STANDARD DEV OF LOGS				0.40	0.25	0.16	0.03	0.83	1.50	0.54	1.51	2.55	0.50	0.50	0.00	0.47	1.478		0.449	0.31	0.20
STANDARD DEVIATION				4.29	2.35	14.73	0.20	2.78	7465.55	31.97	6.14	3.46	0.52	0.08	0.00	0.05	0.000		0.385	0.01	0.01
VARIANCE				18.40	5.53	217.09	0.04	7.71	*****.88	1021.84	37.65	12.00	0.38	0.01	0.00	0.00	0.000		0.149	0.00	0.00
COEFF OF VARIATION				34.16	23.45	15.57	2.63	69.44	81.81	43.86	99.97	115.47	39.72	40.09	0.00	54.11	264.575		49.505	29.26	19.73
SUM OF VALUES				87.90	70.20	662.20	60.20	32.00	63877.00	585.00	49.10	24.00	12.00	1.50	0.08	0.44	0.001		5.451	0.29	0.43
MEAN +2 STD DEV				21.14	14.73	124.07	7.92	9.55	24056.38	136.81	18.41	9.93	2.79	0.34	0.01	0.11	0.001		1.550	0.06	0.07
MEAN -2 STD DEV				3.98	5.33	65.13	7.13	-1.55	-5805.81	8.94	-6.13	-3.93	0.31	0.04	0.01	0.00	-0.001		0.005	0.02	0.03
GED MEAN +2 STD DEV				26.46	16.06	129.64	7.93	16.09	103157.92	192.94	62.01	87.90	3.32	0.46	0.01	0.13	0.548		1.741	0.06	0.08
GED MEAN -2 STD DEV				5.27	5.95	67.52	7.14	0.59	258.95	22.08	0.15	0.00	0.32	0.06	0.01	0.02	0.001		0.290	0.02	0.04
SUM OF SQUARES				1214.15	737.18	63946.64	453.28	182.00	*****.88	49639.00	364.87	156.00	21.70	0.32	0.00	0.03	0.000		5.136	0.01	0.02

Table 14, continued.

PSS020 EBAY SLOUGH NEAR MARYSVILLE

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN ug/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDIMETER NTU	00095 CONDUCTIVITY @ 25 C MICROMHMS	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI ug/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE T NO3-N ug/l	00615 NITRITE T NO2-N ug/l	00610 AMMONIA T NH3-N ug/l	00619 NH-10N/20 AMMONIA ug/l	00617 NH-10N/20 AMMONIA PERCENT	00671 DIS-ORTHO PHOSPHAS ug/l P	00665 TOTAL PHOSPHAS ug/l P
83/04/18	1335	0	12.5	11.8	112.9	7.2	7.0	6310	22	4.3	0	1.5	0.13	0.01K	0.07	0.000	0.357	0.02	0.06
83/05/23	1320	0	14.0	11.0	106.7	7.3	6.0	1530	748	1.0	9	2.0	0.13	0.01K	0.05	0.000	0.504	0.03	0.03
83/06/27	1130	0	15.0	8.7	87.2	7.2	7.0	4770	120	3.2	5	1.5	0.13	0.01K	0.06	0.000	0.432	0.03	0.04
83/07/19	1415	0	14.2	10.6	103.2	7.2	13.0	1360	220	1.0	5	0.5	0.16	0.01K	0.14	0.001	0.467	0.04	0.04
83/08/23	1410	0	19.0	6.9	79.4	7.4	3.0	19800	92	13.4	0	1.5	0.07	0.01K	0.06	0.001	0.919	0.04	0.05
83/09/26	1450	0	14.3	8.5	86.2	7.4	5.0	12200	88	7.8	0	1.8	0.24	0.01K	0.12	0.001	0.648	0.05	0.05
83/10/26	1425	0	10.0	11.5	107.5	7.7	4.0	15700	240	9.8	9	1.5	0.28	0.01K	0.09	0.001	0.925	0.04	0.04
83/11/14	1425	0	8.5			7.4	5.0	9450	430	6.0	9	1.0	0.40	0.01K	0.01K	0.000K	0.414K	0.04	0.05
NUMBER OF SAMPLES			8	7	7	8	8	8	8	8	8	8	8	8	8	8	8	8	8
MAXIMUM VALUE			19.00	11.80	112.90	7.70	13.00	19800.00	430.00	13.40	9.00	2.00	0.40	0.01	0.14	0.001	0.925	0.05	0.06
MINIMUM VALUE			8.50	6.90	79.40	7.20	3.00	1360.00	22.00	1.00	0.00	0.50	0.07	0.01	0.01	0.000	0.357	0.02	0.03
ARITHMETIC MEAN			13.44	9.86	97.59	7.35	6.25	8890.00	160.75	5.81	4.63	1.41	0.21	0.01	0.08	0.001	0.576	0.04	0.05
GEOMETRIC MEAN			13.09	9.70	96.82	7.35	5.72	6221.45	117.33	4.13	1.11	1.32	0.18	0.01	0.06	0.007	0.540	0.04	0.04
LOG/GEOMETRIC MEAN			2.57	2.27	4.57	1.99	1.74	8.74	4.76	1.42	0.10	0.28	-1.71	-4.61	-2.80	-4.953	-0.616	-1.35	-3.12
MEDIAN			14.10	10.60	103.20	7.35	5.50	7880.00	106.00	5.15	5.00	1.50	0.20	0.01	0.07	0.001	0.468	0.04	0.05
STANDARD DEV OF LOGS			0.25	0.20	0.14	0.02	0.44	1.01	0.91	0.98	2.58	0.44	0.55	0.00	0.81	2.090	0.375	0.26	0.21
STANDARD DEVIATION			3.21	1.84	13.01	0.17	3.06	6667.35	131.34	4.36	4.17	0.47	0.10	0.00	0.04	0.001	0.231	0.01	0.01
VARIANCE			10.30	3.38	169.27	0.03	9.36	44444.44	17249.07	18.98	17.41	0.22	0.01	0.00	0.00	0.000	0.053	0.00	0.00
COEFF OF VARIATION			23.88	18.64	13.33	2.30	48.94	75.06	81.70	74.96	90.22	13.08	51.16	0.00	54.74	106.904	40.110	25.27	20.57
SUM OF VALUES			107.50	69.00	683.10	58.80	50.00	71120.00	1286.00	46.50	37.00	11.30	1.64	0.00	0.60	0.004	4.406	0.29	0.36
MEAN +2 STD DEV			19.86	13.53	123.61	7.69	12.37	22224.71	423.42	14.53	12.97	2.35	0.41	0.01	0.16	0.002	1.038	0.05	0.06
MEAN -2 STD DEV			7.02	6.18	71.56	7.01	0.13	-4444.71	-101.92	-2.90	-3.72	0.48	0.00	0.01	-0.01	-0.001	0.114	0.02	0.03
GEO MEAN +2 STD DEV			21.58	14.43	127.22	7.69	13.72	47131.94	718.96	29.50	192.31	3.18	0.54	0.01	0.31	0.462	1.142	0.06	0.07
GEO MEAN -2 STD DEV			7.94	6.52	73.68	7.02	2.39	821.24	19.15	0.58	0.01	0.55	0.06	0.01	0.01	0.000	0.255	0.02	0.03
SUM OF SQUARES			1516.63	700.40	67676.43	432.38	378.00	444444.44	327468.00	403.17	293.00	17.49	0.41	0.00	0.06	0.000	3.025	0.01	0.02

Table 14, continued.

PSS020 EBEEY SLOUGH NEAR MARYSVILLE

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY NTU	00095 CONDUCTIVITY @ 25 C MICROHM	31616 FECAL COLIFORM /100ml MF	70305 SALINITY CONDUCTIVITY g/l	00760 SULFIDE mg/l	00078 TRANSPAR SECCHI METERS	00020 NITRATE mg/l	00010 NITRITE mg/l	00010 AMMONIA mg/l	00019 UN-IONZD AMMONIA mg/l	00017 UN-IONZD AMMONIA PERCENT	00071 DIS-ORIND PHOSPHRUS mg/l P	00065 TOTAL PHOSPHRUS mg/l P
84/04/10	1345	0	9.0	12.6	111.3	7.6	5.0	6820	104	4.2	0	1.0	0.34	0.01K	0.10	0.001	0.681	0.04	0.06
84/05/14	1305	0	11.0	12.3	111.2	7.8	13.0	221	150	0.3	0	2.0	0.26	0.01K	0.06	0.001	1.255	0.06	0.09
84/06/11	1345	0	12.3	11.0	102.5	7.9	10.0	601	100	0.5	9	1.5	0.22	0.01K	0.06	0.001	1.739	0.06	0.10
84/07/16	1340	0	18.0	10.1	107.4	7.5	7.0	4230	47	2.7	0	2.0	0.06	0.01K	0.06	0.001	1.073	0.06	0.06
84/08/13	1355	0	18.8	6.8	76.8	7.2	4.0	14700	510J	10.7	0	2.0	0.12	0.01K	0.10	0.001	0.573	0.04	0.06
84/09/10	1405	0	15.0	8.7	88.7	7.3	5.0	9700	180	6.2	0	2.5	0.24	0.01	0.09	0.000	0.543	0.06	0.08
84/10/16	1420	0	9.5	11.0	101.4	7.4	3.0	12200	140	9.3	0	2.0	0.20	0.01K	0.04	0.000	0.448	0.04	0.08
84/11/13	1405	0	8.2	12.0	102.3	7.0	6.0	2460	210	1.4	9	0.9	0.41	0.01K	0.06	0.000	0.161	0.04	0.04
NUMBER OF SAMPLES			8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
MAXIMUM VALUE			18.80	12.60	111.30	7.90	13.00	14700.00	510.00	10.70	5.00	2.50	0.41	0.01	0.10	0.001	1.739	0.06	0.10
MINIMUM VALUE			8.20	6.80	76.80	7.00	3.00	221.00	47.00	0.30	0.00	0.90	0.06	0.01	0.04	0.000	0.161	0.04	0.04
ARITHMETIC MEAN			12.73	10.56	100.20	7.46	6.63	6366.50	180.13	4.41	2.25	1.74	0.24	0.01	0.07	0.001	0.809	0.05	0.07
GEOMETRIC MEAN			12.17	10.38	99.53	7.46	5.98	3363.93	145.23	2.49	0.18	1.65	0.21	0.01	0.07	0.004	0.660	0.05	0.07
LOG/GEOMETRIC MEAN			2.50	2.34	4.60	2.01	1.79	8.12	4.98	0.91	-1.70	0.50	-1.56	-4.61	-2.69	-5.441	-0.416	-3.08	-2.68
MEDIAN			11.65	11.00	102.40	7.45	5.50	5525.00	145.00	3.45	0.00	2.00	0.25	0.01	0.06	0.001	0.627	0.04	0.07
STANDARD DEV OF LOGS			0.32	0.21	0.13	0.04	0.48	1.51	0.69	1.33	2.40	0.37	0.62	0.00	0.32	2.024	0.736	0.21	0.29
STANDARD DEVIATION			4.10	1.98	11.87	0.30	3.34	5419.92	142.51	3.98	4.17	0.58	0.11	0.00	0.02	0.001	0.511	0.01	0.02
VARIANCE			16.83	3.92	141.00	0.09	11.13	8888.88	10309.27	15.84	17.36	0.31	0.01	0.00	0.00	0.000	0.261	0.00	0.00
COEFF OF VARIATION			32.24	18.75	11.85	4.05	50.35	85.13	79.12	90.20	185.16	31.95	46.50	0.00	31.33	22.808	63.133	22.13	27.50
SUM OF VALUES			101.80	84.50	801.60	59.70	53.00	50932.00	1441.00	35.30	18.00	13.93	1.93	0.08	0.57	0.005	6.473	0.28	0.57
MEAN +2 STD DEV			20.93	14.52	123.95	8.07	13.30	17206.33	465.15	12.37	10.58	2.85	0.47	0.01	0.12	0.002	1.831	0.07	0.11
MEAN -2 STD DEV			4.52	8.60	76.45	6.85	-0.05	-4473.33	-104.90	-3.55	-6.08	0.61	0.02	0.01	0.03	0.000	-0.213	0.03	0.03
STD MEAN +2 STD DEV			22.96	15.75	128.32	8.07	15.53	67092.40	571.66	35.49	22.43	3.41	0.73	0.01	0.13	0.248	2.672	0.07	0.12
STD MEAN -2 STD DEV			6.45	6.84	77.19	6.83	2.30	163.78	36.89	0.17	0.00	0.77	0.06	0.01	0.04	0.000	0.151	0.03	0.04
SUM OF SQUARES			1413.22	919.99	81307.32	446.15	429.00	88888.88	41725.00	266.65	162.00	26.31	0.50	0.00	0.04	0.000	7.064	0.01	0.04

Table 14, continued.

PSS020 EBEEY SLOUGH NEAR MARYSVILLE

DATE FROM TO	TIME	DEPTH METERS	00010 WATER TEMP DEG-C	00300 DISSOLVED OXYGEN mg/l	00301 DO PERCENT SATURATN	00400 pH STANDARD UNITS	00070 TURBIDITY TURBIDITY NTU	00095 CONDUCTIVITY @ 25 C MICROMHOS	31616 FECAL COLIFORM /100ml MP	70305 SALINITY CONDUCTIVITY g/l	00760 SWL PBI mg/l	00078 TRANSPAR SECCHI METERS	00620 NITRATE T NO3-N mg/l	00615 NITRITE T NO2-N mg/l	00610 AMMONIA T NH3-N mg/l	00619 UN-IONZD AMMONIA mg/l	00617 UN-IONZD AMMONIA PERCENT	00671 BIS-ORTHO PHOSPHORUS mg/l P	00665 TOTAL PHOSPHORUS mg/l P
85/04/08	1355	0	8.9	12.2	104.3	7.3	4.0	912	47	3.6K	9	1.0	0.16	0.01K	0.07	0.000	0.340	0.03	0.07
85/05/20	1325	0	9.8	11.7	104.9	7.0	1.0K	259	92	3.6K	0	1.0	0.17	0.01K	0.03	0.000	0.183	0.03	0.08
85/06/17	1315	0	13.5	10.6	103.2	7.8	6.6	272	47	3.6K	7	1.0	0.10	0.01K	0.03	0.000	1.518	0.04	0.06
NUMBER OF SAMPLES			3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
MAXIMUM VALUE			13.50	12.20	104.90	7.80	6.00	912.00	92.00	3.60	9.00	1.00	0.16	0.01	0.07	0.000	1.518	0.04	0.08
MINIMUM VALUE			8.90	10.60	103.20	7.00	1.00	259.00	47.00	3.60	0.00	1.00	0.10	0.01	0.03	0.000	0.183	0.03	0.06
ARITHMETIC MEAN			10.73	11.50	104.13	7.37	3.67	481.00	62.00	3.60	6.00	1.00	0.10	0.01	0.04	0.000	0.250	0.03	0.07
GEOMETRIC MEAN			10.56	11.48	104.13	7.36	2.81	400.52	58.79	3.60	1.59	1.00	0.16	0.01	0.04	0.000	0.455	0.03	0.07
LOG/GEOMETRIC MEAN			2.36	2.44	4.65	2.00	1.00	5.99	4.07	1.28	0.47	0.00	-1.31	-4.61	-3.22	-2.998	0.787	-3.41	-2.67
MEDIAN			9.80	11.70	104.30	7.30	4.00	272.00	47.00	3.60	9.00	1.00	0.17	0.01	0.03	0.000	0.340	0.03	0.07
STANDARD DEV OF LOGS			0.22	0.07	0.01	0.05	0.90	0.71	0.39	0.00	3.00	0.00	0.18	0.00	0.49	0.000	1.688	0.17	0.14
STANDARD DEVIATION			2.44	0.82	0.86	0.40	2.50	373.31	25.98	0.00	5.20	0.00	0.48	0.00	0.02	0.000	6.730	0.01	0.01
VARIANCE			5.94	0.67	0.74	0.16	6.35	139363.00	675.00	0.00	27.00	0.00	0.41	0.00	0.00	0.000	0.532	0.06	0.00
COEFF OF VARIATION			22.71	7.12	0.83	5.49	68.61	77.61	41.90	0.00	36.60	0.00	45.10	0.00	53.29	0.000	17.253	17.32	14.29
SUM OF VALUES			32.20	34.50	312.40	22.10	11.00	1443.00	186.00	10.80	18.00	3.00	0.53	0.03	0.13	0.000	2.041	0.10	0.21
MEAN +2 STD DEV			15.61	13.14	105.86	8.17	8.70	1227.63	113.96	3.60	16.39	1.00	0.14	0.01	0.09	0.000	2.140	0.04	0.09
MEAN -2 STD DEV			5.86	9.86	102.41	6.56	-1.30	-265.63	10.04	3.60	-4.39	1.00	0.42	0.01	0.00	0.000	-0.779	0.02	0.05
GEO MEAN +2 STD DEV			16.33	13.26	105.87	8.21	18.80	1867.15	127.69	3.60	61.75	1.00	0.13	0.01	0.11	0.050	4.010	0.05	0.09
GEO MEAN -2 STD DEV			6.83	9.94	102.42	6.60	0.44	96.22	27.07	3.60	0.00	1.00	0.06	0.01	0.01	0.050	0.052	0.02	0.05
SUM OF SQUARES			357.50	398.09	32532.74	163.13	53.00	972809.00	12882.00	38.88	152.00	3.00	0.11	0.00	0.01	0.000	2.453	0.00	0.01

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAK project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^a	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Rensow Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				Level ^b	Meters																			
1	6/24/80	0945	+LLW	S 0	13.1	23.0	29.2	10.5	114	2.0	8.1	--	--	--	--	3	4	38	9	--	180	3		
				M 4.6	10.5	27.5	31.8	9.9	105	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
				D 9.1	9.7	27.5	31.5	9.3	97	--	8.0	--	--	--	--	--	2	10	42	5	--	--	--	--
		1555	+LHW	S 0	15.6	22.5	29.4	10.6	120	2.0	8.0	0.02	<0.01	0.03	0.02	0.06	1	5	46	5	8	67 ^d	0	
				M 5.5	9.7	28.3	32.4	10.6	111	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
				D 11.0	12.0	22.4	26.7	10.7	113	--	7.9	--	--	--	--	--	1	5	8	23	--	--	--	--
6/25/80	1015	+LLW	S 0	12.8	22.8	28.3	11.3	122	2.1	8.2	--	--	--	--	2	8	29	0	--	140	15			
			M 4.0	12.3	24.2	30.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D 7.9	9.9	28.2	32.8	7.5	79	--	8.0	--	--	--	--	--	2	10	97	14	--	--	--	--	
	1745	-LHW	S 0	13.2	24.5	30.1	10.2	112	1.8	8.0	--	--	--	--	2	8	34	0	--	150	0			
			M 6.1	10.9	28.0	32.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
			D 12.2	9.7	28.7	32.6	10.7	112	--	7.9	--	--	--	--	--	2	8	4	0	--	--	--	--	
9/09/80	1000	-LLW	S 0	13.9	25.8	32.1	6.4	72	1.5	7.6	0.19	<0.01	0.32	0.10	0.20	6	6	100	77	23	400 ^d	42		
			M 4.6	10.0	28.0	33.5	5.7	60	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D 9.1	8.2	30.1	34.5	5.4	55	--	7.7	--	--	--	--	--	2	4	4	9	--	--	--	--	
	1700	+HHW	S 0	15.8	25.3	32.9	6.2	72	0.6	7.4	--	--	--	--	2	22	320	14	--	5,800 ^d	50			
			M 5.8	12.5	28.0	33.9	6.2	69	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D 11.6	12.0	25.7	31.0	6.0	65	--	7.7	--	--	--	--	--	--	20	33	9	--	--	--	--	
9/10/80	1145	LLW	S 0	13.9	25.6	32.5	6.8	76	1.4	7.6	--	--	--	--	2	8	92	59	--	1,300 ^d	100			
			M 4.6	12.2	29.6	35.0	5.8	64	--	7.6	--	--	--	--	2	7	63	41	--	--	--	--		
			D 9.1	12.7	26.5	31.5	5.3	58	--	7.7	--	--	--	--	1	8	4	9	--	--	--	--		
	1840	HHW	S 0	15.5	25.5	32.8	6.4	74	1.5	7.6	--	--	--	--	2	10	100	59	--	1,400 ^d	98			
			M 6.1	11.7	29.3	34.6	5.1	56	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D 12.2	11.1	29.4	34.3	5.1	55	--	7.7	--	--	--	--	--	1	8	4	9	--	--	--	--	
3/10/81	0717	HHW	S 0	7.9	23.2	25.2	8.6	84	1.2	7.8	0.41	<0.01	0.02	0.07	0.10	2	9	92	45	--	2,900	3		
			M 5.8	7.8	28.8	31.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D 11.6	7.6	29.6	31.4	8.0	81	--	7.7	--	--	--	--	--	3	6	4	9	--	--	--	--	
	1342	LLW	S 0	10.3	23.8	27.7	--	--	0.8	6.8	0.31	<0.01	0.30	0.19	0.25	6	--	130	50	37	16,000 ^d	0		
			M 3.4	10.2	24.7	28.4	--	--	--	7.4	--	--	--	--	--	7	10	320	200	--	--	--	--	
			D 6.7	8.8	28.3	31.1	9.3	96	--	7.4	--	--	--	--	--	7	16	370	240	--	--	--	--	
3/11/81	0900	-HHW	S 0	8.8	23.2	25.8	9.4	93	1.8	7.6	--	--	--	--	1	24	80	45	--	3,000	13			
			M 5.5	8.0	29.4	31.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D 11.0	7.8	29.6	31.6	7.8	79	--	7.6	--	--	--	--	--	2	14	8	5	--	--	--	--	
	1435	LLW	S 0	11.0	22.9	27.0	9.0	93	1.7	7.6	--	--	--	--	3	4	21	9	--	<200	--			
			M 4.3	10.5	24.2	28.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D 8.5	7.9	29.3	31.5	7.3	74	--	7.5	--	--	--	--	--	2	22	320	190	--	--	--	--	

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^e	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	U.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-PO ₄ -P (mg/L)	T-PO ₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				Level ^b	Meters																			
2	6/24/80	1020	+LLW	S 0	14.6	22.6	29.3	10.0	112	1.8	8.1	--	--	--	--	2	5	34	5	--	100	10		
				M 4.9	11.1	27.3	32.0	11.3	121	--	7.9	--	--	--	--	3	10	92	5	--	--	--		
				D 9.8	9.3	27.8	32.4	10.5	109	--	8.0	--	--	--	--	3	9	25	5	--	--	--		
		1630	LHW	S 0	14.2	23.2	30.0	10.3	114	1.9	8.1	0.03	<0.01	0.04	0.03	0.06	2	4	50	5	8	90 ^d	11	
				M 6.1	11.1	27.8	32.4	10.7	115	--	8.0	--	--	--	--	--	2	5	17	5	--	--	--	
				D 12.2	9.9	28.7	32.5	10.5	111	--	8.0	--	--	--	--	--	1	6	4	5	--	--	--	
6/25/80	1025	+LLW	S 0	13.6	22.9	28.4	9.1	100	2.3	8.1	--	--	--	--	4	14	63	5	--	390 ^d	9			
			M 6.1	10.3	28.8	33.0	10.7	114	--	8.0	--	--	--	--	3	8	55	5	--	--	--			
			D 12.2	9.4	29.4	32.9	7.5	79	--	7.8	--	--	--	--	2	6	8	5	--	--	--			
	1740	-LHW	S 0	13.6	24.0	30.6	10.3	114	1.8	8.1	--	--	--	--	1	5	29	5	--	110	5			
			M 6.1	10.8	28.0	32.7	10.7	114	--	8.0	--	--	--	--	1	11	4	5	--	--	--			
			D 12.2	10.2	28.5	32.7	10.6	112	--	8.1	--	--	--	--	1	6	4	5	--	--	--			
9/09/80	1020	-LLW	S 0	13.2	26.6	32.3	6.4	71	1.4	7.6	0.18	<0.01	0.29	0.12	0.18	4	7	96	77	16	930 ^d	14		
			M 4.6	9.4	28.7	34.4	5.9	52	--	7.6	--	--	--	--	--	5	24	100	81	--	--	--		
			D 9.1	11.4	29.7	34.7	5.4	59	--	7.7	--	--	--	--	--	2	3	4	9	--	--	--		
	1705	+HHW	S 0	12.5	25.1	32.4	6.4	70	1.1	7.6	--	--	--	--	--	2	48	220	18	--	7,500 ^d	33		
			M 6.1	10.4	28.3	33.7	6.2	56	--	7.5	--	--	--	--	--	2	18	54	23	--	--	--		
			D 12.2	12.2	27.5	32.4	5.6	61	--	7.6	--	--	--	--	--	1	16	13	9	--	--	--		
9/10/80	1155	LLW	S 0	14.5	25.7	32.7	6.7	76	1.5	7.7	--	--	--	--	--	2	6	79	45	--	420 ^d	89		
			M 4.6	11.8	29.2	34.4	5.6	52	--	7.7	--	--	--	--	--	3	10	120	120	--	--	--		
			D 9.1	11.5	30.2	35.8	4.9	54	--	7.8	--	--	--	--	--	2	8	4	5	--	--	--		
	1850	HHW	S 0	15.6	25.0	32.7	6.8	78	1.2	7.7	--	--	--	--	--	2	10	83	50	--	820	88		
			M 6.1	11.3	29.4	34.4	5.5	50	--	7.7	--	--	--	--	--	1	10	25	18	--	--	--		
			D 12.2	10.7	29.7	34.4	5.5	59	--	7.7	--	--	--	--	--	1	8	4	5	--	--	--		
3/10/81	0756	-HHW	S 0	8.5	23.8	26.5	8.1	80	0.9	7.6	0.40	<0.01	0.04	0.13	0.17	2	8	210	110	--	10,000	0		
			M 6.1	7.8	29.2	31.2	8.5	36	--	7.6	--	--	--	--	--	2	2	13	14	--	--	--		
			D 12.2	7.8	29.8	31.6	7.5	76	--	7.7	--	--	--	--	--	3	3	4	5	--	--	--		
	1345	LLW	S 0	10.0	24.0	26.6	7.4	76	1.8	7.5	--	--	--	--	--	2	12	67	41	--	1,200	0		
			M 4.6	8.6	25.1	27.8	8.3	33	--	7.5	0.38	<0.01	0.03	0.08	0.10	2	20	50	27	11	--	--		
			D 9.1	9.2	26.6	29.7	7.1	73	--	7.8	--	--	--	--	--	6	27	220	140	--	--	--		
3/11/81	0908	-HHW	S 0	8.6	23.9	26.5	8.9	88	1.5	7.6	--	--	--	--	--	4	11	71	41	--	4,200	14		
			M 6.1	7.8	29.0	31.4	8.5	36	--	7.7	--	--	--	--	--	4	6	4	9	--	--	--		
			D 12.2	8.0	30.1	32.1	8.5	37	--	7.7	0.42	<0.01	0.01	0.06	0.07	5	6	4	5	--	--	--		
	1440	LLW	S 0	9.2	22.9	26.0	9.0	90	3.0	7.7	--	--	--	--	--	3	5	17	23	--	120 ^d	0		
			M 4.6	8.9	24.3	27.3	7.8	78	--	7.5	--	--	--	--	--	2	17	180	95	--	--	--		
			D 9.1	8.0	29.0	31.0	7.1	72	--	7.5	--	--	--	--	--	2	10	130	72	--	--	--		

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECUBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Staged	Field											Laboratory									
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				Level	Meters																			
3	6/24/80	1040	+LLW	S 0	14.4	22.7	28.9	9.1	101	2.0	8.2	--	--	--	--	2	4	38	5	--	--	--		
				M 3.7	11.3	26.9	32.0	9.6	103	--	7.9	--	--	--	--	2	10	100	9	--	--	--		
				D 7.3	--	--	--	9.6	--	--	7.8	--	--	--	--	2	8	130	14	--	--	--		
		1625	LHW	S 0	15.2	23.4	30.4	10.3	117	2.1	8.1	0.03	<0.01	C.04	0.03	0.06	4	6	55	5	7	180	6	
				M 4.6	11.5	27.4	32.4	10.3	111	--	8.0	--	--	--	--	2	12	63	0	--	--	--		
				D 9.1	11.6	25.8	30.5	10.9	117	--	8.1	--	--	--	--	1	6	8	0	--	--	--		
6/25/80	1035	+LLW	S 0	13.9	23.5	29.5	9.7	107	0.9	7.8	--	--	--	--	5	8	55	5	--	520 ^d	2			
			M 3.0	12.5	25.1	30.9	10.3	112	--	8.0	--	--	--	--	2	8	84	9	--	--	--			
			D 6.1	11.4	27.7	32.0	10.2	110	--	7.9	--	--	--	--	3	11	84	9	--	--	--			
	1720	LHW	S 0	14.1	24.4	30.7	10.1	113	1.8	8.0	--	--	--	--	2	8	63	9	--	160	9			
			M 4.6	11.5	28.4	32.7	10.7	116	--	8.0	--	--	--	--	2	9	63	14	--	--	--			
			D 9.1	10.8	28.0	32.6	11.0	118	--	8.0	--	--	--	--	2	7	4	0	--	--	--			
9/09/80	1040	-LLW	S 0	12.2	26.1	31.7	6.7	73	1.3	7.7	0.18	<0.01	C.18	0.09	0.13	1	5	63	45	16	620 ^d	27		
			M 4.0	12.0	27.9	33.8	6.1	67	--	7.6	--	--	--	--	5	16	110	77	--	--	--			
			D 7.9	11.5	30.2	34.8	5.8	64	--	7.7	--	--	--	--	4	13	21	14	12	--	--			
	1710	+HHW	S 0	15.3	24.7	32.5	6.5	74	0.9	7.6	--	--	--	--	2	18	190	32	--	7,000 ^d	50			
			M 6.1	12.4	27.5	33.5	6.0	66	--	7.5	--	--	--	--	2	22	54	150	--	--	--			
			D 12.2	11.6	29.0	33.9	5.3	53	--	7.6	--	--	--	--	--	17	13	5	--	--	--			
9/10/80	1210	LLW	S 0	15.5	25.2	32.7	6.3	73	1.7	7.6	--	--	--	--	3	9	75	36	--	300	73			
			M 3.4	13.2	27.8	34.2	5.5	62	--	7.7	--	--	--	--	2	14	180	99	--	--	--			
			D 6.7	11.9	29.8	35.0	5.7	63	--	7.7	--	--	--	--	2	13	8	14	--	--	--			
	1855	HHW	S 0	15.4	25.3	32.8	6.4	74	--	7.8	--	--	--	--	2	7	46	28	--	840	88			
			M 6.1	11.1	29.5	34.5	5.4	59	--	7.7	--	--	--	--	1	8	21	9	--	--	--			
			D 12.2	10.9	29.3	33.9	5.1	55	--	7.7	--	--	--	--	1	10	42	5	--	--	--			
3/10/81	0745	-HHW	S 0	8.8	24.2	28.0	7.6	75	0.9	7.6	--	--	--	--	3	22	210	140	--	9,000	7			
			M 5.2	7.9	29.2	31.2	7.3	74	--	7.6	0.40	<0.01	C.02	0.08	0.09	4	15	38	32	--	--	--		
			D 10.4	7.8	29.7	31.5	7.4	75	--	7.7	--	--	--	--	3	9	21	14	--	--	--			
	1354	LLW	S 0	9.9	23.2	26.6	8.9	90	1.8	7.7	0.41	<0.01	C.04	0.08	0.10	3	24	55	32	9	8,400	10		
			M 4.6	9.2	24.4	27.7	9.2	93	--	7.6	--	--	--	--	5	29	59	36	--	--	--			
			D 9.1	8.4	29.2	31.6	7.5	77	--	8.0	0.39	<0.01	C.16	0.12	0.14	7	16	180	110	25	--	--		
3/11/81	0915	-HHW	S 0	8.9	23.3	26.2	8.0	80	1.2	7.6	--	--	--	--	3	26	120	63	--	3,400	12			
			M 6.7	7.8	28.9	31.4	7.7	73	--	7.7	--	--	--	--	2	20	4	9	--	--	--			
			D 13.4	8.2	24.5	26.7	7.7	75	--	7.7	--	--	--	--	2	17	4	5	--	--	--			
	1447	LLW	S 0	9.5	22.6	26.0	8.7	87	2.4	7.6	--	--	--	--	2	10	25	18	--	500 ^d	0			
			M 4.9	9.1	24.9	28.0	8.4	85	--	7.6	--	--	--	--	2	13	55	23	--	--	--			
			D 9.8	8.2	27.0	29.4	7.7	77	--	7.5	--	--	--	--	3	17	55	23	--	--	--			

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				Level	Meters																			
4	6/24/80	1115	+LLW	S 0	15.2	22.4	29.3	9.8	110	2.4	8.0	--	--	--	--	2	6	46	5	--	95d	5		
				M 4.6	11.9	26.9	32.3	11.1	120	--	7.9	--	--	--	--	--	4	7	84	9	--	--	--	
				D 9.1	10.3	26.1	30.4	9.6	100	--	7.9	--	--	--	--	--	4	6	17	5	--	--	--	
	1645	LHW	S 0	14.9	23.5	30.0	9.8	111	1.8	8.1	0.05	<0.01	0.05	0.04	0.06	2	6	67	5	7	700d	0		
			M 9.1	10.4	28.5	32.7	10.0	106	--	8.0	--	--	--	--	--	2	7	13	0	--	--	--		
			D 18.3	10.1	26.2	29.9	4.7	43	--	7.7	--	--	--	--	--	4	8	8	5	--	--	--		
	6/25/80	1040	+LLW	S 0	13.2	22.0	27.8	8.8	95	2.4	8.1	--	--	--	--	2	9	29	9	--	140	4		
				M 4.6	10.1	28.3	32.3	9.9	105	--	8.0	--	--	--	--	2	8	46	9	--	--	--		
				D 9.1	10.5	24.7	28.6	9.1	95	--	8.0	--	--	--	--	2	14	8	0	--	--	--		
1735		-LHW	S 0	14.4	23.4	29.4	9.5	106	1.8	8.0	--	--	--	--	2	10	38	0	--	180	3			
			M 6.1	11.2	28.7	33.2	10.3	112	--	8.1	--	--	--	--	1	10	4	0	--	--	--			
			D 12.2	10.4	25.8	29.8	10.2	107	--	8.0	--	--	--	--	2	8	4	0	--	--	--			
9/09/80	1055	-LLW	S 0	13.8	24.9	31.4	6.7	75	2.2	7.7	0.17	<0.01	0.07	0.08	0.12	2	3	38	23	11	120	21		
			M 4.3	12.0	29.1	34.3	5.5	61	--	7.6	--	--	--	--	--	3	5	58	36	--	--	--		
			D 8.5	9.9	27.7	32.6	5.7	60	--	7.7	0.30	<0.01	0.02	0.08	0.11	5	4	4	9	8	--	--	--	
1723	+HHW	S 0	14.4	24.9	32.3	6.6	74	1.8	7.5	--	--	--	--	2	16	42	180	--	380d	45				
		M 6.1	12.6	28.0	33.8	6.2	69	--	7.5	--	--	--	--	2	16	42	9	--	--	--				
		D 12.2	12.0	29.5	34.6	5.3	59	--	7.7	--	--	--	--	1	17	4	36	--	--	--				
9/10/80	1230	+LLW	S 0	15.4	25.2	32.4	6.7	77	1.8	7.6	--	--	--	--	2	13	50	23	--	360d	89			
			M 4.9	12.3	29.3	34.4	5.5	61	--	7.7	--	--	--	--	2	10	17	9	--	--	--			
			D 9.8	11.8	30.0	34.6	4.9	54	--	7.7	--	--	--	--	2	11	4	5	--	--	--			
3/10/81	0810	-HHW	S 0	7.4	22.9	24.8	8.9	85	2.1	7.6	0.43	<0.01	0.01	0.06	0.07	2	4	8	14	--	340	6		
			M --	7.7	29.4	31.4	7.5	76	--	7.6	--	--	--	--	--	2	20	4	5	--	--	--		
			D --	7.4	27.9	29.7	7.7	76	--	7.6	0.42	<0.01	0.01	0.06	0.06	2	9	29	0	--	--	--		
1426	+LLW	S 0	8.4	23.3	26.0	9.2	90	1.8	7.8	0.40	<0.01	0.01	0.07	0.08	2	16	42	23	10	900d	3			
		M 4.3	8.2	24.8	27.3	--	--	--	7.7	--	--	--	--	--	2	11	38	27	--	--	--			
		D 8.5	7.9	29.4	31.7	9.2	93	--	7.7	0.40	<0.01	0.01	0.07	0.08	2	12	50	27	10	--	--	--		
3/11/81	0925	-HHW	S 0	8.1	23.0	25.4	8.6	84	1.8	7.6	--	--	--	--	3	15	21	14	--	230	8			
			M 6.1	7.8	29.6	31.6	7.4	75	--	7.7	--	--	--	--	2	7	4	5	--	--	--			
			D 12.2	8.0	28.3	30.2	7.0	71	--	7.7	--	--	--	--	2	13	4	5	--	--	--			
1457	LLW	S 0	9.6	23.2	26.6	8.9	90	2.0	7.6	--	--	--	--	4	2	42	18	--	700	14				
		M 7.0	8.7	27.4	30.2	7.2	73	--	7.5	--	--	--	--	5	13	120	72	--	--	--				
		D 14.0	8.1	27.1	29.5	8.2	82	--	7.6	--	--	--	--	3	4	71	41	--	--	--				

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (--- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^a	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-PO ₄ -P (mg/L)	T-PO ₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				Level ^b	Meters																			
5	6/24/80	1130	+LLW	S 0	15.9	22.3	29.5	11.1	127	2.1	8.2	--	--	--	--	3	6	34	0	--	41	7		
				M 4.9	11.7	27.2	32.3	11.1	120	--	8.0	--	--	--	--	2	6	55	5	--	--	--		
				D 9.3	9.8	28.8	32.9	9.3	98	--	7.9	--	--	--	--	3	14	4	5	--	--	--		
		1650	-LHW	S 0	14.2	24.2	30.7	10.3	115	1.8	8.1	0.05	<0.01	0.05	0.04	0.06	1	11	63	0	7	200 ^d	0	
				M 6.1	11.3	27.6	32.3	10.8	116	--	8.1	--	--	--	--	2	10	63	5	--	--	--		
				D 12.2	10.3	26.4	30.5	9.1	95	--	8.0	--	--	--	--	2	7	4	0	--	--	--		
6/25/80	1050	+LLW	S 0	12.9	22.7	28.2	10.9	118	2.3	8.1	--	--	--	--	3	8	29	5	--	110	24			
			M 4.6	11.0	27.4	32.2	10.3	110	--	8.0	--	--	--	--	2	5	59	9	--	--	--			
			D 9.1	10.2	22.4	26.3	10.5	107	--	8.1	--	--	--	--	2	6	25	0	--	--	--			
	1730	LHW	S 0	13.7	23.2	29.4	8.9	98	1.8	8.0	--	--	--	--	4	10	42	5	--	380 ^d	14			
			M 5.9	10.6	28.7	33.2	11.3	121	--	8.1	--	--	--	--	2	8	4	0	--	--	--			
			D 11.9	10.5	27.2	31.1	10.3	109	--	8.1	--	--	--	--	1	8	4	0	--	--	--			
9/09/80	1110	-LLW	S 0	14.4	25.0	31.7	6.8	77	2.1	7.7	0.16	<0.01	0.07	0.07	0.11	1	3	29	18	10	150	50		
			M 4.9	11.9	29.6	34.7	6.0	66	--	7.7	--	--	--	--	1	5	21	14	--	--	--			
			D 9.3	11.3	27.1	32.2	5.2	56	--	7.7	--	--	--	--	2	6	4	18	--	--	--			
	1730	+HHW	S 0	14.4	25.2	32.2	6.0	68	1.8	7.8	--	--	--	--	--	20	25	730	--	140	69			
			M 6.1	11.7	28.6	34.1	6.2	68	--	7.7	--	--	--	--	1	19	38	28	--	--	--			
			D 12.2	11.4	26.1	30.7	5.4	58	--	7.6	--	--	--	--	3	29	4	9	--	--	--			
9/10/80	1240	+LLW	S 0	14.6	25.3	32.3	6.7	76	2.0	7.6	--	--	--	--	2	12	38	0	--	120	217			
			M 4.5	11.9	29.2	34.9	5.9	65	--	7.7	--	--	--	--	4	10	25	14	--	--	--			
			D 9.1	12.3	27.7	33.1	4.6	51	--	7.7	--	--	--	--	3	8	4	5	--	--	--			
3/10/81	0823	-HHW	S 0	7.8	23.4	25.5	8.8	66	2.1	7.6	--	--	--	--	2	5	8	14	--	--	--			
			M 6.1	8.0	29.0	31.3	7.4	75	--	7.7	--	--	--	--	2	10	8	9	--	--	--			
			D 12.2	7.8	29.9	31.3	7.1	72	--	7.6	--	--	--	--	3	9	25	5	--	--	--			
	1412	+LLW	S 0	8.9	23.2	26.2	9.9	98	2.4	7.7	--	--	--	--	4	12	29	18	--	--	--			
			M 4.5	8.3	25.1	27.4	12.0	119	--	7.7	--	--	--	--	2	13	34	9	--	--	--			
			D 9.1	7.8	28.5	31.3	7.4	74	--	7.6	--	--	--	--	2	19	38	18	--	--	--			
3/11/81	0935	-HHW	S 0	8.4	23.5	25.9	8.7	66	1.8	7.6	--	--	--	--	2	10	38	18	--	900	7			
			M 6.4	8.0	29.3	31.5	7.5	76	--	7.7	--	--	--	--	2	13	4	9	--	--	--			
			D 12.8	8.0	29.9	32.3	7.5	77	--	7.7	--	--	--	--	2	11	4	5	--	--	--			
	1507	+LLW	S 0	9.4	22.9	26.3	8.8	68	--	7.7	--	--	--	--	4	9	21	9	--	90 ^d	0			
			M 4.9	8.6	24.6	27.4	8.3	63	--	7.6	--	--	--	--	2	3	46	23	--	--	--			
			D 9.3	8.0	25.8	28.4	7.2	71	--	7.5	--	--	--	--	2	10	130	68	--	--	--			

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				Level ^b	Meters																			
6	6/24/80	1145	+LLW	S 0	14.9	22.7	29.6	9.5	107	2.0	8.2	--	--	--	--	2	9	34	0	--	33	12		
				M 5.8	12.2	28.0	33.1	11.1	122	--	8.1	--	--	--	--	2	6	17	0	--	--	--	--	
				D 11.6	11.2	28.6	33.3	10.0	108	--	8.1	--	--	--	--	3	10	13	0	--	--	--	--	
		1715	-LHW	S 0	14.2	23.7	30.2	10.9	121	2.4	8.1	0.06	<0.01	0.05	0.03	0.06	2	8	42	0	7	80 ^d	6	
				M 6.1	11.4	27.7	32.4	11.9	129	--	8.1	--	--	--	--	4	6	17	9	--	--	--	--	
				D 12.2	10.8	28.1	32.8	11.7	125	--	8.2	--	--	--	--	2	8	25	0	--	--	--	--	
6/25/80	1100	+LLW	S 0	13.3	24.3	29.9	7.8	86	1.8	8.0	--	--	--	--	2	5	33	5	--	350 ^d	13			
			M 4.3	11.3	27.6	32.5	11.1	120	--	8.1	--	--	--	--	1	6	25	0	--	--	--	--		
			D 8.5	11.4	28.4	33.2	12.1	131	--	8.1	--	--	--	--	1	9	13	0	--	--	--	--		
		1705	LHW	S 0	14.1	24.9	31.2	10.2	114	2.1	7.9	--	--	--	--	2	18	63	5	--	180	14		
				M 7.6	10.9	28.2	33.4	11.7	126	--	8.1	--	--	--	--	2	4	4	5	--	--	--	--	
				D 15.2	11.3	30.4	34.7	12.2	134	--	8.1	--	--	--	--	1	6	4	5	--	--	--	--	
9/09/80	1130	LLW	S 0	15.3	23.9	31.0	6.4	73	1.3	7.5	0.18	<0.01	0.16	0.09	0.14	4	10	54	63	16	250	44		
			M 4.9	12.0	29.9	35.1	6.4	71	--	7.6	--	--	--	--	3	2	8	14	--	--	--	--		
			D 9.8	11.1	30.7	35.5	5.3	58	--	7.5	--	--	--	--	2	7	4	32	--	--	--	--		
		1740	+HHW	S 0	15.0	24.3	31.4	6.9	78	1.8	7.7	--	--	--	--	1	13	33	18	--	78 ^d	73		
				M 5.5	12.6	28.5	33.9	6.2	69	--	7.7	--	--	--	--	1	3	21	14	--	--	--	--	
				D 11.0	11.3	29.8	34.6	5.9	64	--	7.7	--	--	--	--	2	7	4	5	--	--	--	--	
9/10/80	1250	+LLW	S 0	14.5	25.0	32.3	7.5	85	2.3	7.7	--	--	--	--	2	10	33	18	--	220	>12			
			M 4.6	12.5	28.2	34.1	6.6	73	--	7.7	--	--	--	--	2	10	25	14	--	--	--	--		
			D 9.1	10.9	30.8	35.2	6.0	66	--	7.7	--	--	--	--	3	9	4	5	--	--	--	--		
		1905	-HHW	S 0	14.2	25.6	32.3	6.5	73	1.5	7.6	--	--	--	--	2	9	4	32	--	270	78		
				M 5.4	11.2	30.0	34.5	6.2	68	--	7.7	--	--	--	--	2	10	4	5	--	--	--	--	
				D 12.8	11.0	30.2	34.5	5.7	62	--	7.7	--	--	--	--	1	5	33	5	--	--	--	--	
3/10/81	0850	-HHW	S 0	7.6	23.2	25.2	8.7	84	2.7	7.6	--	--	--	--	3	22	13	18	--	820 ^d	3			
			M 5.2	8.3	28.5	30.9	7.5	76	--	7.6	0.41	<0.01	0.09	0.08	0.10	3	19	8	18	--	--	--	--	
			D 10.4	7.9	29.4	31.4	7.4	75	--	7.7	--	--	--	--	3	10	25	5	--	--	--	--		
		1440	+LLW	S 0	9.2	23.5	25.6	8.8	88	1.8	7.7	--	--	--	--	2	21	25	23	--	1,800 ^d	14		
				M 3.5	8.4	24.0	25.7	9.1	90	--	7.8	0.39	<0.01	0.02	0.05	0.06	1	8	13	5	11	--	--	--
				D 7.0	8.6	25.5	23.1	8.4	84	--	7.7	--	--	--	--	3	14	25	18	--	--	--	--	
3/11/81	0950	-HHW	S 0	8.6	23.3	25.3	8.7	86	2.3	7.7	--	--	--	--	3	12	38	18	--	980	5			
			M 5.7	7.8	30.2	32.0	7.7	78	--	7.7	--	--	--	--	3	6	4	5	--	--	--	--		
			D 13.4	8.0	30.0	32.1	7.6	78	--	7.7	--	--	--	--	4	17	4	0	--	--	--	--		
		1525	+LLW	S 0	8.8	23.4	25.5	9.3	92	3.2	7.7	--	--	--	--	1	6	17	9	--	40 ^d	0		
				M 3.7	9.3	23.3	25.6	--	--	--	7.7	--	--	--	--	2	14	25	18	--	--	--	--	
				D 7.3	8.6	27.1	30.0	--	--	--	7.7	--	--	--	--	4	6	25	14	--	--	--	--	

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^a	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				Level ^b	Meters																			
7	6/24/80	1230	+LLW	S 0	17.4	21.9	30.0	8.3	97	1.8	7.9	--	--	--	--	--	2	8	63	0	--	25	12	
				M 5.6	11.2	27.7	33.0	10.6	114	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
				D 11.3	12.9	23.7	28.9	7.8	85	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	1705	-LHW	S 0	13.5	24.3	30.3	9.5	105	1.9	8.0	0.06	<0.01	0.04	0.03	0.06	3	5	71	0	9	120	0		
			M 6.1	11.4	27.9	32.5	10.9	118	--	8.1	--	--	--	--	--	2	8	25	5	--	--	--		
			D 12.2	9.8	28.3	32.1	8.7	91	--	7.9	--	--	--	--	--	3	7	8	0	--	--	--		
6/25/80	1110	+LLW	S 0	13.0	22.3	28.0	8.7	94	2.1	8.1	--	--	--	--	1	3	33	0	--	300	3			
			M 4.6	10.6	28.0	32.4	10.6	113	--	7.9	--	--	--	--	1	5	13	0	--	--	--			
			D 9.1	9.6	28.5	32.4	10.0	105	--	8.0	--	--	--	--	2	9	13	0	--	--	--			
	1710	LHW	S 0	13.2	24.7	30.7	9.6	106	2.0	7.8	--	--	--	--	2	10	46	0	--	75 ^d	7			
			M 6.4	10.9	28.1	33.0	11.2	120	--	8.1	--	--	--	--	3	10	8	5	--	--	--			
			D 12.8	9.7	28.9	32.9	10.2	107	--	8.0	--	--	--	--	2	12	4	9	--	--	--			
9/09/80	1155	+LLW	S 0	14.5	26.1	32.8	6.4	73	1.8	7.5	0.17	<0.01	0.11	0.08	0.11	3	1	46	36	12	420 ^d	31		
			M 4.9	12.1	29.5	34.7	5.6	62	--	7.6	--	--	--	--	1	7	13	9	--	--	--			
			D 9.8	10.5	30.2	35.1	5.6	60	--	7.7	--	--	--	--	3	4	4	5	--	--	--			
	1750	+HHW	S 0	13.6	24.9	31.5	7.1	79	2.1	7.8	--	--	--	--	2	8	21	18	--	100	76			
			M 6.7	12.4	28.0	35.7	6.5	72	--	7.7	--	--	--	--	1	11	17	14	--	--	--			
			D 13.4	11.2	30.2	34.8	6.0	66	--	7.7	--	--	--	--	2	9	4	5	--	--	--			
9/10/80	1310	+LLW	S 0	14.4	25.4	32.0	6.8	77	2.6	7.7	--	--	--	--	3	8	38	18	--	83 ^d	≥50			
			M 4.6	12.4	27.9	34.0	5.2	57	--	7.7	--	--	--	--	3	11	75	41	--	--	--			
			D 9.1	10.8	30.4	35.6	5.1	55	--	7.7	--	--	--	--	2	10	4	5	--	--	--			
3/10/81	0840	-HHW	S 0	7.2	22.8	24.6	9.2	88	2.4	7.6	--	--	--	--	2	17	17	9	--	--	--			
			M 6.4	8.0	28.9	31.0	7.3	74	--	7.6	0.42	<0.01	0.01	0.07	0.08	3	10	8	9	--	--	--		
			D 12.8	7.8	29.0	31.2	--	--	--	7.7	--	--	--	--	4	20	4	0	--	--	--			
	1447	+LLW	S 0	8.5	23.5	26.8	10.4	103	3.7	7.9	--	--	--	--	1	15	13	5	--	--	--			
			M 5.2	8.2	25.2	27.7	9.5	94	--	7.8	0.44	<0.01	0.01	0.06	0.06	3	25	21	14	8	--	--		
			D 10.4	8.0	29.4	31.8	--	--	--	7.7	--	--	--	--	1	23	13	9	--	--	--			
3/11/81	0944	-HHW	S 0	8.5	25.0	26.5	8.8	88	1.8	7.7	--	--	--	--	3	5	38	18	--	1,100	9			
			M 7.0	8.0	29.3	31.3	7.4	75	--	7.7	--	--	--	--	3	10	4	0	--	--	--			
			D 14.0	7.9	29.8	31.8	7.5	76	--	7.7	--	--	--	--	1	14	4	5	--	--	--			
	1516	+LLW	S 0	8.8	22.7	25.7	9.4	93	3.0	7.7	--	--	--	--	3	6	17	5	--	40 ^d	0			
			M 5.5	8.4	24.3	26.9	9.3	92	--	7.8	--	--	--	--	3	7	17	9	--	--	--			
			D 11.0	7.8	29.4	31.8	7.7	78	--	7.7	--	--	--	--	2	11	17	9	--	--	--			

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^a	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KES ^c
				Level ^b	Meters																			
8	6/24/80	1245	+LLW	S 0	12.3	26.2	31.6	8.7	95	2.1	8.1	--	--	--	--	2	5	34	0	--	180	9		
				M 4.6	10.4	28.3	32.7	11.4	121	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
				D 9.1	11.6	27.1	32.1	10.4	112	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
		1730	-LHW	S 0	12.7	26.2	31.5	10.9	120	2.5	8.5	0.05	<0.01	0.03	0.02	0.06	3	10	29	5	6	48	2	
				M 4.7	12.1	27.3	32.6	11.7	128	--	8.2	--	--	--	--	--	1	9	13	0	--	--	--	
				D 9.5	10.7	28.3	32.7	11.5	123	--	8.1	--	--	--	--	--	2	4	17	0	--	--	--	
6/25/80	1115	+LLW	S 0	12.2	25.6	30.7	10.9	118	1.8	8.0	--	--	--	--	2	6	29	5	--	95 ^d	16			
			M 4.6	11.3	28.1	32.7	11.6	125	--	8.1	--	--	--	--	1	2	8	5	--	--	--			
			D 9.1	11.2	26.6	31.2	--	--	--	8.1	--	--	--	--	--	1	5	8	0	--	--	--		
		1700	LHW	S 0	14.1	24.1	30.7	10.4	116	1.8	8.2	--	--	--	--	2	7	34	0	--	180	3		
				M 6.1	11.0	28.5	33.2	11.0	118	--	8.1	--	--	--	--	2	6	4	0	--	--	--		
				D 12.2	10.7	28.3	32.6	10.2	109	--	8.0	--	--	--	--	2	9	8	0	--	--	--		
9/09/80	1210	+LLW	S 0	13.9	25.0	30.4	7.8	87	3.2	7.7	0.17	<0.01	0.03	0.07	0.10	3	4	17	5	8	33	58		
			M 4.6	12.7	27.0	33.1	7.1	78	--	7.7	--	--	--	--	--	3	2	21	9	--	--	--		
			D 9.1	12.7	27.6	33.6	6.3	70	--	7.6	--	--	--	--	--	3	4	25	18	--	--	--		
		1800	HHW	S 0	13.9	25.4	32.0	6.2	69	2.4	7.8	--	--	--	--	2	12	21	14	--	150	38		
				M 6.1	11.7	29.1	34.3	6.8	75	--	7.7	--	--	--	--	1	8	4	5	--	--	--		
				D 12.2	11.1	28.7	33.3	6.0	65	--	7.8	--	--	--	--	1	6	4	0	--	--	--		
9/10/80	1325	+LLW	S 0	13.9	23.9	30.4	7.4	82	3.0	7.7	--	--	--	--	3	8	21	9	--	26	54			
			M 3.7	12.7	27.2	32.9	6.9	76	--	7.8	--	--	--	--	1	10	21	9	--	--	--			
			D 7.3	12.6	27.8	33.7	6.8	75	--	7.8	--	--	--	--	2	11	17	9	--	--	--			
		1910	-HHW	S 0	13.2	26.7	32.8	6.5	72	2.4	7.6	--	--	--	--	1	8	29	14	--	380	76		
				M 5.2	11.5	29.6	34.4	6.2	68	--	7.6	--	--	--	--	1	6	8	5	--	--	--		
				D 10.4	10.5	30.8	34.7	5.6	61	--	7.6	--	--	--	--	1	5	4	5	--	--	--		
3/10/81	0900	-HHW	S 0	7.4	23.6	25.5	--	--	3.0	7.6	--	--	--	--	2	20	21	9	--	--	--			
			M 4.9	7.8	28.8	30.8	8.7	88	--	7.6	--	--	--	--	3	42	29	9	--	--	--			
			D 9.8	7.8	29.6	31.6	--	--	--	7.7	--	--	--	--	2	23	8	5	--	--	--			
		1500	+LLW	S 0	8.5	21.4	24.0	--	--	3.5	7.7	--	--	--	--	2	20	13	5	--	--	--		
				M 3.2	8.1	24.9	27.2	8.4	83	--	7.6	--	--	--	--	1	8	8	5	--	--	--		
				D 6.4	8.1	25.8	28.2	--	--	--	7.7	--	--	--	--	1	13	13	0	--	--	--		
3/11/81	1006	-HHW	S 0	8.2	24.2	26.6	--	--	7.7	--	--	--	--	--	2	8	29	9	--	480	7			
			M 4.4	8.0	28.6	30.7	8.3	84	--	7.6	--	--	--	--	2	11	25	9	--	--	--			
			D 8.8	8.0	29.8	31.8	--	--	--	7.7	--	--	--	--	2	7	4	9	--	--	--			
		1542	+LLW	S 0	8.7	22.6	25.4	--	--	3.0	7.7	--	--	--	--	2	9	13	5	--	50 ^d	0		
				M 2.3	--	--	--	9.1	--	--	7.7	--	--	--	--	2	9	17	9	--	--	--		
				D 4.6	8.2	23.9	26.5	--	--	--	7.7	--	--	--	--	2	7	17	9	--	--	--		

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-PO ₄ -P (mg/L)	T-PO ₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KLESC
				Level ^b	Meters																			
9	6/24/80	1255	+LLW	S	0	14.5	24.0	31.3	9.4	106	4.3	8.2	--	--	--	--	1	5	34	0	--	18 ^d	6	
				M	9.1	9.1	29.2	32.6	10.8	112	--	--	--	--	--	--	--	--	--	--	--	--	--	--
				D	16.3	10.5	27.3	31.5	9.7	103	--	--	--	--	--	--	--	--	--	--	--	--	--	--
		1737	--HW	S	0	15.3	21.0	28.5	9.5	106	3.5	8.3	0.02	<0.01	0.01	0.01	0.03	1	6	17	0	5	4 ^d	0
				M	9.1	10.9	28.1	32.8	12.0	129	--	8.2	--	--	--	--	--	1	8	8	0	--	--	--
				D	16.3	11.0	26.6	31.0	11.1	118	--	8.2	--	--	--	--	--	1	14	13	0	--	--	--
6/25/80	1125	+LLW	S	0	13.0	24.1	29.6	10.8	118	1.5	8.2	--	--	--	--	2	21	25	0	--	120	13		
			M	8.4	9.4	28.2	32.7	11.7	122	--	8.1	--	--	--	--	1	18	4	0	--	--	--		
			D	16.8	10.0	27.2	30.9	10.1	106	--	8.0	--	--	--	--	2	14	4	0	--	--	--		
	1600	+LHW	S	0	14.2	25.1	30.7	10.8	121	2.1	8.0	--	--	--	--	2	7	29	0	--	140	0		
			M	9.5	10.4	28.9	33.2	12.2	130	--	8.1	--	--	--	--	2	4	4	0	--	--	--		
			D	16.9	9.2	25.6	29.2	10.2	104	--	8.0	--	--	--	--	2	7	4	0	--	--	--		
9/09/80	1220	+LLW	S	0	13.8	24.7	31.1	7.6	84	3.4	7.7	0.17	<0.01	0.04	0.07	0.10	4	4	21	14	10	35	29	
			M	8.4	12.0	29.6	34.5	6.8	75	--	7.6	--	--	--	--	1	2	17	9	--	--	--		
			D	16.8	9.5	30.3	34.6	6.1	64	--	7.6	--	--	--	--	1	6	4	5	--	--	--		
	1810	HHW	S	0	14.1	24.3	30.7	7.4	83	2.4	7.8	--	--	--	--	2	10	21	9	--	7 ^d	43		
			M	9.9	10.8	29.7	34.5	6.1	66	--	7.7	--	--	--	--	2	6	4	5	--	--	--		
			D	15.8	10.9	28.0	32.3	--	--	--	7.6	--	--	--	--	2	4	4	0	--	--	--		
9/10/80	1350	+LLW	S	0	14.0	24.7	32.5	7.7	86	2.9	7.6	--	--	--	--	2	11	21	4	--	10 ^d	20		
			M	8.2	11.6	28.9	34.4	6.2	68	--	7.6	--	--	--	--	2	9	25	14	--	--	--		
			D	16.5	10.6	30.6	35.2	5.4	58	--	7.7	--	--	--	--	1	10	4	0	--	--	--		
	1800	+HHW	S	0	14.0	25.6	32.0	7.1	30	2.7	7.7	--	--	--	--	1	9	21	14	--	89 ^d	43		
			M	9.5	10.9	30.2	34.5	6.0	65	--	7.7	--	--	--	--	1	4	4	5	--	--	--		
			D	16.9	10.7	30.4	34.5	5.5	50	--	7.7	--	--	--	--	1	7	4	5	--	--	--		
3/10/81	0912	-HHW	S	0	7.8	23.1	25.2	--	--	3.7	7.7	--	--	--	--	2	12	13	5	--	50	4		
			M	9.1	7.9	29.6	31.6	7.5	76	--	7.6	--	--	--	--	2	20	4	5	--	--	--		
			D	16.3	8.0	29.0	31.0	--	--	--	7.6	--	--	--	--	4	21	8	0	--	--	--		
	1505	+LLW	S	0	8.8	22.9	25.8	--	--	--	7.8	--	--	--	--	1	10	13	14	--	12	7		
			M	7.9	8.0	27.3	29.5	8.5	35	--	7.7	--	--	--	--	2	20	8	0	--	--	--		
			D	15.9	8.1	29.3	31.5	--	--	--	7.6	--	--	--	--	3	11	17	5	--	--	--		
3/11/81	1014	-HHW	S	0	8.3	23.8	26.1	--	--	3.0	7.7	--	--	--	--	2	11	13	5	--	35	0		
			M	9.1	7.8	30.0	31.8	7.5	76	--	7.7	--	--	--	--	2	23	4	0	--	--	--		
			D	16.3	8.0	28.4	30.4	--	--	--	7.7	--	--	--	--	2	10	4	0	--	--	--		
	1546	+LLW	S	0	8.7	21.2	23.9	--	--	3.0	7.7	--	--	--	--	2	5	17	5	--	57 ^d	0		
			M	7.6	8.2	25.9	28.4	9.1	91	--	7.7	--	--	--	--	4	14	13	9	--	--	--		
			D	15.2	7.7	29.8	31.7	--	--	--	7.7	--	--	--	--	2	13	4	9	--	--	--		

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^a	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P _{0.4} -P (mg/L)	T-P _{0.4} -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				Level ^b	Meters																			
10	6/24/80	1335	+LLW	S 0	17.2	18.5	25.4	11.2	128	4.3	8.3	--	--	--	--	--	2	8	25	0	--	<1	0	
				M 7.6	10.5	28.0	32.4	11.8	125	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
				D 15.2	9.8	28.7	32.7	10.8	114	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	1750	-LHW	S 0	16.4	19.8	26.6	9.7	110	3.4	8.3	0.07	<0.01	0.01	0.01	0.04	1	12	25	0	6	11 ^c	0		
			M 8.2	11.3	28.7	33.4	11.9	129	--	--	--	--	--	--	--	2	8	13	0	--	--	--		
			D 16.5	10.8	28.7	32.9	11.7	126	--	8.1	--	--	--	--	--	3	12	29	0	--	--	--		
6/25/80	1245	+LLW	S 0	13.8	21.8	28.2	11.3	123	1.5	8.2	--	--	--	--	--	4	18	21	0	--	10 ^c	10		
			M 7.3	10.9	28.4	33.0	11.4	122	--	8.1	--	--	--	--	--	2	9	4	0	--	--	--		
			D 14.6	10.3	26.7	30.6	10.6	111	--	8.0	--	--	--	--	--	2	10	4	0	--	--	--		
	1545	+LHW	S 0	12.7	25.9	31.6	11.6	127	3.4	8.2	--	--	--	--	--	3	4	17	0	--	18 ^d	6		
			M 8.4	9.3	29.0	32.4	11.9	124	--	8.1	--	--	--	--	--	2	5	8	0	--	--	--		
			D 16.8	10.7	23.7	27.7	10.0	104	--	7.9	--	--	--	--	--	2	9	8	0	--	--	--		
9/09/80	1250	+LLW	S 0	11.3	21.0	27.1	7.8	80	2.7	7.7	0.19	<0.01	0.03	0.08	0.09	1	10	25	14	9	26	42		
			M 6.9	12.6	27.1	33.0	7.5	83	--	7.8	--	--	--	--	--	2	12	38	9	--	--	--		
			D 13.7	11.0	28.7	33.7	6.7	72	--	7.7	--	--	--	--	--	2	9	25	9	--	--	--		
	1830	HHW	S 0	15.2	22.6	29.2	6.0	68	3.1	7.8	--	--	--	--	--	1	5	17	5	--	36	6		
			M 8.4	10.9	30.2	34.8	5.2	68	--	7.6	--	--	--	--	--	3	10	8	9	--	--	--		
			D 16.8	11.4	25.4	30.0	5.0	64	--	7.7	--	--	--	--	--	2	4	4	5	--	--	--		
9/10/80	1400	+LLW	S 0	15.0	23.9	30.9	7.8	88	3.2	7.8	--	--	--	--	--	2	10	17	8	--	3 ^d	67		
			M 7.3	12.5	28.2	34.0	5.6	73	--	7.8	--	--	--	--	--	2	11	17	14	--	--	--		
			D 14.6	11.9	29.1	34.4	5.7	63	--	7.7	--	--	--	--	--	1	12	8	5	--	--	--		
	1755	+HHW	S 0	14.7	25.0	32.1	7.6	86	3.7	7.8	--	--	--	--	--	1	7	17	9	--	8 ^d	25		
			M 8.4	10.9	29.8	34.6	5.8	63	--	7.6	--	--	--	--	--	1	4	4	9	--	--	--		
			D 16.8	10.7	30.2	34.4	5.5	60	--	7.7	--	--	--	--	--	1	10	8	5	--	--	--		
3/10/81	0945	-HHW	S 0	7.9	23.7	25.9	--	--	4.3	7.9	--	--	--	--	--	2	10	13	5	--	--	--		
			M 7.6	7.8	28.6	30.9	7.7	78	--	7.8	--	--	--	--	--	2	12	8	5	--	--	--		
			D 15.2	8.1	28.4	30.6	--	--	--	7.8	--	--	--	--	--	4	8	8	5	--	--	--		
	1311	-LLW	S 0	8.6	22.8	25.5	--	--	--	7.7	--	--	--	--	--	2	16	29	0	--	--	--		
			M 6.7	8.2	26.3	28.7	8.8	88	--	7.7	--	--	--	--	--	2	15	21	5	--	--	--		
			D 13.4	8.0	28.5	30.7	--	--	--	7.7	--	--	--	--	--	2	18	17	5	--	--	--		
3/11/81	1035	-HHW	S 0	8.5	25.5	25.1	--	--	4.3	7.7	--	--	--	--	--	2	9	13	5	--	--	--		
			M 7.6	8.0	29.8	31.9	7.6	78	--	7.7	--	--	--	--	--	3	10	4	5	--	--	--		
			D 15.2	8.5	25.3	28.2	--	--	--	7.7	--	--	--	--	--	3	11	4	0	--	--	--		
	1400	-LLW	S 0	9.1	22.6	25.7	--	--	3.7	7.7	--	--	--	--	--	2	16	8	9	--	40 ^d	50		
			M 7.0	8.2	24.8	27.2	8.8	87	--	7.7	--	--	--	--	--	2	2	8	9	--	--	--		
			D 14.0	7.8	28.5	30.8	--	--	--	7.7	--	--	--	--	--	3	19	8	9	--	--	--		

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^a	Depth		Field										Laboratory								
				Level ^b	Meters	Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				S	M	D	S	M	D	S	M	D	S	M	D	S	M	D	S	M	D	S	M	D
12	6/24/80	1305	+LLW	S	0	13.4	24.6	31.1	9.5	105	2.4	8.2	--	--	--	--	3	8	50	5	--	75 ^d	0	
				M	8.8	9.4	28.7	32.5	10.6	111	--	--	--	--	--	--	--	--	--	--	--	--	--	--
				D	17.7	10.4	25.2	28.9	9.8	102	--	--	--	--	--	--	--	--	--	--	--	--	--	--
		1815	-LHW	S	0	15.6	22.0	28.6	11.3	128	4.3	8.3	0.03	<0.01	0.02	0.02	0.04	1	8	21	0	6	14 ^d	21
				M	9.1	10.1	28.4	32.8	12.2	129	--	8.1	--	--	--	--	--	1	5	4	0	--	--	--
				D	18.3	10.4	27.8	31.9	10.2	108	--	8.0	--	--	--	--	--	2	7	8	0	--	--	--
6/25/80	1135	+LLW	S	0	12.6	22.9	28.2	10.3	110	2.1	8.1	--	--	--	--	2	8	34	5	--	34 ⁰	0		
			M	7.6	9.8	28.9	32.6	11.0	116	--	8.0	--	--	--	--	1	8	8	9	--	--	--	--	
			D	15.2	10.0	26.1	30.0	10.0	104	--	7.9	--	--	--	--	1	9	8	0	--	--	--	--	
	1605	+LHW	S	0	12.8	24.7	31.1	10.8	118	3.0	8.1	--	--	--	--	2	7	25	5	--	12 ⁰	0		
			M	8.4	9.3	29.4	32.3	11.3	118	--	8.1	--	--	--	--	2	10	17	5	--	--	--	--	
			D	16.8	10.4	26.4	30.0	10.0	105	--	8.0	--	--	--	--	2	6	4	0	--	--	--	--	
9/09/80	1235	+LLW	S	0	13.6	23.4	29.6	7.6	84	3.0	7.7	--	--	--	--	1	11	17	9	10	35	51		
			M	8.2	11.5	29.8	34.8	7.1	78	--	7.7	--	--	--	--	1	13	13	9	--	--	--	--	
			D	16.5	11.2	30.2	35.0	6.3	69	--	7.7	--	--	--	--	1	14	4	0	--	--	--	--	
	1820	HHW	S	0	14.1	25.3	31.7	7.0	79	1.8	7.7	--	--	--	--	3	10	67	45	--	400 ^d	46		
			M	9.9	10.7	30.2	34.5	6.2	67	--	7.6	--	--	--	--	2	8	4	5	--	--	--	--	
			D	19.8	11.0	28.2	32.4	5.8	62	--	7.6	--	--	--	--	1	9	4	0	--	--	--	--	
9/10/80	1400	+LLW	S	0	14.0	24.5	31.0	7.5	84	3.4	7.7	--	--	--	--	3	6	8	9	--	13 ^d	62		
			M	8.5	11.6	29.8	35.0	6.1	67	--	7.7	--	--	--	--	1	7	8	9	--	--	--	--	
			D	17.1	10.8	31.0	35.5	5.3	58	--	7.8	--	--	--	--	1	14	13	5	--	--	--	--	
	1810	+HHW	S	0	14.0	25.7	32.3	7.2	81	1.8	7.8	--	--	--	--	2	14	54	32	--	24 ⁰	63		
			M	10.4	10.4	29.6	34.5	5.9	63	--	7.8	--	--	--	--	2	8	4	5	--	--	--	--	
			D	20.7	10.9	28.6	33.5	5.6	60	--	7.7	--	--	--	--	2	5	4	5	--	--	--	--	
3/10/81	0920	-HHW	S	0	7.5	22.6	24.3	--	--	3.7	7.7	--	--	--	--	2	10	13	5	--	21	11		
			M	9.1	7.8	29.5	31.6	7.3	74	--	7.7	--	--	--	--	2	2	8	0	--	--	--	--	
			D	18.3	7.8	26.0	28.4	--	--	--	7.7	--	--	--	--	2	6	4	5	--	--	--	--	
	1512	+LLW	S	0	8.7	23.4	26.0	--	--	3.2	7.8	--	--	--	--	2	21	8	5	--	--	--	--	
			M	7.8	8.2	27.9	30.2	9.0	91	--	7.8	--	--	--	--	3	25	8	5	--	--	--	--	
			D	15.5	8.4	27.9	30.2	--	--	--	7.7	--	--	--	--	2	25	4	0	--	--	--	--	
3/11/81	1020	-HHW	S	0	8.2	24.0	26.5	--	--	3.2	7.7	--	--	--	--	2	4	21	9	--	12 ⁰	8		
			M	9.1	7.8	29.8	32.0	7.5	76	--	7.7	--	--	--	--	1	10	4	0	--	--	--	--	
			D	18.3	8.0	28.1	30.0	--	--	--	7.7	--	--	--	--	1	14	8	0	--	--	--	--	
	1554	+LLW	S	0	8.6	21.2	24.1	--	--	3.0	7.7	--	--	--	--	2	11	13	5	--	7 ⁰	9		
			M	7.8	8.3	26.5	29.1	11.0	110	--	7.7	--	--	--	--	3	4	13	9	--	--	--	--	
			D	15.5	7.8	24.3	26.6	--	--	--	7.7	--	--	--	--	5	12	13	9	--	--	--	--	

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^a	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				Level ^b	Meters																			
13	6/24/80	1315	+LLW	S 0	14.8	19.8	26.2	10.4	114	3.4	8.2	--	--	--	--	3	6	50	5	--	62 ^d	8		
				M 6.7	11.1	28.4	32.7	10.6	114	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
				D 13.4	9.7	28.7	32.4	10.1	106	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
		1805	-LHW	S 0	12.8	26.3	32.0	12.3	136	4.0	8.3	<0.01	<0.01	0.02	<0.01	0.03	1	6	13	0	9	2 ^c	0	
				M 7.6	10.5	28.4	32.8	12.0	128	--	--	--	--	--	--	--	2	6	8	0	--	--	--	
				D 15.2	10.5	28.5	32.8	11.1	118	--	8.2	--	--	--	--	--	1	7	8	5	--	--	--	
	6/25/80	1140	+LLW	S 0	12.3	11.9	15.2	10.4	104	2.1	7.6	--	--	--	--	--	2	8	17	0	--	62 ^d	3	
				M 7.3	11.2	28.2	32.6	10.9	118	--	8.0	--	--	--	--	--	2	12	4	0	--	--	--	
				D 14.6	9.6	29.1	32.3	10.0	105	--	8.0	--	--	--	--	--	2	11	17	0	--	--	--	
	1615	+LHW	S 0	12.9	25.1	30.9	10.9	119	4.0	8.1	--	--	--	--	--	2	8	21	0	--	4 ^e	2		
			M 7.6	9.9	29.0	33.0	11.7	124	--	8.0	--	--	--	--	--	2	5	4	0	--	--	--		
			D 15.2	9.7	27.4	30.6	10.2	105	--	8.0	--	--	--	--	--	2	8	4	0	--	--	--		
9/09/80	1355	+LLW	S 0	14.4	24.5	31.0	8.1	91	3.7	7.7	--	--	--	--	--	1	12	13	5	10	3 ^o	0		
			M 7.9	12.4	27.6	33.4	7.5	83	--	7.7	--	--	--	--	--	2	11	8	5	--	--	--		
			D 15.9	9.9	29.8	34.8	6.3	67	--	7.7	--	--	--	--	--	1	13	4	5	--	--	--		
	1910	-HHW	S 0	14.1	24.1	30.4	7.9	88	3.7	7.6	--	--	--	--	--	1	8	13	5	--	3 ^d	67		
			M 7.9	10.7	29.9	34.6	6.0	65	--	7.6	--	--	--	--	--	1	12	4	5	--	--	--		
			D 15.9	10.7	30.3	34.5	6.0	65	--	7.8	--	--	--	--	--	1	9	4	0	--	--	--		
9/10/80	1120	-LLW	S 0	14.0	23.5	29.6	7.0	78	2.4	7.6	--	--	--	--	--	1	10	21	9	--	4 ^e	6		
			M 7.0	11.5	29.3	34.3	6.7	73	--	7.7	--	--	--	--	--	1	12	4	0	--	--	--		
			D 14.0	11.0	30.5	35.3	5.8	63	--	7.6	--	--	--	--	--	1	9	4	5	--	--	--		
	1730	+HHW	S 0	14.6	24.8	31.6	7.7	87	3.4	7.7	--	--	--	--	--	2	5	17	14	--	80 ^d	53		
			M 7.6	10.7	29.7	34.3	6.1	66	--	7.7	--	--	--	--	--	2	10	4	5	--	--	--		
			D 15.2	12.3	26.5	31.4	5.5	60	--	7.7	--	--	--	--	--	1	6	4	5	--	--	--		
3/10/81	1015	-HHW	S 0	7.5	20.4	22.6	--	--	3.0	7.6	--	--	--	--	--	4	9	17	9	--	80	0		
			M 7.6	7.8	29.4	31.5	7.9	80	--	7.7	--	--	--	--	--	3	20	4	5	--	--	--		
			D 15.2	7.9	29.7	31.7	--	--	--	7.7	--	--	--	--	--	2	15	4	5	--	--	--		
	1300	-LLW	S 0	7.7	16.2	18.3	--	--	1.8	7.8	--	--	--	--	--	4	23	13	5	--	42	10		
			M 6.1	8.2	26.0	28.2	9.3	93	--	7.8	--	--	--	--	--	3	27	17	9	--	--	--		
			D 12.2	8.1	26.2	28.7	--	--	--	7.8	--	--	--	--	--	2	26	13	9	--	--	--		
3/11/81	1127	-HHW	S 0	8.3	17.9	20.2	--	--	3.0	7.7	--	--	--	--	--	2	4	17	0	--	20	5		
			M 6.9	7.9	29.8	31.6	7.3	74	--	7.7	--	--	--	--	--	4	12	8	0	--	--	--		
			D 13.7	8.0	30.0	32.0	--	--	--	7.7	--	--	--	--	--	4	3	4	0	--	--	--		
	1350	-LLW	S 0	8.0	17.5	19.8	--	--	2.4	7.6	--	--	--	--	--	2	10	13	9	--	54	7		
			M 6.2	8.1	26.5	29.1	8.2	82	--	7.6	--	--	--	--	--	2	25	8	9	--	--	--		
			D 12.5	8.3	27.6	30.1	--	--	--	7.7	--	--	--	--	--	2	21	13	9	--	--	--		

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^a	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC
				Level ^b	Meters																			
14	6/24/80	1400	+LLW	S 0	14.4	24.0	30.0	11.1	124	--	--	--	--	--	--	--	--	--	--	--	6 ^c	17		
				M 6.1	10.5	28.0	33.0	12.7	135	--	8.3	--	--	--	--	--	2	5	13	0	--	--	--	
				D 12.2	9.8	24.1	28.3	11.7	119	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
		1900	-LHW	S 0	14.9	19.8	26.2	10.9	120	3.7	8.2	0.05	<0.01	0.02	0.01	0.04	1	5	17	0	8	6 ^d	0	
				M 6.2	11.0	27.7	32.6	11.4	122	--	8.1	--	--	--	--	--	2	7	8	0	--	--	--	
				D 12.5	11.1	24.8	29.0	10.9	115	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
6/25/80	0955	LLW	S 0	12.2	8.1	10.7	10.4	101	2.1	--	--	--	--	--	--	--	--	--	--	--	8 ^d	1		
			M 5.5	--	24.3	29.2	10.8	--	--	8.1	--	--	--	--	--	2	16	13	0	--	--	--		
			D 11.0	11.3	27.7	32.3	11.0	119	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	1630	+LHW	S 0	12.8	24.0	29.5	12.2	132	3.0	--	--	--	--	--	--	--	--	--	--	--	3 ^e	0		
			M 7.3	10.7	28.3	32.8	11.3	121	--	8.1	--	--	--	--	--	3	11	4	9	--	--	--		
			D 14.6	10.2	26.2	30.2	10.7	112	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
9/09/80	1410	+LLW	S 0	14.8	7.2	10.4	8.8	90	2.7	7.7	--	--	--	--	--	2	12	17	9	11	4 ^e	4		
			M 4.3	13.4	25.4	31.8	7.8	86	--	7.9	--	--	--	--	--	1	12	13	5	--	--	--		
			D 8.5	13.3	25.3	32.0	7.7	85	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	1920	-HHW	S 0	13.6	22.9	28.8	7.5	82	3.0	--	--	--	--	--	--	--	--	--	--	--	2 ^e	58		
			M 3.8	12.5	23.7	32.9	6.9	74	--	7.8	--	--	--	--	--	2	8	17	9	--	--	--		
			D 7.6	11.6	29.2	34.1	6.8	74	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
9/10/80	1450	+LLW	S 0	15.8	10.4	14.8	8.1	86	3.0	7.6	--	--	--	--	--	2	10	21	5	--	3 ^e	8		
			M 5.8	13.8	25.5	32.0	8.3	93	--	7.5	--	--	--	--	--	1	7	17	9	--	--	--		
			D 11.6	10.9	30.2	35.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	1920	-HHW	S 0	14.4	24.8	31.3	8.2	92	3.0	7.8	--	--	--	--	--	1	5	13	9	--	18 ^d	33		
			M 4.0	11.8	28.6	34.0	7.3	80	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
			D 7.9	11.1	30.1	34.8	6.5	71	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
3/10/81	1033	-HHW	S 0	7.7	21.0	23.2	9.1	87	3.0	7.6	0.46	<0.01	0.02	0.05	0.05	3	8	8	5	--	12 ⁰	16		
			M 3.7	7.8	25.0	27.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
			D 7.3	7.9	27.0	29.2	--	--	--	7.5	--	--	--	--	--	3	17	13	5	--	--	--		
	1525	+LLW	S 0	7.0	3.0	3.6	11.1	93	1.7	8.1	0.53	<0.01	0.07	<0.01	0.04	6	11	21	9	7	7 ⁶	0		
			M 3.7	8.2	24.6	27.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
			D 7.3	8.0	25.2	27.6	9.6	95	--	7.7	--	--	--	--	--	3	16	8	0	--	--	--		
3/11/81	0845	-HHW	S 0	7.9	22.1	24.3	10.2	98	--	7.7	--	--	--	--	--	4	4	13	0	--	3 ⁶	11		
			M 7.0	7.8	29.6	31.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
			D 14.0	7.7	29.6	31.6	8.0	81	--	7.7	--	--	--	--	--	3	22	4	0	--	--	--		
	1607	+LLW	S 0	7.7	3.9	4.7	8.8	75	1.8	7.7	--	--	--	--	--	3	12	17	9	--	11 ⁰	0		
			M 2.9	9.2	24.9	24.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
			D 5.8	7.9	24.6	27.0	--	--	--	7.7	--	--	--	--	--	4	10	21	5	--	--	--		

Table 15. Receiving water quality data collected during intensive surveys conducted at Fort Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^a	Depth		Field										Laboratory									
				Level ^b	Meters	Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KESC	
				S	M																				
15	6/24/80	1420	+LLW	S	0	13.6	21.4	26.8	10.0	108	3.7	--	--	--	--	--	--	--	--	--	3d	0			
				M	5.2	11.2	23.6	28.5	11.6	122	--	8.1	--	--	--	--	2	2	17	0	--	--			
				D	10.4	11.4	24.4	29.5	11.6	123	--	--	--	--	--	--	--	--	--	--	--	--	--		
		1925	-LHW	S	0	13.8	13.6	18.1	10.5	109	--	8.1	0.08	<0.01	0.02	<0.01	0.04	2	5	21	0	5	35	3	
				M	4.6	11.4	27.6	32.5	10.9	118	--	8.1	--	--	--	--	3	7	13	0	--	--	--		
				D	9.1	11.5	21.8	26.5	11.3	118	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
6/25/80	0940	LLW	S	0	12.2	4.0	5.5	10.0	95	1.7	--	--	--	--	--	--	--	--	--	--	1,000 ^d	1			
			M	3.0	12.4	4.5	6.3	11.0	105	--	7.7	--	--	--	--	5	37	17	0	--	--	--			
			D	6.1	11.8	3.9	5.3	10.8	102	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
	1645	+LHW	S	0	13.3	20.4	26.2	11.0	118	2.7	--	--	--	--	--	--	--	--	--	--	--	48	4		
			M	3.3	10.8	27.0	31.3	--	--	--	8.1	--	--	--	--	3	13	4	0	--	--	--	--		
			D	7.5	9.0	19.9	23.9	11.3	110	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
9/09/80	1425	+LLW	S	0	14.6	9.2	12.5	8.1	83	2.7	7.7	--	--	--	--	--	2	12	17	5	8	100	10		
			M	1.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D	3.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	1930	-HHW	S	0	14.0	23.3	29.5	7.6	84	1.4	7.8	--	--	--	--	--	1	14	17	5	--	19 ^d	47		
			M	3.0	13.0	25.9	31.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D	6.1	12.4	26.7	32.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9/10/80	1510	+LLW	S	0	14.9	14.3	19.7	8.0	85	2.1	7.4	--	--	--	--	--	1	4	21	9	--	39	8		
			M	3.0	--	--	--	7.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D	6.1	13.1	18.6	23.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	1935	-HHW	S	0	13.6	23.5	29.4	7.2	79	2.1	7.6	--	--	--	--	--	2	15	21	5	--	23	65		
			M	2.7	12.8	26.3	32.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D	5.5	12.3	27.4	33.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3/10/81	1047	-HHW	S	0	7.8	18.0	20.0	10.0	94	--	7.4	0.50	<0.01	0.05	0.03	0.04	5	16	13	5	--	42	10		
			M	2.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D	4.6	7.9	25.6	27.9	--	--	--	7.6	--	--	--	--	--	4	24	13	5	--	--	--	--	
	1555	+LLW	S	0	7.1	2.1	2.5	11.7	98	1.8	7.7	0.53	<0.01	0.06	0.01	0.03	5	12	21	9	6	50	4		
			M	1.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D	2.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3/11/81	0830	-HHW	S	0	7.4	17.8	19.9	10.2	95	3.0	7.4	--	--	--	--	1	5	17	9	--	72	0			
			M	3.0	7.8	26.6	28.8	--	--	--	7.7	--	--	--	--	2	15	13	9	--	--	--	--		
			D	6.1	7.8	27.9	30.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	1620	+LLW	S	0	7.5	1.9	2.5	7.5	63	1.5	7.4	--	--	--	--	3	5	25	0	--	82	0			
			M	2.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
			D	4.6	7.6	2.1	2.6	--	--	--	7.2	--	--	--	--	2	10	21	0	--	--	--	--	--	

Table 15. Receiving water quality data collected during intensive surveys conducted at Port Gardner, Washington, as part of the ECOBAM project, 1980-81 (-- denotes parameter not measured or data missing).

Station	Date	Time	Tide Stage ^a	Field										Laboratory										
				Depth		Temp. (°C)	Salinity (o/oo)	Spec. Cond. (mmhos/cm)	D.O. (mg/L)	D.O. (% sat.)	Secchi (m)	pH (S.U.)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P04-P (mg/L)	T-P04-P (mg/L)	Turb. (NTU)	TSS (mg/L)	Color (units)	Pearl-Benson Index (mg/L)	Total Organic Carbon (mg/L)	Fecal Coliform (#/100 mL)	% KES ^c
				Level ^b	Meters																			
16	6/24/80	1440	+LLW	S 0	14.9	21.3	28.0	11.2	125	3.8	8.3	--	--	--	--	--	2	6	29	0	--	1d	0	
				M 10.7	9.9	28.5	32.9	11.8	124	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
				D 18.3	9.4	27.5	31.2	11.2	116	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
		1845	-LHW	S 0	14.5	23.2	29.4	12.4	139	3.8	8.5	<0.01	<0.01	0.02	<0.01	0.04	1	6	13	0	8	<1	--	0
				M 13.1	10.8	28.8	33.3	11.9	128	--	8.1	--	--	--	--	--	3	3	4	0	--	--	--	--
				D 18.3	10.7	28.2	33.0	11.5	123	--	8.1	--	--	--	--	--	2	5	4	5	--	--	--	--
6/25/80	1225	+LLW	S 0	13.2	20.7	25.9	11.7	125	3.7	8.2	--	--	--	--	--	2	8	17	5	--	42	0		
			M 9.1	10.1	28.5	32.5	10.8	114	--	8.1	--	--	--	--	--	1	6	8	0	--	--	--	--	
			D 18.3	8.9	28.9	32.1	--	--	--	7.9	--	--	--	--	--	1	11	4	0	--	--	--	--	--
	1510	+LHW	S 0	13.7	22.3	27.9	12.2	133	4.0	8.3	--	--	--	--	--	2	5	17	0	--	21	5		
			M 15.2	9.2	29.3	32.3	11.1	116	--	8.0	--	--	--	--	--	2	6	4	0	--	--	--	--	
			D 33.5	--	--	--	--	--	--	8.0	--	--	--	--	--	3	6	4	0	--	--	--	--	--
9/09/80	1330	+LLW	S 0	14.2	24.2	30.9	7.9	83	4.0	7.8	--	--	--	--	--	1	14	13	5	9	<1	0		
			M 12.0	11.7	29.3	34.4	6.5	71	--	7.6	--	--	--	--	--	2	11	4	5	--	--	--	--	
			D 24.1	10.7	27.0	31.6	6.1	65	--	7.5	--	--	--	--	--	2	16	4	0	--	--	--	--	--
	1855	-HHW	S 0	13.8	24.9	31.1	8.2	91	3.5	7.9	--	--	--	--	--	1	5	8	5	--	4d	50		
			M 13.0	10.7	30.3	34.5	6.7	73	--	7.7	--	--	--	--	--	1	4	4	5	--	--	--	--	--
			D 25.9	10.2	30.3	34.4	5.6	60	--	7.8	--	--	--	--	--	1	14	4	0	--	--	--	--	--
9/10/80	1100	-LLW	S 0	14.8	24.0	30.7	7.6	86	4.6	7.8	--	--	--	--	--	2	7	13	5	--	20d	0		
			M 12.2	10.6	30.5	34.8	5.8	63	--	7.7	--	--	--	--	--	1	6	4	5	--	--	--	--	--
			D 24.4	10.4	30.7	34.8	5.4	58	--	7.7	--	--	--	--	--	1	11	4	0	--	--	--	--	--
	1720	+HHW	S 0	15.7	23.4	30.8	8.7	100	3.7	7.8	--	--	--	--	--	2	6	13	5	--	1d	0		
			M 15.2	10.7	30.4	34.8	6.3	68	--	7.7	--	--	--	--	--	2	8	4	0	--	--	--	--	--
			D 30.5	11.8	29.8	34.6	5.5	61	--	7.7	--	--	--	--	--	2	12	4	0	--	--	--	--	--
3/10/81	0956	-HHW	S 0	7.6	21.6	23.5	--	--	3.7	7.6	--	--	--	--	--	2	12	8	5	--	4d	0		
			M 14.0	7.9	30.0	31.9	7.6	78	--	7.7	0.45	<0.01	0.01	0.05	0.06	2	17	4	5	--	--	--	--	--
			D 28.0	--	--	--	--	--	--	7.7	--	--	--	--	--	2	24	4	5	--	--	--	--	--
	1245	-LLW	S 0	9.6	22.4	25.8	--	--	3.7	7.6	--	--	--	--	--	2	12	13	5	--	2d	0		
			M 13.4	8.2	29.4	32.9	9.2	94	--	7.7	0.41	<0.01	0.01	0.04	0.05	2	20	13	9	8	--	--	--	--
			D 26.8	9.3	24.2	29.4	--	--	--	7.7	--	--	--	--	--	1	4	4	5	--	--	--	--	--
3/11/81	1118	-HHW	S 0	8.4	22.0	24.4	--	--	4.0	7.7	--	--	--	--	--	5	3	13	5	--	2d	0		
			M 16.0	8.3	30.2	32.1	7.7	75	--	7.7	--	--	--	--	--	3	6	4	0	--	--	--	--	--
			D 32.3	8.0	29.9	32.0	--	--	--	7.7	--	--	--	--	--	2	8	4	5	--	--	--	--	--
	1325	-LLW	S 0	9.2	22.4	25.3	--	--	3.7	7.6	--	--	--	--	--	2	12	8	5	--	--	--		
			M 11.4	8.4	30.2	32.1	8.9	92	--	7.6	--	--	--	--	--	2	7	8	5	--	--	--	--	--
			D 22.9	8.0	27.3	29.6	--	--	--	7.7	--	--	--	--	--	3	13	4	5	--	--	--	--	--

Table 15 footnotes:

¹LLW = lower low water; LHW = lower high water; HHW = higher high water.

Prefix symbol indicates if tide is rising (+), falling (-), or within 20 minutes of slack water (no sign).

²S = Surface; M = mid-depth; D = depth or bottom.

³Percent of fecal coliform organisms that belong to one of the following genera: Klebsiella, Enterobacter, or Serratia.

⁴Estimated (FC count was less than the required minimum of 20 colonies per plate).

Table 16. Submarine photometer data collected during intensive surveys conducted at Port Gardner, WA, as part of the ECOBAM project, 1980-81 ("--" denotes parameter not measured).

Station	Date	Depth (m)	Deck Photocell (uW/cm ²)	Submersible Photocell (uW/cm ²)	Submersible Corrected ^{1/} (uW/cm ²)	Percent of Surface Intensity	Vertical Extinction Coefficient
1	09/10/80	0	41,000	47,000	47,000	100.0	2.7
		1	39,000	2,200	2,313	4.9	
		2	39,000	180	189	0.4	
		3	39,000	18	19	0.0	
	03/11/81	0	31,000	44,000	44,000	100.0	3.2
		1	31,000	750	750	1.7	
2		32,000	120	116	0.3		
2	09/10/80	0	41,000	46,000	46,000	100.0	3.0
		1	38,000	2,250	2,428	5.3	
		2	38,000	105	113	0.2	
	03/11/81	0	30,500	36,000	36,000	100.0	1.2
		1	31,000	7,500	7,379	20.5	
		2	31,000	3,000	2,952	8.2	
3		30,000	1,110	1,128	3.1		
4	30,000	350	356	1.0			
3	09/10/80	0	31,000	30,000	30,000	100.0	2.5
		1	29,000	1,800	1,924	6.4	
		2	29,000	240	257	0.9	
	03/11/81	0	30,000	33,000	33,000	100.0	1.4
		1	30,000	6,300	6,300	19.1	
		2	30,000	1,740	1,740	5.3	
3		30,000	540	540	1.6		
4	31,000	147	142	0.4			
4	09/10/80	0	28,200	27,000	27,000	100.0	1.9
		1	26,400	2,460	2,628	9.7	
		2	27,600	470	480	1.8	
		3	31,000	153	139	0.5	
	03/11/81	0	28,000	31,000	31,000	100.0	1.7
		1	28,000	4,200	4,200	13.5	
2		28,000	870	870	2.8		
3	28,000	230	230	0.7			
5	09/10/80	0	31,000	33,000	33,000	100.0	1.7
		1	31,000	3,600	3,600	10.9	
		2	31,000	750	750	2.3	
		3	32,000	260	252	0.8	
		4	33,000	58	54	0.2	

Table 16. Continued.

Station	Date	Depth (m)	Deck Photocell ($\mu\text{W}/\text{cm}^2$)	Submersible Photocell ($\mu\text{W}/\text{cm}^2$)	Submersible Corrected ^{1/} ($\mu\text{W}/\text{cm}^2$)	Percent of Surface Intensity	Vertical Extinction Coefficient
5	03/11/81	0	27,000	27,000	27,000	100.0	1.2
		1	27,000	7,300	7,300	27.0	
		2	27,000	2,800	2,800	10.4	
		3	27,000	840	840	3.1	
		4	28,000	250	241	0.9	
6	09/10/80	0	38,000	41,000	41,000	100.0	1.4
		1	39,000	7,700	7,503	18.3	
		2	39,000	2,070	2,017	4.9	
		3	39,000	640	624	1.5	
		4	40,000	240	228	0.6	
	03/11/81	0	26,000	29,000	29,000	100.0	0.9
		1	26,000	8,700	8,700	30.0	
		2	26,000	3,400	3,400	11.7	
		3	26,000	1,680	1,680	5.8	
		4	26,000	840	840	2.9	
		5	26,000	400	400	1.4	
		6	24,000	186	202	0.7	
7	09/10/80	0	40,000	45,000	45,000	100.0	1.2
		1	40,000	12,300	12,300	27.3	
		2	40,000	4,200	4,200	9.3	
		3	39,000	1,440	1,477	3.3	
		4	37,000	360	389	0.9	
	5	37,000	93	101	0.2		
	03/11/81	0	26,000	29,000	29,000	100.0	0.9
		1	24,000	8,100	8,775	30.3	
		2	25,000	3,000	3,120	10.8	
		3	25,000	1,530	1,591	5.5	
		4	25,000	750	780	2.7	
		5	25,000	340	354	1.2	
6		25,000	144	150	0.5		
8	09/10/80	0	38,000	44,000	44,000	100.0	0.8
		1	39,000	14,100	13,738	31.2	
		2	39,000	6,600	6,431	14.6	
		3	39,000	3,300	3,215	7.3	
		4	39,000	1,650	1,608	3.7	
		5	39,000	820	799	1.8	
	6	39,000	430	419	1.0		
	03/11/81	0	25,000	30,000	30,000	100.0	0.9
		1	25,000	7,500	7,500	25.0	
		2	25,000	3,700	3,700	12.3	
		3	25,000	1,890	1,890	6.3	
		4	25,000	1,110	1,110	3.7	

Table 16. Continued.

Station	Date	Depth (m)	Deck Photocell ($\mu\text{W}/\text{cm}^2$)	Submersible Photocell ($\mu\text{W}/\text{cm}^2$)	Submersible Corrected ^{1/} ($\mu\text{W}/\text{cm}^2$)	Percent of Surface Intensity	Vertical Extinction Coefficient
9	09/10/80	0	39,000	47,000	47,000	100.0	0.9
		1	39,000	14,400	14,400	30.6	
		2	39,000	6,600	6,600	14.0	
		3	39,000	3,100	3,100	6.6	
		4	39,000	1,530	1,530	3.3	
		5	39,000	730	730	1.6	
	6	39,000	340	340	0.7		
	03/11/81	0	23,000	31,000	31,000	100.0	1.1
		1	23,000	5,100	5,100	16.5	
		2	23,000	2,100	2,100	6.8	
		3	23,000	900	900	2.9	
		4	23,000	420	420	1.4	
5		23,000	210	210	0.7		
10	09/10/80	0	37,000	44,000	44,000	100.0	0.8
		1	37,000	11,400	11,400	25.9	
		2	37,000	5,800	5,800	13.2	
		3	37,000	2,700	2,700	6.1	
		4	37,000	1,410	1,410	3.2	
		5	37,000	670	670	1.5	
	6	37,000	380	380	0.9		
	03/11/81	0	36,000	42,000	42,000	100.0	0.7
		1	36,000	10,500	10,500	25.0	
		2	36,000	5,300	5,300	12.6	
		3	36,000	3,200	3,200	7.6	
		4	35,000	2,000	2,057	4.9	
5		36,000	960	960	2.3		
6		36,000	600	600	1.4		
7	36,000	320	320	0.8			
11	09/10/80	0	39,000	44,000	44,000	100.0	0.7
		1	39,000	13,800	13,800	31.4	
		2	39,000	6,100	6,100	13.9	
		3	39,000	3,000	3,000	6.8	
		4	39,000	1,800	1,800	4.1	
		5	39,000	1,200	1,200	2.7	
		6	39,000	780	780	1.8	
		7	37,000	510	538	1.2	
	8	37,000	370	390	0.9		
	03/11/81	0	34,000	36,000	36,000	100.0	0.9
		1	34,000	7,800	7,800	21.7	
		2	34,000	3,400	3,400	9.4	
3		34,000	1,560	1,560	4.3		
4		34,000	840	840	2.3		
5		34,000	420	420	1.2		
6	34,000	210	210	0.6			

Table 16. Continued.

Station	Date	Depth (m)	Deck Photocell ($\mu\text{W}/\text{cm}^2$)	Submersible Photocell ($\mu\text{W}/\text{cm}^2$)	Submersible Corrected ^{1/} ($\mu\text{W}/\text{cm}^2$)	Percent of Surface Intensity	Vertical Extinction Coefficient			
12	09/10/80	0	48,000	47,000	47,000	100.0	0.7			
		1	39,000	16,000	19,692	41.9				
		2	39,000	7,300	8,985	19.1				
		3	39,000	4,100	5,046	10.7				
		4	39,000	2,370	2,917	6.2				
		5	39,000	1,380	1,698	3.6				
		6	39,000	770	948	2.0				
		7	39,000	420	517	1.1				
	03/11/81	0	21,300	27,300	27,300	100.0	1.1			
		1	21,300	4,400	4,400	16.1				
		2	21,300	2,000	2,000	7.3				
		3	21,300	960	960	3.5				
		4	21,300	420	420	1.5				
		5	21,900	192	187	0.7				
		13	09/10/80	--	--	--		--	--	--
				03/11/81	0	32,000		37,000	37,000	
1	37,000				8,700	7,524	20.3			
2	37,000				2,500	2,162	5.8			
3	37,000				1,140	986	2.7			
4	36,000				550	489	1.3			
5	36,000	300	267		0.7					
14	09/10/80	0	37,000	43,000	43,000	100.0	0.8			
		1	37,000	13,500	13,500	31.4				
		2	37,000	6,500	6,500	15.1				
		3	37,000	3,200	3,200	7.4				
		4	36,000	1,800	1,850	4.3				
		5	37,000	930	930	2.2				
		6	37,000	450	450	1.0				
	7	37,000	200	200	0.5					
	03/11/81	0	20,700	27,000	27,000	100.0	1.2			
		1	20,100	3,000	3,090	11.4				
		2	20,100	1,170	1,205	4.5				
		3	20,100	610	628	2.3				
		4	20,100	320	330	1.2				
		15	09/10/80	0	38,000	43,000		43,000	100.0	1.3
1				37,000	10,500	10,784		25.1		
2	37,000			3,500	3,595	8.4				
03/11/81	0		18,000	13,500	13,500	100.0	1.4			
	1		18,000	2,100	2,100	15.6				
	2		18,000	1,050	1,050	7.8				

Table 16. Continued.

Station	Date	Depth (m)	Deck Photocell (uW/cm ²)	Submersible Photocell (uW/cm ²)	Submersible Corrected ^{1/} (uW/cm ²)	Percent of Surface Intensity	Vertical Extinction Coefficient
16	09/10/80	0	36,500	48,500	48,500	100.0	0.4
		1	37,500	19,000	18,493	38.1	
		2	37,000	9,750	9,618	19.8	
		3	37,000	5,200	5,130	10.6	
		4	37,500	4,150	4,039	8.3	
		5	38,000	3,150	3,026	6.2	
		6	38,500	2,400	2,275	4.7	
		7	38,500	1,845	1,749	3.6	
		8	39,000	1,350	1,263	2.6	
		9	39,000	1,110	1,039	2.1	
		10	39,000	870	814	1.7	
		11	39,000	705	660	1.4	
		12	39,000	585	548	1.1	
		13	39,000	470	440	0.9	
14	39,000	370	346	0.7			
	03/11/81	0	35,000	46,000	46,000	100.0	0.6
		1	35,000	17,000	17,000	37.0	
		2	36,000	8,400	8,167	17.8	
		3	36,000	4,800	4,667	10.1	
		4	36,000	2,800	2,722	5.9	
		5	35,500	1,590	1,568	3.4	
		6	36,000	960	933	2.0	
		7	36,000	620	603	1.3	
		8	36,000	360	350	0.8	

^{1/}Submersible readings corrected for changes in deck photocell readings as follows:

$$\text{Corrected Submersible Reading at Depth } Z = \text{Submersible Reading at Depth } Z \times \frac{\text{Deck Reading at Depth } 0}{\text{Deck Reading at Depth } Z}$$

Table 17. Wastewater quality data collected from point sources in the vicinity of Port Gardner, WA, as part of the ECOBAM project, 1980-81 ("--" denotes parameters not measured or data missing). Replicate samples are separated by semicolons.

Source	Date	Sample Type	Flow (MGU)	pH (S.U.)	Cond. (mmhos/cm)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-PO ₄ -P (mg/L)	T-PO ₄ -P (mg/L)	Total Solids (mg/L)	TNVS (mg/L)	TSS (mg/L)	TNVS (mg/L)	Turb. (NTU)	Color (units)	PBI (mg/L)	TOC (mg/L)	Oil & Grease (mg/L)	BOD (mg/L)	Fecal Coliforms (#/100 mL)	Percent KES ²
Scott Outfall 001	6/24/80	G	5.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<10; 60 ³	0; 0
	6/25/80	C	5.2	7.1	0.3	<0.10	<0.10	1.0	0.80	0.90	--	--	41	--	--	160	230	79	--	47	--	--
		G	5.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6; 9	--	47	>160; >1,200
	6/26/80	C	5.1	7.0	0.2	--	--	--	--	--	--	--	26	--	--	160	340	--	--	44	--	--
	9/09/80	G	4.9	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90 ³ ; 230	>44; >9
	9/10/80	C	5.4	6.8	0.3	<0.10	<0.10	1.6	0.40	0.53	--	--	74	--	--	300	370	64	--	180	--	--
		G	4.9	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<10; <10	--	180	120 ³ ; 160 ³
	9/11/80	C	4.5	6.7	0.3	--	--	--	--	--	--	--	46	--	--	260	940	--	--	<100	--	--
	3/10/81	G	9.7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	100; 200	75; 4
3/11/81	C	9.2	6.7	0.3	<0.05	<0.05	2.3	0.45	0.80	--	--	54	--	--	210	1100	86	--	62	--	--	
	G	9.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<1; 8	--	62	120; 180	56; 3
3/12/81	C	8.7	6.7	0.3	--	--	--	--	--	340	180	30	<1	--	240	1300	--	--	61	--	--	
Scott Outfall 003	6/24/80	G	5.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<10; 40 ³	0; 25
	6/25/80	C	4.8	7.0	0.3	<0.10	<0.10	0.80	0.90	1.2	--	--	47	--	--	160	250	80	--	42	--	--
		G	6.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6; 8	--	42	>1,200; >1,200
	6/26/80	C	5.1	6.9	0.4	--	--	--	--	--	--	--	28	--	--	160	310	--	--	35	--	--
	9/09/80	G	8.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	150 ³ ; 310	>40; >39
	9/10/80	C	8.1	6.9	0.3	<0.10	<0.10	0.60	--	0.29	--	--	39	--	--	240	390	56	--	<40	--	--
		G	7.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<10; <10	--	<40	150 ³ ; 400
	9/11/80	C	7.3	7.1	0.2	--	--	--	--	--	--	--	42	--	--	210	840	--	--	56	--	--
	3/10/81	G	4.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	130; 160	12; 0
3/11/81	C	3.3	7.0	0.2	<0.05	<0.05	2.6	--	--	--	--	37	--	--	180	980	69	--	58	--	--	
	G	5.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1; 11	--	58	<5; 210	--; 24
3/12/81	C	2.2	6.9	0.2	--	--	--	--	--	300	170	28	<1	--	170	980	--	--	42	--	--	

Table 17. Wastewater quality data collected from point sources in the vicinity of Port Gardner, WA, as part of the ECOBAM project, 1980-81 ("--" denotes parameters not measured or data missing). Replicate samples are separated by semicolons.

Source	Date	Sample Type	Flow (MGD)	pH (S.U.)	Cond. (mmhos/cm)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-P ₀₄ -P (mg/L)	T-P ₀₄ -P (mg/L)	Total Solids (mg/L)	TNVS (mg/L)	TSS (mg/L)	TNVSS (mg/L)	Turb. (NTU)	Color (units)	PBI (mg/L)	TOC (mg/L)	Oil & Grease (mg/L)	BOD (mg/L)	Fecal Coliforms (#/100 mL)	Percent KES ₂
Scott Outfall 004	6/24/80	G	5.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<10; <10	0; 0
	6/25/80	C	5.2	6.7	0.4	<0.10	<0.10	0.80	1.5	1.5	--	--	87	--	--	38	18	83	--	68	--	--
		G	6.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	11; 14	--	--	>120; >400
	6/26/80	C	5.9	6.9	0.5	--	--	--	--	--	--	--	74	--	--	21	27	--	--	62	--	--
	9/09/80	G	6.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<10; 10 ³	--; 100
	9/10/80	C	5.7	6.4	0.5	0.10	<0.10	0.60	0.80	0.89	--	--	110	--	--	42	68	92	--	95	--	--
		G	6.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3; <10	--	--	<10; <10
	9/11/80	C	6.9	6.7	0.5	--	--	--	--	--	--	--	24	--	--	63	95	--	--	100	--	--
	3/10/81	G	5.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1 ³ ; 14 ³	100; 100
	3/11/81	C	5.3	6.6	0.5	0.15	<0.05	0.65	--	--	--	--	110	--	--	38	120	94	--	110	--	--
G		5.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13; 17	--	--	<1; 1 ³	--
3/12/81	C	5.1	7.0	0.5	--	--	--	--	--	540	290	85	2	--	42	140	--	--	88	--	--	
Scott Outfall 008	6/24/80	G	15.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	22,000; 310,000	14; 35
	6/25/80	C	15.0	7.5	2.2	<0.10	0.10	2.0	1.7	1.9	--	--	69	--	--	3,600	820	360	--	15	--	--
		G	14.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12	--	--	27,000; 32,000
	6/26/80	C	14.9	7.5	2.4	--	--	--	--	--	--	--	84	--	--	3,400	220	--	--	16	--	--
		G	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	29	--	--	--
	9/09/80	G	14.7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	40,000; 1,100,000 ³	98; >88
	9/10/80	C	13.1	7.4	2.6	<0.10	<0.10	10.2	--	1.5	--	--	370	--	--	4,000	2,200	560	--	28	--	--
		G	14.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<10; <10	--	--	550,000; 940,000 ³
	9/11/80	C	14.1	7.5	2.4	--	--	--	--	--	--	--	89	--	--	3,500	2,000	--	--	13	--	--
	3/10/81	G	12.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	530,000 ³ ; 840,000
3/11/81	C	11.5	7.2	2.9	0.01	0.10	3.2	1.6	2.4	--	--	120	--	--	4,500	2,300	440	--	41	--	--	
	G	10.9	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<1; 3	--	--	230,000; 500,000	9; 4
3/12/81	C	11.3	7.5	0.3	--	--	--	--	--	2,900	2,100	87	<1	--	4,100	290	--	--	36	--	--	

Table 17. Wastewater quality data collected from point sources in the vicinity of Port Gardner, WA, as part of the ECOBAM project, 1980-81 ("--" denotes parameters not measured or data missing). Replicate samples are separated by semicolons.

Source	Date	Sample Type	Flow (MGD)	pH (S.U.)	Cond. (mmhos/cm)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-PO ₄ -P (mg/L)	T-PO ₄ -P (mg/L)	Total Solids (mg/L)	TNVS (mg/L)	TSS (mg/L)	TNVS (mg/L)	Turb. (NTU)	Color (units)	PBI (mg/L)	TOC (mg/L)	Oil & Grease (mg/L)	BOD (mg/L)	Fecal Coliforms (#/100 mL)	Percent KES ^c	
Weyerhaeuser Outfall 001	6/24/80	G	3.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	25,500; 239,000	4; 8	
	6/25/80	C	3.7	7.3	1.5	--	--	--	--	--	1,700	1,000	28	3	--	3,300	1,900	360	--	63	--	--	
		G	3.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8; 15	--	--	52,000; 420,000	10; 5
	6/26/80	C	3.2	6.9	1.6	--	--	--	--	--	--	--	49	--	--	3,000	1,000	--	--	100	--	--	
	9/09/80	G	5.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4,400; 70,000	0; 257
		C	5.0	7.4	1.9	<0.10	<0.10	0.30	--	1.4	--	--	--	45	--	--	2,900	4,600	440	--	130	--	--
9/11/80	G	3.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<10; <10	--	30,000 ³	100	
9/11/80	C	4.3	7.4	1.7	--	--	--	--	--	--	--	--	57	--	--	3,100	4,900	--	--	120	--	--	
Everett Sewage Treat- ment Plant	6/24/80	G	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	120; 140	0; 0	
	6/25/80	C	16.4	--	0.4	0.50	0.30	10	4.4	4.7	--	--	31	--	--	130	23	29	--	24	--	--	
		G	--	--	--	<0.10	0.10	1.0	5.2	5.4	--	--	--	--	--	--	--	--	--	--	--	120; 180	13; 5
	6/26/80	C	11.5	8.3	0.4	--	--	--	--	--	--	--	27	--	--	143	68	--	--	27	--	--	
	9/09/80	G	9.7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	170; 300 ³	0; 0	
	9/10/80	C	9.4	8.9	0.3	0.10	0.10	7.8	5.3	5.5	--	--	29	--	--	88	14	32	--	9	--	--	
		G	9.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	170	3
	9/11/80	C	10.6	8.9	0.3	--	--	--	--	--	--	--	31	--	--	88	480	--	--	12	--	--	
	3/10/81	G	12.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	30 ³ ; 40 ³	0; 0
3/11/81	C	10.9	8.2	0.4	<0.05	<0.05	9.0	2.9	3.5	--	--	22	--	--	210	36	28	--	31	--	--		
	G	12.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<1; 52	--; 19	
3/12/81	C	12.0	8.4	0.4	--	--	--	--	--	--	--	18	--	--	210	110	--	--	<10	--	--		

Table 17. Wastewater quality data collected from point sources in the vicinity of Port Gardner, WA, as part of the ECOBAM project, 1980-81 ("--" denotes parameters not measured or data missing). Replicate samples are separated by semicolons.

Source	Date	Sample Type ¹	Flow (MGD)	pH (S.U.)	Cond. (mmhos/cm)	NO ₃ -N (mg/L)	NO ₂ -N (mg/L)	NH ₃ -N (mg/L)	O-PO ₄ -P (mg/L)	T-PO ₄ -P (mg/L)	Total Solids (mg/L)	TNVS (mg/L)	TSS (mg/L)	TNVS (mg/L)	Turb. (NTU)	Color (units)	PBI (mg/L)	TOC (mg/L)	Oil & Grease (mg/L)	BOD (mg/L)	Fecal Coliforms (#/100 mL)	Percent KES ²
Tideland Fill Area	6/30/80	G	<0.1	6.7	13.3	--	--	--	--	--	8,800	7,400	10	1	23	800	32	--	2; 6; 6	15 ³	8 ³	--
Runoff (Bank Flow)	9/09/80	G	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	160 ³	31
	9/10/80	G	--	6.5	12.2	<0.10	<0.10	3.1	--	0.87	9,900	7,000	28	9	4	280	520	--	<1; 3	24	--	--
	3/10/81	G	<0.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	290	3
	3/11/81	G	--	6.8	16.1	<0.05	<0.05	2.2	0.40	0.50	13,000	10,000	2	<1	36	120	72	15	12; 14	30	150	13
Tideland Fill Area	3/10/81	G	<0.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	340	0
Runoff (Culvert Flow)	3/11/81	G	--	6.9	17.1	<0.05	<0.05	4.9	0.80	0.80	14,000	11,000	6	2	10	180	81	20	<1; 4	20	410	13

¹C = 24-hour composite; G = grab sample or instantaneous measurement.

²Percent of fecal coliform organisms that belong to one of the following genera: Klebsiella, Enterobacter, or Serratia.

³Estimated (if parameter is FC, then value was estimated because FC count was less than the required minimum of 20 colonies per plate).