

Freshwater Ambient Monitoring Report for Wateryear 1991

Part I:
Program Description and General Statewide Results

Part II:
Water Quality Summary and 12-Year Trends for Core
Stations in the Puget Sound Basin

The Department of Ecology is an Equal Opportunity and Affirmative Action employer and shall not discriminate on the basis of race, creed, color, national origin, sex, marital status, sexual orientation, age, religion, or disability as defined by applicable state and/or federal regulations or statutes.

If you have special accommodation needs, please contact the Environmental Investigations and Laboratory Services Program, Ambient Monitoring Section, Brad Hopkins at (206) 407-6686 (Voice). Ecology's telecommunications device for the deaf (TDD) number at Ecology Headquarters is (206) 438-8721

*For additional copies for this publication
please contact:*

*Department of Ecology
Publications Distributions Office
at Post Office Box 47600
(206) 407-7472
Refer to Publications Number*



Freshwater Ambient Monitoring Report for Wateryear 1991

Part I:
Program Description and General Statewide Results

Part II:
Water Quality Summary and 12-Year Trends for Core
Stations in the Puget Sound Basin

by
Brad Hopkins

*Environmental Investigations
and Laboratory Services Program
Ambient Monitoring Section*
Washington State Department of Ecology
Post Office Box 47710
Olympia, Washington 98504-7710

September 1993
Publication 93-75

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES	v
LIST OF TABLES	viii
ACKNOWLEDGEMENTS	ix
ABSTRACT	x
PART I: Program Description and General Statewide Results	xi
INTRODUCTION	1
METHODS	1
Network Design	1
Historical	1
Current	1
Core/Bench Mark Stations	2
Rotating Stations	2
Floating Stations	2
Inside of Puget Sound Basin Monitoring Network vs. Ecology WY 1991	
Network	6
Sample Collection	7
Field Processing	8
Field Analysis	8
Laboratory Analysis	8
Data Handling	8
Quality Assurance	8
Field QA	10
Laboratory QA	10
Data QA	10
Data Analysis	10
Trends	10
Upstream/Downstream Comparison	11
GENERAL RESULTS AND DISCUSSION	11
QA Review	13
Overview of Water Quality for Wateryear 1991	14
Statewide Water Quality	14
Water Quality in the Puget Sound Drainage Basin	14
Water Quality in Washington Outside the Puget Sound Basin	22

TABLE OF CONTENTS (Continued)

	<u>Page</u>
Water Quality East of the Cascades	22
Water Quality West of the Cascades (Excluding Puget Sound Basin)	22
Water Quality at Floating Stations	22
PART II: Water Quality Summary and 12-year Trends for Core Stations in the Puget Sound Basin	24
INTRODUCTION	25
Ranking of Puget Sound Core Stations	25
Summary of Trends at Core/Bench Mark Stations Inside of the Puget Sound Basin	25
Limitations of Trend Analysis on Core/Bench Mark Stations Inside of the Puget Sound Basin	26
INDIVIDUAL STATION ACCOUNTS	27
NOOKSACK RIVER AT BRENNAN	28
Wateryear 1991	28
Trends in Conventional Water Quality (10/79 - 09/91)	28
Overall Water Quality	28
SKAGIT RIVER AT MOUNT VERNON	34
Wateryear 1991	34
Trends in Conventional Water Quality (10/79 - 09/91)	34
Overall Water Quality	34
SKAGIT RIVER AT MARBLEMOUNT	40
Wateryear 1991	40
Trends in Conventional Water Quality (10/79 - 09/91)	40
Overall Water Quality	40
Upstream/Downstream Comparison	40
STILLAGUAMISH RIVER NEAR SILVANA	47
Wateryear 1991	47
Trends in Conventional Water Quality (10/79 - 09/91)	47
Overall Water Quality	47
SNOHOMISH RIVER AT SNOHOMISH	53
Wateryear 1991	53

TABLE OF CONTENTS (Continued)

	<u>Page</u>
Trends in Conventional Water Quality (10/79 - 09/91)	53
Overall Water Quality	53
SAMMAMISH RIVER AT BOTHELL	59
Wateryear 1991	59
Trends in Conventional Water Quality (10/79 - 09/91)	59
Overall Water Quality	59
CEDAR RIVER AT RENTON	66
Wateryear 1991	66
Trends in Conventional Water Quality (10/79 - 09/91)	66
Overall Water Quality	66
GREEN RIVER AT TUKWILA	72
Wateryear 1991	72
Trends in Conventional Water Quality (10/79 - 09/91)	72
Overall Water Quality	72
GREEN RIVER NEAR KANASKAT	75
Wateryear 1991	75
Trends in Conventional Water Quality (10/79 - 09/91)	75
Overall Water Quality	75
Upstream/Downstream Comparison	75
PUYALLUP RIVER AT MERIDIAN STREET BRIDGE	81
Wateryear 1991	81
Trends in Conventional Water Quality (10/79 - 09/91)	81
Overall Water Quality	81
NISQUALLY RIVER AT NISQUALLY	88
Wateryear 1991	88
Trends in Conventional Water Quality (10/79 - 09/91)	88
Overall Water Quality	88
SKOKOMISH RIVER NEAR POTLATCH	95
Wateryear 1991	95
Trends in Conventional Water Quality (10/79 - 09/91)	95
Overall Water Quality	95
REFERENCES	101

TABLE OF CONTENTS (Continued)

- APPENDIX 1. Station Description and Period of Record for EILS Freshwater Monitoring Program
- APPENDIX 2. Washington State Department of Ecology Ambient Monitoring Station Locations
- APPENDIX 3. Current Laboratory Methods for the Department of Ecology's Freshwater Ambient Monitoring Program
- APPENDIX 4. Wateryear 1991 Raw Data and Six-Year Summary Statistics for the Department of Ecology's Freshwater Ambient Monitoring Program
- APPENDIX 5. Wateryear 1991 QA Tables
- APPENDIX 6. Floating Stations Reports for WY 1991
- APPENDIX 7. Ranking of Core Stations Inside of Puget Sound By Highest Quarterly Mean Value
- APPENDIX 8. Summary of Trends
- APPENDIX 9. Upstream/Downstream Work on the Skagit River Water Quality at Mount Vernon vs. Marblemount
- APPENDIX 10. Upstream/Downstream Work on the Green River Water Quality at Allentown Bridge vs. Kanaskat Before and After the Removal of the Renton STP Outfall

LIST OF FIGURES

	<u>Page</u>
Figure 1. Washington State Department of Ecology, Ambient Monitoring Section's River and Stream Monitoring Network, Wateryear 1991.	3
Figure 2. Date flow diagram for Ecology's Ambient Monitoring Section's River and Stream Monitoring Program.	9
Figure 3. How to interpret a box plot (modeled after figure in Coots, 1991).	15
Figure 4. Washington State temperature, dissolved oxygen, total suspended solids, fecal coliform, total phosphorus, and nitrate+nitrite levels for Wateryear 1991.	16
Figure 5. Inside of Puget Sound Basin temperature, dissolved oxygen, total suspended solids, fecal coliform, total phosphorus, and nitrate+nitrite levels for Wateryear 1991.	21
Figure 6. East of the Cascades temperature, dissolved oxygen, total suspended solids, fecal coliform, total phosphorus, and nitrate+nitrite levels for Wateryear 1991.	23
Figure 7. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Nooksack River at Brennan.	29
Figure 8. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Nooksack River at Brennan.	30
Figure 9. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Nooksack River at Brennan.	31
Figure 10. Significant trend graphs for the Nooksack River at Brennan.	33
Figure 11. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Skagit River at Mount Vernon.	35
Figure 12. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Skagit River at Mount Vernon.	36

LIST OF FIGURES (Continued)

	<u>Page</u>
Figure 13. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Skagit River at Mount Vernon.	37
Figure 14. Significant trend graphs for the Skagit River at Mount Vernon.	39
Figure 15. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Skagit River at Marblemount.	41
Figure 16. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Skagit River at Marblemount.	42
Figure 17. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Skagit River at Marblemount.	43
Figure 18. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Stillaguamish River near Silvana.	48
Figure 19. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Stillaguamish River near Silvana.	49
Figure 20. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Stillaguamish River near Silvana.	50
Figure 21. Significant trend graph for the Stillaguamish River near Silvana.	52
Figure 22. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Snohomish River at Snohomish.	54
Figure 23. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Snohomish River at Snohomish.	55

LIST OF FIGURES (Continued)

	<u>Page</u>
Figure 24. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Snohomish River at Snohomish.	56
Figure 25. Significant trend graphs for the Snohomish River at Snohomish.	58
Figure 26. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Sammamish River at Bothell.	60
Figure 27. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels, compared to the last 10 years of data on the Sammamish River at Bothell.	61
Figure 28. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Sammamish River at Bothell.	62
Figure 29. Significant trend graphs for the Sammamish River at Bothell.	64
Figure 30. Significant trend graph for the Sammamish River at Bothell.	65
Figure 31. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Cedar River at Renton.	67
Figure 32. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Cedar River at Renton.	68
Figure 33. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Cedar River at Renton.	69
Figure 34. Significant trend graphs for the Cedar River at Renton.	71
Figure 35. Wilcoxon-Mann-Whitney step trend graphs for nutrient levels on the Green/Duwamish River at Allentown.	74
Figure 36. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Green River near Kanaskat.	76

LIST OF FIGURES (Continued)

	<u>Page</u>
Figure 37. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Green River near Kanaskat.	77
Figure 38. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Green River near Kanaskat. . . .	78
Figure 39. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Puyallup River at Meridian Street Bridge.	82
Figure 40. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Puyallup River at Meridian Street Bridge.	83
Figure 41. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Puyallup River at Meridian Street Bridge.	84
Figure 42. Significant trend graphs on the Puyallup River at Meridian Street Bridge. . . .	86
Figure 43. Significant trend graphs for the Puyallup River at Meridian Street Bridge.	87
Figure 44. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Nisqually River at Nisqually.	89
Figure 45. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Nisqually River at Nisqually.	90
Figure 46. Wateryear 1991 flow, conductivity, suspended solid, and turbidity levels compared to the last 10 years of data on the Nisqually River at Nisqually.	91
Figure 47. Significant trend graphs for the Nisqually River at Nisqually.	93
Figure 48. Significant trend graphs for the Nisqually River at Nisqually.	94

LIST OF FIGURES (Continued)

	<u>Page</u>
Figure 49. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Skokomish River near Potlatch.	96
Figure 50. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Skokomish River near Potlatch.	97
Figure 51. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Skokomish River near Potlatch.	98
Figure 52. Significant trend graph for the Skokomish River near Potlatch.	100

LIST OF TABLES

		<u>Page</u>
Table 1.	Washington State Department of Ecology Freshwater Ambient Monitoring Program for Wateryear 1991 (October 1, 1990 - September 30, 1991).	4
Table 2.	Comparison of PSAMP Rivers and Stream Monitoring Network (PSWQA, 1988) and Ecology's WY 1991 Network.	6
Table 3.	Regression formula used to evaluate if parameter is correlation to Stream Flow.	12
Table 4.	Summary of Wateryear 1992 violations of Water Quality Standards (Chapter 173-201 WAC) for each ambient freshwater station collected by Ecology. . .	17
Table 5.	Seasonal Kendall Trend information on the Nooksack River at Brennan (1979-1990).	32
Table 6.	Seasonal Kendall Trend information on the Skagit River at Mount Vernon (1979-1991).	38
Table 7.	Seasonal Kendall Trend information on the Skagit River at Marblemount (1979-1991).	44
Table 8.	Statistical analysis of data pairs from WY 1980 to WY 1991 on the Skagit River at Mount Vernon and Marblemount.	45
Table 9.	Seasonal Kendall Trend information on the Stillaguamish River near Silvana (1979-1991).	51
Table 10.	Seasonal Kendall Trend information on the Snohomish River at Snohomish (1979-1991).	57
Table 11.	Seasonal Kendall Trend information on the Sammamish River at Bothell (1979-1991).	63
Table 12.	Seasonal Kendall Trend information on the Cedar River at Renton.	70
Table 13.	Wilcoxon-Mann-Whitney Step Trend Test on the Green/Duwamish River at Allentown Bridge with the step based on the removal of the Renton Treatment Plant outfall (May 1987).	73

LIST OF TABLES (Continued)

	<u>Page</u>
Table 14. Seasonal Kendall Trend information on the Green River near Kanaskat (1979-1991).	79
Table 15. Statistical analysis of before and after the removal of the Renton Treatment Plant Outfall from the Green River.	80
Table 16. Seasonal Kendall Trend information on the Puyallup River at Meridian Street Bridge.	85
Table 17. Seasonal Kendall Trend Information on the Nisqually River at Nisqually (1979-1991).	92
Table 18. Seasonal Kendall Trend information on the Skokomish River near Potlatch (1979-1991).	99

ACKNOWLEDGEMENTS

Many people contributed to the success of the Wateryear 1991 program. Special thanks go to the following people:

Sample collection was assisted by Dave Hallock and Wayne Croft for long hours behind the wheel in sometimes less than ideal weather conditions.

Laboratory analyses and support was supplied by Kitty Bickle, Pam Covey, Michelle Elling, Nancy Jensen, Aileen Smith, Craig Smith, Despina Strong, Dave Thomson, Cyma Tupas, and Will White at Ecology's Manchester Environmental Laboratory. Thanks for coping with the seemingly endless supply of samples.

Data management was conducted by Dave Hallock and Bob James.

Technical peer review was conducted by Ken Dzinbal, Dave Hallock, Stewart Lombard, and Steve Saunders of the Department of Ecology; and Chris Prescott of the Puget Sound Water Quality Authority.

ABSTRACT

From October 1, 1990, to September 30, 1991 (Wateryear 1991), the Washington State Department of Ecology (Ecology) Ambient Monitoring Section measured 13 conventional water quality parameters monthly at 81 stations in Washington State. Water quality information from these stations are used to evaluate instream conditions as they relate to Water Quality Standards, detect changes in water quality over time, and provide current water quality information for Ecology's water quality based permitting of dischargers.

In Wateryear 1991, rivers and streams monitored by Ecology's Ambient Monitoring Program exhibited occasional violations of Washington State Water Quality Standards. The majority of these violations involved elevated concentrations of fecal coliform bacteria and increased summer water temperatures. Water quality information collected at the 12 core/bench mark stations within the Puget Sound Basin were selected for more in-depth analysis, including the use of the Seasonal Kendall (SK) Statistical Test for trend detection, and are discussed in more detail. The most significant trends were found on the Lower Green River and reflect substantial water quality improvements that correspond with relocation of the Renton Sewage Treatment Plant Outfall.

PART I:

Program Description and General Statewide Results

INTRODUCTION

The Washington State Department of Ecology (Ecology) has operated a long-term Freshwater Ambient Monitoring Program from Ecology's inception in 1970. The primary objectives of this program are to 1) provide water quality information to determine if designated uses are supported by existing instream water quality (305b Report); 2) track spacial and temporal change in water quality of rivers and streams; and 3) provide site specific water quality information in support of Ecology's water quality based permitting of dischargers.

This report is divided into two parts. Part I presents information on the methods the Freshwater Ambient Monitoring Program used for network design, sample collection, field processing, field and laboratory analysis, data handling, quality assurance/quality control (QA/QC), and data analysis. The data from Ecology's freshwater ambient monitoring network for Wateryear 1991 (WY 1991) are discussed from three perspectives: 1) statewide, 2) rivers and streams within the Puget Sound Basin, and 3) rivers and streams outside of the Puget Sound Basin. Part II presents more detailed analyses of the water quality data collected at core/bench mark stations located inside of the Puget Sound Basin.

METHODS

This section provides information on network design, sample collection, field processing, field/laboratory analysis, data handling, QA/QC, and data analysis techniques.

Network Design

Network design will be discussed as follows: 1) a brief history of the Ambient Monitoring Program; 2) current network design considerations; and 3) a comparison of the proposed Puget Sound Ambient Monitoring Program Inside of Puget Sound Basin to Ecology's Wateryear 1991 Network Inside of the Puget Sound Basin.

Historical

From 1978 to 1990, Ecology's Freshwater Ambient Monitoring Program consisted of a 78-station fixed station network that was sampled monthly. Prior to 1978, various monitoring efforts were undertaken by Ecology and its predecessor agencies ranging from monthly fixed station to bi-monthly rotating station networks. The specific monitoring locations and the years they have been monitored are presented in Appendix 1.

Current

For Wateryear (WY) 1991 (October 1, 1990, to September 30, 1991), Ecology developed a new monitoring network comprised of three types of stations: 1) core/bench mark, 2) rotating, and 3) floating.

This new network design allows Ecology to collect more water quality information with the same level of effort, however, some trend detecting capabilities are sacrificed. This new network will continue to be monitored on a monthly basis. Specific station type and locations for the complete network are presented in Appendix 2. Station locations and water quality parameters monitored in WY 1991 are presented in Figure 1 and Table 1.

Core/Bench Mark Stations

Core/Bench mark stations are sampled monthly year after year and provide information for tracking changes in water quality over time (trends).

Locations of Core stations were based on the following criteria:

- 1) near the mouth of the major river basins that flow into the three major receiving waters of Washington State;
 - a) Puget Sound,
 - b) Columbia River, and
 - c) Grays Harbor;
- 2) where major rivers enter Washington State; and
- 3) downstream of major impact areas.

Bench mark stations are established in the upper reaches of a few select river basins to track upstream/downstream changes.

Rotating Stations

Rotating stations are located at 1) the mouths of the remaining rivers that flow into Puget Sound; 2) on major tributaries to rivers with core stations; or 3) on rivers and streams with known water quality problems. These stations will be active once every three years. When active, a rotating station will be sampled monthly. Information from these stations will be used primarily to determine if the waters meet their designated uses, in support of Ecology's permit process and, to a lesser extent, to track water quality changes over time.

Floating Stations

Floating stations are established primarily to address short-term, site specific water quality concerns expressed within Ecology or by other clients, such as the Puget Sound Water Quality Authority (PSWQA). Floating stations are generally sampled monthly when active but the sampling duration is study specific and may or may not last for the complete wateryear. These




Figure 1. Washington State Department of Ecology, Ambient Monitoring Sections River and Stream Monitoring Network, Wateryear 1991.

Table 1. Washington State Department of Ecology Freshwater Ambient Monitoring Program for Wateryear 1991 (October 1, 1990 – September 30, 1991).

Map No.	Station No.	Description	Flow	D.O.	Temp	pH	Sp. Cond.	FC	Turb	TSS	COD	Nuts (5)	Metals (6)	Total Hard
1	01A050	Nooksack R @ Brennan	X	X	X	X	X	X	X	X	X	X	X	X
2	01A120	Nooksack R @ No Cedarville	X	X	X	X	X	X	X	X	X	X	X	X
3	01D070	Sumas R nr Huntingdon BC	X	X	X	X	X	X	X	X	X	X	X	X
4	03A060	Skagit R nr Mount Vernon	X	X	X	X	X	X	X	X	X	X	X	X
5	03B050	Samish R nr Burlington	X	X	X	X	X	X	X	X	X	X	X	X
6	04A060	Skagit R @ Concrete	X	X	X	X	X	X	X	X	X	X	X	X
7	04A100	Skagit R @ Marblemount	X	X	X	X	X	X	X	X	X	X	X	X
8	04B070	Baker R @ Concrete	X	X	X	X	X	X	X	X	X	X	X	X
9	04C070	Sauk R nr Rockport	X	X	X	X	X	X	X	X	X	X	X	X
10	05A070	Stillaguamish R nr Silvana	X	X	X	X	X	X	X	X	X	X	X	X
11	05A090	SF Stillaguamish @ Arlington	X	X	X	X	X	X	X	X	X	X	X	X
12	05B070	NF Stillaguamish @ Cicero	X	X	X	X	X	X	X	X	X	X	X	X
13	07A090	Snohomish R @ Snohomish	X	X	X	X	X	X	X	X	X	X	X	X
14	07B055	Pilchuck R @ Snohomish	X	X	X	X	X	X	X	X	X	X	X	X
15	07C070	Skykomish R @ Monroe	X	X	X	X	X	X	X	X	X	X	X	X
16	07C120	Skykomish R nr Gold Bar	X	X	X	X	X	X	X	X	X	X	X	X
17	07D070	Snoqualmie R nr Carnation	X	X	X	X	X	X	X	X	X	X	X	X
18	07D130	Snoqualmie R @ Snoqualmie	X	X	X	X	X	X	X	X	X	X	X	X
19	08B070	Sammamish R @ Bothell	X	X	X	X	X	X	X	X	X	X	X	X
20	08C070	Cedar R @ Logan St/Renton	X	X	X	X	X	X	X	X	X	X	X	X
21	08C110	Cedar R nr Ladsburg	X	X	X	X	X	X	X	X	X	X	X	X
22	09A080	Green R @ Tukwila	X	X	X	X	X	X	X	X	X	X	X	X
23	09A090	Green R @ 212th St nr Kent	X	X	X	X	X	X	X	X	X	X	X	X
24	09A190	Green R @ Kanaskat	X	X	X	X	X	X	X	X	X	X	X	X
25	10A070	Puyallup R @ Meridian St	X	X	X	X	X	X	X	X	X	X	X	X
26	10A110	Puyallup R @ Orting	X	X	X	X	X	X	X	X	X	X	X	X
27	10C070	White R @ Sumner	X	X	X	X	X	X	X	X	X	X	X	X
28	11A070	Nisqually R @ Nisqually	X	X	X	X	X	X	X	X	X	X	X	X
29	11A080	Nisqually R @ Mckenna	X	X	X	X	X	X	X	X	X	X	X	X
30	12A070	Chambers Cr nr Steilacoom	X	X	X	X	X	X	X	X	X	X	X	X
31	13A060	Deschutes R @ E St Bridge	X	X	X	X	X	X	X	X	X	X	X	X
32	13A150	Deschutes R nr Rainier	X	X	X	X	X	X	X	X	X	X	X	X
33	16A070	Skokomish R nr Potlatch	X	X	X	X	X	X	X	X	X	X	X	X
34	22A070	Humtuplups R nr Humtuplups	X	X	X	X	X	X	X	X	X	X	X	X
35	22C050	Chehalis R nr Montesano	X	X	X	X	X	X	X	X	X	X	X	X
36	22G070	Satsop R nr Satsop	X	X	X	X	X	X	X	X	X	X	X	X
37	23A070	Chehalis R @ Porter	X	X	X	X	X	X	X	X	X	X	X	X
38	23A120	Chehalis R @ Centralia	X	X	X	X	X	X	X	X	X	X	X	X
39	23A160	Chehalis R @ Dryad	X	X	X	X	X	X	X	X	X	X	X	X
40	23E070	Black River @ Moon Road Bridge	X	X	X	X	X	X	X	X	X	X	X	X
41	24B090	Willapa R nr Willapa	X	X	X	X	X	X	X	X	X	X	X	X
42	26B070	Cowlitz R @ Kelso	X	X	X	X	X	X	X	X	X	X	X	X
43	26C070	Coweeman R @ Kelso	X	X	X	X	X	X	X	X	X	X	X	X
44	26D070	Toutle R nr Castle Rock	X	X	X	X	X	X	X	X	X	X	X	X
45	27B070	Kalama R nr Kalama	X	X	X	X	X	X	X	X	X	X	X	X

Table 1. Continued.

Map No.	Station No.	Description	Flow	D.O.	Temp	pH	Sp. Cond.	FC	Turb	TSS	COD	Nuts (5)	Metals (6)	Total Hard
46	27D090	EF Lewis R nr Dollar Corner	X	X	X	X	X	X	X	X		X		
47	31A070	Columbia R @ Umatilla	X	X	X	X	X	X	X	X		X	X	X
48	32A070	Walla Walla R nr Touchet	X	X	X	X	X	X	X	X		X		
49	32B130	Touchet R @ Dayton	X	X	X	X	X	X	X	X		X		
50	33A050	Snake R nr Pasco	X	X	X	X	X	X	X	X	X	X		
51	34A070	Palouse R @ Hooper	X	X	X	X	X	X	X	X	X	X	X	X
52	34B110	SF Palouse R @ Pullman	X	X	X	X	X	X	X	X		X		
53	35A150	Snake R @ Interstate Br	X	X	X	X	X	X	X	X		X		
54	35B060	Tucannon R @ Powers	X	X	X	X	X	X	X	X		X		
55	37A090	Yakima R @ Kiona	X	X	X	X	X	X	X	X		X		
56	37A190	Yakima R @ Parker	X	X	X	X	X	X	X	X		X		
57	39A090	Yakima R nr Cle Elum	X	X	X	X	X	X	X	X		X		
58	41A070	Crab Cr nr Beverly	X	X	X	X	X	X	X	X		X		
59	45A070	Wenatchee R @ Wenatchee	X	X	X	X	X	X	X	X		X		
60	45A110	Wenatchee R nr Leavenworth	X	X	X	X	X	X	X	X		X		
61	46A070	Entiat R nr Entiat	X	X	X	X	X	X	X	X		X		
62	47A070	Chelan R @ Chelan	X	X	X	X	X	X	X	X		X		
63	47B070	Columbia R @ Chelan Station	X	X	X	X	X	X	X	X		X		
64	48A070	Methow R nr Pateros	X	X	X	X	X	X	X	X		X		
65	48A140	Methow R @ Twisp	X	X	X	X	X	X	X	X		X		
66	49A070	Okanogan R @ Malott	X	X	X	X	X	X	X	X		X		
67	49A190	Okanogan R @ Oroville	X	X	X	X	X	X	X	X		X		
68	49B070	Similkameen R @ Oroville	X	X	X	X	X	X	X	X		X		
69	51A070	Nespelem R @ Nespelem	X	X	X	X	X	X	X	X		X		
70	52A070	Sanpoil R @ Keller	X	X	X	X	X	X	X	X		X		
71	54A050	Spokane R @ Mouth		X	X	X	X	X	X	X		X	X	X
72	54A120	Spokane R @ Riverside State Pk	X	X	X	X	X	X	X	X	X	X	X	X
73	55B070	Little Spokane R nr Mouth	X	X	X	X	X	X	X	X		X	X	X
74	55B080	Little Spokane R nr Griffith Spr		X	X	X	X	X	X	X		X		
75	55B082	Little Spokane R abv Dartford Ck		X	X	X	X	X	X	X		X		
76	55B100	Little Spokane R abv Peone Creek		X	X	X	X	X	X	X		X		
77	55C070	Peone (Deadman) Cr abv L Deep Ck		X	X	X	X	X	X	X		X		
78	56A070	Hangman Cr @ Mouth	X	X	X	X	X	X	X	X		X		
79	54A150	Spokane R @ Staseline Br	X	X	X	X	X	X	X	X		X	X	X
80	61A070	Columbia R @ Northport	X	X	X	X	X	X	X	X		X	X	X
81	62A150	Pend Oreille R @ Newport	X	X	X	X	X	X	X	X		X		

D.O. = Dissolved Oxygen COD = Chemical Oxygen Demand
 Temp = Temperature Nuts = Nutrients (Ammonia-N, Nitrate-N, Nitrite-N, Total Phosphorus-N, Orthophosphate-N)
 Sp. Cond = Specific Conductance Metals = Cadmium, Chromium, Copper, Lead, Mercury, Zinc
 FC = Fecal Coliform Total Hard = Total Hardness

stations allow the program to generate timely water quality information without disruption to its primary sampling network. These stations not only provide support for Ecology's permit process, but also allow Ecology to focus on areas of increasing concern.

Inside of Puget Sound Basin Monitoring Network vs. Ecology WY 1991 Network

In 1987, PSWQA concluded that "...there is currently no long-term comprehensive program to monitor Puget Sound and its resources..." and appointed a committee to design a Puget Sound Ambient Monitoring Program (PSAMP) (PSAMP, 1988). Ecology, in cooperation with PSWQA, modified a portion of its Freshwater Ambient Monitoring Program to better reflect the specific goals and objectives of PSAMP. For planning purposes, Ecology's statewide freshwater rivers and stream monitoring program was divided into two parts: 1) inside of the Puget Sound Basin (those stations that flow into Puget Sound); and 2) outside of the Puget Sound Basin (the rest of the state).

For WY 1991, the Ambient Monitoring Section collected water quality samples at 36 stations on rivers and streams that flow into Puget Sound (see Figure 1). These stations represent approximately 43% of Ecology's statewide freshwater ambient monitoring efforts. Ecology's new network design inside of the Puget Sound Basin is comparable to the design developed by PSAMP (Table 2). The major difference between the two plans is the addition of two bench mark stations in place of two floating stations in Ecology's new design. However, Ecology's program in WY 1991 reflected a transition, and the final rotating network will require additional fine tuning to reflect a basin wide perspective.

Table 2. Comparison of PSAMP Rivers and Stream Monitoring Network (PSWQA, 1988) and Ecology's WY 1991 Network.

Station Type	PSAMP	Ecology
Core	10	10
Bench Mark	0	2
Rotating	20	21
Floating	5	3
Total Per Year	35	36

Sample Collection

Monthly samples are collected as part of four monitoring "runs": Eastern, Central, Northwest, and Southwest. The Eastern, Central, and the first two days of the Southwest Run cover all freshwater stations outside of the Puget Sound Basin and are typically completed the first, second, and fourth weeks of each month. The Puget Sound portion of Ecology's Freshwater Program is collected as part of the Northwest Run and the last day of the Southwest Run. The Northwest Run includes all monitoring stations north of the Puyallup River and is typically completed the third week of the month. The Southwest Run includes stations in South Puget Sound and Hood Canal and occurs during the fourth week of the month.

The majority of the water samples are collected as single grab samples from highway bridges near midchannel. At a few sample locations, where bridge sites have inadequate mixing or pose a potential hazard to monitoring staff, the sampling sites are accessed from the river bank. All water samples are collected from approximately six inches below the surface to minimize surface contamination. Water samples for all conventional parameters, except fecal coliform bacteria and total suspended solids (TSS), are collected in a stainless steel sampler similar to the dissolved oxygen (D.O.) and BOD sampler design presented on page 4-151 of the 17th Edition of Standard Methods (APHA-AWWA-WPCF, 1989). The TSS samples are collected directly in a separate sample bottle secured as a passenger to the D.O. sampler. Water samples for fecal coliform analysis are collected in a sterilized sample bottle in a flow orienting sampler. Whole water samples for metals analysis are collected directly in a specially cleaned and quality controlled sample bottle provided by Ecology's Manchester Laboratory. The sample container is placed in a flow orientating stainless steel sampler designed specifically to hold the sample bottle.

Concurrent with the collection of water samples, on site measurements are taken for barometric pressure, time of day, stage height for flow determination by USGS (if required), and *in-situ* temperature.

Water samples are analyzed for the following conventional parameters:

Specific Conductivity	Total Suspended Solids	pH
Nitrate+nitrite	Dissolved Oxygen	Turbidity
Dissolved Nitrite	Fecal Coliform Bacteria	Total Phosphorus
Ammonia	Dissolved Ortho-phosphorus	

At select stations the following additional parameters are included:

Total Hardness	Cadmium (Total Recoverable)
Lead (Total Recoverable)	Chromium (Total Recoverable)
Mercury (Total)	Copper (Total Recoverable)
Zinc (Total Recoverable)	

Field Processing

Most of the conventional parameters, except TSS, and fecal coliform, require additional processing in the field. The D.O. bottle is removed from the D.O. sampler and fixed with alkaline iodide-azide and manganous sulfate. Water remaining in the D.O. sampler is split out for 1) field analysis, 2) laboratory analyses requiring whole water, and 3) filtering in the field. Water samples for dissolved nitrite and dissolved ortho-phosphorus determination are filtered in the field through a 0.45 μm acetate filter. After processing, all samples for laboratory analysis are tagged, buried in ice, and shipped to arrive at Ecology's Manchester Laboratory within 30 hours from the time of collection.

Field Analysis

Conductivity and pH are typically measured within 10 minutes of collection of the water sample. Dissolved oxygen samples are fixed in the field, as previously described, for subsequent Winkler titration upon completion of the sampling run (within three days of collection).

Laboratory Analysis

For specific information on method of analysis, detection limits, holding time, and other important information for each of the above parameters, see Appendix 3.

Data Handling

Data collected as part of this program are entered into two independent computer systems and follows the flow diagram presented in Figure 2. Monitoring staff enter field observations and data directly into the Ambient Monitoring Section Database (AMSD). Laboratory data, after bench and senior level review, are entered into the laboratory computer system and later downloaded via modem to AMSD. As part of this transfer, laboratory data are passed through a two step quality assurance (QA) check. Data are accepted, qualified, or rejected (see QA Section). The data are 100% verified for transcription errors and finalized. Ecology's finalized data sets are uploaded to EPA's STORET database, and to PCSTORET (a Micro-computer version of STORET) quarterly. Data transfer will expand to include PSAMP central database when the freshwater portion becomes available.

Quality Assurance

Quality assurance practices (QA) in the Freshwater Ambient Monitoring Program are incorporated in each of the three major components of the program: 1) field, 2) laboratory, and 3) data.




Figure 2. Date flow diagram for Ecology's Ambient Monitoring Section's River and Stream Monitoring Program.

Field QA

The QA practices for field operations consist of three parts: 1) adherence to a standard operating procedure manual and annual performance evaluation of sampling personnel; 2) instrument calibration schedules; and 3) collection of an additional water sample, at random, each day of the run for the purpose of Quality Control (QC). The first two parts help minimize variability from multiple samplers and field instruments. Analysis of field replicates, blanks, and splits are used in conjunction with laboratory QC to ascertain overall data quality.

Laboratory QA

The laboratory conducts a comprehensive QA program to ensure that analytical data meet project requirements for accuracy. The QA program includes the use of control charts for some QC results and the QC procedures specified in the analytical methods (Ecology, 1991).

Data QA

Data from the Freshwater Ambient Monitoring Program are subjected to two levels of verification before entry into the final database. "Level one" runs the data through a series of checks ranging from holding time to comparing variability between field duplicate results, and assigns a quality code to each datum. The "level two" QA check consists of a manual review of data failing "level one" and re-coding the quality code from 1-9, 1 = the data meets all QA requirements and 9 = the data are unusable.

Data Analysis

All graphic presentations and data analysis performed on Ecology's ambient freshwater data were completed using a water quality/hydrological graphic/analysis system developed by Eric Aroner (WQHYDRO) (Aroner, 1992).

Trends

Seasonal Kendall Trends determinations (Hirsch *et al.*, 1982) were completed for most of the major water quality constituents on core/bench mark stations located inside of the Puget Sound Basin. Data were checked for autocorrelation and for correlation to stream flow. Autocorrelation, if present, indicated that part of the information from one sample may be present in the preceding sample, therefore, the measurements were not truly independent. Correlation to stream flow indicates concentrations are in some way related to flow. This relationship with flow introduces variability (noise) into the data set that reduces the ability to detect trends. However, if the purpose of the study, as in our case, is to address in-stream concentrations as they relate to potential uses rather than address the cause of the trend, then removal of variability due to flow may not be desirable (Hirsch *et al.*, 1991). Correction for serial correlation (autocorrelation), was conducted on data that expressed probability of > 80%

for serial correlation. When serial correlation was present, SK tests with correction for serial correlation (SKWC) were used in place of SK tests for trend determination. Seasonal Kendall tests were flow adjusted if the data showed a regression with $R^2 > .10$ for flow versus concentration. Table 3 lists the regression and the corresponding formulas used to evaluate the relationship between flow and concentration.

If the median of the given data set was above the working quantitation limit for the parameter (data fall within the working range of the test) and the trend had a probability of $> 95\%$, then percent change per year was calculated (slope/mean $\times 100$) and the corresponding trend graphs are included in this report. The working quantitation limit is defined as twice the pooled standard deviations of replicate pairs near the laboratory detection limit. If the median was below the working quantitation limit, apparent trends may be an artifact of changing detection limits, so percent change per year was not calculated and the trend information should be used with care.

Upstream/Downstream Comparison

For upstream and downstream comparison between bench mark and core stations inside of the Puget Sound Basin, the following non-parametric tests were used; Klotz, Anderson-Darling, and the Wilcoxon-Mann-Whitney Rank Sum Test (non-parametric alternative to t-test). The Klotz Test of equality of variances/spread was the first statistical test completed (for more information see Aroner, 1992). Significant results ($> 80\%$ probability) of the Klotz Test indicate the data sets do not have equal variance and further statistical comparisons should use the Anderson-Darling Test. Non-significant results of the Klotz Test indicate the data sets are similar in distribution and the assumptions of the Wilcoxon Rank Sum Test are met. The Anderson-Darling Test (Scholtz and Stephens, 1987) is a non-parametric test for differences between distributions which compares central tendencies and variance/spread (together and separately). The Anderson-Darling Test is not limited by the requirement that populations have equivalent distributions. The Wilcoxon-Mann-Whitney Ranked Sum Test (Marascuilo and McSweeney, 1977) compares the difference between means of the two populations to see if they are statistically different.

GENERAL RESULTS AND DISCUSSION

Raw data and six-year summary statistics for WY 1991 are presented by station in Appendix 4. All Water quality data for WY 1991, and six-year summary statistics, are presented by station in Appendix 4.

Ecology's ambient monitoring data are part of the public record, and are widely distributed. In a typical year, over 100 data requests are received from consulting firms, local and state agencies, schools, and private individuals. Within Ecology, the data are used to support wasteload allocation models, preparation of the 305(b) and other management reports, and

Table 3. Regression formula used to evaluate if parameter is correlation to Stream Flow. (Aroner, 1992)

#	Regression	Formula
1	Linear - Linear	{Y = a+bX}
2	Linear - Log	{Y = a+b(lnX)}
3	Log - Linear	{Y = a*EXP(b*X)}
4	Log - Log	{Y = aX(power b)*bias}
5	Log - Log	{Y = aX(power b)*MVUE-bias}
6	Linear - 1/Linear	{Y = a+b(1/X)}
7	Hyperbolic	{Y = a+b*(1/(1+b1*X))}
8	Quadratic	{Y = a+b*X+b1*SQR(X)}
9	Lin - Log Quad	{Y = a+b*LN(X)+b1*SQR(LN(X))}
10	Log Quad	{Y = EXP(a+b*LN(X)+b1*SQR(LN(X)))}
11	Cubic	{Y = a+b*X+b1*SQR(X)+b2*CUBE(X)}
12	Log/Cubic	{Y = a+b*LnX+b1*SQR(LnX)+b2*CUBE(LnX)}
13	L/L/Cubic	{Y = EXP(a+b*LnX+b1*SQR(LnX)+b2*CUBE(LnX))}

For more information see water quality/hydrological graphic/analysis system (WQHYDRO) (Aroner, 1992).

provide environmental quality information necessary for Centennial Clean Water Fund and other grant awards. The Puget Sound Water Quality Authority also uses these data to address the current status of rivers and streams that flow into Puget Sound in their annual Puget Sound Update Report.

The following discussion is divided into four areas: 1) QA review; 2) general water quality for WY 1991; 3) water quality at core/bench mark stations inside of Puget Sound Basin; and 4) water quality at floating stations.

QA Review

The results of field replicate pairs provide an estimate of total variability (instream+field processing+laboratory). Appendix 5 summarizes the raw field QC data for the replicate pair samples collected in WY 1991. The goal of our program is to have 90% of the replicate pair data fall within the assigned range of percent of coefficient of variation ($\%CV = \frac{SD}{\bar{x}} \times 100$). The acceptable ranges for specific parameters, and the corresponding percent of the statewide WY 1991 replicate data that were within the range, are shown below:

<u>20% CV</u>	<u>10% CV</u>	<u>Replicates + 0.1 unit</u>
Conductivity - 98%	Ammonia - 77%	pH - 70%
Fecal Coliform	Nitrate+nitrite - 97%	D.O. - 90%
Bacteria - 49%		
Suspended	Dissolved	Temperature - 92%
solids - 64%	Nitrite - 94%	
Turbidity - 88%	Total Phosphorus - 90%	
	Ortho-Phosphorus - 93%	

At low level concentrations, near detection limits, relatively small differences can result in high %CV values. For example, fecal coliform counts of one and two on replicate samples would result in a %CV of >47%, when in reality this difference is indistinguishable (Nancy Jenson, personal communication, 1992).

A significant portion of the fecal coliform, suspended solids, and ammonia data pairs used to calculate %CV were below the working quantitation limits of the test (44% ,34%, and 61%, respectively). Even after replicate pairs near detection limits were removed, and the percent CV recalculated, 31% of the fecal coliform and 26% of the suspended solids still fell outside the desired ranges. Both of these parameters are, however, typically patchy in nature and high total variability can be expected.

Replicate pairs for pH, D.O., and temperature were compared against a ± 0.1 standard unit range (instead of %CV) for ease of in field tracking (this allows problems with methods and equipment to be corrected as they became apparent). Temperature and D.O. pairs were acceptable (Appendix 5); however, > 30% of pH replicate pairs exceeded the ± 0.1 criteria range (Appendix 5).

The remaining element of the QA program, laboratory variability was assessed by laboratory staff via manual review of laboratory quality control charts, check standards, in-house matrix spikes, and laboratory blanks (Ecology, 1991). Laboratory variability fell within acceptable ranges and did not appear to present any problems for WY 1991 analyses.

It should be noted that the above described QA information pertains to WY 1991 data only and similar information is not available for previous years.

Overview of Water Quality for Wateryear 1991

The discussion of general water quality for WY 1991 is divided into three areas: 1) statewide, 2) inside of the Puget Sound Drainage Basin and, 3) outside of the Puget Sound Basin. Select water quality parameters in each of these areas are presented graphically as box plots. These plots also display Class "A" water quality standards for those parameters where standards are established (the criteria line for fecal coliform bacteria is included even though the water quality standards permit up to 10% of the samples to exceed 200 organisms per 100 mL and comparisons to standards should be based on more than one sample). Figure 3 shows how to interpret the box plots.

Statewide Water Quality

On a statewide basis, Washington's rivers and streams exhibit a wide range of water quality (see Figure 4; Table 4). Fecal coliform violations occurred in every month of the year, and was the most frequently violated water quality standard in Washington in WY 1991. Temperature, being seasonal in nature, had a higher percentage of violations in August 1991. Dissolved oxygen violations were infrequent in WY 1991.

Water Quality in the Puget Sound Drainage Basin

In general, the water quality of rivers and streams that flow into Puget Sound is relatively good with occasional violations of Class "A" standards for fecal coliform; to a lesser extent for temperature; and infrequently for D.O. and pH (see Figure 5). Of course, individual stations may have violated these standards at a different frequency than was indicated by the Puget Sound summary. Thirty-eight percent of the 34 stations inside of Puget Sound were in violation of state water quality standards for fecal coliform at least one time during WY 1991. More important, five locations: the Sumas River, Sammamish River, Puyallup River, White River, and Chambers Creek comprised over 63% of the total fecal coliform bacteria violations recorded in WY 1991 (Table 4). Temperature violations occurred at 32% of the stations, but at a frequency no higher than twice for any one station. Dissolved oxygen violations were found at four stations during WY 1991, but a review of the raw data for percent saturation indicate the




Figure 3. How to interpret a box plot (modeled after figure in Coots, 1991).




Figure 4. Washington State temperature, dissolved oxygen, total suspended solids, fecal coliform, total phosphorus, and nitrate+nitrite levels for Wateryear 1991. (Class "A" Washington State Water Quality Standards, if established, included as a solid line.)

Table 4. Summary of Wateryear 1992 violations of Water Quality Standards (Chapter 173-201 WAC) for each ambient freshwater station collected by Ecology.

NORTHWEST REGION

DATE: 92/03/12

ANNUAL WATER YEAR VIOLATIONS REPORT
1991

Page No. 1

STANO	STATION NAME	CLASS	TEMPERATURE		OXYGEN			pH		FECAL COLIFORM <u>a</u>			GEOMETRIC MEAN <u>b</u>		
			NO EXCEEDED	PCT	NO EXCEEDED	PCT	NO EXCEEDED	PCT	NO EXCEEDED	PCT	NO EXCEEDED	PCT	NO >	GM	
01A050	Hooksack R @ Brennan	A	12		12		12		12	2	17	5			
01A120	Hooksack R @ No Cedarville	A	12		12		12		12						
01D070	Sumas R nr Huntingdon BC	A	12		12	3	25	12		12	9	75	10	328	
03A060	Skagit R nr Mount Vernon	A	12		12			12		12					
03B050	Samish R nr Burlington	A	12		12			12	1	8	12	3	25	5	
04A060	Skagit R @ Concrete	AA	12		12			12		12					
04A100	Skagit R @ Marblemount	AA	12		12			12		12					
04B070	Baker R @ Concrete	AA	12		12			12		12			1		
04C070	Sauk R nr Rockport	AA	12		12			12		12					
05A070	Stillaguamish R nr Silvana	A	12	2	17	12		12		12	3	25	4		
05A090	SF Stillaguamish @ Arlington	A	12	1	8	12		12	1	8	12	2	17	2	
05B070	NF Stillaguamish @ Cicero	A	12			12		12		12			1		
07A090	Snohomish R @ Snohomish	A	12	1	8	12		12		11	1	9	2		
07B055	Pilchuck R @ Snohomish	A	12	2	17	12		12		11			1		
07C070	Skykomish R @ Monroe	A	8	1	13	7		7		7					
07C120	Skykomish R nr Gold Bar	AA	12	1	8	12		12		11					
07D070	Snoqualmie R nr Carnation	A	10	1	10	10		10		10					
07D130	Snoqualmie R @ Snoqualmie	A	12			12		12		11					
07D150	M F Snoqualmie R near Ellisville	AA	4	1	25	4	1	25	4	1	25	4	1		
07M070	S F Snoqualmie R at North Bend	AA	4			4		4		4					
07N070	M F Snoqualmie R near Ellisville	AA	4	1	25	4	1	25	4		4				
08B070	Sammamish R @ Bothell	A	12	2	17	12	1	8	12		12	6	50	7	117
08C070	Cedar R @ Logan St/Renton	A	12			12		12		11			2		
08C110	Cedar R nr Landsburg	AA	12			12		12		11					
09A060	Duwamish R @ Allentown Br	B	2			2		2		2					
09A080	Green R @ Tukwila	A	10	2	20	10		10		10	1	10	4		
09A090	Green R @ 212th St nr Kent	A	12	2	17	12		11		11	1	9	3		
09A190	Green R @ Kanaskat	AA	12			12		12		11					

Table 4. Continued.

AMBIENT DATA MANAGEMENT SYSTEM

SOUTHWEST REGION

DATE: 92/03/12

ANNUAL WATER YEAR VIOLATIONS REPORT
1991

Page No. 1

STANO	STATION NAME	CLASS	TEMPERATURE		OXYGEN		pH		FECAL COLIFORM ^a			GEOMETRIC MEAN ^b	
			NO EXCEEDED	PCT	NO EXCEEDED	PCT	NO EXCEEDED	PCT	NO EXCEEDED	PCT	NO	> GM	
10A070	Puyallup R @ Meridian St	A	12		11		12		11	5	45	7	160
10A110	Puyallup R @ Orting	A	12		11		12		11				
10C070	White R @ Sumner	A	12		11		12		11	4	36	6	148
11A070	Misqually R @ Misqually	A	12		11		12		11				
11A080	Misqually R @ McKenna	A	12		11		12		11			1	
12A070	Chambers Cr nr Steilacoom	A	12		11		12		11	4	36	5	112
13A060	Deschutes R @ E St Bridge	A	12		11		12		9	2	22	2	
13A150	Deschutes R nr Rainier	A	12		11		12		11				
16A070	Skokomish R nr Potlatch	AA	12		11		12	1	8	11			
22A070	Humtulpips R nr Humtulpips	A	12		11		12		11			1	
22C050	Chehalis R nr Montesano	A	12	1	8	11	12		11	2	18	3	
22G070	Satsop R nr Satsop	A	12		11		12		11				
23A070	Chehalis R @ Porter	A	12	1	8	11	12		11	1	9	2	
23A120	Chehalis R @ Centralia	A	12	2	17	11	12	1	8	11	1	9	3
23A160	Chehalis R @ Dryad	A	12	1	8	11	12	1	8	11			
23E070	Black River @ Moon Road Bridge	A	12		11	6	55	12		10	4	40	4
24B090	Willapa R nr Willapa	A	9	1	11	8		9		9	2	22	4
24B130	Willapa R @ Lebam	A	2		2			2		2	1	50	2
26B070	Cowlitz R @ Kelso	A	12		11		12		11				
26C070	Coweeman R @ Kelso	A	12	1	8	11	1	9	12	1	8	11	3
26D070	Toutle R nr Castle Rock	A	12	1	8	11		12		11			
27B070	Kalama R nr Kalama	A	12		11		12		11				
27D090	EF Lewis R nr Dollar Corner	A	12	1	8	11		12	1	8	11		

^aUnits are number of colonies/100ml.
^bBased on about 12 monthly samples.

Table 4. Continued.

AMBIENT DATA MANAGEMENT SYSTEM

EAST REGION

DATE: 92/03/12

ANNUAL WATER YEAR VIOLATIONS REPORT
1991

Page No. 1

STANO	STATION NAME	CLASS	TEMPERATURE			OXYGEN			pH			FECAL COLIFORM ^a			GEOMETRIC MEAN ^b	
			NO	EXCEEDED	PCT	NO	EXCEEDED	PCT	NO	EXCEEDED	PCT	NO	EXCEEDED	PCT	NO	> GM
32A070	Walla Walla R nr Touchet	B	12	3	25	11			12	2	17	12				1
32B070	Touchet R @ Touchet	A	2			2			2			2				1
32B130	Touchet R @ Dayton	A	10	2	20	10			10	1	10	10				
33A050	Snake R nr Pasco	A	10	2	20	10	2	20	10			10				
33A070	Snake R blw Ice Harbor Dam	A	2	1	50	2			2			2				
34A070	Palouse R @ Hooper	B	11	1	9	11			11	4	36	9	1	11		4
34B110	SF Palouse R @ Pullman	A	12	2	17	12			12	2	17	11	11	100	11	1162
35A150	Snake R @ Interstate Br	A	10	2	20	10			10	3	30	9				
35B060	Tucannon R @ Powers	A	12	1	8	12			12			11	4	36	7	187
36A070	Columbia R nr Vernita	A	2			2			2			2				
41A070	Crab Cr nr Beverly	B	12	1	8	12			12	8	67	12				1
52A070	Sanpoil R @ Keller	A	11			11			11	1	9	11				
52B070	Lake Roosevelt from Keller Ferry	AA	6	3	50	3	3	100	6	1	17			***		
54A050	Spokane R @ Mouth	A	9	3	33	9			9			9				
54A120	Spokane R @ Riverside State Pk	A	12	1	8	12			12	1	8	11				
55B070	Little Spokane R nr Mouth	A	12			12			12			11	1	9		2
55B080	Little Spokane R nr Griffith Spring	A	9			9			9			8	3	38		4
55B082	Little Spokane R abv Dartford Creek	A	9			9			9	1	11	8	2	25		2
55B100	Little Spokane R abv Peone Creek	A	9			9			9			8	2	25		2
55C070	Peone (Deadman) Creek abv L Deep Cr	A	8			8			8	1	13	7				
56A070	Hangman Cr @ Mouth	A	11	4	36	11			11	5	45	10	1	10		2
57A150	Spokane R @ Stateline Br	A	10	3	30	10	2	20	10			10	1	10		1
57A190	Spokane R nr Post Falls	A	2			2			2			2				
59A070	Colville R @ Kettle Falls	A	2			2			2			2				
60A070	Kettle R nr Barstow	A	2			2			2			2				
61A070	Columbia R @ Northport (USGS)	AA	9	2	22	9			8			9				
62A150	Pend Oreille R @ Newport	A	12	2	17	12			11			12				

^aUnits are number of colonies/100ml.

^bBased on about 12 monthly samples.

Table 4. Continued.

AMBIENT DATA MANAGEMENT SYSTEM

CENTRAL REGION

DATE: 92/03/12

ANNUAL WATER YEAR VIOLATIONS REPORT
1991

Page No. 1

STANO	STATION NAME	CLASS	TEMPERATURE			OXYGEN			pH			FECAL COLIFORM ^a			GEOMETRIC
			NO	EXCEEDED	PCT	NO	EXCEEDED	PCT	NO	EXCEEDED	PCT	NO	EXCEEDED	PCT	MEAN ^b NO > GM
31A070	Columbia R @ Umatilla	A	10	2	20	10			10	2	20	10	1	10	2
37A090	Yakima R @ Kiona	A	12	4	33	12			12	2	17	12			2
37A190	Yakima R @ Parker	A	11			11			11			11			3
39A090	Yakima R nr Cle Elum	AA	12			12	3	25	11			12			
44A070	Columbia R blw Rock Is Dam	A	2			2			2			2	1	50	1
45A070	Wenatchee R @ Wenatchee	A	11			11			11	1	9	11			
45A110	Wenatchee R nr Leavenworth	AA	12			12	1	8	12			12			
46A070	Entiat R nr Entiat	A	12	1	8	12			12	1	8	12			
47A070	Chelan R @ Chelan	LC	12	2	17	12			12	1	8	12			
47B070	Columbia R @ Chelan Station	A	10	1	10	10			10	2	20	10			
48A070	Methow R nr Pateros	A	11			11			11	1	9	11			
48A140	Methow R @ Twisp	A	12			12	1	8	12	3	25	12			
49A070	Okanogan R @ Malott	A	11	2	18	11			11	1	9	11			2
49A190	Okanogan R @ Oroville	A	12	3	25	12	1	8	12	5	42	11			
49B070	Similkameen R @ Oroville	A	12			12			12	6	50	12			
51A070	Nespelem R @ Nespelem	A	11			11			11			11	1	9	3
53A070	Columbia R @ Grand Coulee	A	2			2			2			2			

^aUnits are number of colonies/100ml.
^bBased on about 12 monthly samples.




Figure 5. Inside of Puget Sound Basin temperature, dissolved oxygen, total suspended solids, fecal coliform, total phosphorus, and nitrate+nitrite levels for Wateryear 1991. (Class "A" Washington State Water Quality Standards, if established, included as a solid line.)

Sumas River may be the only site that may truly express a D.O. problem. Violations for pH occurred during WY 1991 at the same frequency as for D.O. However, as discussed, pH values have a large potential for measurement error and should be used with care (Appendix 5). See "Water Quality at Core/Bench Mark Stations Inside of the Puget Sound Basin" for station-specific discussions of water quality.

Water Quality in Washington Outside the Puget Sound Basin

Washington State excluding the Puget Sound Basin is broken into two distinct areas: 1) east side - stations located east of the Cascade mountains; and 2) west side - stations located west of the Cascade Mountains and not in the Puget Sound drainage basin.

Water Quality East of the Cascades

Water quality for the east side of Washington State for WY 1991 was generally good with only occasional and somewhat seasonal water quality violations (Figure 6). The most significant of these violations involved temperature and fecal coliform bacteria levels. In August and September 1991, half of the instream water temperatures did not meet Class "A" water quality standards. As for fecal coliform bacteria, 34% of the stations violated state standards at least once during WY 1991, but three stations (the S.F. Palouse River at Pullman, Tucannon River at Powers, and Little Spokane River near Griffith Springs) comprised over 60% of the total violations. Table 4 lists stations and the number of water quality violations in WY 1991 for temperature, D.O., pH, and fecal coliform bacteria.

Water Quality West of the Cascades (Excluding Puget Sound Basin)

Water quality for west side stations was similar to that found statewide. That is, generally good with occasional violations of water quality standards. The majority of these water quality violations involved elevated fecal coliform bacteria concentrations and temperature. Table 4 lists stations and the number of water quality violations in WY 1991 for temperature, D.O., pH, and fecal coliform bacteria. The majority of water quality violations (48%) were measured on two rivers: the Black River near Moon Road Bridge, and the Chehalis River at Centralia. The most significant of these violations is the high number of D.O. violations on the Black River near Moon Road Bridge. The raw data and summary statistics present in Appendix 4 show that the Black River has a chronic D.O. problem expressed by the low maximum percent saturation for WY 1991 of 81.3%.

Water Quality at Floating Stations

At the request of Ecology's Northwest and Eastern Regional Office, the Freshwater Ambient Monitoring Program collected water quality information at three locations on the upper Snoqualmie River and at five locations on the Little Spokane River system in WY 1991. The purpose of these studies were to generate water quality information to be used to support regional activities. For more specific information, see Appendix 6.




Figure 6. East of the Cascades temperature, dissolved oxygen, total suspended solids, fecal coliform, total phosphorus, and nitrate+nitrite levels for Wateryear 1991. (Class "A" Washington State Water Quality Standards, if established, included as a solid line.)

PART II:

**Water Quality Summary and 12-Year Trends for Core Stations
in the Puget Sound Basin**

INTRODUCTION

In Part II of this report, the 10 core stations and 2 bench mark stations located in the Puget Sound Basin are addressed individually to a) compare WY 1991 data to the last 10 years of data (October 1982 to September 1991), b) examine trends over the 12-year period from October 1979 through September 1991, and c) to discuss general water quality conditions at each station. Individual station accounts of the 12 Puget Sound core/bench mark stations that were analyzed begin on page 27. For a program description and discussion of field, laboratory, and analytical methods, see Part I of this report.

Ranking of Puget Sound Core Stations

The 10 Puget Sound core stations were ranked, by parameter, according to the mean of the highest quarterly concentrations recorded at the stations over each of the last six years (Appendix 7). Appendix 7 provides only a simple ranking of means and does not address the variance around the mean nor does it indicate the significance of the differences between means.

Summary of Trends at Core/Bench Mark Stations Inside of the Puget Sound Basin

Appendix 8 presents a summary of the trends at core/bench mark stations in the Puget Sound Basin. Turbidity and conductivity levels inside the Puget Sound Basin appeared to be the only parameters showing a general basin wide trend with 6 of the 12 stations showing declining trends. Ammonia levels also appeared to be decreasing at 5 of the 12 core/bench mark stations, but these trends should be viewed cautiously (see below). Fecal coliform bacteria levels appeared to decline at one third of the stations; however, it was still the most frequently violated Water Quality Standard in WY 1991. The remaining parameters did not exhibit overall trends pointing in any one direction.


Limitations of Trend Analysis on Core/Bench Mark Stations Inside of the Puget Sound Basin

One area that may be confusing to the reader is when the Seasonal Kendall Trend Test (see page __) indicates a significant trend in the data set but the trend has a slope of 0.0000. The SK Trend Test and the slope of the trend are calculated independently. Therefore, a significant trend may be present in the data set but the rate of change is below the ability of the slope calculations to detect. Most of these significant trends with 0.0000 slope were calculated using data sets where the historical median levels are below the working quantitation limit. These data sets contain many data points at or near detection limits which consistently includes a high number of equal values ("ties"). This limitation of the slope calculation can, and occasionally does, also occur on data sets well within the working range of the specific parameter. An example is the pH data for the Puyallup River, where a significant trend was present with a slope of 0.0000. The direction of the trend is indicated by the ↑ or ↓ following the slope and is determined from the Seasonal Kendall Z statistic.

Another issue worth noting is that trend work performed on low level results, especially nutrient and turbidity data, should be used with caution. Laboratory or procedural changes have occurred during the last 10 years that may be reflected in the data set (Dave Hallock personal communication, 1992). These changes may manifest themselves in false or misleading trends, especially when the data are near the reported detection limits. The comparison between the working quantitation and the historical median is one attempt to minimize the reporting of these misleading trends. However, this comparison alone may not eliminate all questionable trends for nutrients. For example, the trend graphs for ammonia for 4 different stations (Sammamish River at Bothell, Cedar River at Renton, Puyallup River at Meridian Bridge, and Nisqually River at Nisqually) look surprisingly similar.

The most significant question to address when discussing trend analyses on core/bench mark stations in the Puget Sound Basin is "Do these trends reflect true in-stream changes or do they merely reflect procedural changes within the program (introduced bias)?" Potential sources that may have introduced bias into the data include, but are not limited to, changes in 1) sampling and/or analytical methods, 2) laboratories performing the analyses, 3) detection limits, 4) time of collection, and 5) sampling personnel. Unfortunately, historical QA procedures have not always been as rigorous as they are currently, and the absence of this information limits the evaluations of data quality and makes it difficult to address how greatly any parameter may have been affected by program changes. This should be kept in mind when interpreting all trend results presented within this report.

INDIVIDUAL STATION ACCOUNTS



NOOKSACK RIVER AT BRENNAN

Wateryear 1991

Wateryear 1991 data are compared to the last 10 years of data for most of the conventional parameters in Figures 7, 8, and 9. Temperature appeared to be the only parameter to be seasonally above average with half of the measurements in WY 1991 above the 75th percentile line. However, temperature levels during the critical months of August and September were still below "Class A" water quality standards of 18°C. Dissolved oxygen for the most part reflected the expected inverse relation to temperature with five of the twelve measurements at or below the 25th percentile line. The remaining parameters, with the exception of total phosphorus, were generally within historical levels. Total phosphorous levels for November, December, and February were at (or established) new 10-year maximums.

Trends in Conventional Water Quality (10/79 - 09/91)

Seasonal Kendall (SK) Trend information is provided in Table 5. Significant trends were detected for conductivity, pH, and turbidity all at the 99% probability levels. The pH data showed a significant amount of serial correlation and the corresponding SK Trend with Serial Correction was not significant. Both conductivity and turbidity showed a significant correlation to stream flow. Flow adjusted SK Trend (FASK) for conductivity is increasing by < 1% per year, while FASK trends for turbidity are decreasing at < 2% per year (see Figure 10).

Overall Water Quality

The primary concern at this location is the persistent problem of elevated fecal coliform levels. This station had a three-month mean for fecal coliform levels (352 organisms per 100 mL) that ranked fourth among freshwater core stations inside of the Puget Sound Basin (Appendix 7). Fecal coliform levels for WY 1991 had 17% of the samples collected violate water quality standards. The highest three month mean value over the last six years occurred during summer low flow conditions. However, low correlation between flow and fecal coliform levels ($R^2=0.0928$) did not point to a consistent source. The Nooksack Station also ranked in the top three core stations for suspended solids, ammonia, nitrate+nitrite, total phosphorus, turbidity, and conductivity. Part of the problem, specifically suspended solids and turbidity, can be attributed to the nature of the river which is largely impacted by glacial till. However, this station still appears to have an elevated level of nutrients.




Figure 7. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Nooksack River at Brennan. (Water quality standard included.)




Figure 8. Wateryear 1991 ortho and total phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Nooksack River at Brennan.







Figure 9. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Nooksack River at Brennan.


Table 5. Seasonal Kendall Trend information on the Nooksack River at Brennan (1979–1991).

Parameter	Uncorrected Slope	Trend Probability	Corrected Slope	Trend Probability	Serial Correlation	Flow Regression R2	SE	Eq	Flow Adjusted Slope	Trend Probability	Median	Mean	Median Above Quantitation	% Change per year (Column used)	Graph
Temperature	0.0000	0.9839	0.0000	0.9859	95.0000	<.1					8.85	9.1486	Y		
Conductivity	0.8320	0.0749			NS 80	0.4806	16.2354	4.0000	0.7545	0.0089**	100	100.5634	Y	0.75 (10)	X
Dissolved Oxygen	0.0166	0.2855	0.0166	0.4336	99.0000	<.1					11.1	11.3078	Y		
pH	0.0222	0.0089**	0.0222	0.0898	99.0000	<.1					7.5	7.4826	Y	0.3 (2)	X
Suspended Solids	0.7151	0.3405			NS 80	0.6084	191.9296	11.0000	0.3318	0.6116	31	101.4759	Y		
Turbidity	-0.8465	0.0038**			NS 80	0.6578	108.8136	11.0000	-1.0924	0.0008**	17	49.9197	Y	-1.7 (2)	X
Fecal Coliform	-2.4422	0.3407			NS 80	<.1					92	198.1799	Y		
Ammonia	0.0000	0.9032	0.0000	0.2831	95.0000	<.1					0.03	0.0427	Y		
Phosphorus Total	0.0000	0.0650	0.0000	0.1422	95.0000	<.1					0.04	0.0543	Y		
Phosphorus Ortho	0.0000	0.0040**			NS 80	<.1					0.005	0.0102	N		
Nitrate + Nitrite	0.0000	0.8440	0.0000	0.9032	95.0000	<.1					0.3175	0.3666	Y		
Flow	-1.4588	0.9517			NS 80	NA					3230	4080.7676	Y		

* Significant at 95%

** Significant at 99%

Flow Adjusted Seasonal Kendall Test for Turbidity Levels on the Nooksack River at Brennan



Flow Adjusted Seasonal Kendall for Conductivity Levels on the Nooksack River at Brennan




Figure 10. Significant trend graphs for the Nooksack River at Brennan.

SKAGIT RIVER AT MOUNT VERNON

Wateryear 1991

Wateryear 1991 data are compared to the last 10 years of data for most of the conventional parameters in Figures 11, 12, and 13. Temperature, flow, suspended solids, and turbidity were all generally above historical median levels. Flow was especially high during the months of December, February, and July with each month reaching a new 10-year maximum level. Dissolved oxygen, pH, and nitrate+nitrite levels were below historical median levels. Dissolved oxygen levels reached new 10-year minimums for the months of March, April, and June and were below the 10-year historical median line 75 % of the time in WY 1991. Conductivity and fecal coliform levels were scattered with both parameters setting seasonal maxima and minima.

Trends in Conventional Water Quality (10/79 - 09/91)

Seasonal Kendall Trend information is provided in Table 6. Significant trends were detected for turbidity, ammonia, and nitrate+nitrite, all at the 99% probability levels. Turbidity (FASK) expressed a decreasing trend with a 7.42% change per year (see Figure 14). Nitrate+nitrite and ammonia also exhibited a declining trend, but the median values of the data are below the working quantitation limit of the test.

Overall Water Quality

The Skagit River Station appears to have some of the best water quality of the core stations inside of Puget Sound. This station has not violated any water quality standards over the last 10 years.











Figure 11. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Skagit River at Mount Vernon. (Water quality standard included.)

Figure 12. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Skagit River at Mount Vernon.









Figure 13. Wateryear 1991 flow, conductivity, suspended solid, and turbidity levels compared to the last 10 years of data on the Skagit River at Mount Vernon.

Table 6. Seasonal Kendall Trend information on the Skagit River at Mount Vernon (1979-1991).

Parameter	Uncorrected Slope	Uncorrected Trend Probability	Corrected Slope	Corrected Trend Probability	Serial Correlation	Flow Regression R2	SE	Eq	Flow Adjusted Slope	Flow Adjusted Trend Probability	Median	Mean	Median Above Quantitation	% Change per year (Column used)	Graph
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Temperature	0.0000	0.7889	Insufficient Data			0.1151	3.0650	7.0000	0.0356	0.3704	8.2	8.5333	Y		
Conductivity	0.0000	0.7320				0.1179	10.6481	2.0000	0.0907	0.4934	56	56.6825	Y		
Dissolved Oxygen	0.0000	0.5181				0.1860	0.8607	7.0000	-0.2340	0.0742	11.6	11.6375	Y		
pH	0.0000	0.1896				<.1					7.4	7.3782	Y		
Suspended Solids	0.2503	0.5136				0.5724	39.2600	11.0000	-0.4105	0.3226	12	26.7509	Y		
Turbidity	-0.2754	0.0164 *				0.5630	22.0655	11.0000	-0.8550	1.7E-005**	5.65	11.518	Y	-7.42 (10)	X
Fecal Coliform	-0.8428	0.0888				<.1					15	27.5981	Y		
Ammonia	-0.0009	1.8E-005 **				<.1					0.01	0.0197	N		
Phosphorus Total	0.0000 v	0.0373 *				<.1					0.02	0.0269	N		
Phosphorus Ortho	0.0000 v	0.0005 *				<.1					0.005	0.007	N		
Nitrate + Nitrite	-0.0050	6.5E-007 **				0.1000	0.0650	11.0000	-0.5480	1.5E-007 **	0.115	0.1263	N		
Flow	194.0000	0.1625				NA					16200	16953.220	Y		

* Significant at 95 %

** Significant at 99 %

Uncorrected - Uncorrected for Serial Correlation

Corrected - Corrected for Serial Correlation

Eq (column 9) see Table 3 text

Flow Adjusted Seasonal Kendall Test for Turbidity Levels on the Skagit River at Mount Vernon




Figure 14. Significant trend graphs for the Skagit River at Mount Vernon.

SKAGIT RIVER AT MARBLEMOUNT

Wateryear 1991

This station is one of two bench mark stations operated within the Puget Sound. Wateryear 1991 data are compared to the last 10 years of data for most of the conventional parameters in Figures 15, 16, and 17. Most parameters were generally within the historical range. Flow and conductivity were the only parameters above historic median levels. Each parameter set three new 10-year maximum levels. Nitrate+nitrite levels in WY 1991 were low with 11 of the 12 measurements below historical median levels. March, August, and October all set new 10-year minimum levels for nitrate+nitrite.

Trends in Conventional Water Quality (10/79 - 09/91)

Significant decreasing trends were detected for temperature, ammonia, total and ortho-phosphorus, and nitrate+nitrite; all, except temperature, at the 99% probability levels (see Table 7). Temperature shows a declining trend, however, the data shows a large degree of serial correlation and corresponding SK with correction that did not indicate a significant trend. The remaining trends, though significant, are below the working quantitation limit of the specific parameters. It should be noted here that a significant portion of the indicated trend may be driven by changes in detection limits and should be used with care.





Overall Water Quality

For the most part, this station has exceptional water quality with the median of most conventional parameters falling below the working quantitation limit (see Table 7, column 12; and Appendix 5)

Upstream/Downstream Comparison

Table 8 presents results of the statistical analysis of paired upstream/downstream results from WY 1980 to WY 1991. The individual data pairs for each parameter are presented graphically in Appendix 9. The Klotz Test indicates conductivity and ammonia are the only parameters with similar distributions (shapes) for both upstream and downstream data sets. The subsequent Paired Wilcoxon-Mann-Whitney Test on these two parameters shows the means of the two data sets for both parameters are statistically different at the 95% confidence levels. The mean conductivity at Mount Vernon of the paired data was 3 μ mhos higher than the mean calculated at Marblemount. As for ammonia, it also appeared to be statistically different, however, the difference of $\Delta = 0.00$ indicates there may be a problem with this statistical test when applied to data sets with a significant number of data points at or near detection limits.

Figure 15. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Skagit river at Marblemount. (Water quality standard included.)









Figure 16. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Skagit River at Marblemount.

Figure 17. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Skagit River at Marblemount.







Table 7. Seasonal Kendall Trend information on the Skagit River at Marblemount (1979-1991).

Parameter	Uncorrected	Uncorrected	Corrected	Corrected	Serial	Flow Regression			Flow	Flow Adjusted	Median	Mean	Median	% Change	Graph
	Slope	Trend	Slope	Trend		Correlation	R2	SE	Eq	Adjusted			Trend	Above	
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Temperature	-0.0491	.0243*	-0.0491	0.1443	99.0000	<.1					7.6	7.4278	Y		
Conductivity	0.2215	0.1690			NS 80	<.1					54.5	52.9861	Y		
Dissolved Oxygen	-0.0100	0.1423	-0.0100	0.3186	99.0000	<.1					12.1	12.1722	Y		
pH	0.0000	0.3138	0.0000	0.4224	90.0000	<.1					7.4	7.3766	Y		
Suspended Solids	0.0000	0.1812			NS 80	0.0982	7.4741	11.0000	-0.1006	0.3002	3	5.1957	N		
Turbidity	-0.1167	0.0001**			NS 80	0.1048	2.1653	7.0000	-0.1434	5.7E-008**	2	2.4727	N		4
Fecal Coliform	0.0000	0.3873			NS 80	<.1					1	3.6084	N		
Ammonia	-0.0005	2.0E-007**			NS 80	<.1					0.01	0.0161	N		
Phosphorus Total	-0.0005	0.0001**	-0.0005	0.0525	99.0000	<.1					0.01	0.0166	N		
Phosphorus Ortho	0.0000 v	0.0071**	0.0000	.0071**	99.0000	<.1					0.005	0.0064	N		
Nitrate + Nitrite	-0.0018	3.4E-006**	-0.0018	0.0239*	99.0000	<.1					0.065	0.067	N		
Flow	22.7773	0.5524			NS 80						5935	6571	Y		

* Significant at 95 %

** Significant at 99 %

Uncorrected - Uncorrected for Serial Correlation

Corrected - Corrected for Serial Correlation

Eq (column 9) see Table 3 text.

Table 8. Statistical analysis of upstream/downstream data pairs from WY80 to WY90 on the Skagit River at Mount Vernon and Marblemount.

Parameter	Klotz	Paired Wilcoxon	A-D L & S/R	A-D S/R only	Mean	
					MV	M
Temperature	99%	--	99%	95%	8.175	7.175
Conductivity	NS 80%	95%	--	--	57	54
Dissolved Oxygen	95%	--	99%	NS 90%	11.60	12.10
Percent Saturation	80%	--	99%	NS 90%	97.55	101.05
pH	90%	--	NS 90%	NS 90%	7.4	7.4
Suspended Solids	99%	--	99%	99%	12	3
Ammonia	NS 80%	95%	--	--		
Total Phosphorus	99%	--	99%	99%	0.02	0.01
Ortho-phosphorus	95%	--	99%	99%	0.005	0.005
Turbidity	99%	--	99%	99%	5.375	2.275
Fecal Coliform	99%	--	99%	99%	14.57	1.5
Nitrate + Nitrite	99%	--	99%	99%	0.1125	0.0675
Flow	99%	--	99%	99%	16008.75	5928.75

Klotz - Nonparametric test of equality of variances/spread (populations of equal shape). significant results indicate data set do not have equal variance and A-D should be used.

Paired Wilcoxon - Nonparametric test for difference between means (assumes populations of equal shape). Significant test indicated the mean are different.

Anderson-Darling - Nonparametric test for difference between distributions (does not assume populations of equal shape).

L & S/R - Compares Central tendencies and spread/variance between stations.

S/R only - Tests scale and range (spread/variance) only by normalizing the data by subtracting the median (removes central tendencies) and retesting the new data set. Compares spread/variance only.

MV - Mount Vernon

M - Marblemount

The remaining parameters all had populations that had different distributions as indicated by significant Klotz in Table 8 and were tested using the Anderson-Darling Test. The only parameter that did not show a statistical difference between distributions at the 90% confidence level was pH. Dissolved oxygen and corresponding percent saturation did express a statistical difference in distribution, but when the data sets were corrected for central tendency and retested (A-D S/R only in Table 8), the data sets were not statistically different at the 90% confidence level. In other words, while the central tendency were statistically different, there was no difference in distribution. The remaining parameters: temperature, suspended solids, total and ortho-phosphorus, turbidity, fecal coliform, nitrate+nitrite, and flow were all statistically different comparing distribution and when corrected for central tendencies.

STILLAGUAMISH RIVER NEAR SILVANA

Wateryear 1991

Wateryear 1991 data are compared to the last 10 years of data in Figures 18, 19, and 20. Temperature was significantly higher than historical median levels in WY 1991, especially during the critical summer months of July, August, and September. This elevated summer temperature in turn was reflected in lower D.O. levels. Fecal coliform levels were also high in WY 1991 with the months of February, September, and December establishing new 10-year maximum levels. The Stillaguamish had five water quality violations in WY 1991, two for temperature (July and August), and three for fecal coliform bacteria (February, September, and December).

Trends in Conventional Water Quality (10/79 - 09/91)

Significant SK Trends at the 95th probability levels were indicated for turbidity and total phosphorus (see Table 9). Turbidity was significantly correlated to flow ($R^2 = 0.352$) and the flow adjusted turbidity levels show a decrease of 2.3% per year (Figure 21). Total phosphorus also showed a significant trend, but the median of the data set was below the working quantitation limit.

Overall Water Quality

The July-September mean temperature of 16.1°C present in the six-year summary indicates, as stated above, the temperatures for WY 1991 are above normal. As for fecal coliform, the highest mean occurred during the July-September quarter, however, fecal coliform levels do not show a significant correlation to flow ($R^2 < .05$) and therefore do not point to a consistent source.











Figure 18. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Stillaguamish River near Silvana. (Water quality standard included.)

Figure 19. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate + nitrite levels compared to the last 10 years of data on the Stillaguamish River near Silvana.






Figure 20. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Stillaguamish River near Silvana.

Table 9. Seasonal Kendall Trend information on the Stillaguamish River near Silvana (1979-1991).

Parameter	Uncorrected	Uncorrected	Corrected	Corrected	Serial	Flow Regression			Flow	Flow Adjusted		Median	% Change	Graph	
	Slope	Trend	Slope	Trend		Correlation	R2	SE	Eq	Adjusted	Trend				Median
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Temperature	-0.0398	0.3256	-0.0398	0.5004	99.0000	0.4416	3.6121	7.0000	-0.0509	0.4241	8	9.1266	Y		
Conductivity	0.3868	0.1899			NS 80	0.6780	10.4384	5.0000	-0.0195	0.8276	57	59.0347	Y		
Dissolved Oxygen	0.0000	0.5869	0.0000	0.6705	99.0000	0.4831	1.0800	7.0000	-0.0124	0.5225	11.6	11.314	Y		
pH	0.0000	0.7785	0.0000	0.8299	95.0000	<.1					7.3	7.2788	Y		
Suspended Solids	-0.1814	0.3077			NS 80	0.6495	114.7890	4.0000	-0.3008	0.3841	16	65.5604	Y		
Turbidity	-0.2004	0.1035			NS 80	0.3052	47.3265	7.0000	-0.6169	0.0210*	8	26.8309	Y	-2.30(10)	X
Fecal Coliform	-1.0574	0.2662			NS 80	<.1					57	135.285	Y		
Ammonia	0.0000	0.0512	0.0000	0.1067	95.0000	<.1					0.02	0.0303	Y		
Phosphorus Total	0.0000	0.1005	0.0000	.0437*	95.0000	0.1915	0.0302	7.0000	0.0007	0.0359*	0.02	0.0323	N		
Phosphorus Ortho	0.0000	0.1755	0.0000	0.3377	80.0000	<.1					0.005	0.0083	N		
Nitrate + Nitrite	-0.0025	0.0935			NS 80	0.1520	0.1287	7.0000	-0.0015	0.3304	0.215	0.2393	Y		
Flow	-21.9060	0.1479			NS 80	NA					2800	3704.49	Y		

* Significant at 95 %

** Significant at 99 %

Uncorrected - Uncorrected for Serial Correlation

Corrected - Corrected for Serial Correlation

Eq (column 9) see Table 3 text.

SNOHOMISH RIVER AT SNOHOMISH

Wateryear 1991

Wateryear 1991 data compared to the last 10 years of data are located in Figures 22, 23, and 24. The Snohomish River appeared to be generally within the historical range for most of the conventional parameters except for fecal coliform, pH, and suspended solids. Fecal coliform and pH were below and suspended solids were above historical median levels. The August temperature did set a new 10-year maxima and as expected, the corresponding D.O. concentration was a new 10-year minima.

Trends in Conventional Water Quality (10/79 - 09/91)

Seasonal Kendall Trend information is presented in Table 10. Significant trends were detected in half of the parameters tested including temperature, suspended solids, fecal coliform, nitrate+nitrite, and ammonia. Trends for temperature and ammonia had a significant level of serial correlation and the corresponding SK with correction were not significant. Suspended solids levels are increasing at 1.75% per year, however, the data had a strong correlation to flow ($R^2 = 0.8255$), and the corresponding flow adjusted SK Tests were not significant. The remaining parameters showed decreasing trends: fecal coliform (1.62% change per year); and nitrate+nitrite (1.84%) (see Figure 25).

Overall Water Quality

The Snohomish River generally has good water quality when compared to the other core stations in the Puget Sound Basin. The primary concerns at this station are temperature and fecal coliform levels. Figure 22 shows that up to 50% of the July and August temperature levels over the last 10 years have exceeded water quality standard. The August 1991 temperature of 21.2°C was among the highest temperatures recorded at this station in the last 32 plus years of sampling. This station does express a declining SK Trend in temperature, but is limited by a strong serial and flow correlation as mentioned above. Temperature will most likely continue to be a problem at this location. Fecal coliform levels show a decreasing trend and a decline in the number of water quality violations and from all indications this station show signs of improving (see Figure 25).







Figure 22. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Snohomish River at Snohomish. (Water quality standard included.)







Figure 23. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate + nitrite levels compared to the last 10 years of data on the Snohomish River at Snohomish.




Figure 24. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Snohomish River at Snohomish.

Table 10. Seasonal Kendall Trend information on the Snohomish River at Snohomish (1979–1991).

Parameter	Uncorrected	Uncorrected	Corrected	Corrected	Serial	Flow Regression			Flow	Flow Adjusted	Median	Mean	Median	% Change	Graph
	Slope	Trend	Slope	Trend		Correlation	R2	SE	Eq	Adjusted					
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Temperature	-0.06688	0.0364*	-0.0669	0.0611	99.0000	0.3175	3.9094	7.0000	-0.0402	0.2616	8.9	9.9731	Y		
Conductivity	0.0000	0.5905			NS 80	0.5836	7.4612	5.0000	0.0069	0.9668	45	46.1103	Y		
Dissolved Oxygen	0.0000	0.8241	0.0000	0.8559	99.0000	0.3428	0.9990	7.0000	-0.0025	0.7686	11.5	11.4306	Y		
pH	0.0000	0.1391	0.0000	0.3847	99.0000	<.1					7.3	7.237	Y		
Suspended Solids	0.2498	0.0398*			NS 80	0.8255	8.9241	11.0000	0.2086	0.0707	8	14.3116	Y	1.75(2)	X
Turbidity	-0.1001	0.0967	-0.1001	0.4415	99.0000	0.8872	4.2781	11.0000	-0.1726 a) -0.1726	0.0022** 0.1299	4	6.8015	N		
Fecal Coliform	-3.4562	0.0277*			NS 80	<.1					65	213.2158	Y	-1.62 (2)	X
Ammonia	-0.0014	0.0007**	-0.0014	0.0598	90.0000	<.1					0.02	0.0381	Y		
Phosphorus Total	0.0000	0.2684	0.0000	0.2731	99.0000	0.1646	0.0218	11.0000	-0.0003	0.2217	0.02	0.026	N		
Phosphorus Ortho	0.0000	0.2491			NS 80	<.1					0.005	0.0071	N		
Nitrate + Nitrite	-0.0050	0.0006**	-0.0050	0.0425*	80.0000	<.1					0.235	0.2722	Y	-1.84 (4)	X
Flow	38.0168	0.5743			NS 80	NA					8215	9853.6643	Y		

* Significant at 95 %

** Significant at 99 %




Uncorrected - Uncorrected for Serial Correlation

Corrected - Corrected for Serial Correlation

Eq (column 9) see Table 3 text

a) Flow Adjusted Seasonal Kendall Trend results with Correction for Serial Correlation

Figure 25. Significant trend graphs for the Snohomish River at Snohomish.



SAMMAMISH RIVER AT BOTHELL

Wateryear 1991

Wateryear 1991 data are compared to the last 10 years of data in Figures 26, 27, and 28. As these figures show, WY 1991 was not a typical year for conventional parameters on the Sammamish River at Bothell. Turbidity, fecal coliform, total and ortho-phosphorous, ammonia, D.O., and suspended solids were generally below, and nitrate+nitrite, flow, pH, conductivity, and temperature were above historical median levels. For WY 1991, the Sammamish River had the worst water quality of the core stations inside of the Puget Sound Basin. This station not only had the highest number of water quality violations with nine, but also had 60% of the parameters ranked in the top one or two when comparing six-year quarterly mean at core stations (see Appendix 7).

Trends in Conventional Water Quality (10/79 - 09/91)

Significant SK Trends were detected for 5 of the 12 parameters tested (see Table 11). Turbidity (-8.66% per year), fecal coliform bacteria (-2.2%), and ammonia (-6.25%) levels are decreasing. Conductivity and pH levels showed an increasing trend with a 0.9 and 0.15% change per year (see Figures 29 and 30).

Overall Water Quality

The major concerns at this station are fecal coliform levels and elevated summer temperatures. Fecal coliform levels for WY 1991, though generally below historical median levels, still had 50% of the sample exceeded the 200 organism per 100 mL water quality standard. A significant declining trend for fecal coliform was detected at the 99% levels, however, as Figure 29 shows, fecal coliform levels will continue to be a problem. As for temperature, July (20.8°C) and August (20.2°C) were elevated, but not atypical (see Figure 26) and in violation of water quality standards. These violations, combined with the lack of a significant temperature trends, indicate temperature will also continue to be a problem. It should be noted in the discussion of elevated summer temperature on the Sammamish River, however, that the primary source of water to the river is from Lake Sammamish and therefore a significant portion of the elevated temperatures may not be directly related to in-stream conditions.

Figure 26. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Sammamish River at Bothell. (Water quality standard included).







Figure 27. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate + nitrite levels, compared to the last 10 years of data on the Sammamish River at Bothell.







Figure 28. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Sammamish River at Bothell.







Table 11. Seasonal Kendall Trend information on the Sammamish River at Bothell (1979-1991).

Parameter	Uncorrected	Uncorrected	Corrected	Corrected	Serial	Flow Regression			Flow	Flow Adjusted	Median	Mean	Median	% Change	Graph
	Slope	Trend	Slope	Trend		Correlation	R2	SE	Eq	Adjusted			Trend	Above	
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Temperature	0.0000	0.8581	0.0000	0.8943	99.0000	0.5415	3.2842	12.0000	-0.0065	0.9526	11.3	11.8278	Y		
Conductivity	1.4903	5.7E-7**	1.49032	0.0128*	99.0000	0.4893	15.3169	5.0000	1.1667	6.7E-7**	128	129.4444	Y	0.9 (10)	X
Dissolved Oxygen	-0.0199	0.1684	-0.0199	0.2771	99.0000	0.4641	0.9427	11.0000	-0.0232	0.2272	9.9	9.9493	Y		
pH	0.0111	0.0132*			NS 80	<.1					7.3	7.2679	Y	.15 (2)	X
Suspended Solids	-0.1667	0.2496			NS 80	0.0931	13.8751	11.0000	-0.1408	0.2813	8	11.8777	N		
Turbidity	-0.4329	1.2E-10**	-0.4329	0.0109*	99.0000	<.1					7.1612	5	Y	-8.66 (4)	X
Fecal Coliform	-10.1017	0.0039**			NS 80	<.1					230	454.1986	Y	-2.2 (2)	X
Ammonia	-0.0038	1.5E-10**	-0.0038	0.0010**	80.0000	<.1					0.05	0.0603	N	-6.25 (4)	X
Phosphorus Total	0.0000	0.2555	0.0000	0.3460	99.0000	<.1					0.05	0.0551	N		
Phosphorus Ortho	0.0000	0.7213	0.0000	0.6775	99.0000	0.2066	0.0094	7.0000	-0.0001	0.1110	0.02	0.0193	N		
Nitrate + Nitrite	-0.0075	0.0211*	-0.0075	0.1910	99.0000	0.6545	0.1167	11.0000	-0.0054	0.0647	0.41	0.4616	Y		
Flow	-1.9867	0.3936	-1.9867	0.2271	99.0000	NA							NA		

* Significant at 95 %

** Significant at 99 %


Uncorrected - Uncorrected for Serial Correlation

Corrected - Corrected for Serial Correlation


Eq (column 9) see Table 3 text

Figure 29. Significant trend graphs for the Sammamish River at Bothell.


Seasonal Kendall Test for Fecal Coliform Levels on the Sammamish River at Bothell




Seasonal Kendall Test for pH Levels on the Sammamish River at Bothell



Flow Adjusted Seasonal Kendall Test for Conductivity Levels on the Sammamish River at Bothell



Seasonal Kendall with Correction for Serial Correlation Turbidity Levels on the Sammamish River at Bothell



CEDAR RIVER AT RENTON

Wateryear 1991

Wateryear 1991 data are compared to the last 10 years of data in Figures 31, 32, and 33. As these figures show, levels for WY 1991 conventional parameters were generally within the expected historical ranges. Flow and nitrate+nitrite were slightly above, with the remaining parameters average to slightly below historical median levels. This station did not violate water quality standards in WY 1991.

Trends in Conventional Water Quality (10/79 - 09/91)

Significant SK Trends were detected for temperature, conductivity, turbidity, total phosphorus, and ammonia (see Table 12). Temperature, turbidity, and total phosphorus, however, showed serial correlation and the corresponding corrected trends were not significant. Conductivity showed an increasing flow adjusted trend with a 0.43% change per year. Ammonia levels express a declining trend with a 7.84% change per year (see Figure 34).

Overall Water Quality

The Cedar River Station appears to have some of the better water quality of the core stations inside of the Puget Sound Basin. This station has occasionally violated water quality standards over the last 10 years but most of these violations were 10-year maxima. The only exception is fecal coliform bacteria, where 25% of the samples exceeded standards from August through October.







Figure 31. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Cedar River at Renton. (Water quality standard included.)




Figure 32. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Cedar River at Renton.




Figure 33. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Cedar River at Renton.

Table 12. Seasonal Kendall Trend information on the Cedar River at Renton (1979-1991).

Parameter	Uncorrected Slope	Uncorrected Trend Probability	Corrected Slope	Corrected Trend Probability	Serial Correlation	Flow Regression			Flow Adjusted Slope	Flow Adjusted Trend Probability	Median	Mean	Median Above Quantitation	% Change per year (Column used)	Graph
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Temperature	-0.0984	0.0492*	-0.0983	0.1477	99.0000	0.4663	2.8003	7.0000	-0.0625	0.0850	9.95	10.1771	Y		
Conductivity	0.0000	0.9209	0.0000	0.9350	90.0000	0.8385	6.4172	5.0000	0.3142	0.0377*	72	73.3194	Y	0.43 (10)	X
Dissolved Oxygen	-0.0191	0.2225	-0.0919	0.3642	80.0000	0.1765	0.8593	12.0000	-0.0179	0.3032	12	11.8549	Y		
pH	0.0000	0.7945	0.0000	0.7891	90.0000	0.2263	0.3107	12.0000	0.0015	0.8319	7.5	7.5781	Y		
Suspended Solids	0.1664	0.0934	0.1664	0.0995	90.0000	0.8718	17.6076	11.0000	0.1797	0.0566	6	16.9417	Y		
Turbidity	-0.0555	0.0217*	-0.0555	0.2261	95.0000	0.9575	4.9740	11.0000	-0.1143	0.0645	2	5.979	N		
Fecal Coliform	-0.4968	0.5407			NS 80	<.1					37	85.0709	Y		
Ammonia	-0.0021	6.8E-9**	-0.0021	0.0016**	95.0000	<.1					0.02	0.0268	Y	-7.84 (4)	X
Phosphorus Total	0.0000	0.0208*	0.0000	0.1729	95.0000	<.1					0.02	0.0262	Y		
Phosphorus Ortho	0.0000	0.1471	0.0000	0.3780	99.0000	<.1					0.005	0.0088	N		
Nitrate + Nitrite	-0.0020	0.4243	-0.0020	0.6014	80.0000	0.1532	0.1325	2.0000	-0.0023	0.1607	0.2775	0.2942	Y		
Flow	3.6419	0.1844	3.6419	0.4066	99.0000	NA					432.5	641.833	Y		

* Significant at 95%


** Significant at 99%

Uncorrected - Uncorrected for serial Correlation

Corrected - Corrected for Serial Correlation

Eq (column 9) see Table 3 text

Flow Adjusted Seasonal Kendall Test for Conductivity Levels on the Cedar River at Renton



Seasonal Kendall with Correction for Serial Correlation for Ammonia Levels on the Cedar River at Renton




Figure 34. Significant trend graphs for the Cedar River at Renton.

GREEN RIVER AT TUKWILA

Wateryear 1991

In December 1990, the lower Green River core station was moved from river mile (RM) 8.3 (Green/Duwamish at Allentown) to RM 12.4 (Green River at Tukwila) in order to reduce tidal influence. This move was facilitated by the removal of the Renton Treatment Plant outfall from the Green River in 1987, one of the primary reasons for locating the station at RM 8.3. In WY 1991, the Green River at Tukwila violated water quality standards three times; twice for temperature (July, 18.7°C; and August, 19.9°C), and once for fecal coliform (February, 820 organisms per 100 mL).

Trends in Conventional Water Quality (10/79 - 09/91)

The removal of the Renton Treatment Plant outfall from the Green River in May of 1987, represents an appropriate situation to test for the presence of a step trend. The Wilcoxon-Mann-Whitney Test for step trends was used in place of the SK Trend analysis. The new core station on the Green River does not have the required data set for trend analysis, therefore, analysis will be completed on the station at RM 8.3. Table 13 shows the results of this analysis. Most parameters showed improvement after the removal of the outfall with the most significant change in nutrients levels. The corresponding trend plots for nutrients are included in Figure 35.

Overall Water Quality

The Green River at Allentown had some of the worst water quality as reflected in the six-year summaries in Appendix 7. When comparing the highest quarterly mean levels in Appendix 7, this station ranked in the top two in all but three of the conventional parameters. It should be pointed out that the six-year data summaries still reflect discharge by the Renton Treatment Plant. The presence of significant step trends with relatively large percent change for most of the parameters suggest that in-stream conditions have improved.

Table 13. Wilcoxon-Mann-Whitney Step Trend Test on the Green/Duwamish River at Allentown Bridge with the step based on the removal of the Renton Treatment Plant outfall (May 1987).


Parameter	Significance	ΔY	Mean BR	% change
Temperature	95%	-0.50	11.4	-4.4
Conductivity	< 80%			
Dissolved Oxygen	99%	0.60	9.6	6.3
pH	99%	0.10	7.2	1.4
Suspended Solids	< 80%			
Turbidity	99%	-2.00	15.1	-13.3
Fecal Coliform	80%	-30.00	352.6	-8.5
Ammonia	99%	-0.50	0.655	-76.3
Total Phosphorus	99%	-0.090	0.186	-48.4
Ortho-phosphorus	99%	-0.070	0.122	-57.4
Nitrate + nitrite	99%	-0.065	0.468	-13.9
Flow	< 80%	Limited data after removal		

ΔY = Difference between mean before and after.


Mean BR = Mean before removal.

% change = $\Delta Y / \text{Mean BR} \times 100$ or % change due to removal of outfall.


Wilcoxon-Mann-Whitney test for Step Trend
Step Based on Removal of Renton STP Outfall 5/87



Wilcoxon-Mann-Whitney test for Step Trend
Step Based on Removal of Renton STP Outfall 5/87



Wilcoxon-Mann-Whitney test for Step Trend
Step Based on Removal of Renton STP Outfall 5/87



Wilcoxon-Mann-Whitney test for Step Trend
Step Based on Removal of Renton STP Outfall 5/87




Figure 35. Wilcoxon-Mann-Whitney step trend graphs for nutrient levels on the Green/Duwamish River at Allentown.

GREEN RIVER NEAR KANASKAT

Wateryear 1991

This station is the second of two bench mark stations monitored inside of the Puget Sound Basin. Similar to the other bench mark station, Skagit River at Marblemount, most of the data except for temperature, D.O., pH, and nitrate+nitrite generated at this station were near the lower range of data found in the Puget Sound Basin. Wateryear 1991 data are compared to the last 10 years of data in Figures 36, 37, and 38.

Trends in Conventional Water Quality (10/79 - 09/91)

Seasonal Kendall Trend information is presented in Table 14. Significant decreasing trends were detected for turbidity and ammonia, however, both had median values fall below the working quantitation limit of the test.

Overall Water Quality

The Green River near Kanaskat Station has very good water quality with only occasional water quality violations over the last 10 years.

Upstream/Downstream Comparison

The removal of the Renton Sewage Treatment Plant (STP) outfall from the Green River make upstream/downstream comparisons over the entire data set difficult. Therefore, data at both stations were compared before (10/80 to 9/86) and after (5/87 to 12/90) the removal of the outfall. Table 15 presents results of the statistical analysis of the before and after paired water quality information. The individual data pairs for each parameter are presented graphically in Appendix 10.

The results of the Klotz's Statistical Test indicate (see Table 15) all parameters have significant (<95%) difference distribution and therefore only the Anderson-Darling Test was used for further statistical analysis (Wilcoxon-Mann-Whitney requires populations of similar shapes). The Anderson-Darling Test and the Anderson-Darling corrected for central tendency showed all of the parameters were statistically different at the $\geq 95\%$ confidence level before the removal of the outfall. The after-paired data sets, with the exception of temperature, and the median corrected Anderson-Darling nitrate+nitrite were still statistically different. However, as presented graphically in Appendix 10, differences between mean concentration at Allentown Bridge and Kanaskat has decreased with the removal of the Renton STP outfall, especially for ammonia, total and ortho-phosphorus, fecal coliform, D.O., and percent saturation.

Figure 36. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Green River near Kanaskat. (Water quality standard included.)











Figure 37. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Green River near Kanaskat.









Figure 38. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Green River near Kanaskat.

Table 14. Seasonal Kendall Trend information on the Green River near Kanaskat (1979-1991).

Parameter	Uncorrected Slope	Uncorrected Trend Probability	Corrected Slope	Corrected Trend Probability	Serial Correlation	Flow Regression R2	SE	Eq	Flow Adjusted Slope	Trend Probability	Median	Mean	Median Above Quantitation
	2	3	4	5	6	7	8	9	10	11	12	13	14
Temperature	0.0000	0.8882	0.0000	0.912	95.0000	0.4834	2.8831	12.0000	0.0539	0.3375	8.05	8.5743	Y
Conductivity	0.0000	0.9682			NS 80	0.4166	8.4712	7.0000	0.0026	0.9842	49	50.8759	Y
Dissolved Oxygen	-0.0055	0.5368	-0.0050	0.5632	99.0000	0.2953	1.2371	7.0000	-0.0166	0.3947	11.8	11.76	Y
pH	-0.0125	0.1598	-0.0125	0.2319	80.0000	<.1					7.3	7.3187	Y
Suspended Solids	0.0000	0.7620	0.0000	0.8031	90.0000	0.2352	41.7533	3.0000	-0.0619	0.3199	3	9.5312	Y
Turbidity	-0.0499	0.0087**			NS 80	0.6682	8.2888	8.0000	-0.1210	1.3E-5**	1.6	4.5075	N
Fecal Coliform	0.0000	0.9316	0.0000	0.9436	80.0000	0.1854	16.9756	11.0000	-0.0628	0.5894	4	9.6714	N
Ammonia	-0.0025	1.5E-11**	-0.0025	0.0036**	99.0000	<.1					0.013	0.0235	N
Phosphorus Total	0.0000	0.1285	0.0000	0.2612	99.0000	0.0956	0.0191	11.0000	-0.0004	0.2185	0.02	0.0209	Y
Phosphorus Ortho	0.0000	0.1675			NS 80	<.1					0.005	0.0095	N
Nitrate + Nitrite	-0.0013	0.0579	-0.0013	0.1056	95.0000	0.2025	0.0806	2.0000	-0.0017	0.0656	0.08	0.1142	N
Flow	0.6671	0.8275			NS 80	NA					612	936.2352	Y

* Significant at 95 %

** Significant at 99 %

Uncorrected - Uncorrected for Serial Correlation

Corrected - Corrected for Serial Correlation

Eq (column 9) see Table 3 text

Table 15. Statistical analysis of before and after the removal of the Renton Treatment Plant Outfall from the Green River.

Parameter	<u>Klotz</u>		A-D <u>L & S/R</u>		A-D <u>S/R only</u>	
	Before	After	Before	After	Before	After
Temperature	99%	95%	99%	NS 99%	99%	NS 99%
Conductivity	99%	99%	99%	99%	99%	99%
Dissolved Oxygen	99%	99%	99%	99%	95%	95%
Percent Saturation	99%	99%	99%	99%	99%	95%
pH	95%	99%	99%	95%	95%	95%
Suspended Solids	99%	99%	99%	99%	99%	99%
Ammonia	99%	99%	99%	99%	99%	99%
Total Phosphorus	99%	99%	99%	99%	99%	95%
Ortho-phosphorus	99%	99%	99%	99%	99%	95%
Turbidity	99%	99%	99%	99%	99%	95%
Fecal Coliform	99%	99%	99%	99%	99%	95%
Nitrate + Nitrite	99%	99%	99%	99%	99%	NS 80%
Flow	99%	--	99%	--	99%	--

Klotz - Nonparametric test of equality of variances/spread (populations of equal shape. significant results indicate data set do not have equal variance and A-D should be used.

Paired Wilcoxon - Nonparametric test for difference between means (assumes populations of equal shape). Significant test indicated the mean are different.

Anderson-Darling - Nonparametric test for difference between distributions (does not assume populations of equal shape).

L & S/R - Compares Central tendencies and spread/variance between stations.

S/R only - Tests scale and range (spread/variance) only by normalizing the data by subtracting the median (removes central tendencies) and retesting the new data set. Compares spread/variance only.

NS - Not significant.

PUYALLUP RIVER AT MERIDIAN STREET BRIDGE

Wateryear 1991

Wateryear 1991 data are compared to the last 10 years of data in Figures 39, 40, and 41. As these figures show, WY 1991 was a highly variable year for most of the parameters. Fecal coliform, turbidity, pH, suspended solids, conductivity, and nutrients all ranged from lower to higher than normal historical median levels. Flow was the only remaining parameter to be above historical median levels; the rest were near or slightly below historical median levels. This station had five water quality violations in WY 1991, all of which were fecal coliform.

Trends in Conventional Water Quality (10/79 - 09/91)

Seasonal Kendall Trend information is provided in Table 16. Significant trends were detected for temperature, conductivity, nitrate+nitrite, turbidity, pH, and ammonia. Temperature, turbidity and ammonia show declining trends of -1.41, -1.39 and -4.17% per year. The ammonia trend, however, may reflect the reduction of noise in the method of analysis, especially near detection limits, and not reflect in-stream changes. Conductivity and nitrate+nitrite are increasing at about 0.87% and 7.74% per year, respectively (Figures 42 and 43). Trends for the remaining conventional parameters are limited by serial correlation or were not significant when flow adjusted concentrations were analyzed.

Overall Water Quality

The Puyallup River had some of the poorer water quality of core stations inside of Puget Sound. This station had some of the highest quarter mean concentrations for fecal coliform, suspended solids, total phosphorus, ortho-phosphorus, and turbidity levels for stations inside of the Puget Sound Basin over the last six years (Appendix 7). Elevated suspended solids and turbidity can be largely attributed to glacial till, a natural condition on the Puyallup River. Of the remaining parameters, elevated fecal coliform levels appear to be of the greatest concern. Fecal coliform levels will probably continue to be a problem at this station due to: 1) the absence of declining trend in the long-term data set; 2) the high number of fecal coliform violations over the last 10 years, and 3) the continuing high number of fecal coliform violations (five) in WY 1991.









Figure 39. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Puyallup River at Meridian Street Bridge. (Water quality standard included.)


Ortho Phosphorus Levels on the Puyallup River at Meridian St. Bridge



Total Phosphorus Levels on the Puyallup River at Meridian St. Bridge



Ammonia Levels on the Puyallup River at Meridian St. Bridge



Nitrate + Nitrite Levels on the Puyallup River at Meridian St. Bridge




Figure 40. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Puyallup River at Meridian Street Bridge.

Figure 41. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Puyallup River at Meridian Street Bridge.







Table 16. Seasonal Kendall Trend information on the Puyallup River at Meridian Street Bridge (1979-1991).

Parameter	Uncorrected	Uncorrected	Corrected	Corrected	Serial	Flow Regression	SE	Eq	Flow	Flow Adjusted	Median	Mean	Median	% Change	Graph
	Slope	Trend	Slope	Trend					Adjusted	Trend			Above	per year	
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Temperature	-0.1333	0.0002**	-0.1333	0.0328*	90.0000	<.1					9.5	9.4769	Y	-1.41 (4)	X
Conductivity	0.5996	.0032**			NS 80	0.5026	9.0871	13.0000	0.6086	0.0001**	70	69.8182	Y	0.87 (10)	X
Dissolved Oxygen	-0.0125	0.2136	-0.0125	0.4881	99.0000	<.1					11.5	11.4923	Y		
pH	0.0000	0.0301*			NS 80	<.1					7.4	7.3916	Y		X
Suspended Solids	0.1242	0.6764	0.1242	0.7342	90.0000	0.1649	256.8731	12.0000	0.4990	0.3716	20	112.2734	Y		
Turbidity	-0.4926	1.8E-5**	-0.4926	0.0240*	95.0000	0.2401	56.8608	12.0000	-0.3908 a) -0.3908	0.0605 0.1408	9	35.4691	Y	-1.39 (4)	X
Fecal Coliform	-3.4837	0.1459			NS 80	<.1					115	740.4225	Y		
Ammonia	-0.0018	3.5E-6**	-0.0018	0.0082**	80.0000	<.1					0.03	0.0432	Y	-4.17 (2)	X
Phosphorus Total	0.0014	0.0133*	0.0014	0.1065	80.0000	<.1					0.04	0.067	Y		
Phosphorus Ortho	0.0006	2.0E-5**	0.0006	0.0285*	99.0000	<.1					0.01	0.0161	N		
Nitrate + Nitrite	0.0036	0.0046**	0.0036	0.0084**	80.0000	<.1					0.17	0.2067	Y	1.74 (4)	X
Flow	-3.8245	0.8996			NS 80	NA					2695	3139.2101	Y		

* Significant at 95%

** Significant at 99%

Uncorrected - Uncorrected for Serial Correlation


Corrected - Corrected for Serial Correlation

Eq (column 9) see Table 3 text


a) Flow Adjusted Seasonal Kendall Trend Results with Correction for Serial Correlation

Figure 42. Significant trend graphs for the Puyallup River at Meridian Street Bridge.


Flow Adjusted Seasonal Kendall Test for Conductivity Levels on the Puyallup River at Meridian St. Bridge




Seasonal Kendall with Correction for Serial Correlation for Temperature Levels on the Puyallup River at Meridian St. Bridge




Seasonal Kendall Test for pH Levels on the Puyallup River at Meridian St. Bridge



Seasonal Kendall with Correction for Serial Correlation for Turbidity Levels on the Puyallup River at Meridian St. Bridge



Seasonal Kendall with Correction for Serial Correlation for Nitrate + Nitrite on the Puyallup River at Meridian St. Bridge



Seasonal Kendall with Correction for Serial Correlation for Ammonia Levels on the Puyallup River at Meridian St. Bridge




Figure 43. Significant trend graphs for the Puyallup River at Meridian Street Bridge.

NISQUALLY RIVER AT NISQUALLY

Wateryear 1991

Wateryear 1991 data are compared to the last 10 years of data in Figures 44, 45, and 46. As these figures show, levels for most conventional parameters were generally within the expected historical ranges with the exception of nitrate+nitrite levels. Nitrate+nitrite levels for WY 1991 were all at or above the historical median levels. Suspended solids, turbidity, conductivity, and pH were variable, ranging from slightly above to slightly below historical median levels. This station did not violate water quality standards in WY 1991.

Trends in Conventional Water Quality (10/79 - 09/91)

Table 17 presents SK Trend information for the Nisqually River at Nisqually. Significant trends were expressed in 6 of the 12 parameters tested. Conductivity and pH showed increasing trends of 0.82, and 0.41 % change per year, respectively. Turbidity, fecal coliform, and ammonia, are declining at -1.76, -0.12 and -4.93 % change per year. Nitrate+nitrite showed a strong serial correlation and also was correlated to stream flow ($R^2 = 0.5433$). The flow adjusted SK with correction for serial correlation indicated nitrate+nitrite levels are increasing at 2.03 % per year (see Figures 47 and 48).

Overall Water Quality

The Nisqually River has some of the best water quality of the core stations inside of Puget Sound, with only occasional water quality violations over the last 10 years, most of which were also monthly maxima or minima. However, nitrate+nitrite levels do appear to be increasing.







Figure 44. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Nisqually River at Nisqually. (Water quality standard included).

Figure 45. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Nisqually River at Nisqually.







Figure 46. Wateryear 1991 flow, conductivity, suspended solid, and turbidity levels compared to the last 10 years of data on the Nisqually River at Nisqually.







Table 17. Seasonal Kendall Trend information on the Nisqually River at Nisqually (1979–1991).

Parameter	Uncorrected Slope	Uncorrected Trend Probability	Corrected Slope	Corrected Trend Probability	Serial Correlation	Flow Regression R2	SE	Eq	Flow Adjusted Slope	Flow Adjusted Trend Probability	Median	Mean	Median Above Quantitation	% Change per year (Column used)	Graph
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Temperature	-0.0142	0.7036	-0.0142	0.8137	95.0000	0.5919	2.3529	11.0000	-0.0077	0.8173	9.8	9.8413	Y		
Conductivity	0.5672	2.1E-6**			NS 80	0.2981	4.9867	7.0000	0.5337	3.1E-6**	65	64.916	Y	0.82 (10)	X
Dissolved Oxygen	0.0166	0.2718	0.0166	0.5570	99.0000	0.3742	0.7982	11.0000	0.0221	0.2344	11.5	11.56	Y		
pH	0.0331	0.0001**			NS 80	0.1000	0.3205	7.0000	0.0309	0.0001**	7.6	7.558	Y	0.41 (10)	X
Suspended Solids	0.0000	0.5676	0.0000	0.5944	90.0000	0.1608	33.3583	13.0000	0.1774	NS 80	8	16.589	Y		
Turbidity	-0.2486	0.0003**	-0.2486	0.0164*	95.0000	<.1					7	14.110	Y	-1.76 (4)	X
Fecal Coliform	-0.7297	0.0414*			NS 80	<.1					12	33.574	Y	-0.12 (2)	X
Ammonia	-0.0014	1.5E-6**			NS 80	<.1					0.02	0.0284	Y	-4.93 (2)	X
Phosphorus Total	0.0000	0.3465	0.0000	0.4996	99.0000	<.1					0.03	0.04	Y		
Phosphorus Ortho	0.0000	0.1040	0.0000	0.3467	95.0000	<.1					0.005	0.0092	N		
Nitrate + Nitrite	0.0036	0.0004**	0.0036	0.0512	90.0000	0.5433	0.0815	12.0000	0.0046 a) 0.0046	0.0014 ** 0.0153*	0.225	0.2269	Y	2.03 (10*)	X
Flow	-1.4987	0.8333			NS 80	NA					1775	2202.3	Y		

* Significant at 95 %

** Significant at 99 %


Uncorrected - Uncorrected for Serial Correlation

Corrected - Corrected for Serial Correlation


Eq (column 9) see Table 3 text

a) Flow Adjusted Seasonal Kendall Trend Results with Correction for Serial Correlation


Flow Adjusted Seasonal Kendall Test for pH Levels on the Nisqually River at Nisqually



Seasonal Kendall Test for Fecal Coliform Levels on the Nisqually River at Nisqually



Flow Adjusted Seasonal Kendall Test for Conductivity on the Nisqually River at Nisqually



Seasonal Kendall with Correction for Serial Correlation Turbidity Levels on the Nisqually River at Nisqually





Figure 47. Significant trend graphs for the Nisqually River at Nisqually.

Seasonal Kendall Test for Ammonia Levels on the Nisqually River at Nisqually



Flow Adjusted Seasonal Kendall with Correction for Serial Correlation for Nitrate + Nitrite Levels on the Nisqually River at Nisqually




Figure 48. Significant trend graphs for the Nisqually River at Nisqually.

SKOKOMISH RIVER NEAR POTLATCH

Wateryear 1991

Wateryear 1991 data are compared to the last 10 years of data in Figures 49, 50, and 51. For WY 1991 fecal coliform, flow, pH, conductivity, and D.O. levels were variable. Nitrate+nitrite levels for June, July, and August set three new 10-year monthly maximums and nine of the 12 samples for WY 1991 were above historical median levels. Temperature, turbidity, ammonia, and suspended solids were at to slightly above historical median levels when compared to the last 10 years of data. Total and ortho-phosphorus were the only parameters below normal. In WY 1991, this station had only one pH value in violation of state water quality standards.

Trends in Conventional Water Quality (10/79 - 09/91)

Table 18 presents SK Trend information for the Skokomish River. Conductivity, fecal coliform, ammonia, total and ortho-phosphorus, and nitrate+nitrite all expressed significant trends, however, all except conductivity had medians below the working quantitation limit or were not significant when flow adjusted. Flow adjusted conductivity is increasing at 0.78% per year (see Figure 52).

Overall Water Quality

The Skokomish River is among the core stations that had the best water quality inside of Puget Sound. This river has only occasionally violated water quality standards over the past 10 years.







Figure 49. Wateryear 1991 temperature, dissolved oxygen, pH, and fecal coliform levels compared to the last 10 years of data on the Skokomish River near Potlatch. (Water quality standard included.)

Figure 50. Wateryear 1991 total and ortho-phosphorus, ammonia, and nitrate+nitrite levels compared to the last 10 years of data on the Skokomish River near Potlatch.







Figure 51. Wateryear 1991 flow, conductivity, suspended solids, and turbidity levels compared to the last 10 years of data on the Skokomish River near Potlatch.







Table 18. Seasonal Kendall Trend information on the Skokomish River near Potlatch (1979-1991).

Parameter	Uncorrected	Uncorrected	Corrected	Corrected	Serial	Flow Regression			Flow	Flow Adjusted	Median	Mean	Median	% Change	Graph
	Slope	Trend	Slope	Trend		R2	SE	Eq	Adjusted	Trend			Above	per year	
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Temperature	0.0000	0.8209	Insufficient Data			0.5361	1.3263	13.0000	0.0144	0.5745	7.8	8.065	Y		
Conductivity	0.5672	2.1E-6**				0.2981	4.9867	7.0000	0.5337	3.1E-6**	68	68.6117	Y	0.78 (10)	X
Dissolved Oxygen	0.0000	0.6963				0.6429	0.6173	12.0000	-0.0184	0.5868	11.2	11.1608	Y		
pH	0.0000	0.7693				<.1					7.2	7.2388	Y		
Suspended Solids	0.1837	0.0763				0.7594	24.6944	12.0000	0.1928	0.7067	2.5	15.2109	N		
Turbidity	0.0000	0.8297				0.9654	4.1669	11.0000	-0.1082	0.1047	1.9	5.9965	N		
Fecal Coliform	0.4969	0.0401*				0.1298	12.0209	12.0000	0.5624	0.0942	6	11.4731	N		
Ammonia	-0.0008	0.0003**				<.1					0.01	0.0235	N		
Phosphorus Total	0.0000 v	0.0312*				0.4977	0.0188	8.0000	-0.0002	0.1964	0.02	0.0258	Y		
Phosphorus Ortho	0.0000 v	0.0050**				0.1288	0.0060	9.0000	-0.0001	0.1078	0.01	0.0104	N		
Nitrate + Nitrite	0.0018	0.0031**				0.2550	0.0333	12.0000	0.0019	0.0090**	0.07	0.0821	N		
Flow	2.4225	0.5517				NA					628	1108.0693	Y		

* Significant at 95 %

** Significant at 99 %

Uncorrected - Uncorrected for Serial Correlation

Corrected - Corrected for Serial Correlation

Eq (column 9) see Table 3 text

Flow Adjusted Seasonal Kendall Test for Conductivity Levels on the Skokomish River near Potlatch




Figure 52. Significant trend graph for the Skokomish River near Potlatch.

REFERENCES

- APHA, AWWA, WPCF, 1985. Standard Methods for the Examination of Water and Wastewater. Washington, D.C.
- Aroner, E.R., 1992. WQHYDRO Water Quality/Hydrology Graphic/Analysis System Interim Guidance/User's Manual/Documentation. Olympia, WA.
- Coots, R. and R. Willms, 1991. Pend Oreille River Primary Productivity and Water Quality of Selected Tributaries. Washington State Department of Ecology, Watershed Assessments Section, 35 pp.
- Ecology, Washington State Department of, 1991. Manchester Environmental Laboratory Laboratory Users Manual. D. Huntamer and Janet Hyre (eds.), Olympia, WA. 342 pp.
- Hallock, D., 1992. Personal Communication, Washington State Department of Ecology, Olympia, WA. March 1992.
- Hirsch, R.M., R.B. Alexander, and R.A. Smith, 1991. Selection of Method for the Detection and Estimation of Trends in Water Quality. Water Resources Bulletin, 27, 803-813, May 1991.
- , J.R. Slack, and R.A. Smith, 1982. Techniques of Trend Analysis for Monthly Water Quality Data. Water Resources Research, 18:107-121.
- Jenson, N., 1992. Personal Communication, Washington State Department of Ecology, Manchester, WA. March 1992.
- Marascuilo, L.A., and M. McSweeney, 1977. Non-parametric and Distribution-Free Methods for the Social Sciences, Brooks/Cole Company. Belmont, CA.
- Puget Sound Ambient Monitoring Program, 1988. Monitoring Management Committee Final Report, Puget Sound Water Quality Authority. Olympia, WA.
- Scholtz, F.W., and M.A. Stephans, 1987. K-Sample Anderson-Darling Test. Journal of the American Statistical Association, 82(399):918-924.

APPENDIX 1

**Station Description and Period of Record for
EILS Freshwater Monitoring Program**

APPENDIX 2

Washington State Department of Ecology Ambient Monitoring Station Locations

Appendix 2. Washington State Department of Ecology Ambient Monitoring Station Locations

Core Stations

1. Nooksack River at Brennan
2. Skagit River near Mount Vernon
3. Stillaguamish River near Silvana
4. Snohomish River at Snohomish
5. Sammamish River at Bothell
6. Cedar River at Renton
7. Green River at Tukwila
8. Puyallup River at Meridian St. Bridge
9. Nisqually River at Nisqually
10. Skokomish River near Potlatch
11. Chehalis River at Porter
12. Cowlitz River at Kelso
13. Humptulips River at Humptulips
14. Columbia River at Umatilla
15. Yakima River at Kiona
16. Wenatchee River at Wenatchee
17. Methow River near Pateros
18. Okanogan River @ Malott
19. Similkameen River at Oroville
20. Walla Walla River near Touchet
21. Snake River at Pasco
22. Palouse River at Hooper
23. Snake River at Interstate Bridge
24. Spokane River at Mouth
25. Spokane River at Riverside State Park
26. Spokane River at Stateline Bridge
27. Columbia River at Northport
28. Pend Oreille River at Newport

Bench Mark Stations

1. Skagit River at Marblemount
2. Green River at Kanaskat
3. Chehalis River near Dryad
4. Wenatchee River near Leavenworth
5. Palouse River at Palouse

Appendix 2. Continued.

Rotating Stations

1. Nooksack River @ North Cedarville
2. Sumas River near Huntingdon B.C.
3. Whatcom Creek @ Bellingham
4. Samish River near Burlington
5. Friday Creek below Hatchery
6. Skagit River at Concrete
7. Baker River at Concrete
8. Sauk River near Rockport
9. S.F. Stillaguamish River @ Arlington
10. S.F. Stillaguamish River near Granite Falls
11. N.F. Stillaguamish River near Cicero
12. N.F. Stillaguamish River near Darrington
13. Pilchuck River @ Snohomish
14. Skykomish River @ Monroe
15. Skykomish River near Gold Bar
16. Snoqualmie River near Monroe
17. Snoqualmie River near Carnation
18. Snoqualmie River @ Snoqualmie
19. Sultan River @ Sultan
20. Wood Creek @ Monroe
21. Tolt River near Carnation
22. Sammamish River @ Redmond
23. Issaquah Creek near Issaquah
24. Cedar River @ Maple Valley
25. Cedar River near Landsburg
26. Ship Canal @ Fremont
27. Green River @ 212th Street near Kent
28. Green River near Black Diamond
29. Big Soos Creek near Auburn
30. Mill Creek near Kent on W. Valley Highway
31. Puyallup River at Orting
32. Carbon River near Orting
33. White River @ Sumner
34. White River near Buckley
35. Nisqually River @ McKenna
36. Chamber Creek near Steilacoom
37. Deschutes River @ E Street Bridge
38. Deschutes River near Rainier
39. Goldsborough Creek near Shelton
40. Hamma Hamma near Eldon
41. Duckabush River near Brinnon
42. Dosewallips River @ Brinnon
43. Big Quilcene River near Quilcene
44. Dungeness River near Sequim
45. Elwha River near Port Angeles
46. Soleduck River near Forks
47. Hoh River at DNR Campgrounds
48. Queets River at Queets
49. Quinault River at Lake Quinault
50. WF Hoquiam River near Hoquiam
51. Satsop River near Satsop
52. Newaukum River near Chehalis
53. Skookumchuck River at Chehalis
54. Black River at Moon Road Bridge
55. Chehalis River a Montesano
56. North River near Raymond on Highway 101
57. Willapa River near Willapa
58. Willapa River at Lebam
59. Naselle River near Naselle
60. Cowlitz River at Toledo
61. Toutle River near Castle Rock
62. Coweeman River at Kelso
63. Kalama River near Kalama
64. Lewis River at County Road 16
65. EF Lewis River near Dollar Corner
66. Washougal River at Washougal
67. Yakima River at Parker
68. Naches River at Yakima on US97
69. Tieton River at Oak Creek
70. Cle Elum River near Roslyn
71. Teanaway River near Cle Elum
72. Icicle Creek near Leavenworth
73. Columbia River at Chelan Station
74. Methow River at Twisp
75. Okanogan River at Oroville
76. Nespelem River at Nespelem
77. Klickitat River near Lyle
78. Klickitat River near Pitt
79. Columbia River near Vernita

Appendix 2. Continued.

Rotating Stations (Cont.)

80. Entiat River near Entiat
81. Chelan River at Chelan
82. Touchet River at Touchet
83. Touchet River near Dayton
84. Palouse River near Diamond
85. SF Palouse River at Pullman
86. Rock Creek near Revere
87. Tucannon River at Powers
88. Grande Ronde River near Anatone
89. Asotin Creek at Asotin
90. Sanpoil River at Keller
91. Sanpoil River above Republic
92. Columbia River at Grand Coulee
93. Hangman Creek at Mouth
94. Crab Creek near Beverly
95. Crab Creek near Moses Lake
96. Little Spokane River near Mouth
97. Colville River at Kettle Falls
98. Kettle River near Barstow
99. Pend Oreille River at Metaline Falls

Floating Stations

Numbers depend on budget remaining after factoring in monitoring cost for core/benchmark and rotating stations.

APPENDIX 3

Current Laboratory Methods for the Department of Ecology's Freshwater Ambient Monitoring Program

Appendix 3. Current laboratory methods for the Department of Ecology's Freshwater Ambient Monitoring Program.

1. Fecal coliform:

Bottle type - Glass
Sample volume - 200 mL
Preservative - Store at 4°C
Holding Time - 30 hours
Analytical Method - Standard Methods for the Examination of Water and Wastewater, 16th Ed., No. 214A, Standard Methods, 16th Ed., No. 909c, "Fecal Coliform Membrane Filter Procedure," pp. 896

2. Conductivity: Field

Bottle type - Polyethylene
Sample volume - 200 mL
Preservative - None
Holding Time - NA
Analytical Method - Modification of Standard Methods for the Examination of Water and Wastewater, 16th Ed., No. 205, "Conductivity," pp. 76-80.

3. Total Hardness:

Bottle type - Polyethylene
Sample volume - 500 mL
Preservative - Store at 4°C
Holding Time - 6 Months
Analytical Method - Standard Methods for the Examination of Water and Wastewater, 16th Ed., No. 1348, "EDTA Titrimetric Method," pp. 210-14.

4. Ammonia Nitrogen:

Bottle type - Polyethylene
Sample volume - 125 mL
Preservative - Sulfuric Acid, at 4°C
Holding Time - 28 Days
Analytical Method - EPA Method 350.1, automated Phenate.

5. Nitrate+Nitrate Nitrogen:

Bottle type - Polyethylene
Sample volume - 125 mL
Preservative - Sulfuric Acid, 4°C
Holding Time - 28 Days
Analytical Method - EPA Method 353.2, Colorimetric, Automated, Cadmium Reduction.

Appendix 3. Continued.

6. Nitrite Nitrogen:

Bottle type - Polyethylene
Sample volume - 125 mL
Preservative - Amber Bottle, 4°C
Holding Time - 48 Hours
Analytical Method - Adaptation of EPA Method 353.2, Colorimetric, Automated, Cadmium Reduction.

7. pH: Field

Bottle type - Polyethylene
Sample volume - 200 mL
Preservative - None
Holding Time - NA
Analytical Method - Modification of Standard Methods for the Examination of Water and Wastewater, 16th Ed., No. 423, "pH Value," pp. 429-37.

8. Ortho-phosphorus:

Bottle type - Polyethylene
Sample volume - 125 mL
Preservative - Filter, Amber Bottle, 4°C
Holding Time - 48 Hours
Analytical Method - EPA Method 365.1, Colorimetric, Automated Ascorbic Acid.

9. Total Phosphorus:

Bottle type - Polyethylene
Sample volume - 125 mL
Preservative - H₂SO₄, Store at 4°C
Holding Time - 28 Days
Analytical Method - EPA Method 365.1, Colorimetric, Automated, Ascorbic Acid

10. Total Suspended Solids:

Bottle type - Polyethylene
Sample volume - 1000 mL
Preservative - Store at 4°C
Holding Time - 7 Days
Analytical Method - Standard Methods, 16th Ed., No. 209c, "Total Suspended Solids Dried at 103-105°C." p. 96-97.

Appendix 3. Continued.

11. Turbidity

Bottle type - Polyethylene
Sample volume - 500 mL
Preservative - Store at 4°C
Holding Time - 48 hours
Analytical Method - Standard Methods for the Examination of Water and Wastewater, 16th Ed., No. 214A, "Nephelometric Method-Nephelometric Turbidity Units," pp. 134-36.

12. Mercury (Cold Vapor AA)

Bottle type - Polyethylene (Cubitainer) with Teflon Lid
Sample volume - 1 L
Preservative - Store at 4°C
Holding Time - 28 days
Analytical Method - EPA 600/4-79-020,4.1.1. SW846, Volume 1, Section A. EP1-245.1

13. Cadmium (Total Recoverable/AA)

Bottle type - Polyethylene (Cubitainer) with Teflon Lid
Sample volume - 1 L
Preservative - Store at 4°C
Holding Time - 6 months
Analytical Method - EPA 600/4-79-020,4.1.1. SW846, Volume 1, Section A. EP1-213.R

14. Chromium (Total Recoverable/AA)

Bottle type - Polyethylene (Cubitainer) with Teflon Lid
Sample volume - 1 L
Preservative - Store at 4°C
Holding Time - 6 months
Analytical Method - EPA 600/4-79-020,4.1.1. SW846, Volume 1, Section A. EP1-218.R

15. Lead (Total Recoverable/AA)

Bottle type - Polyethylene (Cubitainer) with Teflon Lid
Sample volume - 1 L
Preservative - Store at 4°C
Holding Time - 6 months
Analytical Method - EPA 600/4-79-020,4.1.1. SW846, Volume 1, Section A. EP1-239.R

Appendix 3. Continued.

16. Zinc (Total Recoverable/ICP)

Bottle type - Polyethylene (Cubitainer) with Teflon Lid
Sample volume - 1 L
Preservative - Store at 4°C
Holding Time - 6 months
Analytical Method - EPA 600/4-79-020,4.1.1. SW846, Volume 1, Section A.
EP1-200.7

17. Copper (Total Recoverable/ICP)

Bottle type - Polyethylene (Cubitainer) with Teflon Lid
Sample volume - 1 L
Preservative - Store at 4°C
Holding Time - 6 months
Analytical Method - EPA 600/4-79-020,4.1.1. SW846, Volume 1, Section A.
EP1-200.7

APPENDIX 4

Wateryear 1991 Raw Data and Six-Year Summary Statistics for the Department
of Ecology's Freshwater Ambient Monitoring Program

01A050 7301A050 12213140
 NOOKSACK RIVER AT BRENNAN
 48 49 10.0 122 34 43.0 2F 0 Elev= 0 ft
 53073 Washington Whatcom Co. PACIFIC NORTHWEST
 PUGET SOUND (Nooksack-01) 131101
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 01-01-04 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311022
 MILES 0003.40

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/23	1415	2920.0	8.9	11.3	96.8	763.5	7.7	108	31	12.0	40S
90/11/19	1410	6310.0	6.0	11.6	93.8	753.4	8.1	115	129	37.0	120
90/12/11	1415	9330.0	5.5	13.0	101.2	772.7	7.3	92	212	56.0	180S
91/01/22	1420	4250.0	3.0	12.4	90.4	773.4	7.6	115	48	12.5	31
91/02/19	1510	10800.0	7.5	11.7	96.6	765.6	7.7	78	642	113.0	800L
91/03/19	1415	2390.0	8.1	11.0	94.0	750.8	7.3	139	16	18.0	110
91/04/16	1520	3180.0	10.2	10.9	96.4	762.0	7.4	117	29	10.0	19
91/05/21	1440	5100.0	9.3	10.3	88.5	767.8	7.3	87	85	2.0	39
91/06/18	1520	4000.0J	11.1	10.9	98.2	763.3	7.4	80	54	17.0	88
91/07/23	1450	3850.0	15.3	10.2	101.4	757.9	7.2	74	54	24.0	73
91/08/20	1455	2510.0	16.6	10.5	106.3	764.5	7.2	83	72	33.0	65
91/09/17	1500	1700.0	15.4	10.1	99.8	764.0	7.4	122	26	11.3	220

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/23	1415	0.34	0.00K	0.01	0.011	0.028	436067	44
90/11/19	1410	0.54	0.01K	0.10	0.010	0.100	476067	47
90/12/11	1415	0.58	0.01K	0.07	0.010	0.110	506068	37
91/01/22	1420	0.65	0.01K	0.09	0.010	0.060	46068	48
91/02/19	1510	0.32	0.01K	0.06	0.010K	0.200	86068	34
91/03/19	1415	0.48	0.01K	0.05	0.005K	0.020	126068	56
91/04/16	1520	0.40	0.01K	0.03	0.010K	0.028	166068	48
91/05/21	1440	0.17	0.01K	0.04	0.010K	0.050	216068	35
91/06/18	1520	0.18	0.01K	0.01K	0.010K	0.044	256068	34
91/07/23	1450	0.09	0.01K	0.02	0.010K	0.035	306068	33
91/08/20	1455	0.11	0.01K	0.01K	0.010K	0.068	346068	17
91/09/17	1500	0.21	0.01K	0.03	0.012	0.039	386068	51

01A120 7301A120 12210700 541033
 NOOKSACK R AT NORTH CEDARVILLE
 48 50 30.0 122 17 35.0 2F 0 Elev= 0 ft
 53073 Washington Whatcom Co. PACIFIC NORTHWEST
 PUGET SOUND (Nooksack-01) 131101
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 01-01-04 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311022
 MILES 0030.80

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/23 1215		2850.0	8.6	11.5	97.9	762.3	7.3	93	16	7.8	11
90/11/19 1215		5110.0	5.7	11.8	95.1	750.3	7.9	105	117	37.0	7
90/12/11 1220		6940.0	5.4	13.6	106.3	767.6	7.4	75	178	49.0	11
91/01/22 1225		3200.0J	2.9	12.6	91.8	771.7	7.5	91	28	11.0	2
91/02/19 1305		8600.0	5.4	12.1	95.2	762.5	7.4	50	2080J	290.0J	21S
91/03/19 1220		2100.0J	6.3	11.6	95.2	748.0	7.0	105	9	5.7	9
91/04/16 1300		3410.0	8.6	11.4	97.4	760.2	7.6	91	23	11.0	1K
91/05/21 1235		4610.0	8.2	11.6	97.5	764.8	7.4	60	52	2.0	5
91/06/18 1310		4030.0	10.9	11.3	101.6	761.7	7.4	70	29	8.4	15
91/07/23 1255		3250.0	13.4	10.7	102.4	756.4	7.1	67	63	28.0	7
91/08/20 1255		2400.0	13.8	11.1	106.3	762.5	7.3	74	59	27.0	9
91/09/17 1255		1280.0J	12.4	11.0	102.2	762.5	7.3	101	22	12.8	3

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/23 1215		0.26	0.00K	0.01K	0.005	0.018	436065	
90/11/19 1215		0.25	0.01K	0.07	0.010K	0.080	476065	
90/12/11 1220		0.23	0.01K	0.02	0.010K	0.070	506066	
91/01/22 1225		0.27	0.01K	0.04	0.010K	0.050	46066	
91/02/19 1305		0.17	0.01K	0.03	0.010K	0.620	86066	
91/03/19 1220		0.15	0.01K	0.00K	0.027	0.006	126066	
91/04/16 1300		0.15	0.01K	0.02	0.010K	0.021	166066	
91/05/21 1235		0.08	0.01K	0.03	0.010K	0.039	216066	
91/06/18 1310		0.07	0.01K	0.01K	0.010K	0.021	256066	
91/07/23 1255		0.05	0.01K	0.02	0.010K	0.037	306066	
91/08/20 1255		0.06	0.01K	0.02	0.010K	0.045	346066	
91/09/17 1255		0.08	0.01K	0.01K	0.010K	0.030	386066	

01D070 7301D070 12215100
 SUMAS RIVER NEAR HUNTINGDON B C
 49 00 09.0 122 13 50.0 2F 0 Elev= 0 ft
 53073 Washington Whatcom Co. PACIFIC NORTHWEST
 PUGET SOUND (Nooksack-01) 131101
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 01-01-06 Class= (A) Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311000
 MILES 0011.90

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TIME	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	FEET	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
		CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/23	1310	60.0	9.9	7.7	67.5	764.5	7.5	321	7	5.2	1000S
90/11/19	1310	240.0	7.7	7.4	62.5	753.4	7.6	315	9	10.0	270S
90/12/11	1310	640.0	6.2	9.5	75.4	771.7	7.4	202	14	13.0	450S
91/01/22	1320	230.0	3.2	9.1	66.7	773.4	7.5	250	4	5.0	46
91/02/19	1410	350.0	7.8	7.0	58.3	765.6	7.1	244	24	16.0	800L
91/03/19	1310	120.0	9.0	8.3	72.5	751.3	7.5	281	4	22.0	390
91/04/16	1400	125.0	12.2	8.9	82.4	762.0	7.6	282	9	7.1	91
91/05/21	1340	76.0	12.5	8.5	78.6	768.1	7.5	290	7	6.0	420
91/06/18	1355	68.0	14.1	9.6	92.4	764.0	7.7	288	5	6.0	520
91/07/23	1340	52.0	17.4	10.1	104.8	758.7	7.6	291	5	6.4	1300
91/08/20	1350	35.0	17.6	10.5	108.5	764.8	8.0	291	9	8.1	250
91/09/17	1350	26.0	14.0	9.4	90.2	764.8	7.6	306	4	5.7	140

DATE	DEPTH	630	613	610	671	665	8	900
FROM	TIME	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	FEET	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3
		MG/L	MG/L	MG/L	MG/L P		NUMBER	MG/L
90/10/23	1310	3.41	0.09	0.47	0.073	0.148	436066	
90/11/19	1310	4.09	0.06	0.24	0.120	0.190	476066	
90/12/11	1310	2.58	0.03	0.17	0.100	0.160	506067	
91/01/22	1320	3.05	0.03	0.33	0.070	0.160	46067	
91/02/19	1410	3.90	0.06	0.60	0.170	0.370	86067	
91/03/19	1310	3.01	0.03	0.29	0.059	0.114	126067	
91/04/16	1400	2.90	0.02	0.06	0.039	0.100	166067	
91/05/21	1340	2.68	0.02	0.08	0.048	0.097	216067	
91/06/18	1355	3.07	0.02	0.04	0.044	0.089	256067	
91/07/23	1340	2.50	0.02	0.05	0.042	0.056	306067	
91/08/20	1350	2.39	0.02	0.04	0.054	0.107	346067	
91/09/17	1350	2.36	0.01	0.03	0.051	0.091	386067	

03A060 5703A060 12200500 541035
 SKAGIT RIVER NEAR MOUNT VERNON
 48 26 42.0 122 20 03.0 2F 0 Elev= 0 ft
 53057 Washington Skagit Co. PACIFIC NORTHWEST
 PUGET SOUND (Lower Skagit-03) 131103
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 02-03-06 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311082
 MILES 0015.90

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TIME	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	FEET	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
		CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/24	0835	16700.0	10.1	11.1	98.6	757.2	7.3	64	17	3.8	3
90/11/19	1535	34300.0	7.1	11.7	97.2	753.4	7.7	69	78	16.0	155
90/12/12	0835	27000.0	5.4	13.5	105.3	769.4	7.2	55	66	21.0	49
91/01/23	0900	18900.0	3.6	12.5	92.4	774.7	7.3	65	22	7.3	3
91/02/20	0850	46400.0	4.8	12.5	95.9	770.4	7.2	44	186	57.0	43
91/03/20	0845	12700.0J	6.3	11.0	89.5	754.9	8.0	79	21	4.3	80
91/04/17	0835	15900.0	7.9	11.3	93.7	769.9	7.3	89	10	2.6	29
91/05/22	0830	24100.0	9.1	11.3	95.7	775.0	7.5	49	19	6.5	5
91/06/19	0750	18800.0	11.1	10.8	97.3	763.0	7.1	49	8	2.2	5
91/07/24	0735	28600.0	12.4	10.7	99.5	761.7	7.5	41	20	7.2	24
91/08/21	0830	16100.0	13.9	10.9	103.6	769.6	6.9	46	10	7.5	1
91/09/18	0820	8400.0J	13.3	10.2	95.8	768.6	7.0	55	10	3.3	19

DATE	DEPTH	630	613	610	671	665	8	900
FROM	TIME	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	FEET	N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
		MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/24	0835	0.14	0.00K	0.01K	0.003	0.023	436069	
90/11/19	1535	0.14	0.01K	0.02	0.010K	0.050	476069	
90/12/12	0835	0.15	0.01K	0.03	0.010K	0.030	506071	
91/01/23	0900	0.15	0.01K	0.01	0.010K	0.040	46071	
91/02/20	0850	0.12	0.01K	0.01	0.010K	0.140	86071	
91/03/20	0845	0.09	0.01	0.03	0.005K	0.011	126071	
91/04/17	0835	0.09	0.01K	0.01K	0.010K	0.010K	166071	
91/05/22	0830	0.07	0.01K	0.01	0.010K	0.016	216071	
91/06/19	0750	0.06	0.01K	0.01K	0.010K	0.010K	256071	
91/07/24	0735	0.04	0.01K	0.01K	0.010K	0.013	306071	
91/08/21	0830	0.03	0.01K	0.01K	0.011	0.013	346071	
91/09/18	0820	0.04	0.01K	0.01K	0.010K	0.016	386071	

03B050 5703B050 12201500 541034
 SAMISH RIVER NEAR BURLINGTON
 48 32 46.0 122 20 13.0 2F 0 Elev= 0 ft
 53057 Washington Skagit Co. PACIFIC NORTHWEST
 PUGET SOUND (Lower Skagit-03) 131103
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 02-03-10 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311044
 MILES 0010.40

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/24	0755	125.0	10.7	10.2	91.7	757.9	7.8	100	5	1.9	74
90/11/19	1500		7.7	11.6	97.8	753.6	7.3	85	47	15.0	43
90/12/12	0805		5.7	13.5	106.2	768.4	7.8	62	55	16.0	27
91/01/23	0830	570.0	3.6	12.8	94.7	774.2	7.8	66	22	6.3	21
91/02/20	0815		7.0	11.7	94.9	770.1	6.9	49	128	28.0	110S
91/03/20	0810	290.0	6.8	11.5	94.7	754.6	6.4	79	10	5.3	14
91/04/17	0800	230.0	8.9	11.0	93.6	768.6	7.2	80	9	4.9	51
91/05/22	0730	145.0	11.0	10.6	93.9	774.7	7.5	91	5	4.4	240
91/06/19	0720	135.0	12.1	10.0	92.2	763.0	7.3	86	10	5.3	210
91/07/24	0705	32.0	15.8	9.1	91.0	761.7	7.5	120	3	2.0	340
91/08/21	0740	26.0	14.6	9.8	94.5	769.9	7.1	121	4	2.4	79
91/09/18	0745	19.0	12.9	10.0	93.2	768.4	7.4	120	3	1.7	100

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/24	0755	0.74	0.00K	0.01K	0.009	0.018	436068	
90/11/19	1500	0.78	0.01K	0.05	0.010K	0.050	476068	
90/12/12	0805	0.77	0.01K	0.04	0.010K	0.050	506070	
91/01/23	0830	0.75	0.01K	0.02	0.010	0.030	46070	
91/02/20	0815	0.92	0.01K	0.02	0.010K	0.120	86070	
91/03/20	0810	0.52	0.01	0.02	0.010	0.019	126070	
91/04/17	0800	0.59	0.01K	0.01	0.010K	0.019	166070	
91/05/22	0730	0.53	0.01K	0.03	0.015	0.026	216070	
91/06/19	0720	0.51	0.01	0.01	0.010K	0.026	256070	
91/07/24	0705	0.63	0.01K	0.02	0.010K	0.013	306070	
91/08/21	0740	0.63	0.01K	0.01	0.010K	0.014	346070	
91/09/18	0745	0.55	0.01K	0.01K	0.010K	0.019	386070	

04A060 5704A060 12194000
 SKAGIT RIVER AT CONCRETE
 48 31 32.0 121 46 13.0 2F 0 Elev= 0 ft
 53057 Washington Skagit Co. PACIFIC NORTHWEST
 PUGET SOUND (Upper Skagit-04) 131104
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 02-04-07 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311082
 MILES 0054.10

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/23	1055	14300.0	9.0	11.6	99.6	763.5	7.0	57	11	3.2	3
90/11/19	1055	32000.0	7.2	12.1	101.1	751.3	7.7	57	67	11.0	3
90/12/11	1100	25000.0	5.4	13.7	107.3	766.3	7.2	48	50	18.0	4
91/01/22	1105	18700.0	3.3	12.8	94.4	770.4	7.1	59	11	6.9	2
91/02/19	1150	36400.0	4.6	12.7	97.8	763.5	7.1	50	214	54.0	4
91/03/19	1100	10000.0J	5.3	11.9	95.4	747.0	7.4	69	6	1.2	1
91/04/16	1130	13000.0	6.2	11.9	96.1	757.9	7.2	69	3	2.5	1K
91/05/21	1115	24200.0	7.4	11.9	98.4	762.8	7.1	50	17	4.5	19
91/06/18	1135	16900.0	9.1	11.7	100.9	761.5	7.2	48	4	1.9	1
91/07/23	1135	25800.0	10.9	11.2	101.6	754.9	6.8	46	16	8.7	6
91/08/20	1130	15500.0	12.6	11.2	104.8	760.0	7.2	44	13	6.0	1
91/09/17	1140	7600.0J	12.5	10.8	100.6	761.7	7.2	74	3	3.0	3

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/23	1055	0.12	0.00K	0.01	0.004	0.005	436064	
90/11/19	1055	0.10	0.01K	0.02	0.010K	0.030	476064	
90/12/11	1100	0.12	0.01K	0.02	0.010K	0.030	506065	
91/01/22	1105	0.11	0.01K	0.01	0.010K	0.060	46065	
91/02/19	1150	0.09	0.01K	0.01K	0.010K	0.120	86065	
91/03/19	1100	0.05	0.01K	0.00K	0.005K	0.005	126065	
91/04/16	1130	0.08	0.01K	0.01K	0.010K	0.010K	166065	
91/05/21	1115	0.07	0.01K	0.01	0.010K	0.014	216065	
91/06/18	1135	0.05	0.01K	0.01K	0.010K	0.010K	256065	
91/07/23	1135	0.03	0.01K	0.01	0.010K	0.012	306065	
91/08/20	1130	0.02	0.01K	0.01K	0.010K	0.010	346065	
91/09/17	1140	0.04	0.01K	0.01K	0.010K	0.015	386065	

04A100 5704A100 12181000 541038
 SKAGIT RIVER AT MARBLEMOUNT
 48 31 35.0 121 25 40.0 2F 0 Elev= 0 ft
 53057 Washington Skagit Co. PACIFIC NORTHWEST
 PUGET SOUND (Upper Skagit-04) 131104
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 02-04-07 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311082
 MILES 0078.20

DATE	FROM	TO	DEPTH	FEET	STREAM	FLOW	CFS	WATER	TEMP	CENT	DO	MG/L	DO	SATUR	PERCENT	BAROMTRC	PRESSURE	MM	OF	HG	PH	SU	CNDUCTVY	LAB	@	TOT-NFLT	MG/L	RESIDUE	TURBIDTY	LAB	NTU	FEC	COLI	MFM-FCBR	/100ML
90/10/23	1000				6330.0			8.6			11.6		98.9			761.0					7.2		55			3		1.5					1		
90/11/19	0940				18900.0			8.0			11.9		101.6			749.3					7.6		69			5		2.7					1K		
90/12/11	1000				8970.0			5.5			13.6		107.2			763.0					7.3		48			4		2.3					1		
91/01/22	1000				8970.0			3.3			12.8		94.8			767.3					7.6		64			1		1.0					1		
91/02/19	1040				17600.0			4.2			13.0		99.5			760.2					7.0		49			24		3.9					1		
91/03/19	0945				4520.0			4.1			12.5		97.5			744.2					7.5		69			1U		2.3					2		
91/04/16	1010				7650.0			5.2			12.4		98.1			755.1					7.4		71			1		1.3					2		
91/05/21	0950				8860.0			7.1			12.1		99.7			760.0					7.2		47			1		1.5					3		
91/06/18	1005				5400.0			8.1			11.9		100.4			760.0					7.2		47			5		1.4					1K		
91/07/23	1010				12500.0			9.8			11.7		103.5			754.6					6.9		45			2		2.4					1		
91/08/20	0940				7550.0			10.7			11.6		103.9			761.0					7.0		45			3		3.7					2		
91/09/17	1015				4050.0			10.6			11.2		100.1			760.5					7.1		55			1		1.5					2		

DATE	FROM	TO	DEPTH	FEET	NO2+NO3	N-TOTAL	MG/L	NO2-N	DISS	MG/L	NH3+NH4-	N TOTAL	MG/L	PHOS-DIS	ORTHO	MG/L	PHOS-TOT	MG/L	P	LAB	IDENT.	NUMBER	TOT HARD	CACO3	MG/L
90/10/23	1000				0.04			0.00K			0.01K			0.004			0.002K			436062					
90/11/19	0940				0.06			0.01K			0.01K			0.010K			0.010			476062					
90/12/11	1000				0.07			0.01K			0.01K			0.010K			0.010K			506063					
91/01/22	1000				0.06			0.01K			0.01K			0.010K			0.020			46063					
91/02/19	1040				0.06			0.01K			0.02			0.010K			0.030			86063					
91/03/19	0945				0.04			0.01K			0.00K			0.006			0.005K			126063					
91/04/16	1010				0.06			0.01K			0.01K			0.010K			0.010K			166063					
91/05/21	0950				0.06			0.01K			0.01K			0.010K			0.010K			216063					
91/06/18	1005				0.06			0.01K			0.01K			0.010K			0.010K			256063					
91/07/23	1010				0.04			0.01K			0.01			0.010K			0.010K			306063					
91/08/20	0940				0.03			0.01K			0.01K			0.010K			0.010K			346063					
91/09/17	1015				0.05			0.01K			0.01K			0.010K			0.012			386063					

048070 57048070 12193500 541036
 BAKER RIVER AT CONCRETE
 48 32 26.0 121 44 35.0 2F 0 Elev= 0 ft
 53057 Washington Skagit Co. PACIFIC NORTHWEST
 PUGET SOUND (Upper Skagit-04) 131104
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 02-04-07 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311082 000530
 MILES 0056.50 0000.60

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TIME	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	FEET	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
		CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/23	1035	4000.0	11.8	10.7	98.0	762.5	6.9	48	4	4.2	1K
90/11/19	1025	5430.0	8.4	12.4	106.7	750.8	7.8	48	18	19.0	5
90/12/11	1040	3720.0	5.9	13.9	110.7	763.3	7.3	42	26	36.0	1
91/01/22	1045	3800.0	3.3	12.4	91.3	767.3	7.4	47	16	18.0	2
91/02/19	1125	3880.0	4.0	12.4	94.1	762.5	7.1	48	12	17.0	1K
91/03/19	1035	112.0	4.4	12.3	96.5	746.0	7.6	54	30	43.0	2
91/04/16	1055	122.0	5.5	12.1	96.1	757.7	7.2	60	8	13.0	1K
91/05/21	1045	3800.0	7.7	11.8	98.3	762.5	7.0	61	3	5.5	70
91/06/18	1105	3930.0	10.2	11.5	101.8	761.5	7.4	51	2	1.3	3J
91/07/23	1110	4040.0	11.7	11.3	104.3	755.1	6.6	42	2	3.1	1K
91/08/20	1110	3000.0	13.0	10.9	102.9	760.0	7.0	38	1	2.5	1
91/09/17	1105	6040.0	13.8	10.4	99.6	762.3	6.9	43	2	4.3	1K

DATE	DEPTH	630	613	610	671	665	8	900
FROM	TIME	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	FEET	N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
		MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/23	1035	0.08	0.00K	0.01K	0.003	0.006	436063	
90/11/19	1025	0.11	0.01K	0.03	0.010K	0.030	476063	
90/12/11	1040	0.12	0.01K	0.06	0.010K	0.040	506064	
91/01/22	1045	0.13	0.01K	0.03	0.010K	0.050	46064	
91/02/19	1125	0.12	0.01K	0.01K	0.010K	0.030	86064	
91/03/19	1035	0.09	0.01K	0.00K	0.009	0.029	126064	
91/04/16	1055	0.12	0.01K	0.04	0.010K	0.024	166064	
91/05/21	1045	0.08	0.01K	0.02	0.010K	0.012	216064	
91/06/18	1105	0.05	0.01K	0.01K	0.010K	0.010K	256064	
91/07/23	1110	0.03	0.01K	0.01K	0.010K	0.010K	306064	
91/08/20	1110	0.01	0.01K	0.01K	0.010K	0.010K	346064	
91/09/17	1105	0.02	0.01K	0.01K	0.010K	0.016	386064	

04C070 5704C070 12189498
 SAUK RIVER NEAR ROCKPORT
 48 24 24.0 121 33 27.0 2F 0 Elev= 0 ft
 53057 Washington Skagit Co. PACIFIC NORTHWEST
 PUGET SOUND (Upper Skagit-04) 131104
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 02-04-07 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311082 000660
 MILES 0067.20 0007.00

DATE	FROM	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/23	0925		4330.0	6.7	12.0	97.8	761.0	7.3	51	27J	2.4	2
90/11/19	0900		5500.0	4.8	12.5	98.6	749.6	7.7	51	22	6.5	2
90/12/11	0920		8940.0	4.8	14.0	108.5	762.5	7.4	44	57	14.0	2
91/01/22	0920		3960.0	3.1	12.9	95.0	767.8	7.7	55	7	3.0	3
91/02/19	0945		13000.0	4.9	12.5	97.5	759.5	6.9	35	364	55.5	8
91/03/19	0910		2430.0	5.5	12.1	97.6	746.3	7.4	64	4	2.4	1K
91/04/16	0930		3060.0	6.8	11.7	96.2	755.7	7.4	60	3	2.0	1
91/05/21	0910		7840.0	6.8	12.0	98.1	760.0	7.0	46	32	8.5	13
91/06/18	0920		5060.0	8.2	11.6	98.1	760.2	7.0	41	7	1.6	1K
91/07/23	0920		7060.0	10.5	11.1	99.7	755.4	6.8	30	37	11.0	7
91/08/20	0900		3650.0	13.0	10.4	98.1	760.2	7.0	39	52	15.0	3
91/09/17	0935		1560.0	11.3	11.0	99.9	761.0	7.2	62	17	9.3	6

DATE	FROM	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/23	0925		0.10	0.00K	0.01K	0.006	0.006	436061	
90/11/19	0900		0.11	0.01K	0.01	0.010K	0.020	476061	
90/12/11	0920		0.09	0.01K	0.02	0.010K	0.030	506062	
91/01/22	0920		0.11	0.01K	0.01K	0.010K	0.030	46062	
91/02/19	0945		0.07	0.01K	0.01K	0.010K	0.140	86062	
91/03/19	0910		0.02	0.01K	0.00K	0.008	0.005K	126062	
91/04/16	0930		0.06	0.01K	0.01K	0.010K	0.010K	166062	
91/05/21	0910		0.06	0.01K	0.01	0.010K	0.018	216062	
91/06/18	0920		0.03	0.01K	0.01K	0.010K	0.010K	256062	
91/07/23	0920		0.02	0.01K	0.01K	0.010K	0.019	306062	
91/08/20	0900		0.01	0.01K	0.01	0.010K	0.035	346062	
91/09/17	0935		0.02	0.01K	0.01K	0.010K	0.026	386062	

05A070 6105A070 12167700 541039
 STILLAGUAMISH RIVER NEAR SILVANA
 48 11 50.0 122 12 34.0 2F 0 Elev= 0 ft
 53061 Washington Snohomish Co. PACIFIC NORTHWEST
 PUGET SOUND (Stillaguamish-05) 131105
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 03-05-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311106
 MILES 0011.10

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CONDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/23	0720	3300.0	8.0	11.6	96.8	767.1	6.8	50	10	5.0J	29
90/11/19	0650	5390.0	5.8	12.2	97.4	759.2	6.6	70	47	17.0	92S
90/12/11	0705	12900.0	5.3	13.7	106.3	771.4	7.8	39	208	54.0	340
91/01/22	0720	4000.0	2.9	12.7	92.1	775.7	7.4	57	26	12.0	20
91/02/19	0730	18600.0	6.3	12.2	97.7	766.3	7.3	40	1100	156.0	230S
91/03/19	0700	2400.0	6.8	11.4	94.0	754.1	7.2	68	10	3.8	9
91/04/16	0725	3600.0	8.2	11.0	92.2	767.3	7.1	48	20	11.0	11
91/05/21	0705	3140.0	9.6	10.8	92.7	773.7	7.0	57	10	4.0	15
91/06/18	0710	4280.0	9.7	10.9	94.3	769.9	6.9	40	38	9.0	51
91/07/23	0715	850.0	18.9	8.5	90.2	764.0	7.2	69	4	2.9	69
91/08/20	0650	440.0	20.8	8.1	88.7	768.4	7.2	85	2	3.0	180
91/09/17	0715	430.0	15.7	9.3	92.0	767.8	7.0	95	4	1.5	680

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/23	0720	0.23	0.00K	0.01K	0.007	0.012	436058	
90/11/19	0650	0.35	0.01K	0.03	0.010K	0.040	476058	
90/12/11	0705	0.28	0.01K	0.08	0.010K	0.120	506059	
91/01/22	0720	0.37	0.01K	0.02	0.010K	0.050	46059	
91/02/19	0730	0.23	0.01K	0.02	0.010K	0.110	86059	
91/03/19	0700	0.26	0.01K	0.01	0.010	0.010	126059	
91/04/16	0725	0.22	0.01K	0.02	0.010K	0.024	166059	
91/05/21	0705	0.11	0.01K	0.02	0.010K	0.015	216059	
91/06/18	0710	0.15	0.01K	0.01K	0.010K	0.027	256059	
91/07/23	0715	0.08	0.01K	0.02	0.010K	0.010K	306059	
91/08/20	0650	0.10	0.01K	0.02	0.010K	0.014	346059	
91/09/17	0715	0.08	0.01K	0.01	0.015	0.039	386059	

05A090 6105A090 12164510
 SF STILLAGUAMISH R AT ARLINGTON
 48 12 03.0 122 07 04.0 2F 0 Elev= 0 ft
 53061 Washington Snohomish Co. PACIFIC NORTHWEST
 PUGET SOUND (Stillaguamish-05) 131105
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 03-05-05 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311106
 MILES 0018.20

DATE	FROM	DEPTH	60	10	300	301	25	400	95	530	82079	31616
TO	TIME	FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
			FLOW	TEMP	SATUR	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
			CFS	CENT	MG/L	PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/23	0800		1300.0	7.9	11.8	98.2	766.6	6.7	49	5	3.2	3
90/11/19	0735		3100.0	5.6	12.3	97.8	758.7	7.6	53	16	7.8	14
90/12/11	0735		6400.0	5.2	14.1	109.0	772.2	6.4	34	73	32.0	400P
91/01/22	0755		1760.0	2.8	13.2	95.5	775.0	7.4	55	10	6.3	6
91/02/19	0815		20000.0J	6.0	12.9	102.6	765.6	7.3	27	2700J	560.0J	350
91/03/19	0725		930.0	6.0	11.7	94.6	753.9	7.6	56	8	8.3	20
91/04/16	0755		1530.0	7.8	11.2	93.1	766.3	7.2	43	11	9.0	10
91/05/21	0740		1490.0	9.0	11.2	95.5	768.6	6.8	46	6	4.8	7
91/06/18	0755		2100.0	9.2	11.1	95.0	768.9	7.1	36	23	6.4	26
91/07/23	0750		560.0	17.5	9.2	95.1	763.0	7.0	54	8	8.6	35
91/08/20	0720		230.0	19.9	8.4	90.4	767.8	7.2	74	7	6.9	56
91/09/17	0810		255.0	14.5	9.6	92.7	767.6	7.2	83	2	2.6	40

DATE	FROM	DEPTH	630	613	610	671	665	8	900
TO	TIME	FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
			N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CAC03
			MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/23	0800		0.19	0.00K	0.01K	0.005	0.008	436059	
90/11/19	0735		0.31	0.01K	0.02	0.010K	0.020	476059	
90/12/11	0735		0.27	0.01K	0.05	0.010K	0.050	506060	
91/01/22	0755		0.35	0.01K	0.02	0.010K	0.040	46060	
91/02/19	0815		0.14	0.01K	0.03	0.010K	0.370	86060	
91/03/19	0725		0.27	0.01	0.01	0.009	0.008	126060	
91/04/16	0755		0.20	0.01K	0.01	0.010K	0.016	166060	
91/05/21	0740		0.10	0.01K	0.01	0.010K	0.012	216060	
91/06/18	0755		0.13	0.01K	0.01K	0.010K	0.017	256060	
91/07/23	0750		0.09	0.01K	0.01	0.010K	0.010K	306060	
91/08/20	0720		0.10	0.01K	0.01K	0.010K	0.011	346060	
91/09/17	0810		0.09	0.01K	0.01K	0.010K	0.015	386060	

058070 6105B070 12166900 541040
 NF STILLAGUAMISH RIVER AT CICERO
 48 16 05.0 122 00 44.0 2F 0 Elev= 0 ft
 53061 Washington Snohomish Co. PACIFIC NORTHWEST
 PUGET SOUND (Stillaguamish-05) 131105
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 03-05-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311106 000290
 MILES 0017.80 0009.50

DATE	FROM	TO	DEPTH	FEET	60	10	300	301	25	400	95	530	82079	31616
DATE	FROM	TO	DEPTH	FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
					FLOW	TEMP	SATUR	PERCENT	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
					CFS	CENT	MG/L		MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/23	0825				1530.0	7.6	11.8	97.7	765.3	7.3	59	12	5.5	15
90/11/19	0805				2540.0	5.5	12.2	97.0	756.9	7.5	57	57	21.0	10
90/12/11	0820				4960.0	4.8	13.8	106.0	769.4	7.2	41	259	67.0	47
91/01/22	0820				2060.0	3.1	12.9	94.3	773.2	7.4	56	42	14.5	3
91/02/19	0845				18500.0	5.8	12.5	99.1	764.3	7.1	26	3600J	480.0J	86
91/03/19	0805				1140.0	5.9	11.7	94.7	751.3	7.5	74	19	15.0	9
91/04/16	0825				1650.0	6.5	11.6	93.7	763.5	7.1	49	22	11.0	21
91/05/21	0805				1300.0	8.5	11.3	95.5	766.1	7.2	48	14	7.8	10
91/06/18	0825				1590.0	8.4	11.4	96.1	766.1	7.2	47	35	14.0	18
91/07/23	0820				451.0	15.7	9.9	99.0	760.2	7.2	72	6	3.4	32J
91/08/20	0745				309.0	17.1	9.2	93.9	766.3	7.3	86	5	2.6	160
91/09/17	0840				309.0	13.3	10.3	97.2	765.0	7.4	94	2	1.5	14

DATE	FROM	TO	DEPTH	FEET	630	613	610	671	665	8	900
DATE	FROM	TO	DEPTH	FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
					N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
					MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/23	0825				0.23	0.00K	0.01K	0.008	0.013	436060	
90/11/19	0805				0.28	0.01K	0.04	0.010K	0.050	476060	
90/12/11	0820				0.25	0.01K	0.08	0.010K	0.100	506061	
91/01/22	0820				0.27	0.01K	0.02	0.030	0.060	46061	
91/02/19	0845				0.15	0.01K	0.03	0.010K	1.230	86061	
91/03/19	0805				0.17	0.01K	0.00K	0.006	0.016	126061	
91/04/16	0825				0.15	0.01K	0.02	0.010K	0.027	166061	
91/05/21	0805				0.09	0.01K	0.02	0.010K	0.018	216061	
91/06/18	0825				0.13	0.01K	0.01K	0.010K	0.025	256061	
91/07/23	0820				0.06	0.01K	0.01	0.010K	0.010K	306061	
91/08/20	0745				0.06	0.01K	0.01K	0.010K	0.014	346061	
91/09/17	0840				0.04	0.01K	0.01K	0.010K	0.018	386061	

07A090 6107A090 12155500 541042
 SNOHOMISH RIVER AT SNOHOMISH
 47 54 38.0 122 05 52.0 2F 0 Elev= 0 ft
 53061 Washington Snohomish Co. PACIFIC NORTHWEST
 PUGET SOUND (Snohomish-07) 131107
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 03-07-10 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311116
 MILES 0012.70

DATE	FROM	DEPTH	60	10	300	301	25	400	95	530	82079	31616
TO	TIME	FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
			FLOW	TEMP		SATUR	PRESSURE		LAB @	TOT-NFLT	LAB	MFM-FCBR
			CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	MG/L	NTU	/100ML
90/10/22	1410		17400.0	8.1	11.7	97.8	767.1	7.4	36	22	5.3	100S
90/11/18	1435			7.3	11.3	92.4	769.6	7.3	36	19	11.0	92S
90/12/10	1345		27380.0	6.1	13.5	107.8	764.5	7.1	32	64	23.0	220S
91/01/21	1330		13000.0	3.3	12.7	93.1	775.5	7.3	44	19	7.0	
91/02/18	1340		16600.0	5.5	12.3	96.1	769.6	7.4	35	15	5.4	63
91/03/18	1420		6780.0	7.1	11.5	95.2	756.7	7.6	54	22	4.1	17
91/04/15	1420		9860.0	8.3	11.1	93.4	765.6	6.9	47	9	4.8	88S
91/05/20	1530		12100.0	8.5	11.7	98.8	767.1	6.8	37	10	3.9	33
91/06/17	1540		12100.0	10.3	11.4	99.9	770.6	7.0	34	12	3.7	74
91/07/22	1530		5750.0	16.8	10.0	101.8	763.8	7.1	30	5	3.9	21
91/08/19	1455		2240.0	21.2	8.8	97.8	762.8	7.0	58	2	3.1	40
91/09/16	1555		1730.0	15.6	9.9	98.1	765.0	7.2	85	3	1.5	57J

DATE	FROM	DEPTH	630	613	610	671	665	8	900
TO	TIME	FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
			N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
			MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/22	1410		0.27	0.00K	0.01K	0.006	0.018	436057	12
90/11/18	1435		0.32	0.01K	0.05	0.010K	0.050	476057	14
90/12/10	1345		0.28	0.01K	0.04	0.010K	0.050	506057	11
91/01/21	1330		0.39	0.01K	0.04	0.010	0.050	46057	16
91/02/18	1340		0.30	0.01K	0.01	0.010K	0.040	86057	13
91/03/18	1420		0.31	0.01K	0.04	0.011	0.017	126057	19
91/04/15	1420		0.31	0.01K	0.02	0.010K	0.016	166057	17
91/05/20	1530		0.10	0.01K	0.02	0.010K	0.012	216057	12
91/06/17	1540		0.12	0.01K	0.01K	0.010K	0.016	256057	12
91/07/22	1530		0.07	0.01K	0.01	0.010K	0.010K	306057	17
91/08/19	1455		0.12	0.01K	0.03	0.010K	0.017	346057	25
91/09/16	1555		0.12	0.01K	0.01	0.010K	0.018	386057	23

07B055 6107B055 12155400
 PILCHUCK RIVER AT SNOHOMISH
 47 54 47.0 122 04 56.0 2F 0 Elev= 0 ft
 53061 Washington Snohomish Co. PACIFIC NORTHWEST
 PUGET SOUND (Snohomish-07) 131107
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 03-07-19 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311116 000070
 MILES 0013.40 0001.90

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/22	1350	390.0	8.9	11.5	98.0	767.1	7.3	66	11	2.7	23
90/11/18	1400		7.3	11.6	94.9	768.6	7.1	63	41	7.2	20
90/12/10	1330	1800.0	7.0	13.0	106.3	764.0	6.8	44	65	20.0	110S
91/01/21	1300	660.0	3.3	12.8	93.8	775.5	7.1	60	23	2.8	
91/02/18	1325	880.0	6.3	12.0	95.7	769.4	7.2	48	17	9.2	28S
91/03/18	1350	500.0	7.6	12.0	100.5	756.9	7.4	68	5	2.3	4
91/04/15	1355	570.0	9.5	11.2	97.1	765.0	7.0	82	9	3.5	39
91/05/20	1450	380.0	11.9	11.7	106.9	766.6	7.2	68	2	1.6	17
91/06/17	1515	600.0	12.8	11.7	108.4	770.4	7.1	46	13	2.0	41
91/07/22	1510	72.0	20.8	9.5	104.6	764.0	7.4	91	8	1.9	24
91/08/19	1435	40.0	21.8	9.8	110.1	762.8	7.4	99	2	2.6	28
91/09/16	1535	78.0	16.9	11.0	112.0	764.8	7.7	94	1	1.0K	13

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/22	1350	0.42	0.00K	0.01K	0.006	0.014	436056	
90/11/18	1400	0.59	0.01K	0.02	0.010K	0.030	476056	
90/12/10	1330	0.63	0.01K	0.03	0.010K	0.040	506056	
91/01/21	1300	0.78	0.01K	0.01K	0.010K	0.030	46056	
91/02/18	1325	0.52	0.01K	0.02	0.010K	0.040	86056	
91/03/18	1350	0.45	0.01K	0.00K	0.010	0.011	126056	
91/04/15	1355	0.47	0.01K	0.01K	0.010K	0.013	166056	
91/05/20	1450	0.21	0.01K	0.01	0.010K	0.014	216056	
91/06/17	1515	0.22	0.01K	0.01K	0.010K	0.017	256056	
91/07/22	1510	0.29	0.01K	0.01	0.010K	0.010K	306056	
91/08/19	1435	0.24	0.01K	0.01	0.010K	0.027	346056	
91/09/16	1535	0.17	0.01K	0.01K	0.010K	0.014	386056	

07C070 6107C070 12141100
 SKYKOMISH RIVER AT MONROE
 47 51 08.0 121 57 29.0 2F 0 Elev= 0 ft
 53061 Washington Snohomish Co. PACIFIC NORTHWEST
 PUGET SOUND (Snohomish-07) 131107
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 03-07-11 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311116
 MILES 0025.60

DATE	FROM	TO	DEPTH	60	10	300	301	25	400	95	530	82079	31616
			FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
				FLOW	TEMP		SATUR	PRESSURE		LAB @	TOT-NFLT	LAB	MFM-FCBR
				CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	MG/L	NTU	/100ML
91/03/18	1215			3470.0	5.7	12.2	97.3	758.4	6.6	43	3	3.1	1
91/04/15	1200			4990.0	6.9	11.7	95.2	765.6	6.8	38	7	6.6	12
91/05/20	1220			7310.0	7.5	12.1	99.6	768.1	6.7	28	10	4.5	4
91/06/17	1345			6560.0	8.8	11.8	99.8	770.6	6.9	30	8	2.5	7
91/07/22	1330			3000.0	15.3	10.9	107.4	765.0	6.9	34	4	6.1	2
91/08/19	1250			1520.0	18.7	9.8	103.7	762.8	6.9	43	4	3.2	7J
91/09/16	1350			880.0	15.6	10.8	107.0	765.3	7.3	48	2	1.3	2

DATE	FROM	TO	DEPTH	630	613	610	671	665	8	900
			FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
				N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
				MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
91/03/18	1215			0.12	0.01K	0.00	0.005K	0.006	126054	
91/04/15	1200			0.14	0.01K	0.01K	0.010K	0.010K	166054	
91/05/20	1220			0.06	0.01K	0.01	0.010K	0.013	216054	
91/06/17	1345			0.05	0.01K	0.01K	0.010K	0.010K	256054	
91/07/22	1330			0.02	0.01K	0.02	0.010K	0.010K	306054	
91/08/19	1250			0.03	0.01K	0.01K	0.010K	0.010K	346054	
91/09/16	1350			0.05	0.01K	0.01K	0.010K	0.012	386054	

07C120 6107C120 12134500 541046
 SKYKOMISH RIVER NEAR GOLD BAR
 47 50 15.0 121 39 25.0 2F 0 Elev= 0 ft
 53061 Washington Snohomish Co. PACIFIC NORTHWEST
 PUGET SOUND (Snohomish-07) 131107
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 03-07-12 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311116
 MILES 0043.70

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TIME	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	FEET	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
		CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/22	1300	5970.0	7.1	12.5	102.6	763.0	7.3	40	5	1.7	1
90/11/18	1315	5300.0	6.0	12.7	101.3	763.5	7.1	42	7	3.8	2
90/12/10	1235	9750.0	5.6	13.6	108.2	758.4	7.0	29	34	12.0	1K
91/01/21	1210	3510.0	3.2	13.3	97.8	770.4	7.2	34	10	2.8	
91/02/18	1225	5190.0	4.6	12.9	99.2	764.5	7.2	29	6	2.5	1K
91/03/18	1250	1810.0	5.8	12.2	98.4	751.8	7.6	40	1	1.4	1K
91/04/15	1305	3190.0	6.8	12.0	98.1	760.0	7.0	46	3	3.1	2
91/05/20	1350	6040.0	6.9	12.1	99.0	761.7	6.8	27	8	2.6	40
91/06/17	1425	4980.0	8.5	11.8	99.8	765.6	7.0	28	3	1.5	3
91/07/22	1415	2670.0	14.4	10.8	105.1	759.7	7.2	30	1	2.4	1
91/08/19	1340	1060.0	19.0	9.7	104.1	756.7	7.1	40	2	2.1	2
91/09/16	1450	593.0	15.7	10.6	106.0	760.0	7.3	52	2	1.0K	1K

DATE	DEPTH	630	613	610	671	665	8	900
FROM	TIME	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	FEET	N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
		MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/22	1300	0.16	0.00K	0.01K	0.002	0.003	436055	
90/11/18	1315	0.12	0.01K	0.01K	0.010K	0.010	476055	
90/12/10	1235	0.19	0.01K	0.01	0.010K	0.020	506055	
91/01/21	1210	0.13	0.01K	0.01K	0.010K	0.020	46055	
91/02/18	1225	0.10	0.01K	0.01K	0.010K	0.010	86055	
91/03/18	1250	0.08	0.01K	0.00K	0.008	0.005K	126055	
91/04/15	1305	0.09	0.01K	0.01K	0.010K	0.010K	166055	
91/05/20	1350	0.05	0.01K	0.01	0.010K	0.012	216055	
91/06/17	1425	0.04	0.01K	0.01K	0.010K	0.010K	256055	
91/07/22	1415	0.02	0.01K	0.01	0.010K	0.010K	306055	
91/08/19	1340	0.03	0.01K	0.01K	0.010K	0.010K	346055	
91/09/16	1450	0.06	0.01K	0.01K	0.010K	0.014	386055	

07D070 3307D070 12149000
 SNOQUALMIE RIVER NEAR CARNATION
 47 39 58.0 121 55 27.0 2F 0 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Snohomish-07) 131107
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 03-07-13 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311116 000120
 MILES 0020.70 0023.01

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TO	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	TIME	FLOW	TEMP	SATUR	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
	FEET	CFS	CENT	MG/L	PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/22	1145	5310.0	7.9	11.7	97.0	769.6	7.1	45	14	4.3	17
90/11/18	1140	5830.0	6.9	12.1	97.7	771.7	6.8	43	20	5.4	59
91/02/18	1100	5150.0	5.2	12.4	96.1	770.6	6.9	34	9	4.3	23
91/03/18	1120	2420.0	6.7	11.5	93.7	760.5	7.3	55	3	2.5	8
91/04/15	1105	3860.0	7.7	11.2	92.9	765.6	6.9	47	8	5.8	22
91/05/20	1125	3890.0	8.8	11.5	97.6	768.1	7.1	37	5	3.0	30S
91/06/17	1230	5310.0	9.4	11.3	97.0	770.4	6.9	35	21	6.5	35
91/07/22	1230	1550.0	16.0	10.0	99.9	765.3	6.9	49	2	2.5	12
91/08/19	1200	904.0	20.0	9.3	101.0	763.0	7.0	59	2	2.0	28
91/09/16	1255	686.0	14.7	10.8	105.0	765.6	7.3	70	1	1.0K	6J

DATE	DEPTH	630	613	610	671	665	8	900
FROM	TO	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	TIME	N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/22	1145	0.29	0.00K	0.01K	0.006	0.017	436053	
90/11/18	1140	0.30	0.01K	0.02	0.010K	0.020	476053	
91/02/18	1100	0.28	0.01K	0.01K	0.010K	0.040	86053	
91/03/18	1120	0.29	0.01K	0.01	0.011	0.007	126053	
91/04/15	1105	0.31	0.01K	0.01K	0.010K	0.010	166053	
91/05/20	1125	0.14	0.01K	0.01	0.010K	0.011	216053	
91/06/17	1230	0.15	0.01K	0.01K	0.010K	0.015	256053	
91/07/22	1230	0.12	0.01K	0.01	0.010K	0.010K	306053	
91/08/19	1200	0.15	0.01K	0.01K	0.010K	0.010K	346053	
91/09/16	1255	0.17	0.01K	0.01K	0.010K	0.015	386053	

07D130 3307D130 12144400 541044
 SNOQUALMIE RIVER AT SNOQUALMIE
 47 31 40.0 121 48 40.0 2F 0 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Snohomish-07) 131107
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 03-07-13 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311116 000120
 MILES 0020.50 0042.30

DATE	FROM	DEPTH	60	10	300	301	25	400	95	530	82079	31616
TO	TIME	FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
			FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
			CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/22	1050		4110.0	7.3	11.7	97.0	759.0	7.7	40	18	3.1	17
90/11/18	1100		4010.0	6.2	12.2	98.3	760.0	7.4	55	16	4.2	3
90/12/10	1100		6190.0	5.6	13.8	110.6	752.3	7.5	26	32	13.0	9
91/01/21	1035		2760.0	2.9	12.8	93.8	767.1	8.0	38	12	3.2	
91/02/18	1025		3680.0	4.6	12.4	96.0	759.7	6.9	29	13	4.1	1K
91/03/18	1030		1560.0	5.5	11.7	94.1	748.5	7.5	46	4	1.2	1
91/04/15	1025		2750.0	6.5	11.5	94.1	753.9	6.9	56	9	5.5	4
91/05/20	1045		3290.0	7.3	11.6	96.4	756.9	7.2	30	7	3.5	9
91/06/17	1150		4000.0	8.5	11.9	101.3	760.5	6.9	24	12	3.5	15
91/07/22	1145		1390.0	14.0	10.2	99.0	755.1	7.0	31	2	3.0	7
91/08/19	1125		637.0	16.6	9.2	94.6	752.9	6.8	51	3	2.8	27
91/09/16	1225		415.0	12.4	10.2	95.7	755.1	7.1	60	2	1.1	12

DATE	FROM	DEPTH	630	613	610	671	665	8	900
TO	TIME	FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
			N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
			MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/22	1050		0.21	0.00K	0.01K	0.004	0.011	436052	
90/11/18	1100		0.21	0.01K	0.01	0.010K	0.010	476052	
90/12/10	1100		0.16	0.01K	0.01	0.010K	0.020	506052	
91/01/21	1035		0.25	0.01K	0.01K	0.010K	0.030	46052	
91/02/18	1025		0.20	0.01K	0.01K	0.010K	0.040	86052	
91/03/18	1030		0.20	0.01K	0.01	0.010	0.008	126052	
91/04/15	1025		0.22	0.01K	0.01K	0.010K	0.010K	166052	
91/05/20	1045		0.10	0.01K	0.01	0.010K	0.012	216052	
91/06/17	1150		0.11	0.01K	0.01K	0.010K	0.013	256052	
91/07/22	1145		0.09	0.01K	0.01	0.011	0.010K	306052	
91/08/19	1125		0.14	0.01K	0.01K	0.010K	0.010K	346052	
91/09/16	1225		0.17	0.01K	0.01	0.010K	0.016	386052	

07D150 3307D150
 MF SNOQUALMIE RIVER NEAR ELLISVILLE
 47 07 06.0 121 06 46.0 2F000 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Snohomish-07) 131107
 21540000 Reach=17110010000 0.000 Drg= 0 sqmi
 AMBNT/STREAM/RMP

INDEX 1311116 000120
 MILES 0020.50 0045.30

DATE FROM TO	DEPTH TIME FEET	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
91/06/17	1045	2160.0	7.5	11.9	98.8	761.7	6.8	19	25	12.0	12
91/07/22	1050	1200.0	13.9	10.4	100.6	755.9	6.7	22	4	3.9	6J
91/08/19	1035	400.0	17.7	9.4	98.8	753.6	6.6	33	9	2.8	22
91/09/16	1140	195.0	12.8	10.3	97.4	755.4	6.4	46	5	1.6	100

DATE FROM TO	DEPTH TIME FEET	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
91/06/17	1045	0.07	0.01K	0.01K	0.010K	0.017	256078	6
91/07/22	1050	0.03	0.01K	0.01K	0.010K	0.010K	306078	8
91/08/19	1035	0.05	0.01K	0.01K	0.010K	0.010K	346078	12
91/09/16	1140	0.06	0.01K	0.01K	0.010K	0.014	386078	13

07M070 3307M070
 SF SNOQUALMIE RIVER AT NORTH BEND
 47 33 12.0 121 47 23.0 2F000 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Snohomish-07) 131107
 21540000 Reach=17110010000 0.000 Drg= 0 sqmi
 AMBNT/STREAM/RMP

INDEX 1311116 000120 00620
 MILES 0020.50 0044.40 002.01

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
91/06/17	1110	889.0	8.5	11.9	101.4	760.2	7.1	35	3	1.0	11
91/07/22	1125	268.0	13.8	10.5	101.5	754.9	7.6	60	2	2.1	12
91/08/19	1100	162.0	14.7	10.2	100.8	753.4	7.2	72	3	1.5	15
91/09/16	1200	129.0	12.4	10.4	97.5	755.4	7.3	83	1	1.0K	8

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
91/06/17	1110	0.15	0.01K	0.01K	0.010K	0.010K	256079	14
91/07/22	1125	0.22	0.01K	0.01K	0.010K	0.010K	306079	25
91/08/19	1100	0.23	0.01K	0.01K	0.010K	0.010K	346079	35
91/09/16	1200	0.30	0.01K	0.01	0.010K	0.017	386079	36

07N070 3307N070
 NF SNOQUALMIE RIVER NEAR ELLISVILLE
 46 59 43.0 121 46 07.0 2F000 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Snohomish-07) 131107
 21540000 Reach=17110010000 0.000 Drg= 0 sqmi
 AMBNT/STREAM/RMP

INDEX 1311116 000120 00650
 MILES 0020.50 0044.90 000.30

DATE FROM TO	DEPTH TIME FEET	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
91/06/17	1020	980.0	8.1	11.7	98.5	762.0	6.9	26	3	1.2	6
91/07/22	1025	205.0	14.2	10.2	99.2	756.7	6.9	40	2	3.3	5
91/08/19	1015	75.0	16.2	8.9	90.6	754.1	7.1	62	3	1.6	5
91/09/16	1055	80.0	12.0	9.9	91.9	755.9	6.5	91	1	1.0K	3

DATE FROM TO	DEPTH TIME FEET	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
91/06/17	1020	0.11	0.01K	0.01K	0.010K	0.011	256077	9
91/07/22	1025	0.14	0.01K	0.01	0.010K	0.010K	306077	16
91/08/19	1015	0.31	0.01K	0.01K	0.010K	0.010K	346077	25
91/09/16	1055	0.22	0.01K	0.01K	0.010K	0.011	386077	23

088070 33088070 12126500 541049
 SAMMAMISH RIVER AT BOTHELL
 47 45 32.0 122 12 09.0 2F 0 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Cedar-08) 131108
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 04-08-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311141
 MILES 0020.40

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TO	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	TIME	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
	FEET	CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/24	1010	279.0	11.2	9.3	84.5	759.0	7.4	141	8	2.1	96S
90/11/19	1000	720.0	9.4	9.7	84.8	756.9	8.0	116	9	2.2	26
90/12/12	1000	1000.0	7.7	11.1	92.5	762.0	7.2	116	6	3.0	220
91/01/23	1045	761.0	5.1	11.0	84.6	774.2	7.3	120	6	2.0	26
91/02/20	0955	990.0	8.1	10.7	89.1	770.6	7.1	108	11	4.7	220
91/03/20	1010	691.0	8.1	11.2	95.3	754.1	7.4	130	4	2.3	49
91/04/17	1000	717.0	10.8	10.8	95.9	769.1	7.2	114	9	3.4	31
91/05/22	0955	268.0	13.2	9.6	89.3	774.7	7.6	131	5	3.0	410S
91/06/19	0920	231.0	16.4	9.5	96.1	762.5	7.5	133	6	3.0	140
91/07/24	0905	118.0	20.8	7.9	87.1	762.8	7.4	151	7	3.4	220
91/08/21	0940	77.0	20.2	8.1	87.6	769.1	7.2	170	4	3.9	270
91/09/18	0945	116.0	16.7	8.7	87.9	768.1	7.3	241	4	2.8	400

DATE	DEPTH	630	613	610	671	665	8	900
FROM	TO	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	TIME	N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/24	1010	0.40	0.01	0.04	0.023	0.044	436070	
90/11/19	1000	0.30	0.01K	0.03	0.010	0.030	476070	
90/12/12	1000	0.76	0.01K	0.03	0.010	0.040	506072	
91/01/23	1045	0.71	0.01K	0.02	0.020	0.060	46072	
91/02/20	0955	0.90	0.01K	0.03	0.020	0.080	86072	
91/03/20	1010	0.46	0.01	0.02	0.016	0.023	126072	
91/04/17	1000	0.54	0.01K	0.02	0.010K	0.025	166072	
91/05/22	0955	0.49	0.01K	0.03	0.022	0.032	216072	
91/06/19	0920	0.44	0.01K	0.02	0.017	0.037	256072	
91/07/24	0905	0.29	0.01K	0.05	0.021	0.035	306072	
91/08/21	0940	0.29	0.01K	0.03	0.027	0.046	346072	
91/09/18	0945	0.32	0.01K	0.03	0.030	0.046	386072	

08C070 3308C070 12119007 541047
 CEDAR R AT LOGAN ST BR AT RENTON
 47 29 09.0 122 12 28.0 2F 0 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Cedar-08) 131108
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 04-08-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311141 000040 00100
 MILES 0009.35 0011.50 001.00

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/24 1105		478.0	9.8	11.6	102.0	759.0	7.7	68	5	1.0K	49
90/11/19 1055		1520.0	7.7	11.5	96.7	755.9	7.7	54	13	3.8	24
90/12/12 1045		1040.0	6.8	13.3	107.5	768.9	7.3	59	18	6.4	
91/01/23 1135		1280.0	4.8	12.4	94.7	773.9	7.4	55	9	3.0	3
91/02/20 1055		3570.0	7.7	12.0	98.8	771.1	7.4	42	213	37.5	39
91/03/20 1115		898.0	7.4	12.0	100.5	753.4	8.3	66	1	1.8	5
91/04/17 1100		838.0	8.2	11.2	93.7	768.6	7.2	69	9	1.7	29
91/05/22 1045		381.0	10.3	12.5	109.0	774.7	7.5	83	4	2.1	27
91/06/19 1000		529.0	12.1	10.9	100.6	762.0	7.4	70	4	1.0	19
91/07/24 0955		141.0	16.1	10.0	100.4	763.0	7.3	91	4	1.0	100
91/08/21 1025		165.0	15.7	11.5	113.7	768.6	7.4	91	2	1.7	160
91/09/18 1025		202.0	13.2	11.6	109.0	766.6	7.6	90	2	1.1	75

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/24 1105		0.32	0.00K	0.01	0.010	0.015	436071	
90/11/19 1055		0.31	0.01K	0.02	0.010K	0.020	476071	
90/12/12 1045		0.39	0.01K	0.01	0.010K	0.020	506073	
91/01/23 1135		0.34	0.01K	0.01K	0.010K	0.030	46073	
91/02/20 1055		0.46	0.01K	0.01K	0.010K	0.060	86073	
91/03/20 1115		0.29	0.01	0.01	0.005K	0.006	126073	
91/04/17 1100		0.35	0.01K	0.01K	0.010K	0.010K	166073	
91/05/22 1045		0.17	0.01K	0.02	0.010K	0.016	216073	
91/06/19 1000		0.18	0.01K	0.01K	0.010K	0.010K	256073	
91/07/24 0955		0.24	0.01K	0.01K	0.010K	0.014	306073	
91/08/21 1025		0.17	0.01K	0.01K	0.010K	0.011	346073	
91/09/18 1025		0.16	0.01K	0.01K	0.010K	0.019	386073	

08C110 3308C110 12117490
 CEDAR RIVER NEAR LANDSBURG
 47 23 28.0 121 55 08.0 2F 0 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Cedar-08) 1311108
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 04-08-03 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311141 000040 00100
 MILES 0009.35 0011.50 025.10

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/22	1005	438.0	8.4	11.6	99.5	753.4	7.5	74	2	1.0K	4
90/11/18	1015	1690.0	7.4	11.9	99.5	754.1	7.4	44	6	1.0	3
90/12/10	1000	1740.0	6.8	13.2	109.8	747.3	7.7	39	9	4.5	7
91/01/21	0945	1260.0	4.1	12.6	96.0	761.5	7.6	43	2	1.6	
91/02/18	0930	1560.0	5.1	12.3	97.2	753.9	6.9	40	5	1.3	2
91/03/18	0945	844.0	6.4	11.7	96.9	743.2	8.4	51	3	3.6	1K
91/04/15	0930	1250.0	7.2	11.6	97.4	747.5	7.1	63	2	2.0	1K
91/05/20	0955	527.0	9.0	11.1	97.0	750.3	7.2	60	2	1.1	2
91/06/17	0920	664.0	9.9	11.1	98.3	755.7	7.2	53	1	1.0	9
91/07/22	0920	376.0	10.7	10.9	98.7	752.6	7.3	68	1K	1.0	4
91/08/19	0900	323.0	11.2	10.6	97.5	749.8	7.1	75	1	3.4	3
91/09/16	1000	297.0	10.2	11.0	98.6	752.1	6.9	73	1K	1.0K	5

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/22	1005	0.29	0.00K	0.01K	0.006	0.005	436051	
90/11/18	1015	0.16	0.01K	0.01K	0.010K	0.010K	476051	
90/12/10	1000	0.16	0.01K	0.01K	0.010K	0.010	506051	
91/01/21	0945	0.18	0.01K	0.01K	0.010K	0.030	46051	
91/02/18	0930	0.18	0.01K	0.01K	0.010K	0.040	86051	
91/03/18	0945	0.13	0.01K	0.00K	0.013	0.005	126051	
91/04/15	0930	0.15	0.01K	0.01K	0.010K	0.010K	166051	
91/05/20	0955	0.17	0.01K	0.01	0.010K	0.013	216051	
91/06/17	0920	0.15	0.01K	0.01K	0.010K	0.010K	256051	
91/07/22	0920	0.16	0.01K	0.01	0.010K	0.010K	306051	
91/08/19	0900	0.19	0.01K	0.01K	0.010K	0.010K	346051	
91/09/16	1000	0.17	0.01K	0.01	0.010K	0.017	386051	

09A060 3309A060
 DUWAMISH RIVER AT ALLENTOWN BRIDGE
 47 29 27.0 122 16 44.0 2F 0 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Duwamish/Green-09) 131109
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 04-09-09 Class= B Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311143
 MILES 0008.30

DATE	FROM	DEPTH	60 STREAM FLOW	10 WATER TEMP	300 DO	301 DO SATUR	25 BAROMTRC PRESSURE	400 PH	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
TO	TIME	FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	SU				
90/10/24	1145			8.6	11.1	94.9	759.0	7.5	49	24	7.1	54
90/11/19	1130			7.0	11.0	91.0	755.4	7.5	76	17	4.2	88

DATE	FROM	DEPTH	630 NO2+NO3 N-TOTAL	613 NO2-N DISS	610 NH3+NH4- N TOTAL	671 PHOS-DIS ORTHO	665 PHOS-TOT	8 LAB IDENT.	900 TOT HARD CACO3
TO	TIME	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/24	1145		0.30	0.00K	0.01K	0.011	0.037	436072	17
90/11/19	1130		0.48	0.01K	0.04	0.030	0.050	476072	26

09A080 3309A080
 GREEN RIVER AT TUKWILA
 47 27 52.0 122 14 49.0 2F000 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Duwamish/Green-09) 131109
 21540000 Reach=17110013000 0.000 Drg= 0 sqmi
 AMBNT/STREAM/RMP

INDEX 1311143
 MILES 0012.40

DATE FROM TO	DEPTH FEET	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/12/12	1110		6.1	13.2	104.7	769.6	7.3	62	65	12.0H	92S
91/01/23	1205		4.3	12.1	91.2	773.9	6.8	75	23	4.5	34
91/02/20	1125		8.2	11.7	97.5	771.1	6.9	41	326	94.5	870
91/03/20	1150		7.7	11.5	97.1	752.9	7.5	87	18	3.5	3
91/04/17	1225		9.6	10.2	88.3	767.8	7.2	82	25	6.0	31
91/05/22	1130		10.5	9.9	86.7	774.4	7.0	110	10	2.8	24
91/06/19	1045		15.6	9.0	89.7	761.2	7.4	105	10	2.4	84
91/07/24	1025		18.7	8.1	85.8	762.5	7.0	148	10	3.5	120
91/08/21	1050		19.9	8.5	91.5	767.8	7.2	162	7	4.0	160
91/09/18	1055		16.3	8.8	88.4	765.8	7.1	161	8	2.7	100

DATE FROM TO	DEPTH FEET	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/12/12	1110	0.44	0.01K	0.03	0.020	0.050	506074	22
91/01/23	1205	0.51	0.01K	0.02	0.020	0.060	46074	26
91/02/20	1125	0.42	0.01K	0.04	0.020	0.100	86074	15
91/03/20	1150	0.37	0.01	0.02	0.005K	0.025	126074	27
91/04/17	1225	0.43	0.01K	0.02	0.016	0.035	166074	29
91/05/22	1130	0.32	0.01K	0.03	0.016	0.031	216074	34
91/06/19	1045	0.37	0.01K	0.01K	0.014	0.035	256074	35
91/07/24	1025	0.37	0.01K	0.05	0.022	0.037	306074	62
91/08/21	1050	0.31	0.01K	0.05	0.023	0.046	346074	52
91/09/18	1055	0.32	0.01K	0.04	0.022	0.048	386074	53

09A090 3309A090 12113340
 GREEN R AT 212TH STREET NR KENT
 47 24 45.0 122 15 49.0 2F 0 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Duwamish/Green-09) 131109
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 04-09-06 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311143
 MILES 0018.30

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/24	1215	3620.0	8.4	11.4	97.0	759.0	7.3	55	28	5.6	21S
90/11/19	1200	2670.0	6.8	11.3	93.8	755.4		162	16	3.7	25S
90/12/12	1135	3720.0	5.9	13.4	105.8	769.6	7.4	71	49	10.0H	96S
91/01/23	1230	2250.0	4.3	12.1	91.2	773.7	7.1	70	20	4.5	180
91/02/20	1150	10100.0	7.5	11.8	96.7	771.1	7.1	41	314	96.0	660
91/03/20	1225	1830.0	7.4	11.2	93.9	752.1	7.3	83	13	2.3	
91/04/17	1315	1950.0	8.9	10.6	90.2	768.1	7.4	82	24	5.1	20
91/05/22	1215	1080.0	10.6	10.1	88.8	773.7	7.0	111	7	2.6	43
91/06/19	1115	723.0	14.7	9.7	95.0	760.0	7.4	96	7	2.4	100
91/07/24	1100	363.0	19.5	8.2	88.3	762.0	7.0	131	7	2.7	88
91/08/21	1135	240.0	20.0	9.1	98.3	766.8	7.2	134	5	2.5	96
91/09/18	1130	232.0	16.7	9.4	95.4	765.0	7.3	235	4	1.7	36

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/24	1215	0.30	0.00K	0.01K	0.009	0.019	436073	17
90/11/19	1200	0.46	0.01K	0.04	0.030	0.050	476073	24
90/12/12	1135	0.43	0.01K	0.03	0.020	0.050	506075	22
91/01/23	1230	0.50	0.01K	0.03	0.020	0.060	46075	25
91/02/20	1150	0.41	0.01K	0.04	0.010	0.260	86075	15
91/03/20	1225	0.37	0.01	0.03	0.023	0.026	126075	26
91/04/17	1315	0.43	0.01K	0.03	0.015	0.036	166075	30
91/05/22	1215	0.31	0.01K	0.04	0.017	0.032	216075	34
91/06/19	1115	0.36	0.01K	0.01K	0.015	0.035	256075	33
91/07/24	1100	0.37	0.01K	0.05	0.025	0.035	306075	48
91/08/21	1135	0.28	0.01K	0.03	0.020	0.035	346075	47
91/09/18	1130	0.31	0.01K	0.02	0.020	0.041	386075	46

09A190 3309A190 12107000 541110
 GREEN RIVER AT KANASKAT
 47 19 10.0 121 53 33.0 2F 0 Elev= 0 ft
 53033 Washington King Co. PACIFIC NORTHWEST
 PUGET SOUND (Duwamish/Green-09) 131109
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 04-09-07 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311143
 MILES 0057.60

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TO	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	TIME	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
	FEET	CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/22	0925	4040.0	7.8	12.1	103.0	748.3	7.4	46	14	7.8	27
90/11/18	0925	2030.0	6.5	12.0	98.9	748.8	6.8	46	3	1.6	2
90/12/10	0910	1300.0	6.0	13.5	110.2	746.3	8.5	42	5	2.9	17
91/01/21	0845	1860.0	3.1	12.9	96.6	754.9	8.2	40	5	2.1	
91/02/18	0850	2590.0	4.7	12.0	94.5	748.8	8.3	37	5	3.6	1
91/03/18	0850	613.0	5.6	12.0	97.8	740.2	7.1	46	4	1.8	1K
91/04/15	0840	1150.0	6.9	11.5	96.7	741.2	7.2	43	2	4.2	3
91/05/20	0905	1340.0	8.2	12.0	103.6	745.2	7.1	45	1	1.6	2
91/06/17	0830	565.0	8.9	11.2	97.6	750.6	7.0	51	3	1.4	14
91/07/22	0835	267.0	13.4	10.2	98.7	748.0	7.3	46	3	1.9	16
91/08/19	0810	131.0	15.5	9.6	97.6	744.7	7.2	64	3	2.3	15
91/09/16	0905	137.0	14.0	10.0	98.1	747.3	6.9	102	4	1.0	13

DATE	DEPTH	630	613	610	671	665	8	900
FROM	TO	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	TIME	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3
	FEET	MG/L	MG/L	MG/L	MG/L P		NUMBER	MG/L
90/10/22	0925	0.18	0.00K	0.01K	0.009	0.026	436050	
90/11/18	0925	0.21	0.01K	0.01	0.010K	0.020	476050	
90/12/10	0910	0.19	0.01K	0.01K	0.010K	0.020	506050	
91/01/21	0845	0.17	0.01K	0.01K	0.010	0.040	46050	
91/02/18	0850	0.13	0.01K	0.01K	0.010K	0.030	86050	
91/03/18	0850	0.11	0.01K	0.01	0.018	0.010	126050	
91/04/15	0840	0.11	0.01K	0.01K	0.010K	0.013	166050	
91/05/20	0905	0.04	0.01K	0.01	0.010K	0.012	216050	
91/06/17	0830	0.08	0.01K	0.01	0.010K	0.010K	256050	
91/07/22	0835	0.06	0.01K	0.02	0.010K	0.010K	306050	
91/08/19	0810	0.05	0.01K	0.01	0.010K	0.010K	346050	
91/09/16	0905	0.06	0.01K	0.01	0.010K	0.015	386050	

10A070 5310A070 12101475
 PUYALLUP R AT MERIDIAN ST BRIDGE
 47 12 10.0 122 17 33.0 2F 0 Elev= 0 ft
 53053 Washington Pierce Co. PACIFIC NORTHWEST
 PUGET SOUND (Puyallup/White-10) 131110
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 05-10-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311160
 MILES 0008.30

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/31	1325	3810.0	9.1	10.9	93.6	764.5	7.7	68	25	6.9	1300
90/11/28	1350	13500.0	6.3	12.1	96.0	773.4	7.4	50	367	105.0	140
90/12/19	1325	4590.0	2.0	14.6	104.9	763.8	7.6	64	19	4.9	
91/01/30	1330	2840.0	2.9			766.3	7.3	75	6	3.5	26
91/02/27	1035	5100.0	5.8	11.7	94.1	754.1	7.3	63	32	9.1	33
91/03/27	1055	3310.0	6.2	11.8	93.8	769.9	7.0	67	5	4.5	28
91/04/24	1105	4730.0	9.2	11.0	95.2	761.0	7.4	68	22	3.9	64
91/05/29	1215	3640.0	10.9	11.4	102.7	759.7	7.7	69	7	2.0	400
91/06/26	1025	3920.0	12.0	10.4	95.4	764.8	7.0	60	7	3.3	690
91/07/31	1010	2830.0	14.4	9.6	93.0	763.0	7.9	72	123	42.0	190
91/08/28	1055	2140.0	13.8	9.9	95.1	760.0	7.4	114	156	43.0	220
91/09/25	1040	1440.0	11.5	10.4	94.6	762.8	7.4	84	540	186.0	550

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/31	1325	0.17	0.00	0.03	0.019	0.040	446119	
90/11/28	1350	0.26	0.01K	0.02	0.010K	0.210	486119	
90/12/19	1325	0.33	0.01K	0.03	0.010	0.030	516121	
91/01/30	1330	0.35	0.01	0.03	0.020	0.060	56121	
91/02/27	1035	0.31	0.01K	0.02	0.010	0.090	96121	
91/03/27	1055	0.20	0.01K	0.03	0.020	0.014	136121	
91/04/24	1105	0.17	0.01K	0.02	0.010K	0.026	176121	
91/05/29	1215	0.09	0.01K	0.01	0.011	0.019	226121	
91/06/26	1025	0.09	0.01K	0.01K	0.010K	0.010K	266121	
91/07/31	1010	0.12	0.01	0.03	0.032	0.107	316121	
91/08/28	1055	0.11	0.01K	0.04	0.016	0.111	356121	
91/09/25	1040	0.11	0.01K	0.03	0.022	0.208	396121	

10A110 5310A110 12093510 541058
 PUYALLUP RIVER AT ORTING
 47 05 21.0 122 12 44.0 2F 0 Elev= 0 ft
 53053 Washington Pierce Co. PACIFIC NORTHWEST
 PUGET SOUND (Puyallup/White-10) 131110
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 05-10-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311160
 MILES 0022.20

DATE FROM TO	DEPTH TIME FEET	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/31	1115	751.0	7.6	11.5	95.9	759.7	7.6	60	19	4.2	32
90/11/28	1220	2410.0	6.8	12.3	99.3	769.4	7.3	54	40	7.7	4
90/12/19	1215	1430.0	1.4	15.5	110.5	757.7	7.6	53	10	1.6	
91/01/30	1120	1000.0	1.4			764.0	7.2	65	1	1.2	5
91/02/27	0900	886.0	4.5	12.3	96.1	750.8	7.3	52	7	2.1	1
91/03/27	0920	482.0	4.6	12.8	98.4	765.0	7.2	60	2	2.1	7
91/04/24	1000	802.0	7.8	11.6	97.6	756.7	7.4	53	43	3.4	21
91/05/29	1030	723.0	9.2	12.6	109.6	756.7	7.8	63	8	2.1	9
91/06/26	0915	829.0	9.3	11.4	98.9	761.0	6.8	50	10	4.4	12
91/07/31	0905	839.0	10.0	11.4	100.5	760.5	7.0	53	372J	170.0	9
91/08/28	0950	642.0	9.9	11.2	99.2	755.7	7.5	57	394	114.0	27
91/09/25	0940	562.0	8.3	11.5	97.7	758.7	7.3	53	862	275.0	9

DATE FROM TO	DEPTH TIME FEET	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/31	1115	0.17	0.00	0.04	0.004	0.035	446117	
90/11/28	1220	0.30	0.01K	0.01	0.010K	0.060	486117	
90/12/19	1215	0.23	0.01K	0.01K	0.010K	0.020	516119	
91/01/30	1120	0.19	0.01K	0.01K	0.010K	0.030	56119	
91/02/27	0900	0.23	0.01K	0.01K	0.010	0.050	96119	
91/03/27	0920	0.12	0.01K	0.01	0.015	0.005K	136119	
91/04/24	1000	0.06	0.01K	0.01	0.010K	0.023	176119	
91/05/29	1030	0.01K	0.01K	0.01	0.010K	0.015	226119	
91/06/26	0915	0.03	0.01K	0.01K	0.010K	0.010K	266119	
91/07/31	0905	0.02	0.01	0.01K	0.019	0.141	316119	
91/08/28	0950	0.05	0.01K	0.01K	0.010K	0.206	356119	
91/09/25	0940	0.03	0.01K	0.02	0.010K	0.239	396119	

10C070 5310C070 12101110
 WHITE RIVER AT SUMNER
 47 12 14.0 122 14 41.0 2F 0 Elev= 0 ft
 53053 Washington Pierce Co. PACIFIC NORTHWEST
 PUGET SOUND (Puyallup/White-10) 131110
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 05-10-05 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311160 000070
 MILES 0009.60 0000.70

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/31	1245	1630.0	9.8	10.0	87.4	764.0	7.6	75	11	11.0	930
90/11/28	1315	10500.0	6.2	12.1	95.8	773.2	7.6	49	453	128.0	180
90/12/19	1250	2650.0	2.8	14.3	105.2	762.5	7.7	58	22	7.4	
91/01/30	1155	1650.0	3.0			766.8	7.1	68	8	3.9	20
91/02/27	0955	3050.0	5.9	11.6	93.5	753.9	7.6	60	59	11.5	295
91/03/27	1010	1980.0	6.5	11.4	91.4	769.4	6.6	67	5	5.0	35
91/04/24	1040	2470.0	9.8	10.9	95.6	761.0	7.4	66	17	4.8	63
91/05/29	1135	1900.0	11.8	10.5	96.5	760.0	7.7	64	7	2.0	320
91/06/26	1000	2000.0	13.4	9.8	92.8	764.0	7.0	58	3	3.2	1200J
91/07/31	0940	1430.0	16.2	9.0	90.5	763.5	7.2	63	15	17.0	66
91/08/28	1020	1060.0	16.2	8.8	89.0	759.5	7.5	71	26	15.0	140
91/09/25	1015	580.0	12.9	9.7	91.1	762.3	7.4	105	17	26.5	1000J

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/31	1245	0.14	0.00	0.03	0.017	0.038	446118	
90/11/28	1315	0.21	0.01K	0.02	0.010	0.240	486118	
90/12/19	1250	0.28	0.01K	0.02	0.010	0.030	516120	
91/01/30	1155	0.29	0.01K	0.03	0.020	0.040	56120	
91/02/27	0955	0.25	0.01K	0.03	0.020	0.100	96120	
91/03/27	1010	0.15	0.01K	0.02	0.016	0.005K	136120	
91/04/24	1040	0.12	0.01K	0.02	0.010K	0.025	176120	
91/05/29	1135	0.06	0.01K	0.02	0.011	0.018	226120	
91/06/26	1000	0.03	0.01K	0.01K	0.010K	0.010K	266120	
91/07/31	0940	0.03	0.01	0.01	0.019	0.035	316120	
91/08/28	1020	0.09	0.01K	0.03	0.016	0.054	356120	
91/09/25	1015	0.05	0.01K	0.05	0.033	0.067	396120	

11A070 6711A070 12090240
 NISQUALLY RIVER AT NISQUALLY
 47 03 43.0 122 41 42.0 2F 0 Elev= 0 ft
 53067 Washington Thurston Co. PACIFIC NORTHWEST
 PUGET SOUND (Nisqually-11) 131111
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 06-11-01 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311161 000170
 MILES 0020.60 0003.40

DATE	FROM	TO	DEPTH	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
			FEET	FLOW	TEMP		SATUR	PRESSURE		LAB @	TOT-NFLT	LAB	MFM-FCBR
				CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	MG/L	NTU	/100ML
90/10/31	1600			2050.0	10.3	10.6	93.5	765.8	7.8	68	50	28.0	29
90/11/28	1615			4750.0	7.5	11.4	93.2	772.9	7.8	52	312	190.0	57
90/12/19	1510			3280.0	2.7	14.1	102.9	766.1	6.9	60	15	11.0	
91/01/30	1530			1950.0	4.0			766.8	7.7	80	4	7.8	6
91/02/27	1215			3350.0	6.1	11.6	94.0	753.4	7.3	60	29	18.5	20
91/03/27	1300			2500.0	7.2	11.9	97.0	770.1	6.7	67	4	5.1	16
91/04/24	1300			2400.0	8.5	12.2	103.6	762.8	7.6	68	9	8.9	5
91/05/29	1525			2200.0	9.5	12.2	106.5	759.7	7.9	68	6	2.6	9
91/06/26	1200			1700.0	11.6	10.8	98.2	765.0	7.2	62	5	1.9	5
91/07/31	1140			1340.0	14.2	10.2	98.4	763.0	7.2	70	4	3.0	13
91/08/28	1245			1120.0	13.0	10.6	99.9	761.2	7.6	71	2	1.8	21
91/09/25	1225			945.0	13.8	10.5	100.7	761.5	7.7	84	4	3.7	12

DATE	FROM	TO	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
			FEET	N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
				MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/31	1600			0.22	0.00	0.04	0.009	0.078	446121	22
90/11/28	1615			0.30	0.01K	0.03	0.010K	0.260	486121	21
90/12/19	1510			0.39	0.01K	0.02	0.010K	0.040	516123	
91/01/30	1530			0.44	0.01K	0.01	0.010K	0.050	56123	25
91/02/27	1215			0.43	0.01K	0.05	0.010	0.100	96123	22
91/03/27	1300			0.33	0.01K	0.02	0.020	0.024	136123	22
91/04/24	1300			0.37	0.01K	0.01	0.010K	0.024	176123	23
91/05/29	1525			0.20	0.01K	0.01K	0.010K	0.012	226123	38
91/06/26	1200			0.16	0.01K	0.01K	0.010K	0.010K	266123	24
91/07/31	1140			0.13	0.01K	0.01K	0.010K	0.010K	316123	25
91/08/28	1245			0.13	0.01K	0.01	0.010K	0.017	356123	25
91/09/25	1225			0.10	0.01K	0.01	0.010K	0.014	396123	25

11A080 5311A080 12089500 541065
 NISQUALLY RIVER AT MCKENNA
 46 56 00.0 122 33 35.0 2F 0 Elev= 0 ft
 53053 Washington Pierce Co. PACIFIC NORTHWEST
 PUGET SOUND (Nisqually-11) 131111
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 06-11-01 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM

INDEX 1311161 000170
 MILES 0020.60 0021.80

DATE	DEPTH	STREAM FLOW	WATER TEMP	DO	DO SATUR	BAROMTRC PRESSURE	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
FROM TO	TIME FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	SU	LAB @ 25C UMHO	TOT-NFLT MG/L	LAB NTU	MFM-FCBR /100ML
90/10/31	1010	1040.0	10.0	10.6	94.2	755.1	7.9	60	52	27.5	315
90/11/28	1120	2740.0	7.0	11.6	94.6	766.1	7.5	48	300	205.0	100
90/12/19	1100	1720.0	4.0	14.1	108.3	753.4	7.7	55	15	13.0	
91/01/30	1010	728.0	2.7			761.0	7.0	65	5	8.6	13
91/02/27	0810	1840.0	4.9	11.7	92.6	748.5	7.4	53	30	22.0	61
91/03/27	0820	1140.0	5.2	12.1	94.8	761.7	6.7	59	3	5.9	20
91/04/24	0850	1020.0	7.2	11.5	95.7	754.4	7.5	54	9	9.1	6
91/05/29	0920	957.0	8.2	12.2	104.0	754.1	7.7	60	6	3.0	9
91/06/26	0820	593.0	10.1	10.9	96.7	757.9	7.1	58	3	2.4	10
91/07/31	0755	501.0	11.3	10.7	97.4	759.0	7.0	58	3	3.2	12
91/08/28	0855	464.0	12.4	10.5	98.8	752.9	7.7	58	1	1.6	12
91/09/25	0845	404.0	12.5	10.2	95.8	755.4	7.5	52	2	4.7	5

DATE	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
FROM TO	TIME FEET	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT. NUMBER	CACO3 MG/L
90/10/31	1010	0.19	0.00	0.03	0.007	0.075	446116	
90/11/28	1120	0.29	0.01K	0.06	0.010K	0.250	486116	
90/12/19	1100	0.33	0.01K	0.04	0.010K	0.030	516118	
91/01/30	1010	0.33	0.01K	0.02	0.010K	0.050	56118	
91/02/27	0810	0.37	0.01K	0.06	0.010	0.110	96118	
91/03/27	0820	0.29	0.01K	0.02	0.019	0.012	136118	
91/04/24	0850	0.27	0.01K	0.02	0.010K	0.024	176118	
91/05/29	0920	0.20	0.01K	0.01	0.010K	0.011	226118	
91/06/26	0820	0.12	0.01K	0.01K	0.010K	0.010K	266118	
91/07/31	0755	0.06	0.01	0.01K	0.010K	0.010K	316118	
91/08/28	0855	0.05	0.01K	0.01K	0.010K	0.014	356118	
91/09/25	0845	0.04	0.01K	0.01	0.011	0.012	396118	

12A070 5312A070 12091600 541059
 CHAMBERS CREEK NEAR STEILACOOM
 47 11 32.0 122 34 20.0 2F 0 Elev= 0 ft
 53053 Washington Pierce Co. PACIFIC NORTHWEST
 PUGET SOUND (Chambers/Clover-12) 131112
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 05-12-07 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311161 000090
 MILES 0012.80 0000.90

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/31 1500		150.0	11.0	10.0	89.7	764.8	7.6	125	7	4.7	770
90/11/28 1530		255.0	9.1	11.0	93.5	772.7	7.4	128	11	2.8	140
90/12/19 1430		210.0	5.0	13.6	105.5	765.8	7.7	148	10	1.1	
91/01/30 1450		186.0	6.0			766.6	7.7	170	7	2.1	7100J
91/02/27 1130		218.0	8.9	11.0	95.4	753.9	7.5	141	11	2.8	3K
91/03/27 1220		190.0	9.8	11.1	96.2	770.6	7.1	150	9	2.6	7
91/04/24 1220		124.0	12.4	10.4	96.7	761.7	7.6	148	11	3.6	51
91/05/29 1415		77.0	14.1	10.3	99.7	759.5	7.8	170	8	1.2	51
91/06/26 1130		77.0	15.5	9.5	94.0	765.3	7.3	159	8	1.8	37
91/07/31 1105		57.0	16.5	9.0	90.9	765.0	7.5	174	3	1.4	360
91/08/28 1155		52.0	14.3	8.6	83.4	761.2	7.5	187	2	1.8	750
91/09/25 1145		51.0	12.5	9.2	85.6	762.8	7.7	221	2	1.0K	80

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/31 1500		0.64	0.01	0.03	0.043	0.070	446120	
90/11/28 1530		0.94	0.01K	0.03	0.030	0.070	486120	
90/12/19 1430		1.53	0.01K	0.03	0.030	0.050	516122	
91/01/30 1450		1.67	0.01	0.13	0.040	0.090	56122	
91/02/27 1130		1.32	0.01K	0.02	0.010K	0.080	96122	
91/03/27 1220		1.13	0.01K	0.03	0.017	0.013	136122	
91/04/24 1220		1.33	0.01K	0.03	0.010K	0.028	176122	
91/05/29 1415		1.13	0.01K	0.03	0.013	0.030	226122	
91/06/26 1130		1.06	0.01K	0.01	0.010K	0.010K	266122	
91/07/31 1105		1.09	0.03	0.03	0.033	0.036	316122	
91/08/28 1155		1.20	0.01K	0.05	0.035	0.061	356122	
91/09/25 1145		1.27	0.01	0.03	0.047	0.059	396122	

13A060 6713A060 12080010
 DESCHUTES R AT E STREET BRIDGE
 47 00 43.0 122 54 07.0 2F 0 Elev= 0 ft
 53067 Washington Thurston Co. PACIFIC NORTHWEST
 PUGET SOUND (Deschutes-13) 131113
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 06-13-04 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311161 000250 00070 0080
 MILES 0029.00 0005.00 008.80 000.60

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TIME	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	FEET	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
		CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/30	1505	370.0	9.8	10.3	90.9	756.9	7.5	101	49	5.1J	
90/11/27	1640	1100.0	7.4	10.8	88.2	771.9	7.0	75	46	15.5	430
90/12/18	1410	529.0	6.2	12.7	103.2	753.6	7.3	89	17		
91/01/29	1710	311.0	4.6			768.4	7.8	101	5	2.9	14
91/02/26	1345	494.0	7.9	11.5	97.1	756.4	7.2	90	8	4.3	14S
91/03/26	1455	507.0	8.1	11.5	97.1	760.0	7.0	87	8	5.5	74S
91/04/23	1415	426.0	9.9	10.4	91.7	758.7	7.1	103	11	3.6	27S
91/05/28	1555	297.0	12.6	11.9	110.3	767.1	7.7	110	6	1.6	4
91/06/25	1340	222.0	14.0	10.3	98.9	763.8	7.2	110	5	1.7	17
91/07/30	1320	137.0	17.1	9.9	101.2	765.3	7.3	129	2	2.0	
91/08/27	1545	125.0	14.4	11.4	111.4	756.9	8.0	125	5		310J
91/09/24	1420	86.0	13.0	12.0	113.1	761.2	8.0	160	2	1.3	92

DATE	DEPTH	630	613	610	671	665	8	900
FROM	TIME	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	FEET	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3
		MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/30	1505	0.32	0.01	0.03	0.014	0.055	446115	37
90/11/27	1640	0.59	0.01K	0.02	0.010	0.070	486115	25
90/12/18	1410	0.63		0.01K		0.030	516115	
91/01/29	1710	0.81	0.01K	0.01K	0.020	0.050	56115	36
91/02/26	1345	0.68	0.01K	0.01	0.010	0.080	96115	32
91/03/26	1455	0.42	0.01K	0.02	0.021	0.026	136115	29
91/04/23	1415	0.65	0.01K	0.02	0.010K	0.027	176115	35
91/05/28	1555	0.47	0.01K	0.01	0.010K	0.013	226115	27
91/06/25	1340	0.55	0.01K	0.01K	0.010K	0.010K	266115	42
91/07/30	1320	0.75	0.01K	0.01K	0.017	0.019	316115	48
91/08/27	1545	0.63	0.01K	0.02	0.014	0.029	356115	44
91/09/24	1420	0.69	0.01K	0.01	0.014	0.024	396115	46

13A150 6713A150 12079004 541067
 DESCHUTES RIVER NEAR RAINIER
 46 52 23.0 122 43 46.0 2F 0 Elev= 0 ft
 53067 Washington Thurston Co. PACIFIC NORTHWEST
 PUGET SOUND (Deschutes-13) 131113
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 06-13-04 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311161 000250 00070 0080
 MILES 0029.00 0005.00 008.80 021.61

DATE	FROM	TO	DEPTH	FEET	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/31	0925				410.0	9.2	10.4	90.7	755.4	8.0	82	11	3.0	51
90/11/28	0925				590.0	6.9	11.5	93.2	768.9	7.4	70	21	7.1	22S
90/12/19	1020				380.0	2.7	14.3	106.2	753.6	8.1	71	3	3.9	
91/01/30	0915				160.0	3.1			761.0	6.7	114	4	2.6	6
91/02/27	0735				280.0	6.1	11.5	93.8	749.3	7.0	81	6	3.8	16
91/03/27	0740				360.0	5.8	11.5	91.5	761.7	6.6	76	4	8.0	9
91/04/24	0740				240.0	9.3	10.4	91.0	754.4	7.3	79	5	3.2	76
91/05/29	0840				160.0	11.3	10.6	97.0	754.9	7.7	100	4	2.5	17
91/06/26	0740				120.0	12.8	9.6	90.5	757.9	7.2	99	3	3.5	58
91/07/31	0700				51.0	15.8	8.6	86.3	759.0	7.3	122	3	3.7	14
91/08/28	0820				42.0	14.1	9.9	96.6	753.1	7.8	157	1	3.3	64
91/09/25	0805				37.0	11.5	9.5	87.1	756.9	7.4	141	2	1.3	65

DATE	FROM	TO	DEPTH	FEET	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/31	0925				0.33	0.00	0.04	0.007	0.028	446108	
90/11/28	0925				0.50	0.01K	0.01	0.020	0.040	486108	
90/12/19	1020				0.45	0.01K	0.01K	0.010	0.020	516117	
91/01/30	0915				0.57	0.01K	0.01	0.020	0.050	56117	
91/02/27	0735				0.53	0.01K	0.01	0.020	0.080	96117	
91/03/27	0740				0.32	0.01K	0.02	0.023	0.012	136117	
91/04/24	0740				0.45	0.01K	0.02	0.010K	0.023	176117	
91/05/29	0840				0.25	0.01K	0.01	0.010K	0.017	226117	
91/06/26	0740				0.30	0.01K	0.01K	0.010K	0.010K	266117	
91/07/31	0700				0.48	0.01K	0.02	0.017	0.014	316117	
91/08/28	0820				0.49	0.01K	0.01	0.010K	0.026	356117	
91/09/25	0805				0.51	0.01K	0.01K	0.012	0.018	396117	

16A070 4516A070 12061500 541074
 SKOKOMISH RIVER NEAR POTLATCH
 47 18 36.0 123 10 33.0 2F 0 Elev= 0 ft
 53045 Washington Mason Co. PACIFIC NORTHWEST
 PUGET SOUND (Skokomisk/Dosewallips-16) 131116
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 25-16-99 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1311211 001260
 MILES 0050.80 0005.30

DATE	FROM	DEPTH	60	10	300	301	25	400	95	530	82079	31616
TO	TIME	FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
			FLOW	TEMP		SATUR	PRESSURE		LAB @	TOT-NFLT	LAB	MFM-FCBR
			CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	MG/L	NTU	/100ML
90/10/29	0950		1240.0	8.1	11.2	94.1	763.8	8.3	66	5	3.9	15
90/11/26	0915		4500.0J	7.0	12.1	98.2	769.6	6.9	57	90	37.5	4
90/12/17	0800		1110.0	7.0	13.3	107.7	771.1	7.7	64	6	2.5	
91/01/28	0730		551.0	5.3			770.6	6.8	65	2		15
91/02/25	0810		1390.0	5.9	11.7	91.7	775.0	6.6	58	8	3.1	1
91/03/25	0820		738.0	6.9	11.2	92.3	755.7	6.3	75	4	4.6	3
91/04/22	0800		888.0	8.7	10.8	91.4	768.6	7.4	53	3	1.5	1K
91/05/27	0810		485.0	8.9	11.2	94.9	771.1	7.7	80	4	1.0	10
91/06/24	0805		346.0	10.2	9.9	87.1	766.1	7.1	56	2	1.1	22
91/07/29	0735		216.0	10.4	9.9	87.0	770.1	7.5	81	2	2.2	28
91/08/26	0820		174.0	9.8	10.0	87.1	766.6	7.6	95	1	0.8	25
91/09/23	0830		256.0	9.1	9.9	83.7	777.0	7.4	82	1	1.0K	6

DATE	FROM	DEPTH	630	613	610	671	665	8	900
TO	TIME	FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
			N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
			MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/29	0950		0.12	0.01K	0.02	0.004	0.008	446100	
90/11/26	0915		0.12	0.01K	0.01K	0.010K	0.070	486100	
90/12/17	0800		0.14		0.01K		0.020	516100	
91/01/28	0730		0.14	0.01K	0.01K	0.010	0.020	56100	
91/02/25	0810		0.11	0.01K	0.01K	0.010K	0.040	96100	
91/03/25	0820		0.06	0.01K	0.03	0.009	0.010	136100	
91/04/22	0800		0.07	0.01K	0.01K	0.010K	0.010K	176100	
91/05/27	0810		0.04	0.01K	0.01K	0.010K	0.010K	226100	
91/06/24	0805		0.07	0.01K	0.01K	0.010K	0.010K	266100	
91/07/29	0735		0.09	0.01K	0.01	0.010	0.010K	316100	
91/08/26	0820		0.09	0.01K	0.02	0.010K	0.018	356100	
91/09/23	0830		0.09	0.01K	0.01	0.011	0.018	396100	

22A070 2722A070 12039003 541082
 HUMPTULIPS RIVER NEAR HUMPTULIPS
 47 13 48.0 123 57 38.0 2F 0 Elev= 0 ft
 53027 Washington Grays Harbor Co. PACIFIC NORTHWEST
 COASTAL (Lower Chehalis-22) 131222
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 10-22-05 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1312093
 MILES 0023.60

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CONDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/29	1400	1690.0	8.8	11.0	95.4	752.3	7.7	59	5	2.8	180
90/11/26	1345	4200.0	7.2	11.9	97.7	764.3	7.1	52	106	47.0	23
90/12/17	1135	1720.0	6.4	13.6	109.2	766.3	7.1	52	9	4.2	
91/01/28	1145	990.0	4.5			769.1	6.8	51	1K		1
91/02/25	1145	1750.0	6.6	11.7	94.5	765.6	7.1	57	8	4.2	2
91/03/25	1250	1070.0	7.6J	11.8	99.7	750.3	7.5	75	1	1.2	1K
91/04/22	1155	830.0	9.2	11.5	98.9	765.3	7.5	58	1	1.1	2
91/05/27	1130	490.0	10.0	12.8	111.8	767.6	7.9	61	3	0.3	1K
91/06/24	1130	510.0	12.9	10.6	99.3	764.3	7.0	60	1	1.0	10
91/07/29	1130	170.0	17.2	10.1	103.4	765.3	7.3	72	1	0.3	8
91/08/26	1235	140.0	14.2	10.6	102.8	759.2	7.5	86	1	0.4	13
91/09/23	1220	295.0	11.6	11.9	107.6	769.4	7.6	83	1	1.0K	7

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/29	1400	0.24	0.00	0.03	0.002	0.011	446104	
90/11/26	1345	0.22	0.01K	0.01	0.010K	0.070	486104	
90/12/17	1135	0.19		0.01K		0.010	516104	
91/01/28	1145	0.20	0.01K	0.01K	0.010K	0.020	56104	
91/02/25	1145	0.18	0.01K	0.01K	0.010K	0.040	96104	
91/03/25	1250	0.06	0.01K	0.02	0.006	0.011	136104	
91/04/22	1155	0.08	0.01K	0.01K	0.010K	0.010K	176104	
91/05/27	1130	0.01	0.01K	0.01K	0.010K	0.010K	226104	
91/06/24	1130	0.05	0.01K	0.01K	0.010K	0.010K	266104	
91/07/29	1130	0.03	0.01K	0.01K	0.010K	0.010K	316104	
91/08/26	1235	0.03	0.01K	0.01	0.010K	0.012	356104	
91/09/23	1220	0.03	0.01K	0.01K	0.010K	0.013	396104	

22C050 2722C050 12035100
 CHEHALIS RIVER NEAR MONTESANO
 46 57 45.0 123 36 12.0 2F 0 Elev= 0 ft
 53027 Washington Grays Harbor Co. PACIFIC NORTHWEST
 COASTAL (Lower Chehalis-22) 131222
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 10-22-12 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1312099
 MILES 0013.15

DATE	FROM	TO	DEPTH	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	TIME	FEET	FLOW	TEMP	DO	SATUR	PERCENT	MM OF HG	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
			CFS	CENT	MG/L					25C UMHO	MG/L	NTU	/100ML
90/10/29	1225				9.5	10.2	89.1	758.7	7.5	81	12	2.4	230
90/11/26	1200				8.5	9.4	79.1	769.1	7.2	55	131	47.5	790S
90/12/17	1025				6.3	12.7	101.2	770.6	7.1	70	12	4.7	
91/01/28	1035				4.1			772.2	7.4	85	5		110
91/02/25	1025				7.0	11.1	89.8	772.2	7.0	66	18	6.2	11
91/03/25	1045				8.4J	10.7	91.8	753.4	7.3	71	6	4.1	31S
91/04/22	1030				12.0	9.8	89.5	768.4	7.2	80	6	4.9	85
91/05/27	1020				12.4	10.6	97.4	770.6	7.4	86	7	2.4	17
91/06/24	1020				15.3	9.0	88.5	766.6	7.2	83	5	4.0	33
91/07/29	1000				19.0	8.8	92.9	769.1	7.2	94	6	1.5	57J
91/08/26	1045				17.2	8.7	89.2	764.5	7.4	118	5	2.1	29
91/09/23	1105				13.8	9.3	87.6	775.0	7.4	107	6	2.2	84

DATE	FROM	TO	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	TIME	FEET	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	MG/L P	IDENT.	CACO3
			MG/L	MG/L	MG/L	MG/L P			NUMBER	MG/L
90/10/29	1225			0.51	0.00	0.03	0.016	0.035	446103	
90/11/26	1200			0.93	0.01K	0.05	0.010	0.170	486103	
90/12/17	1025			0.65		0.02		0.030	516103	
91/01/28	1035			0.76	0.01K	0.04	0.020	0.060	56103	
91/02/25	1025			0.71	0.01K	0.02	0.010	0.080	96103	
91/03/25	1045			0.44	0.01K	0.04	0.017	0.021	136103	
91/04/22	1030			0.58	0.01K	0.02	0.013	0.031	176103	
91/05/27	1020			0.29	0.01K	0.01	0.010K	0.014	226103	
91/06/24	1020			0.34	0.01K	0.01	0.010	0.010K	266103	
91/07/29	1000			0.34	0.01K	0.01	0.014	0.019	316103	
91/08/26	1045			0.18	0.01K	0.02	0.010K	0.025	356103	
91/09/23	1105			0.20	0.01K	0.01	0.013	0.023	396103	

226070 27226070 12035000 541086
 SATSOP RIVER NEAR SATSOP
 47 00 07.0 123 29 37.0 2F 0 Elev= 0 ft
 53027 Washington Grays Harbor Co. PACIFIC NORTHWEST
 COASTAL (Lower Chehalis-22) 131222
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 10-22-09 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1312099 000250
 MILES 0022.90 0002.70

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/29	1155	2030.0	8.7	11.1	95.1	759.5	7.7	62	8	2.0	46S
90/11/26	1115	9200.0	7.5	11.6	95.3	769.4	7.0	49	109	42.0	34
90/12/17	0940	2550.0	6.8	13.2	106.4	771.1	7.3	54	9	2.0	
91/01/28	1000	1650.0	4.9			771.1	7.2	63	1		4
91/02/25	1000	2790.0	6.5	11.6	92.7	771.7	7.2	56	10	2.1	2
91/03/25	1005	1520.0	7.4	11.4	95.5	753.1	6.6	65	1	1.2	9
91/04/22	0950	1320.0	9.8	10.9	94.7	768.1	7.4	62	2	2.0	5
91/05/27	0950	772.0	10.3	12.1	106.2	769.6	7.6	67	4	1.0	9
91/06/24	0955	965.0	12.5	10.4	96.3	766.1	7.1	65	3	1.0	20
91/07/29	0930	339.0	15.2	9.9	96.8	769.1	7.2	76	1	1.0	62
91/08/26	1015	271.0	13.4	10.5	99.4	764.5	7.6	90	1	1.1	20
91/09/23	1030	364.0	10.9	11.6	102.4	775.5	7.6	70	1	1.0K	7

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/29	1155	0.41	0.00	0.02	0.003	0.010	446102	
90/11/26	1115	0.41	0.01K	0.01	0.010K	0.110	486102	
90/12/17	0940	0.17		0.01K		0.020	516102	
91/01/28	1000	0.33	0.01K	0.01K	0.010K	0.030	56102	
91/02/25	1000	0.33	0.01K	0.01K	0.010K	0.080	96102	
91/03/25	1005	0.15	0.01K	0.01	0.008	0.011	136102	
91/04/22	0950	0.19	0.01K	0.01	0.010K	0.012	176102	
91/05/27	0950	0.09	0.01K	0.01K	0.010K	0.010K	226102	
91/06/24	0955	0.11	0.01K	0.01K	0.010K	0.010K	266102	
91/07/29	0930	0.12	0.01K	0.01K	0.011	0.010K	316102	
91/08/26	1015	0.11	0.01K	0.01	0.010K	0.018	356102	
91/09/23	1030	0.05	0.01K	0.01K	0.010K	0.011	396102	

23A070 2723A070 12031000 541088
 CHEHALIS RIVER AT PORTER
 46 56 17.0 123 18 45.0 2F 0 Elev= 0 ft
 53027 Washington Grays Harbor Co. PACIFIC NORTHWEST
 COASTAL (Upper Chehalis-23) 131223
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 10-23-18 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1312099
 MILES 0033.30

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/29	1110	1360.0	9.9	10.4	91.7	759.2	7.7	100	5	1.9	17
90/11/26	1030	42000.0	8.6	9.8	82.7	768.9	7.0	58	88	60.5	1300S
90/12/17	0905	5040.0	6.6	12.6	101.0	771.1	7.4	78	13	5.6	
91/01/28	0915	3390.0	3.8			770.9	7.3	83	4		170
91/02/25	0915	6700.0	6.7	10.8	86.7	772.4	6.9	70	23	7.0	14
91/03/25	0925	4490.0	8.1	10.6	90.2	753.9	6.7	81	15	6.5	57
91/04/22	0910	2980.0	12.5	10.0	92.4	767.8	7.3	80	8	5.4	6
91/05/27	0910	1590.0	12.6	10.7	98.8	770.1	7.4	93	11	3.1	29
91/06/24	0915	1380.0	15.3	9.2	90.5	765.8	7.4	96	15	7.8	64
91/07/29	0855	488.0	20.2	8.1	87.6	769.1	7.3	105	4	1.9	35
91/08/26	0925	333.0	17.7	9.0	93.1	765.6	7.7	101	1	1.5	17
91/09/23	0955	355.0	14.1	9.3	88.0	776.0	7.5	107	3	1.3	25S

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/29	1110	0.67	0.01	0.02	0.035	0.058	446101	
90/11/26	1030	1.04	0.01K	0.02	0.020	0.190	486101	
90/12/17	0905	2.13		0.04		0.120	516101	
91/01/28	0915	0.94	0.01K	0.05	0.030	0.070	56101	
91/02/25	0915	0.89	0.01K	0.02	0.010	0.070	96101	
91/03/25	0925	0.54	0.01K	0.06	0.023	0.026	136101	
91/04/22	0910	0.74	0.01K	0.03	0.013	0.033	176101	
91/05/27	0910	0.43	0.01K	0.02	0.014	0.026	226101	
91/06/24	0915	0.52	0.01K	0.03	0.019	0.010K	266101	
91/07/29	0855	0.47	0.01K	0.01	0.023	0.042	316101	
91/08/26	0925	0.32	0.01K	0.03	0.013	0.032	356101	
91/09/23	0955	0.43	0.01K	0.02	0.030	0.049	396101	

23A120 4123A120 12025500
 CHEHALIS RIVER AT CENTRALIA
 46 42 45.0 122 58 39.0 2F 0 Elev= 0 ft
 53041 Washington Lewis Co. PACIFIC NORTHWEST
 COASTAL (Upper Chehalis-23) 131223
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 10-23-13 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1312099
 MILES 0067.50

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/30	1555	1720.0	9.6	10.1	89.1	753.1	7.8	82	14	3.7	140S
90/11/27	1550	16800.0	7.7	10.1	83.5	768.4	6.3	58	83	35.5	410S
90/12/18	1330	3120.0	6.2	13.0	105.8	752.6	7.6	66	42		
91/01/29	1620	1310.0	3.2			766.1	8.3	82	10	13.5	17
91/02/26	1310	2650.0	7.0	11.3	93.5	755.1	7.1	70	10	5.9	35
91/03/26	1330	2780.0	6.5	11.2	91.2	757.7	6.7	64	13	10.0	61
91/04/23	1330	1210.0	12.5	9.6	90.1	755.9	7.1	87	5	4.8	13
91/05/28	1515	770.0	12.5	10.4	96.5	764.8	7.4	84	9	6.8	29
91/06/25	1300	600.0	15.6	8.6	85.5	762.8	6.8	75	5	4.5	100
91/07/30	1240	154.0	20.9	8.5	94.1	761.2	7.1	109	1	2.5	49
91/08/27	1505	98.0	20.3	5.4	59.7	754.6	7.4	150	2	2.4	81
91/09/24	1340	92.0	17.3	6.9	71.5	758.2	7.2	138	2	1.7	3

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/30	1555	0.38	0.01	0.03	0.020	0.041	446114	
90/11/27	1550	1.04	0.01K	0.04	0.010	0.130	486114	
90/12/18	1330	0.79		0.03		0.050	516114	
91/01/29	1620	0.84	0.01K	0.04	0.020	0.070	56114	
91/02/26	1310	0.82	0.01K	0.02	0.010	0.070	96114	
91/03/26	1330	0.51	0.01K	0.04	0.018	0.024	136114	
91/04/23	1330	0.57	0.01K	0.04	0.018	0.033	176114	
91/05/28	1515	0.20	0.01K	0.05	0.023	0.029	226114	
91/06/25	1300	0.25	0.01K	0.09	0.033	0.010K	266114	
91/07/30	1240	0.28	0.01	0.02	0.089	0.117	316114	
91/08/27	1505	0.29	0.02	0.58	0.337	0.379	356114	
91/09/24	1340	0.21	0.01	0.07	0.153	0.1600	396114	

23A160 4123A160 12020565
 CHEHALIS RIVER AT DRYAD
 46 37 54.0 123 14 51.0 2F 0 Elev= 0 ft
 53041 Washington Lewis Co. PACIFIC NORTHWEST
 COASTAL (Upper Chehalis-23) 131223
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 10-23-15 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1312099
 MILES 0101.70

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/29	1715	690.0	9.2	10.9	96.0	747.8	7.9	84	6	1.4	88
90/11/26	1640	3060.0	7.8	12.1	101.6	758.2	7.7	60	87	21.5	52
90/12/17	1405	812.0	6.5	13.7	111.5	757.7	7.5	64	5	1.6	
91/01/28	1530	568.0	4.5			765.0	7.3	64	2		5
91/02/25	1430	990.0	7.0	12.1	99.8	756.9	7.2	61	6	1.8	2
91/03/25	1550	1040.0	6.8J	12.1	100.9	745.2	7.3	60	2	3.2	20
91/04/22	1430	528.0	11.8	11.0	101.3	758.4	7.4	68	3	1.9	2
91/05/27	1425	276.0	11.8	13.3	120.5	771.1	8.7		5	0.7	3
91/06/24	1430	264.0	14.0	11.3	109.3	757.9	7.2	67	3	1.8	27
91/07/29	1400	75.0	19.7	9.9	107.3	760.0	7.4	80	3	1.5	31
91/08/26	1530	48.0	17.2	10.5	109.4	752.3	8.0	96	1	1.7	16
91/09/23	1510	40.0	13.5	10.9	103.9	761.0	7.7	88	1	1.3	15

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/29	1715	0.48	0.00	0.03	0.002	0.011	446107	
90/11/26	1640	0.87	0.01K	0.01	0.010K	0.090	486107	
90/12/17	1405	0.59		0.01K		0.020	516106	
91/01/28	1530	0.56	0.01K	0.01K	0.010K	0.030	56106	
91/02/25	1430	0.57	0.01K	0.01K	0.010K	0.050	96106	
91/03/25	1550	0.40	0.01K	0.02	0.014	0.019	136106	
91/04/22	1430	0.40	0.01K	0.01	0.010K	0.015	176106	
91/05/27	1425	0.12	0.01K	0.01K	0.010K	0.010K	226106	
91/06/24	1430	0.17	0.01K	0.01K	0.010K	0.010K	266106	
91/07/29	1400	0.10	0.01K	0.01K	0.010K	0.012	316106	
91/08/26	1530	0.04	0.01K	0.01	0.010K	0.019	356106	
91/09/23	1510	0.03	0.01K	0.01K	0.010K	0.014	396106	

23E070 6723E070
 BLACK RIVER AT MOON ROAD BRIDGE
 46 50 21.0 123 06 43.0 2F000 Elev= 0 ft
 53067 Washington Thurston Co. PACIFIC NORTHWEST
 COASTAL (Upper Chehalis-23) 131223
 21540000 Reach=17100103050 0.000 Drg= 0 sqmi
 TYPEA/AMBNT/STREAM

INDEX 1312099 000530
 MILES 0050.00 0007.10

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/30	0920		9.7	6.7	58.7	760.2	7.3	117	4	1.8	
90/11/27	0935		8.1	7.6	63.3	769.9	6.5	57	9	13.0	540
90/12/18	0815		5.8	10.2	81.3	760.7	7.5	75	3		
91/01/29	0910		3.3			771.1	7.7	80	1	1.8	1200J
91/02/26	0745		6.7	8.8	71.3	765.0	6.7	65	5	2.0	23
91/03/26	0745		7.4	9.0	74.5	762.3	7.4	72	3	2.3	520J
91/04/23	0800		12.1	8.2	75.7	761.5	7.0	79	3	2.1	9
91/05/28	0820		12.4	8.8	80.9	770.6	7.2	103	9	2.6	41
91/06/25	0740		14.5	7.5	72.6	765.3	6.8	91	4	2.7	33
91/07/30	0715		17.7	7.7	79.4	767.6	7.2	108	1K	1.5	17
91/08/27	0830		16.3	7.3	74.2	756.9	7.3	107	1	1.0	520J
91/09/24	0800		13.7	7.4	70.1	768.4	7.2	115	1	1.0K	26

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/30	0920	0.90	0.04	0.11	0.108	0.168	446125	38
90/11/27	0935	0.78	0.01K	0.04	0.030	0.090	486125	15
90/12/18	0815	0.75		0.08		0.080	516108	
91/01/29	0910	0.98	0.01K	0.14	0.060	0.100	56108	29
91/02/26	0745	0.70	0.01K	0.04	0.030	0.100	96108	23
91/03/26	0745	0.58	0.01	0.08	0.040	0.041	136108	28
91/04/23	0800	0.69	0.01K	0.04	0.017	0.040	176108	29
91/05/28	0820	0.80	0.01K	0.02	0.020	0.030	226108	34
91/06/25	0740	0.72	0.01K	0.01K	0.021	0.010K	266108	37
91/07/30	0715	0.67	0.01K	0.01K	0.016	0.026	316108	51
91/08/27	0830	0.78	0.01K	0.01	0.024	0.042	356108	42
91/09/24	0800	0.94	0.01K	0.01	0.031	0.040	396108	43

24B090 4924B090 12013500 541104
 WILLAPA RIVER NEAR WILLAPA
 46 39 00.0 123 39 10.0 2F 0 Elev= 0 ft
 53049 Washington Pacific Co. PACIFIC NORTHWEST
 COASTAL (Willapa-24) 131224
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 11-24-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1312137
 MILES 0017.70

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
91/01/28	1430	377.0	5.1			772.2	7.7	57	2		10
91/02/25	1325	701.0	7.8	11.7	97.1	767.1	6.9	60	12	2.3	10S
91/03/25	1450	640.0	7.4J	11.6	97.1	753.4	7.6	60	5	2.5	98
91/04/22	1335	446.0	10.8	11.5	102.4	767.3	7.4	63	3	2.2	29
91/05/27	1330	198.0	11.9	12.6	114.2	772.2	7.7	65	3	0.8	70
91/06/24	1345	173.0	13.5	11.0	104.2	765.6	7.0	66	3	1.7	120
91/07/29	1340	52.0	19.9	9.5	102.2	768.1	7.2	76	4	2.0	140
91/08/26	1430	26.0	17.7	9.8	101.9	761.2	7.4	111	2	1.8	220
91/09/23	1410	36.0	14.6	10.1	97.4	769.9	7.4	79	3	2.0	240

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
91/01/28	1430	0.93	0.01K	0.01K	0.010K	0.020	56105	
91/02/25	1325	0.98	0.01K	0.01	0.010K	0.060	96105	
91/03/25	1450	0.71	0.01K	0.03	0.007	0.013	136105	
91/04/22	1335	0.67	0.01K	0.02	0.010K	0.017	176105	
91/05/27	1330	0.32	0.01K	0.01	0.010K	0.011	226105	
91/06/24	1345	0.28	0.01K	0.01K	0.010K	0.010K	266105	
91/07/29	1340	0.28	0.01K	0.01	0.010K	0.016	316105	
91/08/26	1430	0.23	0.01K	0.03	0.010K	0.026	356105	
91/09/23	1410	0.24	0.01K	0.02	0.010K	0.024	396105	

248130 49248130 12011500 541092
 WILLAPA RIVER AT LABAM
 46 33 48.0 123 33 40.0 2F 0 Elev= 0 ft
 53049 Washington Pacific Co. PACIFIC NORTHWEST
 COASTAL (Willapa-24) 131224
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 11-24-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1312137
 MILES 0034.00

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/29	1630	129.0	9.9	10.4	92.7	750.6	7.8	80	5	2.0	530
90/11/26	1600	748.0	8.7	11.2	95.6	762.3	7.4	58	60	12.5	130

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/29	1630	0.88	0.00	0.03	0.007	0.031	446106	
90/11/26	1600	1.30	0.01K	0.02	0.010K	0.060	486106	

268070 15268070 14244200 541001
 COWLITZ RIVER AT KELSO
 46 08 44.0 122 54 47.0 3F 0 Elev= 0 ft
 53015 Washington COWLITZ CO. PACIFIC NORTHWEST
 LOWER COLUMBIA (Cowlitz-26) 131026
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 12-26-04 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 000850
 MILES 0068.00 0004.90

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	DEPTH	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	TIME FEET	FLOW	TEMP	SATUR	SATUR	PRESSURE	MM OF HG	LAB @	TOT-NFLT	LAB	MFM-FCBR
		CFS	CENT	MG/L	PERCENT		SU	25C UMHO	MG/L	NTU	/100ML
90/10/30	1100	950.0	10.4	10.6	94.2	761.5	7.5	108	64	10.0	61
90/11/27	1110	32600.0	8.5	11.9	99.7	772.9	6.9	60	261	73.0	51s
90/12/18	0945		7.3	13.2	108.8	763.5	7.1	91	75		
91/01/29	1040	6870.0	3.8			773.2	7.8	101	56	15.5	4
91/02/26	0910		6.1	11.5	91.8	765.3	7.3	98	102	28.0	10
91/03/26	0915		6.3	11.6	93.3	763.5	6.7	99	40	13.0	6
91/04/23	0930	8720.0	8.9	11.1	95.1	762.8	7.2	97	160	31.0	6
91/05/28	0945		9.5	11.8	101.3	772.2	7.4	102	35	11.0	14
91/06/25	0915		10.6	11.1	98.4	767.1	7.0	90	17	5.3	19
91/07/30	0855		14.6	10.2	98.5	768.6	7.3	118	9	4.0	15
91/08/27	1005		14.2	9.9	95.9	760.2	7.5	171	7	2.5	20
91/09/24	0925		12.0	10.4	94.9	769.4	7.6	130	6	2.3	15

DATE	DEPTH	630	613	610	671	665	8	900
FROM	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	TIME FEET	N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
		MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/30	1100	0.12	0.00	0.04	0.004	0.026	446109	
90/11/27	1110	0.31	0.01K	0.01	0.010K	0.180	486109	
90/12/18	0945	0.22		0.02		0.060	516109	
91/01/29	1040	0.26	0.01K	0.02	0.010K	0.060	56109	
91/02/26	0910	0.27	0.01K	0.03	0.010K	0.110	96109	
91/03/26	0915	0.23	0.01K	0.04	0.011	0.032	136109	
91/04/23	0930	0.18	0.01K	0.03	0.010K	0.078	176109	
91/05/28	0945	0.10	0.01K	0.02	0.010K	0.019	226109	
91/06/25	0915	0.09	0.01K	0.01K	0.010K	0.010K	266109	
91/07/30	0855	0.07	0.01K	0.01K	0.010K	0.010K	316109	
91/08/27	1005	0.05	0.01K	0.01	0.010K	0.023	356109	
91/09/24	0925	0.05	0.01K	0.01K	0.010K	0.013	396109	

26c070 1526c070 14245100 541000
 COWEMAN RIVER AT KELSO
 46 08 18.0 122 53 47.0 2F 0 Elev= 0 ft
 53015 Washington COWLITZ CO. PACIFIC NORTHWEST
 LOWER COLUMBIA (Cowlitz-26) 131026
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 12-26-05 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 000850 00020
 MILES 0068.00 0001.30 002.70

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TIME	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	FEET	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
		CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/30	1145		10.0	10.2	89.8	761.7	8.7	97	4	3.7	140
90/11/27	1140		8.2	11.8	98.1	773.4	7.3	48	25	8.8	60
90/12/18	1000		6.6	13.3	107.6	764.0	7.4	55	19		
91/01/29	1215		2.7			771.1	7.7	75	2	7.0	14
91/02/26	0930		6.5	11.6	93.6	764.8	7.3	57	6	4.0	6
91/03/26	0940		5.8	11.8	93.7	763.3	7.4	55	5	3.7	6
91/04/23	0955		10.6	10.3	91.8	762.8	7.2	60	4	3.0	26
91/05/28	1010		10.5	10.6	93.2	771.9	7.4	59	5	2.0	7
91/06/25	0945		13.7	9.3	88.4	766.3	7.1	78	6	3.0	46
91/07/30	0915		21.4	7.7	88.3	742.7	7.2	80	3	2.8	120
91/08/27	1025		17.9	8.4	87.8	760.5	7.5	103	3		92
91/09/24	0940		14.1	9.2	88.0	768.4	7.5	101	2	1.9	120

DATE	DEPTH	630	613	610	671	665	8	900
FROM	TIME	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
TO	FEET	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3
		MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/30	1145	0.66	0.00	0.04	0.003	0.015	446110	
90/11/27	1140	1.08	0.01K	0.01K	0.010K	0.050	486110	
90/12/18	1000	0.98		0.01K		0.030	516110	
91/01/29	1215	0.84	0.01K	0.06	0.010K	0.040	56110	
91/02/26	0930	0.96	0.01K	0.01K	0.010	0.050	96110	
91/03/26	0940	0.78	0.01K	0.02	0.014	0.017	136110	
91/04/23	0955	0.60	0.01K	0.02	0.010K	0.014	176110	
91/05/28	1010	0.43	0.01K	0.01	0.010K	0.010K	226110	
91/06/25	0945	0.34	0.01K	0.02	0.010K	0.010K	266110	
91/07/30	0915	0.21	0.01K	0.04	0.010K	0.012	316110	
91/08/27	1025	0.05	0.01K	0.03	0.010K	0.021	356110	
91/09/24	0940	0.08	0.01K	0.03	0.010K	0.014	396110	

26D070 1526D070 14242700 541131
 TOUTLE RIVER NEAR CASTLE ROCK
 46 18 50.0 122 54 30.0 2F 0 Elev= 0 ft
 53015 Washington COWLITZ CO. PACIFIC NORTHWEST
 LOWER COLUMBIA (Cowlitz-26) 131026
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 12-26-04 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 000850 00240
 MILES 0068.00 0020.00 001.00

DATE	FROM	DEPTH	60	10	300	301	25	400	95	530	82079	31616
TO	TIME	FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
			FLOW	TEMP	SATUR	SATUR	PRESSURE		LAB @	TOT-NFLT	LAB	MFM-FCBR
			CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	MG/L	NTU	/100ML
90/10/30	1500		2700.0	10.1	11.0	97.8	756.9	8.0	210	610	45.0	40S
90/11/27	1450		7400.0	7.3	12.1	98.5	772.9	7.4	132	777	200.0	14
90/12/18	1255		2700.0	5.8	13.9	111.2	758.4	7.4	178	276		
91/01/29	1520		1060.0	2.7			769.1	7.9	277	252	66.0	3
91/02/26	1220		2400.0	7.1	12.2	100.7	759.2	7.1	196	378	90.0	7
91/03/26	1235		1600.0	7.6	11.8	98.4	760.5	6.7	225	151	37.0	2
91/04/23	1235		1875.0	9.7	10.9	95.6	759.7	7.4	238	912	119.0	8
91/05/28	1430		2000.0	11.6	11.6	105.1	768.1	7.5	248	114	26.0	6
91/06/25	1210		1530.0	14.5	10.4	100.8	765.0	7.2	269	47	17.0	9
91/07/30	1145		565.0	20.6	9.3	102.0	764.8	7.6	480	67	20.0	29
91/08/27	1420		360.0	16.8	9.6	98.7	757.7	8.1	595	34	18.0	12
91/09/24	1245		275.0	15.5	10.7	106.4	762.3	8.1	610	18	11.0	5

DATE	FROM	DEPTH	630	613	610	671	665	8	900
TO	TIME	FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD
			N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3
			MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L
90/10/30	1500		0.07	0.00	0.03	0.005	0.142	446113	
90/11/27	1450		0.26	0.01K	0.02	0.010K	0.250	486113	
90/12/18	1255		0.19		0.07		0.150	516113	
91/01/29	1520		0.16	0.01K	0.02	0.010K	0.140	56113	
91/02/26	1220		0.20	0.01K	0.03	0.010K	0.220	96113	
91/03/26	1235		0.15	0.01K	0.02	0.013	0.105	136113	
91/04/23	1235		0.08	0.01K	0.04	0.010K	0.090	176113	
91/05/28	1430		0.06	0.01K	0.05	0.010K	0.047	226113	
91/06/25	1210		0.02	0.01K	0.01K	0.010K	0.010K	266113	
91/07/30	1145		0.01K	0.01K	0.01K	0.010K	0.047	316113	
91/08/27	1420		0.01K	0.01K	0.01	0.010K	0.043	356113	
91/09/24	1245		0.01K	0.01K	0.01	0.010K	0.022	396113	

27B070 1527B070 14223600
 KALAMA RIVER NEAR KALAMA
 46 02 52.0 122 50 11.0 2F 0 Elev= 0 ft
 53015 Washington COWLITZ CO. PACIFIC NORTHWEST
 LOWER COLUMBIA (Lewis-27) 131027
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 13-27-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 000870
 MILES 0073.10 0002.80

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/30	1400		9.7	11.1	97.5	758.4	7.8	49	4	1.9	25
90/11/27	1340		7.2	12.6	102.2	773.9	7.4	40	31	6.0	15
90/12/18	1150		6.3	14.0	112.7	762.5	7.2	41	10		
91/01/29	1430		3.4			770.6	7.9	55	1	1.2	2
91/02/26	1140		6.8	12.1	98.9	760.2	7.0	46	6	2.2	5
91/03/26	1135		6.1	12.4	99.4	762.0	6.7	47	1	2.2	3
91/04/23	1135		8.8	11.4	97.7	761.2	7.3	54	3	1.5	14
91/05/28	1340		10.0	13.1	114.1	769.9	8.4	47	5	1.1	2
91/06/25	1125		12.0	11.5	105.4	765.6	7.1	45	3	1.2	13
91/07/30	1100		16.6	10.0	100.9	767.1	7.3	62	2	1.3	17
91/08/27	1325		13.9	10.2	98.2	760.0	7.6	94	1	0.5	33
91/09/24	1145		11.6	10.8	98.3	763.8	7.5	68	1	1.0K	9

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/30	1400	0.19	0.00	0.03	0.005	0.010	446112	
90/11/27	1340	0.46	0.01K	0.01K	0.010K	0.030	486112	
90/12/18	1150	0.43		0.01K		0.020	516112	0
91/01/29	1430	0.35	0.01K	0.01K	0.010	0.030	56112	
91/02/26	1140	0.38	0.01K	0.01	0.010	0.050	96112	
91/03/26	1135	0.35	0.01K	0.02	0.016	0.012	136112	
91/04/23	1135	0.23	0.01K	0.01	0.010K	0.014	176112	
91/05/28	1340	0.08	0.01K	0.01K	0.010K	0.010K	226112	
91/06/25	1125	0.06	0.01K	0.01K	0.010K	0.010K	266112	
91/07/30	1100	0.05	0.01K	0.01K	0.010K	0.010K	316112	
91/08/27	1325	0.04	0.01K	0.01	0.011	0.021	356112	
91/09/24	1145	0.05	0.01K	0.02	0.011	0.020	396112	

270090 11270090 14222550
 EF LEWIS RIVER NR DOLLAR CORNER
 45 48 53.0 122 35 26.0 2F 0 Elev= 0 ft
 53011 Washington CLARK CO. PACIFIC NORTHWEST
 LOWER COLUMBIA (Lewis-27) 131027
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 13-27-01 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 001050 00060
 MILES 0087.00 0003.50 010.20

DATE	FROM	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/30	1300		50.0	10.0	11.0	97.4	757.4	8.6	40	4	1.5	72
90/11/27	1240		1930.0	7.5	12.2	100.1	770.4	7.4	33	5	1.7	9
90/12/18	1105			6.2	13.8	111.0	761.2	7.5	32	8		
91/01/29	1345		402.0	3.2			769.1	7.8	42	1	1.0K	1K
91/02/26	1045			7.4	11.9	98.7	760.0	7.0	56	2	1.5	4
91/03/26	1040		1600.0	6.2	12.4	99.8	760.5	7.3	36	2	2.1	1
91/04/23	1050		548.0	9.2	11.2	96.9	761.0	7.2	30	2	1.1	9
91/05/28	1140			9.7	12.1	104.8	769.1	7.4	41	4	1.5	12
91/06/25	1040		399.0	11.0	11.0	98.7	765.0	6.7	40	2	1.9	21
91/07/30	1010		96.0	19.2	9.5	101.3	764.8	7.2	57	1K	1.2	11
91/08/27	1130			16.0	10.0	100.7	759.5	7.6	95	1	0.4	8
91/09/24	1040			13.7	10.5	100.1	763.8	7.6	76	1	1.0K	10

DATE	FROM	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L
90/10/30	1300		0.48	0.00	0.02	0.001	0.005	446111	
90/11/27	1240		0.53	0.01K	0.01K	0.010K	0.010	486111	
90/12/18	1105		0.55		0.01K		0.020	516111	
91/01/29	1345		0.44	0.01K	0.01K	0.010K	0.020	56111	
91/02/26	1045		0.44	0.01K	0.01K	0.010K	0.050	96111	
91/03/26	1040		0.32	0.01K	0.01	0.008	0.007	136111	
91/04/23	1050		0.25	0.01K	0.01	0.010K	0.010K	176111	
91/05/28	1140		0.23	0.01K	0.01K	0.010K	0.010K	226111	
91/06/25	1040		0.25	0.01K	0.01K	0.010K	0.010K	266111	
91/07/30	1010		0.19	0.01K	0.01K	0.010K	0.010K	316111	
91/08/27	1130		0.12	0.01K	0.01	0.010K	0.013	356111	
91/09/24	1040		0.12	0.01K	0.01K	0.010K	0.010K	396111	

31A070 0531A070 COL045
 COLUMBIA RIVER AT UMATILLA BR
 45 55 53.0 119 19 24.0 2F 0 Elev= 0 ft
 53005 Washington Benton Co. PACIFIC NORTHWEST
 LOWER COLUMBIA (Rock/Glade-31) 131031
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 26-00-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM

INDEX 1310001
 MILES 0290.50

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/12/03	1240	215000.0	8.2	11.6	97.7	763.5	7.7	152	8	6.9	190X
91/01/07	1240	225000.0	1.6	14.0	99.5	764.5	7.5	168	3	1.4	11
91/02/04	1230	174000.0	1.7	14.4	103.1	761.0	7.5	161	3	1.5	2
91/03/04	1200	211000.0	3.6	13.5	104.8	738.6	7.8	158	3	2.2	5
91/04/01	1215	193000.0	7.4	13.7	115.8	746.8	8.6	150	6	1.6	2X
91/05/06	1150	196000.0	10.8	12.6	113.5	758.7	8.3	165	8	3.7	7X
91/06/03	1145	300000.0	13.3	12.0	114.3	758.2	8.1	135	10	4.6	6X
91/07/08	1210	240000.0	16.2	10.7	109.4	751.3	7.9	127	11	3.7	280
91/08/05	1245	160000.0	20.1	10.1	111.8	750.3	7.5	130	9	2.1	1K
91/09/02	1220	98500.0	20.2	10.6	115.7	761.7	8.8	141	8	2.8	4

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/12/03	1240	0.18	0.01K	0.02	0.020	0.030	496152	61	
91/01/07	1240	0.21	0.01K	0.01	0.030	0.030	26152	72	
91/02/04	1230	0.16	0.01K	0.01	0.014	0.016	66152	74	
91/03/04	1200	0.23	0.01K	0.01K	0.010	0.030	106152	73	
91/04/01	1215	0.16	0.00	0.00	0.005	0.017	146152	67	
91/05/06	1150	0.13	0.01K	0.01K	0.010K	0.024	196152	68	
91/06/03	1145	0.10	0.01K	0.02	0.010K	0.026	236152	57	
91/07/08	1210	0.05	0.01K	0.01K	0.010K	0.022	286152	52	
91/08/05	1245	0.01K	0.01K	0.01	0.010K	0.027	326152	60	
91/09/02	1220	0.01K	0.01K	0.01K	0.010K	0.018	366152	63	

32A070 7132A070 14018600 541127
 WALLA WALLA RIVER NEAR TOUCHET
 46 02 16.0 118 45 55.0 2F 0 Elev= 0 ft
 53071 Washington Walla Walla Co. PACIFIC NORTHWEST
 LOWER COLUMBIA (Walla Walla-32) 131032
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 15-32-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 002700
 MILES 0313.50 0015.30

DATE	DEPTH	STREAM FLOW	WATER TEMP	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
FROM	TO	DEPTH	FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	LAB @	TOT-NFLT	LAB
TO	TIME	FEET	FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	25C UMHO	MG/L	NTU
90/10/08	1450	14.0	12.8	13.7	128.2	764.3	8.7	467	16	5.2	17J
90/11/05	1450	163.0	8.1	12.6	106.6	758.7	8.4	222	51	8.2	43
90/12/03	1435	392.0	4.4	12.8	98.7	759.2	7.6	139	46	24.0	57
91/01/07	1435	338.0	0.1	13.6	93.2	760.7	7.8	192	20	4.1	12
91/02/04	1430	502.0	7.7			755.9	7.9	168	59	9.7	35
91/03/04	1415	687.0	8.0	10.8	93.9	736.1	7.6	122	132	19.0	100S
91/04/01	1415	514.0	13.4	10.7	103.7	747.3	8.1	143	60	8.6	88
91/05/06	1400	463.0	13.8	9.8	94.9	753.9	7.9	148	21	4.9	280
91/06/03	1350	655.0	17.8	9.0	94.8	753.6	7.9	158	77	13.0	120
91/07/08	1410	54.0	23.5	10.3	122.3	745.7	8.4	320	23	4.2	130
91/08/05	1515	1.3	26.4	9.8	123.1	743.2	8.2	500	21	7.5	61
91/09/02	1415	18.0	21.9	13.1	148.9	756.9	8.8	595	35	12.0	73

DATE	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
FROM	TO	DEPTH	FEET	N-TOTAL	DISS	N TOTAL	ORTH	MG/L P	MG/L P
TO	TIME	FEET	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P	MG/L P
90/10/08	1450	0.68	0.01	0.01K	0.050	0.095	416154		
90/11/05	1450	0.26	0.01K	0.02	0.040	0.090	456154		
90/12/03	1435	0.80	0.01K	0.06	0.100	0.140	496154		
91/01/07	1435	1.16	0.01K	0.08	0.120	0.180	26154		
91/02/04	1430	0.92	0.01K	0.06	0.109	0.132	66154		
91/03/04	1415	0.68	0.01K	0.03	0.070	0.190	106154		
91/04/01	1415	0.57	0.01	0.01	0.056	0.112	146154		
91/05/06	1400	0.34	0.01K	0.03	0.056	0.088	196154		
91/06/03	1350	0.75	0.01K	0.03	0.054	0.122	236154		
91/07/08	1410	0.27	0.01K	0.01K	0.060	0.117	286154		
91/08/05	1515	0.49	0.01K	0.02	0.084	0.130	326154		
91/09/02	1415	0.28	0.01K	0.04	0.025	0.117	366154		

32B070 7132B070 14017600
 TOUCHET RIVER AT TOUCHET
 46 02 29.0 118 40 59.0 2F 0 Elev= 0 ft
 53071 Washington Walla Walla Co. PACIFIC NORTHWEST
 LOWER COLUMBIA (Walla Walla-32) 131032
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 15-32-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 002700 00130
 MILES 0313.50 0016.40 000.50

DATE	FROM	TO	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/08	1510			13.6	11.7	11.4	104.3	762.0	8.3	165	10	3.9	160
90/11/05	1525			58.2	8.1	12.5	105.9	757.7	8.3	128	13	2.4	23

DATE	FROM	TO	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/08	1510			0.05	0.01	0.01K	0.059	0.081	416155		
90/11/05	1525			0.02	0.01K	0.01	0.030	0.050	456155		

32B130 1332B130 14016750 541126
 TOUCHET RIVER AT DAYTON
 46 19 07.0 117 58 57.0 2F 0 Elev= 0 ft
 53013 Washington COLUMBIA CO. PACIFIC NORTHWEST
 LOWER COLUMBIA (Walla Walla-32) 131032
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 15-32-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM

INDEX 1310001 002700 00130
 MILES 0313.50 0016.40 053.30

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TO	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	TIME	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
	FEET	CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/12/03	1600		6.0	11.7	98.1	726.7	7.5	85	3	1.8	24
91/01/07	1620	70.0	0.8	13.5	99.3	722.4	7.1	82	4	1.1	3
91/02/04	1605	100.0	7.1	11.0	95.4	722.1	7.7	84	4	2.9	7
91/03/04	1540	150.0	6.2	11.1	96.3	706.1	7.6	63	8	8.1	81
91/04/01	1645	115.0	13.0	10.3	103.2	716.8	8.6	70	14	3.8	45
91/05/06	1600	110.0	11.6	10.5	101.3	721.6	7.9	78	7	3.1	13
91/06/03	1525	106.0	15.0	9.8	101.8	721.6	8.0	73	5	2.9	17
91/07/08	1540	53.0	19.6	8.7	100.0	716.0	7.9	96	5	1.4	31
91/08/05	1740	28.5	20.9	8.5	100.6	713.2	7.4	87	7	1.9	62
91/09/02	1600	33.0	17.8	9.8	107.3	725.2	8.3	99	3	1.7	35

DATE	DEPTH	630	613	610	671	665	8	900	340
FROM	TO	NO2+NO3	NO2-N	3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
TO	TIME	N-TOTAL	DISS	TOTAL	ORTHO	MG/L P	IDENT.	CACO3	HI LEVEL
	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/12/03	1600	0.17	0.01K	0.01	0.030	0.040	496155		
91/01/07	1620	0.23	0.01K	0.01K	0.030	0.060	26155		
91/02/04	1605	0.12	0.01K	0.01	0.043	0.033	66155		
91/03/04	1540	0.19	0.01K	0.01K	0.030	0.080	106155		
91/04/01	1645	0.02	0.01K	0.01	0.023	0.046	146155		
91/05/06	1600	0.05	0.01K	0.01	0.019	0.037	196155		
91/06/03	1525	0.11	0.01K	0.01K	0.025	0.033	236155		
91/07/08	1540	0.11	0.01K	0.02	0.028	0.048	286155		
91/08/05	1740	0.15	0.01K	0.01	0.038	0.056	326155		
91/09/02	1600	0.13	0.01K	0.01	0.018	0.043	366155		

33A050 2133A050 541008
 SNAKE RIVER NEAR PASCO
 46 13 00.0 119 01 20.0 2F 0 Elev= 0 ft
 53021 Washington FRANKLIN CO. PACIFIC NORTHWEST
 LOWER SNAKE (Lower Snake-33) 130833
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 26-00-05 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 002740
 MILES 0324.30 0002.20

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/12/03	1350	49200.0	8.3	11.1	94.4	759.0	8.0	311	5	1.7	5
91/01/07	1350	25000.0	1.6	13.1	93.7	759.7	7.7	238	3	2.2	1
91/02/04	1340	30000.0	2.7	12.5	92.7	755.4	7.8	283	6	3.6	2
91/03/04	1320	80000.0	4.7	12.0	96.3	735.1	8.0	291	6	8.5	1K
91/04/01	1325	44500.0	7.2	11.5	96.8	746.8	7.9	369	10	6.5	2
91/05/06	1300	50000.0	12.1	11.1	103.7	753.4	8.0	195	10	5.0	1K
91/06/03	1250	95000.0	13.8	10.4	100.8	753.4	7.6	96	8	6.3	4
91/07/08	1320	43300.0	16.9	9.7	101.3	746.3	7.6	115	7	3.7	2
91/08/05	1400	17500.0	21.7	7.5	86.2	744.7	7.1	137	5	4.3	96
91/09/02	1325	12000.0	22.6	7.9	90.9	756.7	7.9	190	3	3.5	24

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/12/03	1350	0.47	0.01K	0.02	0.040	0.060	496153	5K	
91/01/07	1350	0.56	0.01K	0.01K	0.040	0.050	26153	29	
91/02/04	1340	0.63	0.01K	0.04	0.037	0.037	66153	10K	
91/03/04	1320	1.11	0.01K	0.02	0.050	0.070	106153		
91/04/01	1325	0.90	0.00	0.02	0.044	0.065	146153	10K	
91/05/06	1300	0.28	0.01K	0.01	0.012	0.040	196153	11	
91/06/03	1250	0.19	0.01K	0.03	0.022	0.036	236153	10K	
91/07/08	1320	0.11	0.01K	0.01K	0.010K	0.029	286153	7	
91/08/05	1400	0.08	0.01K	0.02	0.013	0.033	326153	14	
91/09/02	1325	0.17	0.01K	0.01K	0.016	0.039	366153	14	

33A070 2133A070 13353000
 SNAKE RIVER BELOW ICE HARBOR DAM
 46 15 02.0 118 52 55.0 2F 0 Elev= 0 ft
 53021 Washington FRANKLIN CO. PACIFIC NORTHWEST
 LOWER SNAKE (Lower Snake-33) 130833
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 26-00-05 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM

INDEX 1310001 002740
 MILES 0324.30 0008.50

DATE	FROM	TO	DEPTH	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
			FEET	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
				CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/08	1340			27500.0	18.9	9.9	104.7	767.1	8.4	281	6	1.3	1
90/11/05	1345			34000.0	13.1	9.9	93.9	758.7	8.2	258	5	1.4	1

DATE	FROM	TO	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
			FEET	N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3	HI LEVEL
				MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/10/08	1340			0.27	0.01	0.01K	0.043	0.049	416153		5K
90/11/05	1345			0.31	0.02	0.02	0.040	0.050	456153		8

34A070 7534A070 13351000 541009
 PALOUSE RIVER AT HOOPER
 46 45 33.0 118 08 49.0 2F 0 Elev= 0 ft
 53075 Washington Whitman Co. PACIFIC NORTHWEST
 LOWER SNAKE (Palouse-34) 130834
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 16-34-01 Class= B Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 002740 00290
 MILES 0324.30 0059.50 019.50

DATE	DEPTH	60	10	300	301	25	400	95	530	82079	31616
FROM	TIME	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	FEET	FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
		CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/09	0905	48.0	9.1	10.8	95.5	744.2	8.8	375	26	6.9	120
90/11/06	0910	137.0	5.2	12.2	97.4	748.8	8.2	262	15	7.1	31
90/12/04	0940	282.0	2.4	13.0	98.8	730.8	8.1	176	20	35.0	
91/02/05	1000	721.0	3.4	12.4	95.4	741.4	8.0	220	187J	128.0	300X
91/03/05	0945	4510.0	4.3J	11.6	92.7	730.3	8.0	136	3410J	305.0	1100
91/04/02	0935	516.0	11.9	10.3	98.1	736.3	9.0	219	23	9.0	8K
91/05/07	0940	305.0	14.8	10.0	101.6	734.8	9.7	193	9	3.9H	
91/06/04	0930	332.0	16.3	9.1	94.8	739.1	8.1	188	78	27.0	41
91/07/09	0940	110.0	21.0	7.8	90.4	730.0	8.4	240	44	24.0	220
91/08/06	0930	48.0	22.9	7.7	92.4	730.0	8.4	299	36	13.0	280
91/09/03	1000	22.0	17.8	9.1	97.3	742.7	8.6	360	74	32.0	84

DATE	DEPTH	630	613	610	671	665	8	900	340
FROM	TIME	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
TO	FEET	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3	HI LEVEL
		MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/10/09	0905	0.19	0.01	0.01K	0.080	0.159	416157	132	18
90/11/06	0910	1.57	0.01K	0.02	0.290	0.320	456157	93	8
90/12/04	0940	1.80	0.01	0.06	0.150	0.190	496159	58	15
91/02/05	1000	2.72	0.01	0.20	0.150	0.605	66159	79	10K
91/03/05	0945	3.41J	0.02	0.08L	0.110	0.190	106159	52	29
91/04/02	0935	1.88	0.01	0.01	0.044	0.088	146159	78	10K
91/05/07	0940	0.13	0.01K	0.04	0.010K	0.045	196159	74	19
91/06/04	0930	0.96	0.01	0.05	0.112	0.033J	236159	69	15
91/07/09	0940	0.95	0.01K	0.33	0.158	0.220	286159	93	13
91/08/06	0930	0.02	0.01K	0.01	0.087	0.149	326159	117	9
91/09/03	1000	0.28	0.01K	0.07	0.065	0.163	366159	139	19

34B110 7534B110 13348000
 SF PALOUSE RIVER AT PULLMAN
 46 43 58.0 117 10 48.0 2F 0 Elev= 0 ft
 53075 Washington Whitman Co. PACIFIC NORTHWEST
 LOWER SNAKE (Palouse-34) 130834
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 16-34-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 002740 00290 0680
 MILES 0324.30 0059.50 089.60 022.20

DATE	FROM	TO	DEPTH	TIME	FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
						FLOW	TEMP	SATUR	PERCENT	PRESSURE		LAB @	TOT-NFLT	LAB	MFM-FCBR
						CFS	CENT	MG/L		MM OF HG	SU	25C UMHO	MG/L	NTU	/100ML
90/10/09	1035		4.0			8.6	11.3	103.5		711.2	8.2	650	7	3.2	5600J
90/11/06	1030		21.0			4.2	11.0	90.0		713.0	7.9	402	33	45.5	970
90/12/04	1100		24.0			3.5	11.1	90.7		701.0	7.9	465	15	19.0	680S
91/01/08	1140		16.0			1.6	12.8	98.7		705.9	7.7	497	8	6.0	6700P
91/02/05	1155		135.0			3.4	11.4	91.9		707.9	7.7	188	1050J	330.0	830
91/03/05	1125		210.0			3.6J	11.6	94.9		701.0	7.7	212	560J	195.0	300S
91/04/02	1100		26.0			10.4	12.5	120.1		705.9	8.8	340	25	13.0	500
91/05/07	1100		17.0			12.4	14.1	142.3		703.3	8.9	380	9	5.5H	
91/06/04	1055		18.0			14.1	10.3	107.3		706.9	8.2	340	44	24.0	380
91/07/09	1125		6.0			18.5	10.0	115.3		699.8	8.4	458	12	8.1	570
91/08/06	1135		3.0			21.4	9.1	111.0		700.3	8.2	501	14	7.2	4100J
91/09/03	1155		5.0			14.8	11.2	118.1		709.7	8.4	720	4	2.5	1900

DATE	FROM	TO	DEPTH	TIME	FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
						N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3	HI LEVEL
						MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/10/09	1035		10.60			0.03	0.02	2.700		3.600	416158		
90/11/06	1030		4.61			0.10	0.17	1.010		1.170	456158		
90/12/04	1100		6.07			0.09	0.44	0.800		0.890	496160		
91/01/08	1140		6.22			0.04	0.14	1.000		1.410	26160		
91/02/05	1155		5.84			0.04	0.28	0.155		1.360	66160		
91/03/05	1125		7.59J			0.02	0.12L	0.170		0.230	106160		
91/04/02	1100		3.99			0.12	0.30	0.473		0.626	146160		
91/05/07	1100		3.42			0.17	0.22	0.959		0.822	196160		
91/06/04	1055		2.84			0.05	0.06	0.493		0.425	236160		
91/07/09	1125		2.90			0.03	0.03	0.967		1.082	286160		
91/08/06	1135		2.98			0.02	0.03	1.180		1.320	326160		
91/09/03	1155		7.58			0.02	0.05	2.380		2.370	366160		

35A150 0335A150 13335300 541132
 SNAKE RIVER AT INTERSTATE BRIDGE
 46 25 15.0 117 02 05.0 2F 0 Elev= 0 ft
 53003 Washington Asotin Co. PACIFIC NORTHWEST
 LOWER SNAKE (Middle Snake-35) 130835
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 26-00-05 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM

INDEX 1310001 002740
 MILES 0324.30 0139.60

DATE	FROM	TO	DEPTH	TIME	FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
						FLOW	TEMP	SATUR	PERCENT	PRESSURE	MM OF HG	LAB @	TOT-NFLT	LAB	MFM-FCBR
						CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	MG/L	NTU	/100ML
90/12/04	0705					18300.0	6.0	12.3	100.9	743.5	8.3	374	1	1.2	2
91/01/08	0710					17500.0	1.8	13.8	100.6	750.3	8.9	425	2	1.4	2
91/02/05	0700					15600.0	2.1	13.4	98.3	751.8	8.1	415	2	1.3	4
91/03/05	0640					29400.0	4.6J	11.8	93.2	745.2	8.1	288	6	5.3	14S
91/04/02	0645					16800.0	9.5	11.7	103.9	747.5	8.5	340	7	3.0	2
91/05/07	0615					30800.0	11.8	10.4	97.3	747.8	8.6	262	12	3.4H	
91/06/04	0610					66100.0	13.4	9.9	95.5	750.6	8.0	142	22	3.5	38
91/07/09	0645					30800.0	18.0	8.9	95.7	741.7	8.5	175	8	2.0	4
91/08/06	0635					16800.0	22.4	8.7	102.1	739.9	8.4	249	6	5.1	1
91/09/03	0645					22900.0	20.9	9.5	106.3	754.1	8.7	339	5	1.9	5

DATE	FROM	TO	DEPTH	TIME	FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
						N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3	HI LEVEL
						MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/12/04	0705					0.76	0.01K	0.01K	0.040	0.060	496157		
91/01/08	0710					1.12	0.01	0.02	0.040	0.070	26157		
91/02/05	0700					1.04	0.01K	0.01	0.050	0.046	66157		
91/03/05	0640					0.86	0.01K	0.02	0.050	0.090	106157		
91/04/02	0645					0.79	0.00	0.01	0.036	0.062	146157		
91/05/07	0615					0.40	0.01K	0.01K	0.010K	0.035	196157		
91/06/04	0610					0.19	0.01K	0.01	0.018	0.036	236157		
91/07/09	0645					0.12	0.01K	0.01K	0.010K	0.029	286157		
91/08/06	0635					0.17	0.01K	0.01	0.013	0.034	326157		
91/09/03	0645					0.27	0.01K	0.01	0.021	0.039	366157		

35B060 1335B060 13344520
 TUCANNON RIVER AT POWERS
 46 32 18.0 118 09 18.0 2F 0 Elev= 0 ft
 53013 Washington COLUMBIA CO. PACIFIC NORTHWEST
 LOWER SNAKE (Middle Snake-35) 130835
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 17-35-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 002740 00320
 MILES 0324.30 0062.50 002.30

DATE	FROM	TO	DEPTH	TIME	FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
						60	10	300	301	25	400	95	530	82079	31616
						FLOW	TEMP	DO	SATUR	PRESSURE		LAB @	TOT-NFLT	LAB	MFM-FCBR
						CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	MG/L	NTU	/100ML
90/10/09	0805					69.0	9.7	11.1	97.4	759.2	7.9	150	7	1.6	140
90/11/06	0800					101.0	6.0	12.2	97.4	763.3	8.1	139	17	1.8	46
90/12/04	0845					119.0	6.7	11.7	97.4	745.0	8.4	142	11	2.1	71
91/01/08	0905					87.0	1.5	13.8	98.9	756.4	7.8	161	20	2.2	100
91/02/05	0900					22.0	8.8	10.9	94.0	756.9	7.6	148	46	9.1	460
91/03/05	0820					258.0	5.6J	11.7	94.3	748.8	8.0	116	431	27.0	2400
91/04/02	0820					115.0	10.9	11.2	102.2	750.6	8.5	149	28	2.3	60
91/05/07	0840					149.0	12.0	10.7	100.2	749.6	8.2	122	51	3.9H	
91/06/04	0820					174.0	11.6	10.6	97.9	753.4	8.0	105	36	6.0	310
91/07/09	0830					76.0	16.4	9.1	94.4	743.5	8.3	140	38	3.4	160
91/08/06	0820					69.0	20.1	8.7	97.3	742.7	7.8	147	42	6.3	660
91/09/03	0845					54.0	14.1	10.4	101.0	756.9	8.2	163	14	2.9	96

DATE	FROM	TO	DEPTH	TIME	FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
						630	613	610	671	665	8	900	340
						N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3	HI LEVEL
						MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/10/09	0805					0.09	0.00	0.01K	0.031	0.042	416156		
90/11/06	0800					0.16	0.01K	0.01K	0.040	0.060	456156		
90/12/04	0845						0.01K		0.040		496158		
91/01/08	0905					0.45	0.01K	0.01	0.050	0.090	26158		
91/02/05	0900					0.34	0.01K	0.03	0.069	0.079	66158		
91/03/05	0820					0.43J	0.01K	0.03L	0.060	0.190	106158		
91/04/02	0820					0.01	0.00	0.00	0.006	0.049	146158		
91/05/07	0840					0.06	0.01K	0.01	0.024	0.065	196158		
91/06/04	0820					0.13	0.01K	0.01	0.037	0.059	236158		
91/07/09	0830					0.14	0.01K	0.02	0.044	0.078	286158		
91/08/06	0820					0.11	0.01K	0.01K	0.038	0.076	326158		
91/09/03	0845					0.11	0.01K	0.01K	0.020	0.053	366158		

36A070 0536A070 12472900 541118
 COLUMBIA RIVER NEAR VERNITA
 46 38 34.0 119 43 54.0 2F 0 Elev= 0 ft
 53005 Washington Benton Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Esquatzel Coulee-36) 130536
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 26-00-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001
 MILES 0388.10

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/08	1120	88600.0	16.4	10.0	100.7	765.8	7.6	135	3	1.0K	1K
90/11/05	1130	63400.0	13.2	10.3	98.2	755.7	8.1	142	2	1.0K	1

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/08	1120	0.09	0.00	0.01K	0.013	0.019	416151	64	6
90/11/05	1130	0.33	0.01K	0.02	0.010	0.030	456151	63	5K

37A090 0537A090 12510500
 YAKIMA RIVER AT KIONA
 46 15 13.0 119 28 37.0 2F 0 Elev= 0 ft
 53005 Washington Benton Co. PACIFIC NORTHWEST
 YAKIMA (Lower Yakima-37) 130437
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 18-37-01 Class= B Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 002750
 MILES 0335.20 0029.80

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/08	1250	1460.0	13.1	12.4	116.8	764.0	8.4	299	9	2.7	21
90/11/05	1240	2430.0	8.6	13.2	113.6	754.9	8.6	257	8	1.7	8
90/12/03	1145	9850.0	4.4	12.8	98.7	758.4	7.4	109	90	21.0	100
91/01/07	1140	2880.0	0.1	14.3	98.5	757.2	7.5	199	12	3.7	26
91/02/04	1130	4030.0	4.8	12.2	95.7	753.6	7.5	152	20	4.1	46
91/03/04	1100	6500.0	5.3	11.7	95.6	733.0	7.7	134	46	11.5	39
91/04/01	1105	2780.0	11.9	13.3	124.8	746.8	8.9	192	21	4.0	6
91/05/06	1100	2440.0	14.3	10.7	104.9	752.9	8.4	190	23	5.2	22
91/06/03	1050	2220.0	18.5	10.4	111.3	752.3	8.3	236	19	4.4	57
91/07/08	1115	2190.0	19.9	9.8	108.6	747.0	8.1	203	23	7.9	57
91/08/05	1145	1410.0	23.8	8.9	106.3	745.2	7.9	263	28	9.4	100
91/09/02	1115	1590.0	19.6	9.8	106.5	756.7	8.3	239	20	7.0	83S

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/08	1250	1.08	0.01	0.01K	0.088	0.116	416152	5K	
90/11/05	1240	1.04	0.01	0.02	0.070	0.080	456152		
90/12/03	1145	0.33	0.01K	0.05	0.030	0.070	496151		
91/01/07	1140	0.83	0.01	0.09	0.060	0.100	26151		
91/02/04	1130	0.36	0.01K	0.08	0.046	0.061	66151		
91/03/04	1100	0.35	0.01K	0.04	0.040	0.090	106151		
91/04/01	1105	0.35	0.01	0.01	0.024	0.069	146151		
91/05/06	1100	0.49	0.01K	0.02	0.027	0.061	196151		
91/06/03	1050	0.86	0.01	0.01	0.041	0.069	236151		
91/07/08	1115	0.73	0.01K	0.01K	0.043	0.074	286151		
91/08/05	1145	1.20	0.02	0.02	0.096	0.139	326151		
91/09/02	1115	1.21	0.01	0.02	0.080	0.136	366151		

37A190 7737A190 12503950
 YAKIMA RIVER AT PARKER
 46 30 22.0 120 27 07.0 2F 0 Elev= 0 ft
 53077 Washington Yakima Co. PACIFIC NORTHWEST
 YAKIMA (Lower Yakima-37) 130437
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 18-37-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 002750
 MILES 0335.20 0104.60

DATE	DEPTH	STREAM FLOW	WATER TEMP	DO	DO SATUR	BAROMTRC PRESSURE	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
FROM TO	TIME FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	SU	LAB @ 25C UMHO	TOT-NFLT MG/L	LAB NTU	MFM-FCBR /100ML
90/10/08	1000	1320.0	10.0	11.8	105.5	750.8	6.8	171	10	4.2	180
90/11/05	1010	2260.0	6.1	12.6	103.6	743.2	7.7	142	11	2.0	34
90/12/03	1015	8680.0	4.0	13.1	101.5	747.0	7.1	66	36	15.0	85
91/02/04	1005	3720.0	3.9	12.9	100.6	740.4	7.2	93	6	4.2J	68
91/03/04	0940	5790.0	3.3	12.3	97.0	721.4	7.1	97	18	5.8	33
91/04/01	0945	1820.0	9.2	12.0	105.6	748.8	8.5	115	7	2.6	37
91/05/06	0930	2890.0	10.0	11.8	106.9	740.9	7.8	93	17	3.5	43
91/06/03	0940	2800.0	12.1	11.2	106.4	740.9	7.5	89	23	2.8	95
91/07/08	0940	1590.0	15.6	9.7	99.9	737.1	7.3	85	19	4.9	170
91/08/05	1000	1630.0	15.3	9.5	97.5	735.1	7.2	87	26	7.0	63
91/09/02	0950	1470.0	15.0	10.3	103.7	744.5	7.8	117	15	4.2	160

DATE	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	340
FROM TO	TIME FEET	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT. NUMBER	CACO3	HI LEVEL
		MG/L	MG/L	MG/L	MG/L P	MG/L P		MG/L	MG/L
90/10/08	1000	0.20	0.02	0.04	0.042	0.072	416150		
90/11/05	1010	0.19	0.01	0.05	0.030	0.050	456150		
90/12/03	1015	0.12	0.01K	0.03	0.020	0.050	496150		
91/02/04	1005	0.10	0.01K	0.02	0.018	0.028	66150		
91/03/04	0940	0.10	0.01K	0.03	0.020	0.040	106150		
91/04/01	0945	0.04	0.00	0.02	0.012	0.034	146150		
91/05/06	0930	0.08	0.01K	0.02	0.011	0.043	196150		
91/06/03	0940	0.09	0.01K	0.01	0.020	0.040	236150		
91/07/08	0940	0.17	0.01K	0.02	0.028	0.060	286150		
91/08/05	1000	0.20	0.01K	0.04	0.025	0.052	326150		
91/09/02	0950	0.20	0.01K	0.04	0.016	0.042	366150		

39A090 3739A090 12477600
 YAKIMA RIVER NEAR CLE ELUM
 47 11 10.0 121 02 30.0 2F 0 Elev= 0 ft
 53037 Washington Kittitas Co. PACIFIC NORTHWEST
 YAKIMA (Upper Yakima-39) 130439
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 18-39-05 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM

INDEX 1310001 002750
 MILES 0335.20 0191.00

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/15	0950	276.0	9.3	10.5	98.1	706.9		64	3	1.2	9
90/11/12	0850	1210.0	6.0	11.2	95.7	713.7	8.0	56	34	24.0	5
90/12/03	1030	4070.0	4.2	13.5	106.3	739.4	7.0	45	25	13.0	10
91/01/14	0950	787.0	2.1	12.2	94.3	712.7	8.0	50	24	10.0	8
91/02/11	0955	787.0	2.9	12.2	94.8	723.9	7.9	50	6	2.0	1K
91/03/11	0950	666.0	4.6	12.0	99.2	712.0	7.6	56	2	2.1	2
91/04/08	1015	860.0	4.5	11.8	97.0	714.0	7.8	66	13	11.0	1
91/05/13	0900	580.0	6.8	11.3	99.3	707.6	8.0	61	3	2.0	3
91/06/10	1015	188.0	9.8	10.4	97.8	710.9	7.2	58	3	1.0	2
91/07/15	0900	225.0	11.4	9.5	92.7	710.4	7.3	53	3	1.7	18
91/08/12	0925	196.0	12.8	9.2	91.7	717.0	6.9	51	2	2.6	6
91/09/09	0905	330.0	13.3	9.3	90.8	740.2	7.0	56	1	1.3	23

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/15	0950	0.01K	0.01K	0.02	0.010K	0.010	426002		
90/11/12	0850	0.05	0.01K	0.03	0.010K	0.060	466002		
90/12/03	1030	0.05	0.01K	0.02	0.010K	0.040	496000		
91/01/14	0950	0.07	0.01K	0.02	0.010K	0.050	36000		
91/02/11	0955	0.05	0.01K	0.01K	0.010K	0.010	116000		
91/03/11	0950	0.03	0.01K	0.01K	0.010K	0.020	116000		
91/04/08	1015	0.02	0.01K	0.01K	0.010K	0.019	156000		
91/05/13	0900	0.01K	0.01K	0.01	0.010K	0.010K	206000		
91/06/10	1015	0.01K	0.01K	0.01K	0.010K	0.010J	246000		
91/07/15	0900	0.01K	0.01K	0.01K	0.010K	0.010K	296000		
91/08/12	0925	0.01	0.01K	0.01	0.010K	0.011	336000		
91/09/09	0905	0.01K	0.01K	0.01K	0.010K	0.015	376000		

41A070 2541A070 12472600 541133
 CRAB CREEK NEAR BEVERLY
 46 49 53.0 119 48 54.0 2F 0 Elev= 0 ft
 53025 Washington GRANT CO. PACIFIC NORTHWEST
 UPPER COLUMBIA (Lower Crab-41) 130541
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 19-41-01 Class= B Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 003020
 MILES 0410.80 0006.00

DATE	FROM	TO	DEPTH	TIME	FEET	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
						60	10	300	301	25	400	95	530	82079	31616
						FLOW	TEMP	MG/L	SATUR	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
						CFS	CENT		PERCENT	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/17	1205					329.0	9.3	10.5	92.2	753.6	8.1	599	7	2.2	73
90/11/14	1210					193.0	8.3	11.9	102.5	750.6	8.6	750	12	2.7	29
90/12/05	1330					177.0	5.4	14.5	114.4	762.8	8.5	799	16	3.5	16
91/01/15	1700					222.0	3.8	11.8	89.7	760.7	8.9	995	30	11.5	45
91/02/13	1400					173.0	6.3	11.7	94.8	759.5	8.6	805	22	8.5	15
91/03/13	1340					153.0	10.7	14.2	128.7	754.4	8.8	795	21	6.1	2
91/04/10	1415					233.0	10.4	13.0	117.3	752.1	9.1	645	38	6.1	23
91/05/15	1305					253.0	16.4	10.3	106.3	749.0	8.7	600	98	15.5	32J
91/06/12	1410					252.0	14.8	10.2	101.9	747.8	8.6	560	68	15.0	72
91/07/17	1210					244.0	19.2	10.2	111.4	748.5	8.2	525	94	18.0	200
91/08/14	1215					296.0	22.2	8.7	100.6	748.3	8.4	507	78	12.0	57
91/09/11	1225					2298.0	18.8	10.6	115.2	746.3	8.8	537	21	4.5	100

DATE	FROM	TO	DEPTH	TIME	FEET	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
						630	613	610	671	665	8	900	340
						N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3	HI LEVEL
						MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/10/17	1205					1.53	0.01K	0.01	0.020	0.050	426014		
90/11/14	1210					2.66	0.01	0.01	0.050	0.080	466014		
90/12/05	1330					2.93	0.01	0.01	0.050	0.090	496015		
91/01/15	1700					2.91	0.02	0.12	0.140	0.230	36015		
91/02/13	1400					2.92	0.02	0.01	0.040	0.150	76015		
91/03/13	1340					2.59	0.01	0.01	0.020	0.120	116015		
91/04/10	1415					1.21	0.01K	0.01K	0.010K	0.081	156015		
91/05/15	1305					0.89	0.01K	0.02	0.016	0.081	206015		
91/06/12	1410					1.20	0.02	0.01K	0.016	0.089	246015		
91/07/17	1210					1.27	0.01	0.01K	0.010K	0.105	296015		
91/08/14	1215					1.13	0.01K	0.01	0.010K	0.072	336015		
91/09/11	1225					1.28	0.01	0.01K	0.010	0.043	376015		

44A070 1744A070 12462600
 COLUMBIA R BELOW ROCK ISLAND DAM
 47 18 40.0 120 05 02.0 2F 0 Elev= 0 ft
 53017 Washington DOUGLAS CO. PACIFIC NORTHWEST
 UPPER COLUMBIA (Moses Coulee-44) 130544
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 26-00-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001
 MILES 0450.90

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/15	1350	106500.0	15.6	10.3	105.4	741.9	7.7	139	2	1.0K	18
90/11/12	1225	186900.0	12.3	10.6	100.1	748.5	8.0	112	10	1.8	384J

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/15	1350	0.14	0.01K	0.02	0.010	0.020	426013		
90/11/12	1225	0.09	0.01K	0.01K	0.010	0.030	466013		

45A070 0745A070 12462520 541017
 WENATCHEE RIVER AT WENATCHEE
 47 27 32.0 120 20 07.0 2F 0 Elev= 0 ft
 53007 Washington Chelan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Wenatchee-45) 130545
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 21-45-01 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 003550
 MILES 0468.40 0001.10

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/15	1155	1600.0	8.8	12.9	113.7	740.2	7.8	65	4	1.0	45
90/11/12	1135	22700.0	7.8	12.0	102.3	747.3	7.6	30	34	4.0	15
90/12/03	1400	5460.0	4.1	15.0	115.9	751.1	7.9	50	10	3.8	5
91/02/11	1330	2560.0	3.7	13.1	100.9	746.0	8.0	63	8	1.0	2
91/03/11	1325	2700.0	6.1	12.4	101.6	745.5	8.0	77	2	1.1	2
91/04/08	1345	4150.0	6.1	13.5	110.3	747.5	9.2	67	5	2.5	1
91/05/13	1200	6830.0	8.4	12.3	107.7	738.1	7.4	48	15	2.3	1K
91/06/10	1430	9080.0	9.9	11.7	106.1	738.4	7.6	38	15	1.9	5
91/07/15	1130	6780.0	12.5	10.1	96.8	740.9	7.2	36	4		6
91/08/12	1215	2250.0	15.9	9.8	100.1	747.5	6.9	46	4	2.3	13
91/09/09	1205	790.0	14.4	10.8	106.8	748.0	7.7	66	2	1.9	42

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/15	1155	0.07	0.01K	0.01K	0.010K	0.010	426012	7	
90/11/12	1135	0.06	0.01K	0.01K	0.010K	0.020	466012		
90/12/03	1400	0.09	0.01K	0.01	0.010K	0.020	496002		
91/02/11	1330	0.07	0.01K	0.01K	0.010K	0.020	76002		
91/03/11	1325	0.07	0.01K	0.01	0.010K	0.020	116002		
91/04/08	1345	0.01K	0.01K	0.01K	0.010K	0.011	156002		
91/05/13	1200	0.03	0.01K	0.01	0.010K	0.011	206002		
91/06/10	1430	0.04	0.01K	0.01K	0.010K	0.010K	246002		
91/07/15	1130	0.04	0.01K	0.01	0.010K	0.010K	296002		
91/08/12	1215	0.08	0.01K	0.01K	0.010K	0.012	336002		
91/09/09	1205	0.20	0.01K	0.01K	0.010K	0.015	376002		

45A110 0745A110 12457800 541115
 WENATCHEE RIVER NEAR LEAVENWORTH
 47 40 35.0 120 44 00.0 2F 0 Elev= 0 ft
 53007 Washington Chelan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Wenatchee-45) 130545
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 21-45-01 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 003550
 MILES 0468.40 0035.60

DATE	DEPTH	STREAM FLOW	WATER TEMP	DO	DO SATUR	BAROMTRC PRESSURE	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI		
FROM	TO	DEPTH	FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	TOT-NFLT	LAB	MFM-FCBR
TO	TIME	FEET	FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	MG/L	NTU	/100ML
90/10/15	1145	1250.0	8.0	11.3	101.2	715.0	7.2	38	4	1.1	8		
90/11/12	1030	11300.0	7.5	10.9	95.6	720.9	7.6	30	16	1.8	6		
90/12/03	1245	4010.0	3.9	14.3	114.3	722.4	7.7	37	7	3.4	1K		
91/01/14	1155	2260.0	1.1	13.0	96.9	719.1	7.8	42	12	1.8	4		
91/02/11	1210	2300.0	2.7	12.5	97.2	719.6	7.9	42	8	1.0	1		
91/03/11	1215	2020.0	4.0	12.5	100.5	720.1	8.0	47	3	1.9	1		
91/04/08	1230	3090.0	4.8	12.4	101.6	721.9	8.2	45	4	2.8	1K		
91/05/13	1045	5470.0	6.6	11.4	98.8	714.2	6.9	50	8	2.1	11		
91/06/10	1230	7350.0	7.8	11.5	102.4	715.8	7.6	30	9	1.6	1		
91/07/15	1035	5720.0	10.9	9.8	93.7	716.5	7.6	28	2	1.8	1		
91/08/12	1115	1700.0	13.7	9.5	95.7	723.6	6.7	30	3	2.2	2		
91/09/09	1105	565.0	12.5	10.2	98.5	734.8	7.7	35	1	0.5	4		

DATE	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
FROM	TO	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3	HI LEVEL
TO	TIME	FEET	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/10/15	1145	0.01K	0.01K	0.01	0.010K	0.010K	426008		
90/11/12	1030	0.05	0.01K	0.01K	0.010K	0.010	466008		
90/12/03	1245	0.06	0.01K	0.01K	0.010K	0.020	496001		
91/01/14	1155	0.05	0.01K	0.02	0.010K	0.020	36001		
91/02/11	1210	0.04	0.01K	0.01K	0.010K	0.020	76001		
91/03/11	1215	0.03	0.01K	0.01K	0.010K	0.020	116001		
91/04/08	1230	0.03	0.01K	0.01K	0.010K	0.014	156001		
91/05/13	1045	0.06	0.01K	0.01	0.010K	0.010	206001		
91/06/10	1230	0.04	0.01K	0.01K	0.010K	0.010K	246001		
91/07/15	1035	0.03	0.01K	0.01K	0.010K	0.012	296001		
91/08/12	1115	0.01K	0.01K	0.01K	0.010K	0.010K	336001		
91/09/09	1105	0.01K	0.01K	0.01K	0.010K	0.016	376001		

46A070 0746A070 12452990 541018
 ENTIAT RIVER NEAR ENTIAT
 47 39 48.0 120 14 58.0 2F 0 Elev= 0 ft
 53007 Washington Chelan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Entiat-46) 130546
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 21-46-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 004000
 MILES 0483.70 0001.50

DATE	DEPTH	STREAM FLOW	WATER TEMP	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI		
FROM	TO	DEPTH	FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	TOT-NFLT	LAB	MFM-FCBR
TO	TIME	FEET									MG/L	NTU	/100ML
90/10/16	1250	117.0	7.6	12.3	104.7	745.0	7.7	94	2	1.0K	2		
90/11/13	1225	459.0	6.2	12.3	102.3	736.1	7.8	48	9	1.0K	29		
90/12/04	1530	510.0	3.4	14.1	108.8	738.9	7.9	56	4	1.0K	1K		
91/01/15	1430	170.0	0.7	13.6	96.2	749.6	8.0	74	12	1.2	18		
91/02/12	1550	195.0	3.8	12.6	97.0	748.0	8.1	80	3	1.0K	9		
91/03/12	1430	293.0	5.2	11.5	92.3	744.5	8.1	84	2	0.8	4		
91/04/09	1440	420.0	9.1	12.1	107.2	741.7	9.2	90	11	1.5	1K		
91/05/14	1400	1220.0	8.9	11.3	100.3	736.9	7.5	58	35	2.6	18		
91/06/11	1500	2590.0	9.0	11.3	100.3	738.6	8.0	37	24	2.1	5		
91/07/16	1350	1160.0	12.0	10.5	99.3	742.2	7.2	40	6	1.9	1		
91/08/13	1335	322.0	14.8	9.9	99.3	743.7	7.7	61	4	0.4	6		
91/09/10	1440	180.0	19.4	10.0	111.2	736.9	8.1	97	1	0.3	3		

DATE	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
FROM	TO	N-TOTAL	DISS	N TOTAL	ORTHO		IDENT.	CACO3	HI LEVEL
TO	TIME	MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/10/16	1250	0.08	0.01K	0.01	0.010K	0.010K	426007		
90/11/13	1225	0.03	0.01K	0.01K	0.010K	0.010	466007		
90/12/04	1530	0.04	0.01K	0.01K	0.010K	0.010	496011		
91/01/15	1430	0.08	0.01K	0.01K	0.010K	0.020	36011		
91/02/12	1550	0.03	0.01K	0.01K	0.010K	0.020	76011		
91/03/12	1430	0.02	0.01K	0.01K	0.010K	0.020	116011		
91/04/09	1440	0.01	0.01K	0.01K	0.010K	0.012	156011		
91/05/14	1400	0.01	0.01K	0.01	0.010K	0.015	206011		
91/06/11	1500	0.01K	0.01K	0.01K	0.010K	0.012	246011		
91/07/16	1350	0.01	0.01K	0.01K	0.010K	0.010K	296011		
91/08/13	1335	0.03	0.01K	0.01K	0.010K	0.010K	336011		
91/09/10	1440	0.10	0.01K	0.01K	0.010K	0.013	376011		

47A070 0747A070 12452500 541019
 CHELAN RIVER AT CHELAN
 47 50 23.0 120 01 11.0 2F 0 Elev= 0 ft
 53007 Washington Chelan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Chelan-47) 130547
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 21-47-101 Class= LC Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 004400
 MILES 0503.30 0004.80

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/16	1200	1910.0	15.1	9.6	98.2	734.3	7.8	53	1	1.0K	1
90/11/13	1140	2210.0	11.8	10.4	100.2	725.9	8.0	52	1	1.0K	1
90/12/04	1440	2210.0	8.6	11.9	106.5	725.9	8.4	55	1	1.0K	3
91/01/15	1330	2210.0	3.8	12.0	93.5	739.1	8.4	65	1	1.0K	1K
91/02/12	1500	2210.0	5.1	11.5	92.8	737.9	8.0	54	1K	1.0K	1K
91/03/12	1340	2210.0	5.7	11.6	95.6	734.1	8.0	72	1K	0.5	1K
91/04/09	1350	2220.0	8.6	11.5	102.0	732.0	8.6	55	1K	0.2	1K
91/05/14	1315	2220.0	13.7	10.5	105.0	729.2	7.2	62	2	1.1	1K
91/06/11	1400	5120.0	14.7	10.3	105.4	727.5	8.2	55	1	1.0	8
91/07/16	1255	3040.0	18.0	9.0	97.9	732.8	7.7	54	1	0.4	11
91/08/13	1250	2220.0	20.6	8.8	100.4	735.3	7.7	54	3	0.6	1
91/09/10	1400	1220.0	21.2	8.9	103.6	729.2	8.0	55	1	0.3	1K

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/16	1200	0.01K	0.01K	0.01K	0.010K	0.010K	426006	5	
90/11/13	1140	0.01	0.01K	0.01K	0.010K	0.010K	466006		
90/12/04	1440	0.02	0.01K	0.01K	0.010K	0.010K	496010		
91/01/15	1330	0.05	0.01K	0.01K	0.010K	0.010K	36010		
91/02/12	1500	0.07	0.01K	0.01K	0.010K	0.010K	76010		
91/03/12	1340	0.06	0.01K	0.01K	0.010K	0.010K	116010		
91/04/09	1350	0.05	0.01K	0.01K	0.010K	0.010K	156010		
91/05/14	1315	0.03	0.01K	0.01K	0.010K	0.010K	206010		
91/06/11	1400	0.03	0.01K	0.01K	0.010K	0.010K	246010		
91/07/16	1255	0.03	0.01K	0.01K	0.010K	0.010K	296010		
91/08/13	1250	0.01K	0.01K	0.01K	0.010K	0.010K	336010		
91/09/10	1400	0.01K	0.01K	0.01K	0.010K	0.010K	376010		

47B070 4748A140
 COLUMBIA RIVER AT CHELAN STATION
 47 48 55.0 119 58 50.0 2F000 Elev= 0 ft
 53007 Washington Chelan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Chelan-47) 130547
 21540000 Reach=17020005000 0.000 Drg= 0 sqmi
 AMBNT/STREAM/RMP

INDEX 1310001
 MILES 0504.10

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/12/04	1400	136000.0	9.7	11.8	107.3	733.3	8.2	150	3	1.0	4
91/01/15	1245	162000.0	3.1	12.9	97.5	748.0	8.6	150	2	1.0K	1K
91/02/12	1430	184000.0	2.4	13.3	98.8	747.0	8.4	145	2	1.0K	1K
91/03/12	1300	194000.0	6.7	13.3	110.9	744.0	8.3	149	3	1.5	1K
91/04/09	1310	173000.0	5.5	13.0	105.7	740.2	8.6	157	2	1.3	1K
91/05/14	1235	183000.0	9.8	12.0	108.6	738.1	7.8	140	7	4.2	4
91/06/11	1310	205000.0	11.4	11.9	112.1	735.8	8.1	129	8	2.6	3
91/07/16	1225	159000.0	14.3	10.1	100.4	742.7	7.7	129	3	1.4	1K
91/08/13	1225	170000.0	18.0	9.3	99.6	744.0	8.0	135	4	1.0	2
91/09/10	1330	81300.0	20.7	9.4	107.1	737.6	8.3	130	2	0.5	2

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/12/04	1400	0.11	0.01K	0.01K	0.020	0.020	496009		
91/01/15	1245	0.14	0.01K	0.02	0.010K	0.020	36009		
91/02/12	1430	0.15	0.01K	0.01K	0.010	0.030	76009		
91/03/12	1300	0.18	0.01K	0.02	0.010	0.030	116009		
91/04/09	1310	0.12	0.01K	0.01K	0.010K	0.014	156009		
91/05/14	1235	0.07	0.01K	0.03	0.010K	0.017	206009		
91/06/11	1310	0.05	0.01K	0.01K	0.010K	0.015	246009		
91/07/16	1225	0.04	0.01K	0.01	0.010K	0.015	296009		
91/08/13	1225	0.03	0.01K	0.01	0.010K	0.015	336009		
91/09/10	1330	0.06	0.01K	0.01K	0.014	0.022	376009		

48A070 4748A070 12449954 541020
 METHOW RIVER NEAR PATEROS
 48 04 29.0 119 57 20.0 2F 0 Elev= 0 ft
 53047 Washington Okanogan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Methow-48) 130548
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 22-48-01 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 004810
 MILES 0523.90 0005.00

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/16	1115	435.0	7.7	12.1	103.9	740.2	8.0	176	1	1.0K	2
90/11/13	1100	1730.0	5.4	12.2	100.3	730.5	8.0	99	5	1.0K	4
90/12/04	1305	1320.0	3.4	14.3	111.9	728.7	8.2	135	2	1.0K	1
91/02/12	1330	540.0	4.9	12.5	99.9	742.2	8.5	165	3	1.0K	2
91/03/12	1155	684.0	5.5	12.4	100.8	740.4	8.4	168	1	0.6	1K
91/04/09	1210	1180.0	7.8	11.6	100.4	736.1	8.1	165	5	1.3	1K
91/05/14	1145	4540.0	9.3	11.0	99.0	733.8	7.9	100	27	4.6	22
91/06/11	1220	8300.0	8.5	11.4	101.1	730.8	7.9	64	39	7.6	65
91/07/16	1140	3620.0	10.9	10.2	94.4	740.2	7.6	80	3	1.4	7
91/08/13	1125	1140.0	13.7	9.9	97.3	741.9	7.5	120	1	0.6	11
91/09/10	1230	395.0	16.7	10.0	105.6	735.3	8.6	171	1	0.3	4

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/16	1115	0.14	0.01K	0.01K	0.010K	0.010K	426005		
90/11/13	1100	0.09	0.01K	0.01K	0.010K	0.010K	466005		
90/12/04	1305	0.10	0.01K	0.01K	0.010K	0.010K	496008		
91/02/12	1330	0.08	0.01K	0.01K	0.010K	0.010	76008		
91/03/12	1155	0.09	0.01K	0.01K	0.010K	0.020	116008		
91/04/09	1210	0.06	0.01K	0.01K	0.010	0.010K	156008		
91/05/14	1145	0.04	0.01K	0.01	0.010K	0.014	206008		
91/06/11	1220	0.02	0.01K	0.01K	0.010K	0.017	246008		
91/07/16	1140	0.03	0.01K	0.01K	0.010K	0.010K	296008		
91/08/13	1125	0.05	0.01K	0.01K	0.010K	0.010K	336008		
91/09/10	1230	0.16	0.01K	0.01K	0.010K	0.012	376008		

48A140 4748A140 12449510-A
 METHOW RIVER AT TWISP
 48 21 35.0 120 06 47.0 2F000 Elev= 0 ft
 53047 Washington Okanogan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Methow-48) 130548
 21540000 Reach=17020008008 0.000 Drg= 0 sqmi
 AMBNT/STREAM/RMP

INDEX 1310001 004810
 MILES 0523.90 0039.40

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/16	1010	409.0	6.1	12.0	101.7	721.6	8.0	145	1	1.0K	1
90/11/13	1000	1740.0	5.3	12.1	101.4	715.0	7.8	89	2	1.0K	4
90/12/04	1200	1270.0	2.9	14.1	111.7	710.4	8.3	97	1	1.0K	1K
91/01/15	1050		3.1	12.7	98.9	726.4	8.6	137	2	1.0K	1K
91/02/12	1230	429.0	4.8	12.3	100.6	723.1	8.7	140	2	1.0K	2
91/03/12	1045	640.0	5.2	12.1	100.0	723.1	8.7	150	1	0.3	1
91/04/09	1050	1180.0	5.9	11.8	99.9	718.8	8.4	150	2	1.0	12
91/05/14	1040	4480.0	6.4	11.5	98.6	718.1	8.1	92	18	3.1	7
91/06/11	1105	7600.0	7.1	11.4	99.9	715.0	7.4	62	26	3.1	43
91/07/16	1035	3490.0	8.8	7.9	71.4	722.1	7.4	73	2	0.3	7
91/08/13	1015	1210.0	11.4	10.2	97.6	724.4	7.3	107	1	0.5	15
91/09/10	1130	381.0	14.4	10.5	108.0	719.6	8.1	140	1K	0.2	4

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/16	1010	0.10	0.01K	0.01	0.010K	0.010K	426004		
90/11/13	1000	0.07	0.01K	0.01K	0.010K	0.010K	466004		
90/12/04	1200	0.08	0.01K	0.01K	0.010K	0.010K	496007		
91/01/15	1050	0.09	0.01K	0.01K	0.010K	0.010K	36007		
91/02/12	1230	0.08	0.01K	0.01K	0.010K	0.010	76007		
91/03/12	1045	0.09	0.01K	0.01K	0.010K	0.010	116007		
91/04/09	1050	0.06	0.01K	0.01K	0.010K	0.010K	156007		
91/05/14	1040	0.04	0.01K	0.01	0.010K	0.012	206007		
91/06/11	1105	0.02	0.01K	0.01K	0.010K	0.010K	246007		
91/07/16	1035	0.02	0.01K	0.01K	0.010K	0.010K	296007		
91/08/13	1015	0.03	0.01K	0.01K	0.010K	0.010K	336007		
91/09/10	1130	0.13	0.01K	0.01K	0.010K	0.010K	376007		

49A070 4749A070 12447200
 OKANOGAN RIVER AT MALOTT
 48 16 53.0 119 42 12.0 2F 0 Elev= 0 ft
 53047 Washington Okanogan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Okanogan-49) 130549
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 22-49-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 004930
 MILES 0533.50 0017.00

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/16 0900		1470.0	8.6	10.7	93.6	742.4	7.9	221	3	1.0K	9
90/11/13 0910		9640.0	5.4	12.2	99.9	733.0	7.8	87	405	176.0	150
90/12/04 1030		3650.0	2.2	14.5	109.7	730.0	8.3	170	12	4.3	6S
91/02/12 1100		4860.0	0.0	13.2	92.2	745.0	8.5	209	33	4.1	4
91/03/12 0930		3680.0	4.1	12.4	96.9	743.5	8.8	269	9	1.6	1
91/04/09 0945		2500.0	8.1	10.9	94.7	739.4	8.4	229	20	7.5	29
91/05/14 0930		14200.0	9.3	11.0	98.3	738.9	8.1	137	260	48.0	140
91/06/11 0945		16800.0	10.8	10.8	100.7	733.0	8.0	117	89	21.0	37
91/07/16 0935		8380.0	15.2	10.7	108.8	740.2	7.1	110	44	3.9	25
91/08/13 0920		3630.0	19.1	8.3	90.7	745.7	8.1	203	14	2.4	65
91/09/10 0945		1180.0	18.5	8.6	93.6	740.4	8.2	258	3	1.6	9

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/16 0900		0.03	0.01K	0.02	0.010K	0.010	426003		
90/11/13 0910		0.05	0.01K	0.07	0.010K	0.230	466003		
90/12/04 1030		0.06	0.01K	0.01	0.010K	0.030	496006		
91/02/12 1100		0.07	0.01K	0.01K	0.010K	0.030	76006		
91/03/12 0930		0.02	0.01K	0.01K	0.010K	0.030	116006		
91/04/09 0945		0.01K	0.01K	0.01K	0.010K	0.019	156006		
91/05/14 0930		0.04	0.01K	0.05	0.010K	0.223	206006		
91/06/11 0945		0.01K	0.01K	0.01K	0.010K	0.057	246006		
91/07/16 0935		0.02	0.01K	0.01K	0.010K	0.030	296006		
91/08/13 0920		0.01K	0.01K	0.01K	0.010K	0.020	336006		
91/09/10 0945		0.04	0.01	0.01K	0.010K	0.019	376006		

49A190 4749A190 12439150 541023
 OKANOGAN RIVER AT OROVILLE
 48 56 20.0 119 25 36.0 2F 0 Elev= 0 ft
 53047 Washington Okanogan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Okanogan-49) 130549
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 22-49-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 004930
 MILES 0533.50 0078.00

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/16	0715	58.0	12.3	9.0	86.1	739.4	7.7	281	3	1.0K	9
90/11/13	0715	380.0	8.9	10.7	95.8	730.8	8.3	280	3	1.0	1
90/12/04	0800	200.0	5.0	12.5	102.1	728.5	9.4	340	4	1.3	25
91/01/15	0800	300.0	1.0	12.8	92.2	742.7	8.5	301	3	1.2	2
91/02/12	0815	1050.0	2.0	13.1	97.0	742.2	8.6	300	3	1.0K	1
91/03/12	0715	1820.0	3.3	14.4	110.6	740.9	8.8	272	3	1.1	
91/04/09	0710	215.0	6.7	12.8	107.7	737.6	8.7	300	6	1.6	5
91/05/14	0730	2020.0	13.6	10.6	104.6	737.9	8.8	301	4	1.8	4
91/06/11	0715	2060.0	15.5	9.7	100.6	731.0	8.2	281	2	1.1	1
91/07/16	0720	878.0	20.1	10.4	117.1	738.4	8.3	251	3	1.1	7
91/08/13	0710	1300.0	21.8	7.8	89.8	745.0	8.4	250	3	1.7	15
91/09/10	0720	190.0	18.1	8.7	93.9	740.7	8.3	260	5	3.0	9X

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/16	0715	0.01	0.01K	0.03	0.010K	0.040	426000		
90/11/13	0715	0.01K	0.01K	0.01K	0.010K	0.030	466000		
90/12/04	0800	0.01K	0.01K	0.01	0.010K	0.020	496004		
91/01/15	0800	0.05	0.01K	0.04	0.010K	0.020	36004		
91/02/12	0815	0.06	0.01K	0.01K	0.010K	0.020	76004		
91/03/12	0715	0.06	0.01K	0.01	0.010K	0.020	116004		
91/04/09	0710	0.01K	0.01K	0.01K	0.010K	0.012	156004		
91/05/14	0730	0.01K	0.01K	0.01	0.010K	0.012	206004		
91/06/11	0715	0.01K	0.01K	0.01K	0.010K	0.010K	246004		
91/07/16	0720	0.01K	0.01K	0.01K	0.010K	0.011	296004		
91/08/13	0710	0.01K	0.01K	0.01K	0.010K	0.014	336004		
91/09/10	0720	0.01K	0.01K	0.01K	0.010K	0.020	376004		

49B070 4749B070 12443600 541022
 SIMILKAMEEN RIVER AT OROVILLE
 48 56 05.0 119 26 27.0 2F 0 Elev= 0 ft
 53047 Washington Okanogan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Okanogan-49) 130549
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 22-49-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 004930 00590
 MILES 0533.50 0074.10 005.00

DATE	FROM	TO	DEPTH	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
TO	TIME	FEET	FLOW	CFS	TEMP	MG/L	SATUR	PRESSURE	MM OF HG	LAB @	TOT-NFLT	LAB	MFM-FCBR
					CENT		PERCENT		SU	25C UMHO	MG/L	NTU	/100ML
90/10/16	0740			1030.0	7.6	11.8	101.2	739.4	8.1	154	2	1.0K	4
90/11/13	0745			7100.0	5.2	13.5	110.4	730.5	8.2	85	208	74.0	28
90/12/04	0830			3050.0	2.2	15.1	114.5	728.5	9.0	110	10	3.7	2
91/01/15	0825				0.1	14.5	101.9	742.2	8.6	191	5	1.3	1K
91/02/12	0845			2260.0	0.2	14.1	99.4	742.2	8.6	159	33	8.0	1
91/03/12	0745			1650.0	4.2	12.9	101.5	740.4	8.8	205	3	1.5	1K
91/04/09	0745			2350.0	6.2	12.2	101.4	737.1	8.6	208	11	5.5	4
91/05/14	0750			12500.0	7.5	12.5	107.2	737.6	7.4	122	248	41.0	46
91/06/11	0745			8300.0	7.6	12.6	109.3	730.8	8.1	84	133	27.0	41
91/07/16	0740			7190.0	12.3	10.8	103.4	738.4	7.3	95	35	4.2	15
91/08/13	0730			2430.0	14.7	10.2	101.9	745.0	8.6	142	6	2.8	20
91/09/10	0745			811.0	15.2	9.9	100.6	740.4	8.2	191	3	2.0	6

DATE	FROM	TO	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
TO	TIME	FEET	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	MG/L P	IDENT.	CACO3	HI LEVEL
			MG/L	MG/L	MG/L	MG/L P			NUMBER	MG/L	MG/L
90/10/16	0740			0.01K	0.01K	0.02	0.010K	0.010K	426001		
90/11/13	0745			0.04	0.01K	0.05	0.010K	0.180	466001		
90/12/04	0830			0.05	0.01K	0.01	0.010K	0.030	496005		
91/01/15	0825			0.07	0.01K	0.02	0.010K	0.010K	36005		
91/02/12	0845			0.05	0.01K	0.01K	0.010K	0.040	76005		
91/03/12	0745			0.01K	0.01K	0.01K	0.010K	0.020	116005		
91/04/09	0745			0.01K	0.01K	0.01K	0.010K	0.013	156005		
91/05/14	0750			0.04	0.01K	0.07	0.010K	0.118	206005		
91/06/11	0745			0.01K	0.01K	0.01K	0.010K	0.066	246005		
91/07/16	0740			0.01	0.01K	0.01K	0.010K	0.026	296005		
91/08/13	0730			0.01K	0.01K	0.01	0.010K	0.012	336005		
91/09/10	0745			0.01K	0.01K	0.01K	0.010	0.015	376005		

51A070 4751A070 12437505
 NESPELEM RIVER AT NESPELEM
 48 10 03.0 118 58 50.0 2F 0 Elev= 0 ft
 53047 Washington Okanogan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Nespelem-51) 130551
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 22-51-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 005670
 MILES 0582.10 0005.40

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/17 0920		9.0	6.3	10.6	90.5	720.1	7.8	242	3	1.0K	47
90/11/14 0905		12.0	5.3	11.3	94.4	717.8	8.3	228	2	1.0K	15
90/12/05 1015		12.0	3.5	13.2	105.6	715.0	8.2	230	2	1.0K	120
91/02/13 1030		16.0	4.4	11.3	91.5	723.1	8.1	200	5	1.1	27
91/03/13 0845		16.0	4.3	11.4	92.0	723.9	8.0	205	3	1.1	56
91/04/10 0845		35.0	5.2	11.1	92.5	717.0	8.3	150	2	1.1	7
91/05/15 0915		41.0	10.4	10.4	97.0	726.4	8.1	140	58	10.0	76J
91/06/12 0835		36.0	11.1	10.1	97.1	716.0	7.7	154	3	1.5	72
91/07/17 0735		24.0	12.4	8.9	87.9	717.6	7.3	171	1	2.0	190
91/08/14 0750		8.0	14.1	8.4	85.8	720.1	7.5	232	4	1.5	280
91/09/11 0755		4.0	10.4	9.0	85.0	717.6	7.7	250	3	1.6	20

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/17 0920		0.16	0.01K	0.01	0.020	0.040	426011		
90/11/14 0905		0.28	0.01K	0.01K	0.020	0.030	466011		
90/12/05 1015		0.28	0.01K	0.01K	0.020	0.030	496014		
91/02/13 1030		0.28	0.01K	0.01	0.020	0.060	76014		
91/03/13 0845		0.18	0.01K	0.01	0.020	0.050	116014		
91/04/10 0845		0.13	0.01K	0.01K	0.010K	0.019	156014		
91/05/15 0915		0.07	0.01K	0.03	0.010K	0.043	206014		
91/06/12 0835		0.07	0.01K	0.01K	0.024	0.032	246014		
91/07/17 0735		0.08	0.01K	0.01	0.016	0.032	296014		
91/08/14 0750		0.06	0.01K	0.01	0.021	0.027	336014		
91/09/11 0755		0.06	0.01K	0.01K	0.020	0.033	376014		

52A070 1952A070 12434590 541024
 SANPOIL RIVER AT KELLER
 48 05 04.0 118 41 25.0 2F 0 Elev= 0 ft
 53019 Washington FERRY CO. PACIFIC NORTHWEST
 UPPER COLUMBIA (Sanpoil-52) 130552
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 23-52-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 006230
 MILES 0616.00 0011.70

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/17 0825		29.0	4.9	12.3	99.7	732.0	8.0	200	3	1.0K	7
90/11/14 0815		33.0	4.4	12.6	101.3	728.5	8.9	223	2	1.0K	11
90/12/05 0905		33.0	0.6	15.3	109.9	736.1	8.0	210	1	1.0K	8
91/02/13 0900		108.0	3.3	12.3	95.4	733.3	8.2	189	5	1.8	1K
91/03/13 0945		157.0	4.1	12.3	97.6	732.3	8.3	198	2	1.0	3
91/04/10 1010		360.0	4.6	12.0	97.2	726.4	8.3	148	17	3.9	1K
91/05/15 0825		350.0	10.5	9.8	92.8	717.0	8.0	139	31	8.9	11J
91/06/12 1005		292.0	12.5	10.0	98.1	724.2	8.2	162	12	3.4	32
91/07/17 0840		187.0	13.7	8.8	88.3	726.9	7.6	177	7	2.4	80
91/08/14 0840		92.0	16.7	9.2	98.1	728.5	8.2	205	4	1.2	28
91/09/11 0850		33.0	13.0	10.1	99.8	726.9	8.4	210	2	1.4	11

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/17 0825		0.01K	0.01K	0.01K	0.020	0.030	426010		
90/11/14 0815		0.01K	0.01K	0.01K	0.020	0.030	466010		
90/12/05 0905		0.01	0.01K	0.01K	0.020	0.030	496013		
91/02/13 0900		0.15	0.01K	0.01K	0.030	0.070	76013		
91/03/13 0945		0.01K	0.01K	0.01K	0.020	0.050	116013		
91/04/10 1010		0.09	0.01K	0.01K	0.022	0.044	156013		
91/05/15 0825		0.03	0.01K	0.01	0.019	0.050	206013		
91/06/12 1005		0.01K	0.01K	0.01K	0.030	0.048	246013		
91/07/17 0840		0.01K	0.01K	0.01K	0.028	0.043	296013		
91/08/14 0840		0.01K	0.01K	0.01K	0.023	0.034	336013		
91/09/11 0850		0.01K	0.01K	0.01K	0.015	0.028	376013		

52B070 4352B070
 LAKE ROOSEVELT FROM KELLER FERRY
 47 54 45.0 118 39 45.0 2F000 Elev= 0 ft
 53043 Washington Lincoln Co. PACIFIC NORTHWEST
 Columbia River below Yakima River 131052
 21540000 Reach=17020001000 0.000 Drg= 2 sqmi
 AMBNT/STREAM/RMP

INDEX 1310001
 MILES 0614.50

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
91/04/10	1135		5.2				8.4	149		1.1	
91/05/15	1000		9.9			730.5	8.7	145		2.4	
91/06/12	1125		11.7			727.2	8.3	138		1.3	
91/07/17	0910		17.8	9.2	100.1	729.7	8.0	123		1.8	
91/08/14	0920		20.8	8.5	98.1	730.0	8.3	135		0.3	
91/09/11	0925		19.8	8.9	100.9	728.7	8.4	121		0.3	

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
91/04/10	1135	0.13	0.01K	0.01K	0.010K	0.011	156025		
91/05/15	1000	0.01K	0.01K	0.01K	0.010K	0.014	206025		
91/06/12	1125	0.02	0.01K	0.01K	0.010K	0.010K	246025		
91/07/17	0910	0.01K	0.01K	0.01K	0.010K	0.012	296025		
91/08/14	0920	0.01K	0.01K	0.03	0.010K	0.010K	336025		
91/09/11	0925	0.03	0.01K	0.01	0.010K	0.012	376025		

53A070 4753A070 12436500
 COLUMBIA R AT GRAND COULEE DAM
 47 57 56.0 118 58 54.0 2F 0 Elev= 0 ft
 53047 Washington Okanogan Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Lower Lake Roosevelt-53) 130553
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 26-00-04 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001
 MILES 0596.00

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/17 0725		133500.0	15.2	8.5	86.3	740.9	7.2	122	1	1.0K	1
90/11/14 0720		152000.0	13.4	9.6	94.5	735.8	7.9	139	1	1.0K	1K

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/17 0725		0.08	0.01K	0.01K	0.010	0.020	426009		
90/11/14 0720		0.09	0.01K	0.01K	0.020	0.020	466009		

54A050 6554A050
 SPOKANE RIVER AT MOUTH
 47 54 30.0 118 19 00.0 2F000 Elev= 0 ft
 53065 Washington Stevens Co. PACIFIC NORTHWEST
 SPOKANE (Lower Spokane-54) 130354
 21540000 Reach=17010307000 0.000 Drg= 0 sqmi
 AMBNT/STREAM/RMP

INDEX 1310001 006500
 MILES 0638.90 0001.70

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/12/05	1330		7.7	11.3	97.4	737.9	7.8	177	3	1.1	1K
91/02/06	1410		2.6	13.0	98.5	736.6	7.9	123	4	5.4	1K
91/03/06	1305		5.2	13.5	110.7	728.7	7.3	87	5	7.9	5
91/04/03	1330		5.3	12.2	99.9	731.3	7.7	101	12	5.1	1
91/05/08	1350		9.2	11.9	108.6	721.6	7.9	78	9	4.5	1K
91/06/05	1305		14.7	11.2	114.7	727.2	7.9	96	3	1.5	2
91/07/10	1325		20.5	9.8	113.3	724.2	8.3	98	3	2.2	1K
91/08/07	1330		22.3	8.7	104.1	724.4	8.0	108	2	1.7	1K
91/09/04	1340		21.3	8.6	100.5	728.0	8.0	155	1K	0.9	2

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/12/05	1330	0.45	0.02	0.07	0.020	0.020	496172	74	
91/02/06	1410	0.43	0.01K	0.08	0.035	0.039	66172	50	
91/03/06	1305	0.31	0.01K	0.02	0.020	0.050	106172	35	
91/04/03	1330	0.43	0.00	0.02	0.013	0.030	146172	43	
91/05/08	1350	0.12	0.01K	0.01K	0.010K	0.018	196172	35	
91/06/05	1305	0.05	0.01K	0.01K	0.010K	0.015	236172	29	
91/07/10	1325	0.08	0.01K	0.01K	0.010K	0.015	286172	43	
91/08/07	1330	0.11	0.01K	0.02	0.010K	0.017	326172	49	
91/09/04	1340	0.23	0.01K	0.01K	0.010K	0.010K	366172	56	

54A120 6554A120 12424200 543108
 SPOKANE R AT RIVERSIDE STATE PK
 47 41 48.0 117 29 48.0 2F 0 Elev= 0 ft
 53063 Washington Spokane Co. PACIFIC NORTHWEST
 SPOKANE (Lower Spokane-54) 130354
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 24-54-01 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 006500
 MILES 0643.00 0066.00

DATE	FROM	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/09	1300		1820.0	12.0	11.3	110.1	721.1	8.7	170	2	1.0K	3
90/11/06	1305		3480.0	9.0	12.2	109.5	730.8	8.3	122	1	1.0K	6
90/12/04	1320		16000.0	7.3	13.8	121.8	713.5	7.3	75	1	1.1	8
91/01/08	1355		4900.0	2.7	14.5	112.9	720.1	7.9	497	1K	1.2	8
91/02/05	1430		6410.0	3.4	14.2	111.8	723.9	7.7	98	9	6.5	14X
91/03/05	1345		19100.0	4.0J	14.7	118.8	716.5	7.2	82	270J	85.0	84S
91/04/02	1315		7250.0	5.9	13.6	115.1	718.8	8.2	95	5	2.3	4
91/05/07	1325		12900.0	9.4	12.7	117.2	717.3	8.0	78	4	1.9H	
91/06/04	1315		12900.0	13.4	11.8	118.7	719.8	8.2	71	4	2.0	19
91/07/09	1525		5280.0	18.0	9.9	111.1	710.9	7.9	102	2	0.8	5
91/08/06	1500		2360.0	19.2	9.6	110.3	711.5	7.9	165	2	2.5	7
91/09/03	1530		1680.0	14.8	10.6	109.6	722.6	8.3	295	2	1.0	3

DATE	FROM	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/09	1300		0.44	0.02	0.37	0.013	0.021	416160	73	6
90/11/06	1305		0.27	0.03	0.12	0.030	0.040	456160	51	5K
90/12/04	1320		0.09	0.01K	0.02	0.010	0.020	496162	29	10K
91/01/08	1355		0.31	0.01K	0.09	0.030	0.040	26162	45	29
91/02/05	1430		0.28	0.01K	0.11	0.032	0.054	66162	39	10K
91/03/05	1345		0.96J	0.01K	0.03L	0.020	0.100	106162	29	19
91/04/02	1315		0.27	0.00	0.05	0.024	0.035	146162	38	10K
91/05/07	1325		0.12	0.01K	0.05	0.010K	0.015	196162	31	10K
91/06/04	1315		0.14	0.01K	0.03	0.010K	0.015	236162	43	19
91/07/09	1525		0.28	0.01K	0.06	0.010K	0.019	286162	45	2K
91/08/06	1500		0.54	0.01K	0.12	0.010K	0.025	326162	72	5
91/09/03	1530		1.22	0.03	0.49	0.015	0.028	366162	121	3

55B070 6355B070 12431900
 LITTLE SPOKANE RIVER NEAR MOUTH
 47 47 00.0 117 31 43.0 2F 0 Elev= 0 ft
 53063 Washington Spokane Co. PACIFIC NORTHWEST
 SPOKANE (Little Spokane-55) 130355
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 24-55-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 006500 00510
 MILES 0643.00 0056.30 001.10

DATE	DEPTH	STREAM FLOW	WATER TEMP	DO	DO SATUR	BAROMTRC PRESSURE	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
FROM TO	TIME FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	SU	LAB @ 25C UMHO	TOT-NFLT MG/L	LAB NTU	MFM-FCBR /100ML
90/10/09	1335	359.0	9.9	10.3	95.5	723.1	8.4	290	5	1.0K	14
90/11/06	1345	389.0	7.7	10.5	91.0	734.3	8.3	272	3	1.0K	4
90/12/04	1405	402.0	7.0	10.4	90.6	717.6	7.8	268	6	1.2	41
91/01/08	1440	376.0	5.7	10.8	90.3	723.9	8.1	271	15	2.3	75
91/02/05	1520	1040.0	3.5	10.9	85.6	728.0	7.7	174	600J	178.0	520
91/03/05	1415	871.0	6.2J	10.4	88.7	718.8	7.5	203	100	25.0	140
91/04/02	1350	587.0	10.3	9.5	88.9	722.9	8.2	230	22	3.0	23
91/05/07	1405	549.0	11.9	9.4	91.5	720.1	8.0	233	12	2.4H	
91/06/04	1400	497.0	14.1	9.6	97.8	722.6	8.3	255	12	2.2	16
91/07/09	1555	420.0	16.2	8.8	94.9	713.2	8.2	259	11	4.4	42
91/08/06	1525	357.0	15.8	9.3	99.3	714.8	7.5	279	7	4.2	49
91/09/03	1610	358.0	14.1	10.0	101.4	725.4	8.4	290	5	1.5	19

DATE	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	HI LEVEL
FROM TO	TIME FEET	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT. NUMBER	CACO3	MG/L
90/10/09	1335	1.07	0.01	0.01	0.012	0.020	416161	137	
90/11/06	1345	1.20	0.01K	0.01K	0.010	0.020	456161	136	
90/12/04	1405	1.21	0.01K	0.01	0.010	0.020	496163	131	
91/01/08	1440	1.36	0.01K	0.02	0.010	0.040	26163	134	
91/02/05	1520	0.77	0.01K	0.37	0.139	1.070	66163	71	
91/03/05	1415	0.95	0.01K	0.08	0.040	0.110	106163	92	
91/04/02	1350	0.89	0.00	0.01	0.013	0.035	146163	106	
91/05/07	1405	0.86	0.01K	0.01	0.010K	0.023	196163	108	
91/06/04	1400	0.89	0.01K	0.11	0.013	0.028	236163	126	
91/07/09	1555	1.04	0.01K	0.01K	0.010K	0.033	286163	123	
91/08/06	1525	1.10	0.01K	0.01K	0.010K	0.025	326163	133	
91/09/03	1610	1.12	0.01K	0.01K	0.010K	0.018	366163	139	

55B080 6355B080
 LITTLE SPOKANE RIVER NEAR GRIFFITH SPRINGS
 47 46 12.0 117 27 09.0 2F000 Elev= 0 ft
 53063 Washington Spokane Co. PACIFIC NORTHWEST
 SPOKANE (Little Spokane-55) 130355
 21540000 Reach=17010308000 0.000 Drg= 0 sqmi
 TYPEA/AMBNT/STREAM

INDEX 1310001 006500 00510
 MILES 0643.00 0056.30 007.50

DATE	DEPTH	STREAM FLOW	WATER TEMP	DO	DO SATUR	BAROMTRC PRESSURE	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI	
FROM	TO	DEPTH	TEMP	DO	SATUR	PRESSURE	PH	LAB @	TOT-NFLT	LAB	MFM-FCBR	
TO	TIME	FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	SU	25C UMHO	MG/L	NTU	/100ML
90/10/09	1410		10.2	9.9	92.4	722.9	8.5	280	3	1.0K	33	
90/11/06	1420		7.7	10.3	89.3	733.8	8.4	262	3	1.0K	31	
90/12/04	1430		7.0	10.0	87.2	717.6	8.0	259	3	1.0K	240	
91/01/08	1510		5.7	10.3	86.2	723.6	8.2	275	8	1.6	280	
91/02/05	1600		1.7	11.2	83.8	728.0	7.7	140	640J	220.0	700S	
91/03/05	1450		5.4J	10.8	90.3	718.8	7.6	193	89	22.5	120	
91/04/02	1420		10.4	9.6	90.1	721.9	8.3	219	19	3.1	53	
91/05/07	1435		12.2	9.4	92.1	720.1	8.3	220	9	2.1H		
91/06/04	1440		14.4	9.3	95.4	722.1	8.3	230	11	1.6	23	

DATE	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
FROM	TO	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3	HI LEVEL
TO	TIME	FEET	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/10/09	1410		1.03	0.01K	0.01K	0.016	0.018	416169	138
90/11/06	1420		1.10	0.01K	0.01K	0.010	0.020	456169	131
90/12/04	1430		1.11	0.01K	0.02	0.010	0.020	496164	125
91/01/08	1510		1.31	0.01K	0.02	0.010	0.030	26164	129
91/02/05	1600		0.61	0.01K	0.42	0.157	1.060	66164	58
91/03/05	1450		0.93	0.01K	0.07	0.040	0.110	106164	87
91/04/02	1420		0.77	0.00	0.01	0.012	0.035	146164	99
91/05/07	1435		0.75	0.01K	0.01	0.010K	0.024	196164	103
91/06/04	1440		0.79	0.01K	0.01K	0.014	0.029	236164	109

55B082 6355B082
 LITTLE SPOKANE RIVER ABOVE DARTFORD CREEK
 47 00 01.0 117 24 52.0 2F000 Elev= 0 ft
 53063 Washington Spokane Co. PACIFIC NORTHWEST
 SPOKANE (Little Spokane-55) 130355
 21540000 Reach=17010308000 0.000 Drg= 0 sqmi
 TYPEA/AMBNT/STREAM

INDEX 1310001 006500 00510
 MILES 0643.00 0056.30 010.30

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/09	1435		9.2	12.0	109.5	722.4	8.7	256	6	1.2	63
90/11/06	1445		5.2	12.6	102.7	733.0	8.5	242	2	1.0K	24
90/12/04	1455		4.1	12.4	100.5	717.3	8.1	236	5	1.2	24
91/01/08	1535		1.3	13.0	97.0	722.9	8.3	243	8	1.4	10
91/02/05	1625		0.7	12.0	87.4	728.2	7.6	104	510J	185.0	1300S
91/03/05	1515		3.9J	11.8	94.9	718.8	7.7	175	103	24.5	77S
91/04/02	1440		10.0	10.5	97.8	720.9	8.1	183	26	3.5	210
91/05/07	1455		12.8	10.2	101.3	719.8	8.3	178	11	2.5H	
91/06/04	1500		16.2	10.2	108.7	721.4	8.4	189	16	2.5	49

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/09	1435	0.85	0.01K	0.01K	0.013	0.017	416170	121	
90/11/06	1445	0.91	0.01K	0.02	0.010	0.020	456170	116	
90/12/04	1455	0.99	0.01K	0.02	0.010	0.030	496165	111	
91/01/08	1535	1.24	0.01K	0.02	0.020	0.040	26165	115	
91/02/05	1625	0.48	0.01K	0.48	0.181	1.100	66165	39	
91/03/05	1515	0.78J	0.01K	0.05L	0.050	0.160	106165	72	
91/04/02	1440	0.55	0.00	0.01	0.015	0.042	146165	80	
91/05/07	1455	0.47	0.01K	0.01	0.010K	0.032	196165	82	
91/06/04	1500	0.47	0.01K	0.01	0.020	0.037	236165	88	

55B100 6355B100
 LITTLE SPOKANE RIVER ABOVE PEONE CREEK
 47 47 54.0 117 22 54.0 2F000 Elev= 0 ft
 53063 Washington Spokane Co. PACIFIC NORTHWEST
 SPOKANE (Little Spokane-55) 130355
 21540000 Reach=17010308000 0.000 Drg= 0 sqmi
 TYPEA/AMBNT/STREAM

INDEX 1310001 006500 00510
 MILES 0643.00 0056.30 013.50

DATE	DEPTH	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
FROM	TO	DEPTH	TEMP	SATUR	PRESSURE	MM OF HG	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
TO	TIME	FEET	CFS	CENT	MG/L	PERCENT		25C UMHO	MG/L	NTU	/100ML
90/10/09	1455		8.6	12.3	110.8	721.6	8.3	251	2	1.0K	7
90/11/06	1510		4.4	13.0	103.9	732.8	8.5	232	2	1.0K	13
90/12/04	1530		3.3	12.7	100.7	717.6	8.1	229	4	1.0K	11
91/01/08	1600		0.1	13.1	94.6	722.4	8.3	230	13	2.3	11
91/02/05	1650		0.5	12.1	87.6	728.5	7.7	101	250J	103.0	2100S
91/03/05	1535		4.4J	11.9	97.0	718.1	7.5	173	38	12.0	230
91/04/02	1455		9.7	10.7	99.1	720.3	8.3	179	22	3.1	3
91/05/07	1520		13.0	10.2	101.9	718.8	8.2	178	9	2.1H	
91/06/04	1520		16.6	10.1	108.8	720.1	8.4	187	12	2.3	14

DATE	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
FROM	TO	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3	HI LEVEL
TO	TIME	MG/L	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/10/09	1455	0.87	0.01K	0.01K	0.010	0.013	416171	120	
90/11/06	1510	0.93	0.01K	0.01	0.010K	0.020	456171	116	
90/12/04	1530	1.01	0.01K	0.03	0.010	0.020	496166	107	
91/01/08	1600	1.27	0.01K	0.03	0.010	0.050	26166	108	
91/02/05	1650	0.45	0.01K	0.58	0.184	0.905	66166	32	
91/03/05	1535	0.77	0.01	0.09	0.050	0.120	106166	76	
91/04/02	1455	0.56	0.00	0.01	0.012	0.039	146166	78	
91/05/07	1520	0.47	0.01K	0.02	0.010K	0.032	196166	80	
91/06/04	1520	0.46	0.01K	0.01	0.014	0.033	236166	85	

55C070 7355C070
 PEONE (DEADMAN) CREEK ABOVE LITTLE DEEP CREEK
 47 47 37.0 117 22 33.0 2F000 Elev= 0 ft
 53063 Washington Spokane Co. PACIFIC NORTHWEST
 SPOKANE (Little Spokane-55) 130355
 21540000 Reach=17010308003 0.000 Drg= 0 sqmi
 TYPEA/AMBNT/STREAM

INDEX 1310001 006500 00510 0140
 MILES 0643.00 0056.30 013.10 000.50

DATE	DEPTH	STREAM	WATER	DO	DO	BAROMTRC	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
FROM	TO	FLOW	TEMP	SATUR	PERCENT	PRESSURE	SU	LAB @	TOT-NFLT	LAB	MFM-FCBR
TO	TIME	FEET	CFS	CENT	MG/L	MM OF HG		25C UMHO	MG/L	NTU	/100ML
90/10/09	1515		13.2	10.0	100.1	721.1	8.6	300	9	1.0K	10
90/11/06	1530		8.8	11.1	99.0	732.3	8.4	262	4	1.1	3
90/12/04	1545		7.0	11.3	98.5	717.8	8.2	239	6	1.6	7
91/01/08	1620		5.9	11.6	97.8	722.1	8.4	268	14	3.6	27
91/03/05	1550		3.8J	11.9	95.5	718.1	7.7	135	373	53.0	14S
91/04/02	1510		10.7	10.3	97.5	721.1	8.2	168	33	5.2	5
91/05/07	1530		12.0	10.2	99.8	718.1	8.1	139	15	2.2H	
91/06/04	1545		15.6	9.5	100.2	719.8	8.3	170	15	2.1	31

DATE	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	COD
FROM	TO	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT.	CACO3	HI LEVEL
TO	TIME	FEET	MG/L	MG/L	MG/L P	MG/L P	NUMBER	MG/L	MG/L
90/10/09	1515	0.82	0.01	0.01K	0.034	0.037	416172	136	
90/11/06	1530	0.73	0.01K	0.02	0.030	0.040	456172	124	
90/12/04	1545	0.62	0.01	0.01K	0.030	0.050	496167	108	
91/01/08	1620	0.78	0.02	0.03	0.050	0.100	26167	125	
91/03/05	1550	0.88J	0.01K	0.04L	0.060	0.160	106167	58	
91/04/02	1510	0.26	0.00	0.01	0.024	0.055	146167	65	
91/05/07	1530	0.25	0.01K	0.01	0.024	0.049	196167	60	
91/06/04	1545	0.36	0.01K	0.01K	0.042	0.066	236167	77	

56A070 6356A070 12424003 543150
 HANGMAN CR AT MOUTH AT SPOKANE
 47 39 17.0 117 27 12.0 2F 0 Elev= 0 ft
 53063 Washington Spokane Co. PACIFIC NORTHWEST
 SPOKANE (Hangman-56) 130356
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 24-56-03 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 006500 00540
 MILES 0643.00 0072.40 000.60

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/09	1225	8.0	10.1	14.9	139.1	721.6	8.8	400	9	2.6	11
90/11/06	1225	25.0	4.4	13.4	107.7	728.7	8.6	325	7	4.7	5
90/12/04	1245	72.0	2.0	12.7	98.2	711.2	7.8	222	13	38.0	75
91/02/05	1345	407.0	1.2	12.9	95.9	722.9	7.8	139	130	76.5	160
91/03/05	1310	2850.0	3.5J	11.8	94.5	714.0	7.2	125	1980J	395.0	350S
91/04/02	1245	131.0	11.5	10.3	99.7	717.6	8.6	187	14	14.0	3K
91/05/07	1250	42.0	13.6	10.9	110.8	716.0	8.8	231	4	2.6H	
91/06/04	1240	72.0	18.1	9.2	102.3	718.8	8.2	185	18	28.0	27
91/07/09	1455	18.0	22.8	10.8	133.1	710.2	8.4	290	2	2.0	32
91/08/06	1400	8.0	22.5	12.8	156.7	711.5	8.5	375	8	4.9	41
91/09/03	1455	5.0	20.1	12.7	146.3	722.1	8.7	412	5	2.1	10

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/09	1225	0.67	0.01	0.01K	0.042	0.047	416159		
90/11/06	1225	0.35	0.01K	0.02	0.030	0.050	456159		
90/12/04	1245	3.91	0.02	0.10	0.080	0.190	496161		
91/02/05	1345	1.94	0.01K	0.17	0.112	0.384	66161		
91/03/05	1310	5.80J	0.01K	0.15L	0.070	0.540	106161		
91/04/02	1245	1.66	0.00	0.01	0.032	0.082	146161		
91/05/07	1250	0.19	0.01K	0.01	0.010K	0.033	196161		
91/06/04	1240	0.55	0.01	0.05	0.056	0.089	236161		
91/07/09	1455	0.44	0.01K	0.01K	0.038	0.056	286161		
91/08/06	1400	0.91	0.01	0.02	0.033	0.063	326161		
91/09/03	1455	1.12	0.02	0.06	0.025	0.039	366161		

57A150 6357A150 12419495 541026
 SPOKANE RIVER AT STATELINE BR
 47 41 55.0 117 02 37.0 2F 0 Elev= 0 ft
 53063 Washington Spokane Co. PACIFIC NORTHWEST
 SPOKANE (Middle Spokane-57) 130357
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 24-57-04 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM

INDEX 1310001 006500
 MILES 0643.00 0096.00

DATE	DEPTH	STREAM FLOW	WATER TEMP	DO	DO SATUR	BAROMTRC PRESSURE	PH	CNDUCTVY	RESIDUE	TURBIDTY	FEC COLI
FROM TO	TIME FEET	CFS	CENT	MG/L	PERCENT	MM OF HG	SU	LAB @ 25C UMHO	TOT-NFLT MG/L	LAB NTU	MFM-FCBR /100ML
90/12/05	0720	15600.0	6.6	12.3	105.7	720.3	7.0	62	2	1.2	5
91/01/09	0730	4500.0	1.8	12.3	94.7	709.7	8.4	60	1	1.4	25
91/02/06	0710	5730.0	1.5	12.8	96.2	721.1	7.1	58	2	1.8	1K
91/03/06	0700	17100.0	2.5	13.2	103.2	711.7	6.9	54	2	3.8	3
91/04/03	0710	6840.0	3.8	12.1	97.3	716.8	7.9	64	4	2.5	4
91/05/08	0720	13000.0	9.1	11.3	105.6	703.6	7.3	53	3	2.1	1K
91/06/05	0645	13500.0	12.4	10.8	107.7	710.9	7.4	47	3	1.6	8
91/07/10	0700	4550.0	18.5	8.3	94.1	710.4	7.2	48	2	1.7	8
91/08/07	0645	1950.0	22.6	7.1	87.2	709.9	8.1	52	2	2.6	17
91/09/04	0705	749.0	19.3	7.6	87.0	714.8	7.4	59	3	1.7	630J

DATE	DEPTH	NO2+NO3	NO2-N	NH3+NH4-	PHOS-DIS	PHOS-TOT	LAB	TOT HARD	340
FROM TO	TIME FEET	N-TOTAL	DISS	N TOTAL	ORTHO	MG/L P	IDENT. NUMBER	CACO3	HI LEVEL
		MG/L	MG/L	MG/L	MG/L P	MG/L P		MG/L	MG/L
90/12/05	0720	0.03	0.01K	0.01	0.010	0.010	496169	24	
91/01/09	0730	0.05	0.01K	0.02	0.010K	0.010	26169	23	
91/02/06	0710	0.04	0.01K	0.04	0.013	0.008	66169	23	
91/03/06	0700	0.09	0.01K	0.01K	0.010K	0.020	106169	23	
91/04/03	0710	0.05	0.00	0.01	0.001	0.013	146169	23	
91/05/08	0720	0.02	0.01K	0.01K	0.010K	0.015	196169	22	
91/06/05	0645	0.01K	0.01K	0.01K	0.010K	0.014	236169	23	
91/07/10	0700	0.21	0.01K	0.01K	0.010K	0.010	286169	20	
91/08/07	0645	0.01	0.01K	0.03	0.010K	0.018	326169	20	
91/09/04	0705	0.04	0.01K	0.01K	0.010K	0.025	366169	21	

57A190

SPOKANE RIVER NEAR POST FALLS, IDAHO

47 42 10.0 116 58 40.0 2F 0 Elev= 0 ft

16055 Idaho Kootenai Co. PACIFIC NORTHWEST

SPOKANE (Middle Spokane-57) 130357

21540000 Reach= 0.000 Drg= 0 sqmi

Seg ID= 24-57-04 Class= (A) Miles= 0.00 to 0.00

AMBNT/STREAM/RMP

INDEX 1310001 006500

MILES 0643.00 0100.70

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/10	0725	1470.0	13.6	9.0	91.9	712.2	8.0	55	3	1.0	5
90/11/07	0720	2980.0	8.9	9.9	90.8	713.7	8.2	56	1	1.0K	2H

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/10	0725	0.01K	0.00K	0.01K	0.005	0.013	416162	23	
90/11/07	0720	0.01K	0.01K	0.01	0.010K	0.010	456162	23	

59A070 6559A070 12409000 541027
 COLVILLE RIVER AT KETTLE FALLS
 48 35 40.0 118 03 41.0 2F 0 Elev= 0 ft
 53065 Washington Stevens Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Colville-59) 130559
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 23-59-02 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 007100
 MILES 0695.00 0005.00

DATE	FROM	TO	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/10	1105			54.0	7.9	11.5	100.8	729.5	8.5	341	8	2.1	33
90/11/07	1105			109.0	3.3	12.1	94.6	728.2	8.3	354	4	1.5	31

DATE	FROM	TO	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/10	1105			0.16	0.00	0.01K	0.028	0.044	416164		
90/11/07	1105			0.35	0.01K	0.08	0.040	0.050	456164		

60A070 6560A070 12404900 541028
 KETTLE RIVER NEAR BARSTOW
 48 47 05.0 118 07 27.0 2F 0 Elev= 0 ft
 53065 Washington Stevens Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Kettle-60) 130560
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 23-60-04 Class= A Miles= 0.00 to 0.00
 AMBNT/STREAM/RMP

INDEX 1310001 007190
 MILES 0706.40 0010.90

DATE	FROM	TO	DEPTH	TIME	FEET	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/10	1140					464.0	8.5	11.6	102.8	731.5	8.5	220	2	1.0K	2
90/11/07	1200						3.2	13.1	101.8	730.3	8.3	201	2	1.0K	1K

DATE	FROM	TO	DEPTH	TIME	FEET	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/10	1140					0.05	0.00	0.01K	0.006	0.008	416165		5K
90/11/07	1200					0.08	0.01K	0.01K	0.010K	0.010K	456165		5K

61A070 6561A070 12399500 541029
 COLUMBIA R AT NORTHPORT
 48 55 21.0 117 46 32.0 2F 0 Elev= 0 ft
 53065 Washington Stevens Co. PACIFIC NORTHWEST
 UPPER COLUMBIA (Upper Lake Roosevelt-61) 130561
 21540000 Reach= 0.000 Drg= 0 sqmi
 Seg ID= 26-00-04 Class= AA Miles= 0.00 to 0.00
 AMBNT/STREAM/NASQAN

INDEX 1310001
 MILES 0735.10

DATE	FROM	TO	DEPTH	TIME	FEET	STREAM	FLOW	CFS	WATER	TEMP	CENT	DO	MG/L	DO	SATUR	PERCENT	BAROMTRC	PH	MM	OF	HG	CNDUCTVY	LAB	Q	25C	UMHO	RESIDUE	TOT-NFLT	MG/L	TURBIDTY	LAB	NTU	FEC COLI	MFM-FCBR	/100ML
90/12/05	1135					108000.0			5.8			13.6		111.7			738.4		7.6			161			2		2			1.0K		7			
91/02/06	1155					145000.0			2.2			13.3		99.7			737.1		7.2			152			1		1			1.0K		4			
91/03/06	1105					95000.0			4.7			13.5		109.4			728.2		7.7			152			2		2			1.8		1K			
91/04/03	1120					101000.0			3.7			12.5		98.3			731.0		8.2			152			7		7			1.0		1			
91/05/08	1115					130000.0			7.5			12.4		109.2			718.8		7.9			148			3		3			1.6		4			
91/06/05	1105					198000.0			11.4			12.6		120.1			727.2					160			5		5			2.0		7			
91/07/10	1100					132000.0			15.5			10.9		114.2			723.4		8.0			138			3		3			2.1		1			
91/08/07	1055					144000.0			16.4			10.8		115.1			724.4		7.8			121			2		2			2.0		18			
91/09/04	1135					72100.0			17.9			10.2		111.2			729.7		8.3			142			2		2			1.4		10			

DATE	FROM	TO	DEPTH	TIME	FEET	NO2+NO3	N-TOTAL	MG/L	NO2-N	DISS	MG/L	NH3+NH4-	N TOTAL	MG/L	PHOS-DIS	ORTHO	MG/L	PHOS-TOT	P	MG/L	P	MG/L	LAB	IDENT.	NUMBER	TOT HARD	CACO3	MG/L	HI LEVEL	MG/L
90/12/05	1135					0.08			0.01K			0.02		0.010K			0.020					496171			71					
91/02/06	1155					0.09			0.01K			0.03		0.011			0.014					66171			24					
91/03/06	1105					0.10			0.01K			0.01		0.010			0.020					106171			76					
91/04/03	1120					0.11			0.00			0.01		0.005			0.013					146171			72					
91/05/08	1115					0.08			0.01K			0.03		0.010K			0.022					196171			69					
91/06/05	1105					0.05			0.01K			0.01K		0.010K			0.013					236171			65					
91/07/10	1100					0.04			0.01K			0.01K		0.056			0.069					286171			67					
91/08/07	1055					0.07			0.01K			0.03		0.010K			0.021					326171			63					
91/09/04	1135					0.06			0.01K			0.01K		0.017			0.015					366171			61					

62A150 5162A150 12395500 541031
 PEND OREILLE RIVER AT NEWPORT
 48 11 07.0 117 02 02.0 2F 0 Elev= 0 ft
 53051 Washington Pend Oreille Co. PACIFIC NORTHWEST
 CLARK FORK, PEND OREILLE (Pend Oreille-6 130262
 21540000 Reach= 0.000 Drg= 0 sqmi
 AMBNT/STREAM/RMP

INDEX 1310001 007520
 MILES 0745.50 0088.20

DATE	DEPTH	60 STREAM FLOW CFS	10 WATER TEMP CENT	300 DO MG/L	301 DO SATUR PERCENT	25 BAROMTRC PRESSURE MM OF HG	400 PH SU	95 CNDUCTVY LAB @ 25C UMHO	530 RESIDUE TOT-NFLT MG/L	82079 TURBIDTY LAB NTU	31616 FEC COLI MFM-FCBR /100ML
90/10/10 0830		22800.0	13.6	9.6	98.3	710.7	8.2	165	3	1.0K	1
90/11/07 0840		27400.0	8.1	10.8	97.5	711.2	8.1	164	2	1.0K	1K
90/12/05 0840		23600.0	4.4	11.6	94.4	719.3	7.9	176	5	1.8	3
91/01/09 0910		28400.0	0.2	12.5	92.3	708.7	7.7	175	1	1.3	4
91/02/06 0840		24000.0	2.0	12.3	93.9	720.1	7.6	166	5	1.5	3X
91/03/06 0815		28800.0	3.0	12.9	102.4	710.7	7.7	163	4	2.2	1K
91/04/03 0820		21100.0	5.2	12.2	102.0	714.8	8.3	162	5	1.6	1K
91/05/08 0830		3600.0	8.8	11.7	108.8	702.1	8.1	161	4	2.1	3
91/06/05 0755		73500.0	11.7	11.4	112.1	709.9		148	7	2.7	4
91/07/10 0810		51400.0	17.0	10.0	110.3	708.7	8.3	148	3	2.1	1
91/08/07 0800		12100.0	21.6	8.6	103.9	708.7	8.0	147	2	1.8	3
91/09/04 0830		15800.0	20.7	8.5	100.2	713.7	8.5	121	2	1.2	3

DATE	DEPTH	630 NO2+NO3 N-TOTAL MG/L	613 NO2-N DISS MG/L	610 NH3+NH4- N TOTAL MG/L	671 PHOS-DIS ORTHO MG/L P	665 PHOS-TOT MG/L P	8 LAB IDENT. NUMBER	900 TOT HARD CACO3 MG/L	340 COD HI LEVEL MG/L
90/10/10 0830		0.01K	0.00K	0.01K	0.003	0.006	416163		
90/11/07 0840		0.01K	0.01K	0.01K	0.010K	0.010K	456163		
90/12/05 0840		0.03	0.01K	0.01K	0.010K	0.010K	496170		
91/01/09 0910		0.07	0.01K	0.01K	0.010K	0.010K	26170		
91/02/06 0840		0.04	0.01K	0.00K	0.008	0.007	66170		
91/03/06 0815		0.06	0.01K	0.01K	0.010K	0.020	106170		
91/04/03 0820		0.02	0.00	0.00	0.002	0.010K	146170		
91/05/08 0830		0.01K	0.01K	0.01K	0.010K	0.011	196170		
91/06/05 0755		0.01K	0.01K	0.01K	0.010K	0.014	236170		
91/07/10 0810		0.01K	0.01K	0.01K	0.010K	0.014	286170		
91/08/07 0800		0.01K	0.01K	0.01	0.010K	0.015	326170		
91/09/04 0830		0.01K	0.01K	0.01K	0.010K	0.011	366170		

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

COND	P95	umhos	107.762	29.179	21	119.611	18.436	18	83.389	13.980	18	100.389	19.014	18	159.000	40.000
------	-----	-------	---------	--------	----	---------	--------	----	--------	--------	----	---------	--------	----	---------	--------

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 03A060 Name: SKAGIT R NR MOUNT VERNON

Class: A Elevation: 14 River Mile: 15.90

Location:
LOCATED ONE MILE NORTH OF MOUNT VERNON AT THE BRIDGE CROSSING THE SKAGIT RIVER ON OLD HIGHWAY 99 (.3 MILE EAST OF INTERSTATE 5)

Water Years Sampled:
5 6 7 8 9
9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
X X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH-----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	7.543	2.350	21	4.979	1.102	19	8.700	1.182	18	13.278	1.049	18	16.200	2.600
PRESS	P25	mmHg	763.629	8.521	21	768.689	7.043	19	767.189	6.089	18	768.428	3.546	18	777.000	742.000
OXYGEN	P300	mg/L	11.781	0.827	21	12.505	0.541	19	11.611	0.595	18	10.444	0.326	18	13.500	9.700
PCTSAT	P301	Percent	97.367	3.762	21	96.526	3.396	19	98.347	4.154	17	98.024	3.304	17	109.400	85.800
FC	P31616	#/100ml	22.684	23.317	19	28.471	41.960	17	11.556	11.967	18	20.500	20.322	18	168.000	1.000
COD	P340	mg/L	6.231	2.743	13	7.231	3.632	13	11.571	18.760	14	5.077	1.320	13	76.000	4.000K
PH	P400	units	7.361	0.266	18	7.356	0.362	18	7.375	0.195	16	7.529	0.312	17	7.900	6.600
SUSSOL	P530	mg/L	34.571	36.226	21	27.056	43.494	18	15.889	12.820	18	21.850	32.310	16	130.000	1.000
FLOW	P60	CFS	17733.889	7995.018	18	18116.667	8902.807	18	19830.000	4357.331	18	12432.222	6123.142	18	28410.000	4750.000
NH3_N	P610	mg/L	0.018	0.010	20	0.018	0.011	18	0.014	0.006	18	0.011	0.003	16	0.050	0.010K
NO2_DIS	P613	mg/L	0.009	0.002	12	0.010	0.000	12	0.010	0.000	12	0.009	0.002	12	0.010	0.002
NO2_N	P615	mg/L	0.010	0.000	7	0.010	0.000	6	0.010	0.000	6	0.010	0.000	6	0.010	0.010K
NH3_UN	P619	mg/L	0.000	0.000	11	0.000	0.000	12	0.000	0.000	12	0.000	0.000	9	0.001	0.000
NO3_N	P620	mg/L	0.136	0.058	5	0.135	0.032	6	0.083	0.020	6	0.040	0.010	5	0.230	0.030
NO2_NO3	P630	mg/L	0.142	0.065	15	0.145	0.038	12	0.112	0.094	12	0.043	0.015	12	0.400	0.020
TP_P	P665	mg/L	0.043	0.034	20	0.031	0.037	18	0.016	0.007	16	0.020	0.021	17	0.120	0.010K
OP_DIS	P671	mg/L	0.010	0.002	18	0.011	0.005	18	0.010	0.000	18	0.010	0.002	18	0.030	0.001
COLOR	P80	Pt-Co	22.000	19.916	4	99.333	156.666	3	21.333	18.771	3	22.667	34.962	3	280.000	1.000
TURB	P82079	NTU	9.447	9.111	19	9.367	13.033	18	4.550	3.055	18	5.450	6.098	18	28.000	1.000K
HARD	P900	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	24.000	24.000
COND	P95	umhos	58.143	8.569	21	66.789	11.607	19	50.333	11.035	18	51.944	8.171	18	98.000	33.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 058070

Name: NF STILLAGUAMISH @ CICERO

Class: A Elevation: 110 River Mile: 9.50

Location:

LOCATED AT BRIDGE ON STATE HIGHWAY 530 7.2 MILES NORTHEAST OF ARLINGTON
AT CICERO

Water Years Sampled:

5	6	7	8	9												
9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	5.444	2.105	18	4.211	1.292	18	8.267	2.061	18	14.006	1.669	18	17.000	0.800
PRESS	P25	mmHg	762.933	9.176	18	765.950	6.331	18	763.833	5.885	18	764.028	3.759	18	776.700	736.000
OXYGEN	P300	mg/L	12.253	0.946	17	12.767	0.499	18	11.633	0.828	18	10.006	0.475	18	14.300	8.900
PCTSAT	P301	Percent	96.865	5.197	17	96.939	2.344	18	97.944	5.056	16	95.912	2.958	17	109.300	81.300
FC	P31616	#/100ml	18.882	18.871	17	33.833	31.714	18	27.533	32.872	15	98.176	196.093	17	830.000	3.000
PH	P400	units	7.300	0.285	15	7.335	0.252	17	7.294	0.277	16	7.606	0.388	17	8.800	6.500
SUSSOL	P530	mg/L	51.778	64.674	18	268.722	835.215	18	57.111	104.413	18	10.656	24.132	16	550.000	0.500
FLOW	P60	CFS	2154.118	1548.338	17	3141.647	4326.137	17	1916.000	961.866	18	510.056	448.284	18	4750.000	168.000
NH3_N	P610	mg/L	0.026	0.020	16	0.033	0.040	17	0.019	0.013	18	0.014	0.010	16	0.080	0.010K
NO2_DIS	P613	mg/L	0.009	0.003	9	0.010	0.000	12	0.010	0.000	12	0.009	0.002	12	0.010	0.002
NO2_N	P615	mg/L	0.010	0.000	8	0.010	0.000	5	0.010	0.000	6	0.010	0.000	6	0.010	0.010K
NH3_UN	P619	mg/L	0.000	0.000	10	0.000	0.000	11	0.000	0.000	12	0.000	0.000	9	*****	0.000
NO3_N	P620	mg/L	0.323	0.062	4	0.232	0.053	5	0.108	0.019	6	0.078	0.029	5	0.400	0.020
NO2_NO3	P630	mg/L	0.266	0.101	12	0.249	0.083	12	0.109	0.027	12	0.091	0.072	12	0.440	0.020
TP_P	P665	mg/L	0.053	0.038	16	0.125	0.291	17	0.034	0.023	16	0.020	0.021	17	0.130	0.006
OP_DIS	P671	mg/L	0.016	0.025	16	0.012	0.005	17	0.010	0.000	18	0.010	0.001	18	0.110	0.006
COLOR	P80	Pt-Co	34.500	10.472	4	330.500	465.983	2	36.667	2.309	3	2.000	1.732	3	660.000	1.000
TURB	P82079	NTU	14.994	17.104	16	45.861	108.824	18	15.322	18.855	18	2.418	4.349	17	270.000	0.500
COND	P95	umhos	62.667	20.062	18	55.722	13.611	18	47.722	7.976	18	84.667	18.026	18	118.000	30.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 07A090 Name: SNOHOMISH R @ SNOHOMISH

Class: A Elevation: 8 River Mile: 12.70

Location:
LOCATED AT BRIDGE ON AVENUE D IN SNOHOMISH, TWO BLOCKS SOUTH OF 2ND
STREET (OLD HIGHWAY 2)

Water Years Sampled:
5 6 7 8 9
9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
X X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	7.381	2.473	21	5.432	1.459	19	10.128	2.255	18	16.772	1.965	18	20.700	2.600
CU	P1042	ug/L	7.373	7.011	11	3.582	4.264	11	2.083	1.440	12	2.900	1.441	9	20.000	1.000
ZN	P1092	ug/L	6.250	7.506	10	5.273	3.495	11	8.708	7.919	12	4.611	3.560	9	28.000	1.000
ZN	P1094	ug/L	7.357	6.160	14	5.571	3.458	14	9.857	8.556	14	5.417	3.370	12	0.000	0.000
CD	P1113	ug/L	0.240	0.184	15	0.188	0.050	14	0.191	0.111	15	0.164	0.093	14	0.700	0.100
PB	P1114	ug/L	2.236	1.623	14	1.386	1.073	14	1.736	1.456	14	2.093	1.586	14	5.000	1.000
CR	P1118	ug/L	2.242	1.952	15	1.527	1.464	14	1.004	0.290	14	1.620	1.688	14	7.000	0.200
CU	P1119	ug/L	7.187	5.772	15	3.814	3.631	14	2.987	1.754	15	3.258	1.490	12	0.000	0.000
PRESS	P25	mmHg	769.005	5.071	21	767.021	6.262	19	764.722	6.086	18	763.739	5.720	18	781.000	748.800
OXYGEN	P300	mg/L	11.752	0.935	21	12.353	0.495	19	11.472	0.848	18	9.761	0.439	18	13.700	9.100
PCTSAT	P301	Percent	96.014	4.617	21	96.637	2.482	19	100.629	4.776	17	99.218	3.278	17	111.700	83.600
FC	P31616	#/100ml	135.200	116.714	20	50.125	52.417	16	45.056	51.016	18	54.944	30.128	18	3000.000	1.000
COD	P340	mg/L	8.615	4.350	13	7.500	2.682	14	10.929	17.517	14	8.357	7.841	14	71.000	4.000K
PH	P400	units	7.167	0.479	18	7.194	0.271	18	7.331	0.239	16	7.324	0.280	17	8.100	6.200
SUSSOL	P530	mg/L	25.450	32.144	20	17.333	16.578	18	11.176	13.376	17	4.625	2.500	16	140.000	1.000
FLOW	P60	CFS	11870.824	10335.295	17	9981.765	5153.892	17	11768.278	4084.340	18	3073.125	1763.439	16	41800.000	850.000
NH3_N	P610	mg/L	0.030	0.017	19	0.039	0.020	17	0.014	0.005	18	0.022	0.016	17	0.140	0.010K
NO2_DIS	P613	mg/L	0.009	0.002	12	0.010	0.000	12	0.010	0.000	12	0.009	0.002	12	0.010	0.002
NO2_N	P615	mg/L	0.010	0.000	8	0.010	0.000	5	0.010	0.000	6	0.010	0.000	6	0.010	0.010K
NH3_UN	P619	mg/L	0.000	0.000	10	0.000	0.000	11	0.000	0.000	12	0.000	0.000	9	*****	0.000
NO3_N	P620	mg/L	0.393	0.106	4	0.394	0.101	5	0.123	0.044	6	0.128	0.019	5	0.640	0.060
NO2_NO3	P630	mg/L	0.308	0.112	15	0.388	0.151	12	0.130	0.064	12	0.102	0.023	12	0.820	0.070
TP_P	P665	mg/L	0.042	0.038	19	0.034	0.035	17	0.015	0.008	16	0.016	0.010	17	0.150	0.010K
OP_DIS	P671	mg/L	0.011	0.005	19	0.010	0.000	17	0.010	0.000	18	0.010	0.002	18	0.030	0.002
HG	P71901	ug/L	0.064	0.020	14	0.046	0.011	12	0.050	0.017	15	0.080	0.071	12	0.300	0.020
COLOR	P80	Pt-Co	28.000	13.229	3	21.000	4.000	3	18.000	12.124	3	16.286	11.116	7	38.000	1.000
TURB	P82079	NTU	9.011	11.997	18	4.513	3.244	15	3.511	3.847	18	2.013	1.527	15	51.000	1.000K

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

HARD	P900	mg/L	20.235	6.978	17	24.611	9.153	18	20.500	8.992	18	24.889	5.561	18	45.000	10.000
COND	P95	umhos	45.333	11.753	21	46.947	8.052	19	35.000	4.703	18	55.556	14.674	18	74.000	29.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 07C070

Name: SKYKOMISH R @ MONROE

Class: A Elevation: 43 River Mile: 25.60

Location:

LOCATED AT THE RAILROAD TRESTLE .5 MILES EAST OF MONROE IN MONROE PARK

Water Years Sampled:

5 6 7 8 9
 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
 X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	7.518	2.649	17	4.456	1.658	18	8.683	1.880	18	15.678	1.833	18	19.200	2.000
PRESS	P25	mmHg	768.671	6.621	17	766.000	5.772	17	763.433	6.782	18	766.889	13.751	18	817.900	750.600
OXYGEN	P300	mg/L	12.171	0.823	17	12.865	0.501	17	12.056	0.847	18	10.594	0.386	18	14.300	10.000
PCTSAT	P301	Percent	99.865	4.058	17	98.925	2.955	16	102.529	5.295	17	105.529	3.168	17	114.100	88.400
FC	P31616	#/100ml	14.000	11.619	17	5.133	7.386	15	7.167	5.565	18	29.389	47.882	18	160.000	1.000
PH	P400	units	7.279	0.360	14	7.113	0.273	16	7.131	0.236	16	7.506	0.524	17	8.500	6.600
SUSSOL	P530	mg/L	11.813	21.392	16	8.250	11.162	16	8.765	11.138	17	3.787	3.153	15	76.000	1.000
FLOW	P60	CFS	4912.857	3837.528	14	5244.118	3305.600	17	7080.000	2179.830	18	2022.500	1321.527	18	15000.000	490.000
NH3_N	P610	mg/L	0.016	0.013	15	0.020	0.019	15	0.015	0.011	18	0.012	0.005	17	0.060	0.010K
NO2_DIS	P613	mg/L	0.010	0.000	8	0.010	0.000	10	0.010	0.000	12	0.009	0.002	12	0.010	0.002
NO2_N	P615	mg/L	0.010	0.000	8	0.010	0.000	5	0.010	0.000	6	0.010	0.000	6	0.010	0.010K
NH3_UN	P619	mg/L	0.000	0.000	10	0.000	0.000	11	0.000	0.000	12	0.000	0.000	9	*****.***	0.000
NO3_N	P620	mg/L	0.220	0.065	4	0.170	0.045	5	0.058	0.025	6	0.050	0.007	5	0.300	0.030
NO2_NO3	P630	mg/L	0.182	0.079	11	0.183	0.046	10	0.070	0.031	12	0.039	0.016	12	0.280	0.010K
TP_P	P665	mg/L	0.028	0.030	15	0.020	0.028	15	0.012	0.005	16	0.012	0.006	17	0.100	0.006
OP_DIS	P671	mg/L	0.010	0.000	15	0.010	0.001	15	0.010	0.000	18	0.010	0.002	18	0.010	0.003
COLOR	P80	Pt-Co	15.333	6.658	3	13.000	0.000	3	15.667	2.309	3	13.429	7.208	7	21.000	1.000
TURB	P82079	NTU	5.179	7.276	14	3.354	3.553	13	3.067	2.729	18	1.887	1.374	15	26.000	1.000K
COND	P95	umhos	41.353	14.013	17	39.471	6.266	17	30.500	5.721	18	43.667	8.738	18	83.000	24.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 07D150

Name: M F SNOQUALMIE R NEAR ELLISVILLE

Class: AA Elevation: 460 River Mile: 45.30

Location:

Water Years Sampled:

5 6 7 8 9
 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
 X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH-----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	14.800	2.571	3	0.000	0.000
ZN	P1094	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	4.000	0.000	2	0.000	0.000
CD	P1113	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.100	0.000	2	0.000	0.000
PB	P1114	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	1.000	0.000	2	0.000	0.000
CR	P1118	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.415	0.163	2	0.000	0.000
CU	P1119	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	3.000	0.000	2	0.000	0.000
PRESS	P25	mmHg	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	754.967	1.210	3	0.000	0.000
OXYGEN	P300	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	10.033	0.551	3	0.000	0.000
PCTSAT	P301	Percent	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	98.933	1.604	3	0.000	0.000
FC	P31616	#/100ml	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	42.667	50.292	3	0.000	0.000
PH	P400	units	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	6.567	0.153	3	0.000	0.000
SUSSOL	P530	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	6.000	2.646	3	0.000	0.000
FLOW	P60	CFS	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	598.333	531.045	3	0.000	0.000
NH3_N	P610	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.010	0.000	3	0.000	0.000
NO2_DIS	P613	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.010	0.000	3	0.000	0.000
NO2_NO3	P630	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.048	0.018	3	0.000	0.000
TP_P	P665	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.011	0.002	3	0.000	0.000
OP_DIS	P671	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.010	0.000	3	0.000	0.000
TURB	P82079	NTU	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	2.767	1.150	3	0.000	0.000
HARD	P900	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	11.000	2.646	3	0.000	0.000
COND	P95	umhos	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	33.667	12.014	3	0.000	0.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 07M070

Name: S F SNOQUALMIE R AT NORTH BEND

Class: AA Elevation: 435 River Mile: 2.01

Location:

Water Years Sampled:

5 6 7 8 9
 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
 X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH-----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	13.633	1.159	3	0.000	0.000
ZN	P1094	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	4.000	0.000	2	0.000	0.000
CD	P1113	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.260	0.226	2	0.000	0.000
PB	P1114	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	1.000	0.000	2	0.000	0.000
CR	P1118	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.830	0.665	2	0.000	0.000
CU	P1119	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	3.000	0.000	2	0.000	0.000
PRESS	P25	mmHg	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	754.567	1.041	3	0.000	0.000
OXYGEN	P300	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	10.367	0.153	3	0.000	0.000
PCTSAT	P301	Percent	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	99.933	2.136	3	0.000	0.000
FC	P31616	#/100ml	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	11.667	3.512	3	0.000	0.000
PH	P400	units	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	7.367	0.208	3	0.000	0.000
SUSSOL	P530	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	2.000	1.000	3	0.000	0.000
FLOW	P60	CFS	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	186.333	72.625	3	0.000	0.000
NH3_N	P610	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.012	0.003	3	0.000	0.000
NO2_DIS	P613	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.010	0.000	3	0.000	0.000
NO2_NO3	P630	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.247	0.043	3	0.000	0.000
TP_P	P665	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.012	0.004	3	0.000	0.000
OP_DIS	P671	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.010	0.000	3	0.000	0.000
TURB	P82079	NTU	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	1.533	0.551	3	0.000	0.000
HARD	P900	mg/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	32.000	6.083	3	0.000	0.000
COND	P95	umhos	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	71.667	11.504	3	0.000	0.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

COND	P95	umhos	481.941	1253.266	17	154.800	234.027	15	109.933	49.161	15	346.643	288.223	14	5260.000	4.000
------	-----	-------	---------	----------	----	---------	---------	----	---------	--------	----	---------	---------	----	----------	-------

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 09A060

Name: DUWAMISH R @ ALLENTOWN BR

Class: B Elevation: 20 River Mile: 8.30

Location:

LOCATED AT THE BRIDGE ON 42ND AVENUE SOUTH AT THE INTERSECTION WITH INTERURBAN AVENUE AT ALLENTOWN

Water Years Sampled:

5 6 7 8 9
 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
 X X X X X X X X X X X X X X X X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH-----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	7.718	2.779	17	6.393	1.369	15	12.247	2.677	15	17.413	1.870	15	20.400	2.200
CU	P1042	ug/L	5.427	5.157	11	6.109	8.000	11	1.958	1.177	12	4.222	3.063	9	28.000	1.000
ZN	P1092	ug/L	7.000	5.153	11	16.545	25.295	11	9.625	18.053	12	6.389	3.080	9	91.000	1.000
ZN	P1094	ug/L	6.538	4.824	13	16.818	25.135	11	10.083	17.876	12	6.500	2.799	10	0.000	0.000
CD	P1113	ug/L	0.362	0.474	13	0.818	1.985	11	0.187	0.109	12	0.668	1.516	12	6.800	0.100
PB	P1114	ug/L	2.483	1.722	12	1.718	1.550	11	1.950	1.541	12	2.258	1.612	12	5.000	1.000
CR	P1118	ug/L	1.148	1.217	13	1.438	1.875	11	1.368	1.185	12	1.098	1.279	12	7.000	0.200
CU	P1119	ug/L	5.246	4.699	13	6.382	7.810	11	2.500	1.446	12	4.450	2.833	10	0.000	0.000
PRESS	P25	mmHg	764.488	8.940	17	768.373	5.935	15	766.727	5.955	15	768.453	2.711	15	777.700	744.000
OXYGEN	P300	mg/L	10.582	1.644	17	11.414	0.438	14	9.913	1.163	15	8.013	0.998	15	12.400	6.400
PCTSAT	P301	Percent	87.335	9.346	17	91.693	3.228	14	90.821	7.203	14	82.136	10.430	14	111.500	64.800
FC	P31616	#/100ml	187.563	225.545	16	161.933	224.939	15	118.643	90.300	14	437.800	518.331	15	5300.000	6.000
PH	P400	units	7.286	0.257	14	7.279	0.226	14	7.331	0.170	13	7.371	0.190	14	7.700	6.700
SUSSOL	P530	mg/L	18.063	17.961	16	17.600	14.040	15	15.867	16.578	15	9.908	5.435	13	69.000	1.000
FLOW	P60	CFS	1576.700	1051.958	6	1896.067	771.814	6	1304.267	580.490	6	584.867	203.652	6	3477.500	353.800
NH3_N	P610	mg/L	0.316	0.543	15	0.201	0.219	15	0.116	0.185	15	0.242	0.429	13	2.100	0.010K
NO2_DIS	P613	mg/L	0.009	0.003	8	0.010	0.000	9	0.010	0.000	9	0.012	0.007	8	0.030	0.006
NO2_N	P615	mg/L	0.013	0.008	7	0.010	0.000	6	0.010	0.000	6	0.015	0.008	6	0.030	0.010K
NH3_UN	P619	mg/L	0.002	0.002	11	0.001	0.001	12	0.001	0.001	12	0.003	0.004	9	0.011	0.000
NO3_N	P620	mg/L	0.570	0.242	5	0.547	0.159	6	0.362	0.113	6	0.422	0.103	5	0.820	0.100
NO2_NO3	P630	mg/L	0.433	0.071	11	0.521	0.205	9	0.288	0.077	9	0.398	0.053	9	0.850	0.130
TP_P	P665	mg/L	0.125	0.164	16	0.079	0.043	15	0.058	0.062	13	0.113	0.146	14	0.710	0.020
OP_DIS	P671	mg/L	0.060	0.104	14	0.035	0.029	15	0.028	0.039	15	0.069	0.106	15	0.410	0.010K
HG	P71901	ug/L	0.061	0.010	13	0.044	0.016	11	0.060	0.033	11	0.082	0.045	11	0.200	0.020
COLOR	P80	Pt-Co	52.250	22.911	4	36.667	45.567	3	10.333	8.327	3	29.667	47.078	3	88.000	1.000
TURB	P82079	NTU	4.233	2.138	15	5.580	2.886	15	4.014	3.317	14	3.107	0.946	15	27.000	1.800
HARD	P900	mg/L	135.333	274.880	15	42.133	26.465	15	36.333	12.860	15	110.643	139.535	14	999.000	16.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 09A090

Name: GREEN R @ 212TH ST NR KENT

Class: A Elevation: 20 River Mile: 18.30

Location:

LOCATED AT THE O'BRIAN ROAD BRIDGE ON 212TH STREET, TWO MILES NORTHWEST OF KENT

Water Years Sampled:

5	6						7						8						9							
9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	
										X						X	X				X	X	X	X	X	X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	7.133	2.707	18	6.083	1.418	18	11.561	2.717	18	17.133	1.950	18	20.600	1.200
CU	P1042	ug/L	4.136	4.214	11	4.773	4.200	11	1.958	1.322	12	2.667	1.392	9	15.000	1.000
ZN	P1092	ug/L	4.136	2.730	11	7.818	9.532	11	3.917	3.274	12	4.111	2.408	9	33.000	1.000
ZN	P1094	ug/L	5.000	3.162	14	9.071	9.236	14	4.667	3.016	15	5.083	2.021	12	0.000	0.000
CD	P1113	ug/L	0.171	0.047	14	0.273	0.304	14	0.225	0.172	15	0.289	0.413	14	1.400	0.100
PB	P1114	ug/L	1.979	1.663	14	2.579	3.265	14	1.640	1.382	15	1.862	1.503	13	12.000	1.000
CR	P1118	ug/L	1.374	1.583	14	2.490	4.461	14	0.891	0.404	15	1.542	2.211	14	15.000	0.200
CU	P1119	ug/L	4.607	3.807	14	5.664	5.026	14	2.553	1.401	15	3.250	1.485	12	0.000	0.000
PRESS	P25	mmHg	764.367	8.380	18	767.300	6.438	18	766.000	5.706	18	767.061	3.118	18	776.700	745.000
OXYGEN	P300	mg/L	11.594	1.095	16	11.800	0.355	17	10.467	1.011	18	9.039	0.770	18	13.400	7.800
PCTSAT	P301	Percent	94.619	4.696	16	94.247	2.745	17	94.476	5.948	17	92.241	7.627	17	109.200	81.400
FC	P31616	#/100ml	85.765	98.765	17	153.588	187.258	17	126.278	209.030	18	316.706	556.064	17	2000.000	1.000
PH	P400	units	7.364	0.178	14	7.229	0.293	17	7.263	0.154	16	7.435	0.226	17	7.800	6.500
SUSSOL	P530	mg/L	17.059	15.510	17	32.111	71.377	18	12.778	12.168	18	8.550	4.979	16	54.000	1.000
FLOW	P60	CFS	1660.944	1235.265	18	2257.500	2172.354	18	1395.000	955.626	18	314.222	171.959	18	4390.000	155.000
NH3_N	P610	mg/L	0.053	0.040	16	0.058	0.029	18	0.055	0.087	18	0.050	0.052	16	0.850	0.010K
NO2_DIS	P613	mg/L	0.009	0.003	9	0.010	0.001	12	0.010	0.000	12	0.010	0.001	12	0.010	0.005
NO2_N	P615	mg/L	0.010	0.000	7	0.010	0.000	6	0.010	0.000	6	0.010	0.000	6	0.010	0.010K
NH3_UN	P619	mg/L	0.000	0.000	11	0.000	0.000	12	0.000	0.000	12	0.000	0.001	9	0.001	0.000
NO3_N	P620	mg/L	0.450	0.228	5	0.513	0.146	6	0.315	0.077	6	0.330	0.037	5	0.790	0.140
NO2_NO3	P630	mg/L	0.412	0.068	12	0.489	0.168	12	0.302	0.076	12	0.363	0.069	12	0.770	0.120
TP_P	P665	mg/L	0.054	0.034	17	0.059	0.058	18	0.034	0.008	16	0.049	0.016	16	0.140	0.020
OP_DIS	P671	mg/L	0.019	0.006	15	0.020	0.009	18	0.014	0.005	18	0.020	0.005	17	0.050	0.010K
HG	P71901	ug/L	0.063	0.020	13	0.045	0.016	13	0.069	0.056	15	0.085	0.058	12	0.250	0.020
COLOR	P80	Pt-Co	31.500	21.749	4	29.667	36.679	3	7.333	8.505	3	2.000	1.732	3	71.000	1.000
TURB	P82079	NTU	3.613	2.605	16	9.233	21.745	18	3.271	3.480	17	2.361	0.853	18	18.000	1.000K
HARD	P900	mg/L	32.438	10.276	16	30.556	8.820	18	33.056	10.247	18	46.176	7.756	17	62.000	17.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

COND	P95	umhos	100.500	44.892	18	79.944	21.364	18	90.278	28.188	18	140.056	34.899	18	209.000	41.000
------	-----	-------	---------	--------	----	--------	--------	----	--------	--------	----	---------	--------	----	---------	--------

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE
--

HARD	P900	mg/L	27.400	4.641	15	24.944	3.918	18	32.278	14.228	18	30.667	15.522	18	92.000	20.000
COND	P95	umhos	67.700	7.616	20	64.947	7.106	19	65.556	3.148	18	68.944	5.651	18	84.000	50.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 11A080 Name: NISQUALLY R @ MCKENNA

Class: A Elevation: 290 River Mile: 21.80

Location:
 LOCATED ON HIGHWAY 507 BRIDGE 1.5 MILES SOUTHEAST OF YELM JUST BEFORE
 ENTERING MCKENNA ON THE PIERCE-THURSTON COUNTY LINE

Water Years Sampled:
 5 6 7 8 9
 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
 X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	7.000	3.000	3	4.267	1.365	3	8.900	1.539	6	12.733	1.227	6	14.700	4.000
PRESS	P25	mmHg	758.200	6.894	3	757.067	7.427	3	755.517	1.955	6	757.683	3.222	6	766.100	753.400
OXYGEN	P300	mg/L	12.100	1.803	3	11.900	0.283	2	11.450	0.485	6	10.400	0.346	6	14.100	9.800
PCTSAT	P301	Percent	99.033	8.028	3	93.700	1.556	2	99.000	3.127	6	97.850	1.931	6	108.300	94.200
FC	P31616	#/100ml	65.500	48.790	2	31.333	25.929	3	128.500	284.975	6	17.333	11.343	6	710.000	9.000
PH	P400	units	7.700	0.200	3	7.033	0.351	3	7.367	0.308	6	7.483	0.279	6	7.900	7.000
SUSSOL	P530	mg/L	122.333	154.972	3	12.667	15.044	3	8.667	7.992	6	5.033	7.038	6	300.000	1.000
FLOW	P60	CFS	1833.333	855.648	3	1236.000	562.181	3	1104.167	527.735	6	469.333	60.258	6	1930.000	434.000
NH3_N	P610	mg/L	0.044	0.015	3	0.032	0.024	3	0.014	0.005	6	0.010	0.001	6	0.060	0.010K
NO2_DIS	P613	mg/L	0.008	0.004	3	0.010	0.000	3	0.010	0.000	6	0.009	0.004	6	0.010	0.001
NO2_NO3	P630	mg/L	0.270	0.072	3	0.331	0.039	3	0.167	0.070	6	0.061	0.018	6	0.330	0.060
TP_P	P665	mg/L	0.118	0.116	3	0.080	0.042	2	0.018	0.012	6	0.151	0.342	6	0.850	0.010K
OP_DIS	P671	mg/L	0.009	0.002	3	0.010	0.000	2	0.010	0.000	6	0.010	0.002	6	0.010	0.006
TURB	P82079	NTU	81.833	106.912	3	12.167	8.622	3	4.250	3.158	6	6.667	9.565	6	205.000	1.000K
COND	P95	umhos	54.333	6.028	3	59.000	6.000	3	59.167	3.545	6	58.500	4.722	6	66.000	48.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

HARD	P900	mg/L	39.533	10.643	15	33.500	7.374	18	65.611	94.045	18	53.222	18.008	18	440.000	18.000
COND	P95	umhos	98.143	21.910	21	79.316	14.322	19	108.500	10.354	18	132.444	10.107	18	148.000	54.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 23A160

Name: CHEHALIS R @ DRYAD

Class: A Elevation: 288 River Mile: 101.70

Location:

LOCATED AT THE BRIDGE LEAVING DRYAD ON THE SOUTHEAST AND APPROXIMATELY
1.5 MILES EAST OF DOTY

Water Years Sampled:

5	6	7	8	9
9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4				
X X X X X X X X			X X X X X X X X X X X X X X X X	

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	7.238	2.622	21	6.778	1.289	18	13.472	3.075	18	17.650	2.980	18	22.500	3.500
PRESS	P25	mmHg	759.757	7.264	21	758.989	6.779	18	757.400	5.525	18	757.122	4.737	18	775.000	736.000
OXYGEN	P300	mg/L	12.100	1.051	19	12.418	0.623	17	11.522	1.128	18	10.189	0.600	18	14.000	9.100
PCTSAT	P301	Percent	99.568	4.788	19	101.935	3.846	17	110.200	7.241	17	105.918	5.143	17	125.100	86.800
FC	P31616	#/100ml	56.500	76.769	20	44.765	57.671	17	26.278	33.863	18	47.941	86.569	17	380.000	1.000
PH	P400	units	7.386	0.267	21	7.150	0.294	18	7.789	0.504	18	7.644	0.358	18	8.500	6.400
SUSSOL	P530	mg/L	8.905	18.569	21	16.125	36.173	16	3.118	1.453	17	2.824	1.912	17	150.000	1.000
FLOW	P60	CFS	951.611	826.438	18	1710.333	1560.772	15	310.118	224.146	17	60.522	26.779	18	6100.000	17.000
NH3_N	P610	mg/L	0.012	0.005	19	0.021	0.019	17	0.014	0.009	14	0.011	0.003	17	0.070	0.010K
NO2_DIS	P613	mg/L	0.009	0.002	10	0.010	0.000	9	0.010	0.000	10	0.009	0.002	11	0.010	0.003
NO2_N	P615	mg/L	0.010	0.000	6	0.028	0.040	5	0.010	0.000	5	0.010	0.000	6	0.100	0.010K
NH3_UN	P619	mg/L	0.000	0.000	13	0.000	0.000	13	0.000	0.000	10	0.000	0.000	9	0.001	0.000
NO3_N	P620	mg/L	0.555	0.161	4	0.490	0.141	5	0.127	0.021	3	0.042	0.025	5	0.720	0.020
NO2_NO3	P630	mg/L	0.476	0.277	15	0.516	0.110	12	0.209	0.080	11	0.071	0.051	12	0.870	0.010K
TP_P	P665	mg/L	0.029	0.028	19	0.037	0.031	17	0.017	0.007	13	0.021	0.005	16	0.130	0.010K
OP_DIS	P671	mg/L	0.010	0.003	17	0.010	0.001	17	0.011	0.002	17	0.010	0.002	18	0.020	0.008
COLOR	P80	Pt-Co	46.000	33.719	3	18.333	2.309	3	25.000	5.657	2	58.667	7.506	3	83.000	17.000
TURB	P82079	NTU	2.811	4.741	18	5.307	10.634	14	1.456	0.907	16	1.165	0.234	17	47.000	1.000K
COND	P95	umhos	68.714	9.850	21	60.333	7.063	18	69.706	7.139	17	84.833	5.823	18	94.000	50.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 23E070 Name: BLACK RIVER @ MOON ROAD BRIDGE Class: A Elevation: 90 River Mile: 7.10

Location:
LOCATED AT THE BRIDGE 6.7 MILES WEST OF I-5 (WEST OF ROCHESTER) AND .6 MILES NORTH ON MOON ROAD.

Water Years Sampled:
5 6 7 8 9
9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
X X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH-----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	7.867	1.960	3	5.800	2.193	3	13.000	1.308	3	16.667	2.093	6	19.700	5.800
CU	P1042	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	5.000	5.000
ZN	P1092	ug/L	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	5.000	5.000
ZN	P1094	ug/L	5.333	0.577	3	6.333	4.041	3	0.000	0.000	0	6.500	4.359	4	0.000	0.000
CD	P1113	ug/L	0.000	0.000	0	0.110	0.017	3	0.100	0.000	3	0.110	0.020	4	0.100	0.100
PB	P1114	ug/L	0.000	0.000	0	1.150	0.212	2	1.000	0.000	2	1.000	0.000	4	1.000	1.000
CR	P1118	ug/L	0.000	0.000	0	0.663	0.006	3	0.635	0.007	2	0.805	0.813	4	0.600	0.600
CU	P1119	ug/L	0.000	0.000	0	2.767	1.328	3	3.000	0.000	3	3.500	1.000	4	0.000	0.000
PRESS	P25	mmHg	763.600	5.462	3	766.133	4.508	3	765.800	4.571	3	764.467	4.230	6	769.900	760.200
OXYGEN	P300	mg/L	8.167	1.818	3	8.900	0.141	2	8.167	0.651	3	7.250	0.288	6	10.200	6.700
PCTSAT	P301	Percent	67.767	11.944	3	72.900	2.263	2	76.400	4.194	3	73.483	3.772	6	81.300	58.700
FC	P31616	#/100ml	0.000	0.000	0	581.000	590.866	3	27.667	16.653	3	108.167	201.811	6	540.000	27.000
PH	P400	units	7.100	0.529	3	7.267	0.513	3	7.000	0.200	3	7.300	0.126	6	7.500	6.500
SUSSOL	P530	mg/L	5.333	3.215	3	3.000	2.000	3	5.333	3.215	3	1.567	0.898	6	9.000	1.000
NH3_N	P610	mg/L	0.077	0.036	3	0.085	0.051	3	0.024	0.017	3	0.017	0.007	6	0.080	0.017
NO2_DIS	P613	mg/L	0.026	0.022	2	0.011	0.001	3	0.010	0.000	3	0.009	0.003	6	0.010	0.003
NO2_NO3	P630	mg/L	0.809	0.078	3	0.753	0.206	3	0.738	0.057	3	0.762	0.150	6	0.910	0.540
TP_P	P665	mg/L	0.113	0.048	3	0.080	0.034	3	0.035	0.007	2	0.034	0.017	6	0.090	0.003
OP_DIS	P671	mg/L	0.069	0.055	2	0.043	0.015	3	0.019	0.002	2	0.018	0.009	6	0.030	0.010K
HG	P71901	ug/L	0.058	0.031	3	0.040	0.000	3	0.160	0.208	3	0.024	0.020	3	0.000	0.000
TURB	P82079	NTU	7.400	7.920	2	2.033	0.252	3	2.467	0.321	3	1.083	0.204	6	13.000	1.000K
HARD	P900	mg/L	26.500	16.263	2	26.667	3.215	3	33.333	4.041	3	43.400	4.393	5	41.000	15.000
COND	P95	umhos	83.000	30.790	3	72.333	7.506	3	91.000	12.000	3	112.333	6.861	6	125.000	57.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 24B090

Name: WILLAPA R NR WILLAPA

Class: A Elevation: 50 River Mile: 17.70

Location:

LOCATED AT THE BRIDGE ON BULLARD ROAD ABOUT ONE MILE NORTH OF STATE HIGHWAY 6 EAST OF RAYMOND

Water Years Sampled:

5 6 7 8 9
 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
 X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	8.078	2.928	18	7.553	1.308	19	13.594	3.078	18	18.381	3.254	16	24.000	4.400
PRESS	P25	mmHg	768.767	6.954	18	766.737	6.557	19	766.194	4.462	18	766.131	5.149	16	782.000	745.000
OXYGEN	P300	mg/L	11.700	1.028	16	12.039	0.689	18	11.289	1.102	18	9.844	0.651	16	13.700	8.400
PCTSAT	P301	Percent	96.238	5.223	16	99.661	4.443	18	107.176	7.034	17	102.567	8.617	15	120.500	84.700
FC	P31616	#/100ml	129.235	212.920	17	264.889	933.495	18	105.438	72.444	16	277.733	429.122	15	4000.000	1.000
PH	P400	units	7.339	0.273	18	7.268	0.340	19	7.489	0.371	18	7.463	0.330	16	8.000	6.700
SUSSOL	P530	mg/L	7.722	8.910	18	15.588	30.218	17	30.611	107.435	18	4.133	2.850	15	460.000	1.000
FLOW	P60	CFS	620.520	674.467	15	1153.667	1041.653	18	257.433	176.432	18	43.069	22.631	16	4240.000	22.100
NH3_N	P610	mg/L	0.023	0.010	16	0.034	0.027	17	0.018	0.011	14	0.022	0.005	14	0.080	0.010K
NO2_DIS	P613	mg/L	0.010	0.000	8	0.010	0.000	9	0.010	0.000	10	0.010	0.000	10	0.010	0.010K
NO2_N	P615	mg/L	0.010	0.000	6	0.010	0.000	5	0.010	0.000	5	0.010	0.000	6	0.010	0.010K
NH3_UN	P619	mg/L	0.000	0.000	13	0.000	0.000	13	0.000	0.000	10	0.000	0.000	9	0.001	0.000
NO3_N	P620	mg/L	0.833	0.239	4	0.846	0.237	5	0.320	0.075	3	0.244	0.032	5	1.200	0.200
NO2_NO3	P630	mg/L	0.840	0.390	12	0.891	0.164	12	0.404	0.121	11	0.249	0.050	10	1.170	0.170
TP_P	P665	mg/L	0.039	0.028	16	0.035	0.031	17	0.021	0.011	13	0.030	0.016	13	0.120	0.010K
OP_DIS	P671	mg/L	0.011	0.004	15	0.010	0.001	17	0.010	0.000	17	0.010	0.000	16	0.020	0.010K
COLOR	P80	Pt-Co	52.667	30.436	3	19.667	2.309	3	25.000	0.000	2	47.667	33.858	3	87.000	17.000
TURB	P82079	NTU	2.247	1.356	15	4.193	5.830	14	1.600	1.000	16	1.607	0.453	15	50.000	1.000K
COND	P95	umhos	69.778	7.488	18	59.158	5.398	19	66.000	6.834	18	80.875	8.884	16	87.000	49.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 26B070 Name: COWLITZ R @ KELSO Class: A Elevation: 5 River Mile: 4.90

Location:
LOCATED IN KELSO AT THE ALLEN (MAIN) STREET BRIDGE CROSSING THE COWLITZ

Water Years Sampled:
 5 6 7 8 9
 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
 X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	8.367	1.953	21	6.258	1.372	19	10.956	2.001	18	13.917	1.886	18	17.600	4.400
PRESS	P25	mmHg	768.843	7.581	21	767.153	7.158	19	766.711	5.631	18	765.767	6.052	18	783.000	747.000
OXYGEN	P300	mg/L	11.595	0.731	19	11.850	0.617	18	11.211	0.697	18	10.283	0.434	18	13.200	9.000
PCTSAT	P301	Percent	97.032	4.783	19	95.028	4.303	18	100.076	4.725	17	98.241	2.835	17	110.800	81.600
FC	P31616	#/100ml	36.211	41.243	19	39.500	53.387	18	18.722	14.385	18	29.333	36.353	18	450.000	2.000
COD	P340	mg/L	8.385	4.788	13	8.600	5.396	15	7.357	2.872	14	7.308	2.529	13	41.000	4.000K
PH	P400	units	7.429	0.278	21	7.242	0.320	19	7.511	0.444	18	7.539	0.285	18	8.600	6.400
SUSSOL	P530	mg/L	109.524	135.688	21	180.778	284.429	18	63.500	68.126	18	14.859	15.280	17	2500.000	2.000
FLOW	P60	CFS	11733.636	8772.332	11	10493.571	3950.228	14	8281.667	2098.194	6	5786.667	4086.286	3	22500.000	950.000
NH3_N	P610	mg/L	0.017	0.009	19	0.032	0.023	17	0.017	0.008	14	0.012	0.004	17	0.090	0.010K
NO2_DIS	P613	mg/L	0.009	0.002	11	0.010	0.000	9	0.010	0.000	10	0.009	0.002	12	0.010	0.003
NO2_N	P615	mg/L	0.010	0.000	6	0.010	0.000	5	0.010	0.000	5	0.010	0.000	6	0.010	0.010K
NH3_UN	P619	mg/L	0.000	0.000	13	0.000	0.000	13	0.000	0.000	10	0.000	0.000	9	0.000	0.000
NO3_N	P620	mg/L	0.188	0.049	4	0.332	0.090	5	0.070	0.020	3	0.038	0.015	5	0.490	0.020
NO2_NO3	P630	mg/L	0.159	0.099	15	0.290	0.081	12	0.110	0.038	11	0.047	0.013	12	0.480	0.020
TP_P	P665	mg/L	0.074	0.066	19	0.106	0.092	17	0.038	0.034	13	0.016	0.008	16	0.340	0.007
OP_DIS	P671	mg/L	0.010	0.001	17	0.010	0.000	17	0.011	0.002	17	0.010	0.001	18	0.020	0.005
COLOR	P80	Pt-Co	47.333	21.502	3	36.333	10.599	3	14.333	12.220	3	36.333	13.429	3	71.000	1.000
TURB	P82079	NTU	16.476	18.324	17	22.633	13.213	15	12.822	9.605	18	3.750	4.749	18	1210.000	1.000K
COND	P95	umhos	104.143	23.480	21	95.105	11.752	19	116.389	20.629	18	141.389	20.289	18	182.000	60.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 26C070

Name: COWEEMAN R @ KELSO

Class: A Elevation: 20 River Mile: 2.70

Location:

LOCATED AT THE OLD HIGHWAY 99 BRIDGE CROSSING THE COWEEMAN RIVER AT KELSO

Water Years Sampled:

5	6											7											8											9
9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4									
						X	X	X	X	X																								
											X	X																						

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	6.857	2.874	21	5.958	1.669	19	13.383	3.666	18	18.056	2.881	18	22.600	2.100
PRESS	P25	mmHg	768.929	7.479	21	766.989	7.095	19	766.444	5.626	18	763.961	8.179	18	783.000	746.000
OXYGEN	P300	mg/L	11.905	1.167	19	12.156	0.743	18	10.006	1.188	18	8.539	0.779	18	14.200	6.700
PCTSAT	P301	Percent	95.595	4.796	19	96.761	3.621	18	94.047	6.442	17	89.312	7.182	17	107.600	71.300
FC	P31616	#/100ml	55.650	68.577	20	18.176	13.459	17	81.944	92.709	18	102.556	70.341	18	320.000	1.000
PH	P400	units	7.548	0.450	21	7.216	0.330	19	7.367	0.252	18	7.522	0.237	18	8.800	6.500
SUSSOL	P530	mg/L	10.048	9.025	21	14.667	15.181	18	5.000	3.087	18	4.129	2.537	17	80.000	1.000
FLOW	P60	CFS	1225.000	1378.858	2	1011.667	251.214	3	297.667	41.645	3	64.333	22.279	3	2200.000	250.000
NH3_N	P610	mg/L	0.016	0.008	19	0.028	0.025	17	0.026	0.015	14	0.033	0.011	17	0.100	0.010K
NO2_DIS	P613	mg/L	0.009	0.002	11	0.010	0.000	9	0.010	0.000	10	0.010	0.001	12	0.010	0.007
NO2_N	P615	mg/L	0.010	0.000	6	0.010	0.000	5	0.010	0.000	5	0.010	0.000	6	0.010	0.010K
NH3_UN	P619	mg/L	0.000	0.000	13	0.000	0.000	13	0.000	0.000	10	0.000	0.001	9	0.003	0.000
NO3_N	P620	mg/L	0.753	0.084	4	0.924	0.288	5	0.283	0.025	3	0.054	0.038	5	1.400	0.010K
NO2_NO3	P630	mg/L	0.756	0.381	15	0.832	0.126	11	0.417	0.155	11	0.113	0.050	12	1.130	0.030
TP_P	P665	mg/L	0.028	0.026	19	0.032	0.020	17	0.023	0.012	13	0.021	0.005	16	0.100	0.010K
OP_DIS	P671	mg/L	0.010	0.003	17	0.010	0.001	17	0.010	0.000	17	0.010	0.000	18	0.020	0.009
COLOR	P80	Pt-Co	44.667	23.714	3	21.000	6.928	3	25.333	12.503	3	59.000	17.000	3	76.000	13.000
TURB	P82079	NTU	3.094	1.860	17	4.593	2.356	15	2.617	1.306	18	2.224	2.098	17	55.000	1.000K
COND	P95	umhos	65.667	16.515	21	53.895	6.385	19	66.222	9.897	18	94.556	10.907	18	122.000	43.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 31A070

Name: COLUMBIA R @ UMATILLA

Class: A Elevation: 240 River Mile: 290.50

Location:

LOCATED BELOW MCNARY DAM UNDER THE UMATILLA INTERSTATE BRIDGE

Water Years Sampled:

5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	
		X								X	X	X	X	X					X	X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	11.100	4.207	4	3.500	1.838	5	10.500	2.961	3	18.833	2.281	3	8.200	1.600
ZN	P1094	ug/L	0.000	0.000	0	6.667	1.155	3	7.000	2.646	3	5.667	2.082	3	0.000	0.000
CD	P1113	ug/L	0.000	0.000	0	0.100	0.000	2	0.000	0.000	0	0.000	0.000	0	0.000	0.000
PB	P1114	ug/L	0.000	0.000	0	1.000	0.000	2	0.000	0.000	0	0.000	0.000	0	0.000	0.000
CR	P1118	ug/L	0.000	0.000	0	0.265	0.092	2	0.000	0.000	0	0.000	0.000	0	0.000	0.000
CU	P1119	ug/L	0.000	0.000	0	2.000	0.000	3	0.000	0.000	0	0.000	0.000	0	0.000	0.000
PRESS	P25	mmHg	762.625	4.243	4	754.500	11.481	4	754.567	6.731	3	754.433	6.313	3	764.500	763.500
OXYGEN	P300	mg/L	10.675	0.885	4	13.340	0.981	5	12.767	0.862	3	10.467	0.321	3	14.000	11.600
PCTSAT	P301	Percent	95.825	2.981	4	100.900	3.680	5	114.533	1.168	3	112.300	3.180	3	99.500	97.700
FC	P31616	#/100ml	157.000	181.097	4	6.000	4.583	3	5.000	2.646	3	95.000	160.222	3	190.000	190.000
PH	P400	units	7.950	0.332	4	7.640	0.152	5	8.333	0.252	3	8.067	0.666	3	7.700	7.500
SUSSOL	P530	mg/L	5.500	1.732	4	3.000	0.000	3	8.000	2.000	3	9.333	1.528	3	8.000	8.000
FLOW	P60	CFS	161000.000	76367.532	2	203333.333	26350.206	3	229666.667	60928.920	3	166166.667	70951.274	3	0.000	0.000
NH3_N	P610	mg/L	0.016	0.003	4	0.009	0.002	3	0.012	0.009	3	0.010	0.001	3	0.020	0.020
NO2_DIS	P613	mg/L	0.010	0.000	4	0.010	0.000	3	0.007	0.005	3	0.010	0.000	3	0.010	0.010K
NO2_NO3	P630	mg/L	0.181	0.119	4	0.198	0.039	3	0.130	0.030	3	0.022	0.021	3	0.180	0.180
TP_P	P665	mg/L	0.027	0.007	3	0.025	0.008	3	0.022	0.005	3	0.022	0.005	3	0.030	0.030
OP_DIS	P671	mg/L	0.022	0.017	4	0.018	0.011	3	0.008	0.003	3	0.010	0.000	3	0.020	0.020
HG	P71901	ug/L	0.000	0.000	0	0.040	0.000	3	0.053	0.023	3	0.181	0.129	3	0.000	0.000
TURB	P82079	NTU	3.425	2.396	4	1.700	0.436	3	3.300	1.539	3	2.867	0.802	3	6.900	6.900
HARD	P900	mg/L	67.667	9.866	3	73.000	1.000	3	64.000	6.083	3	58.333	5.686	3	61.000	61.000
COND	P95	umhos	161.000	12.028	4	177.600	30.762	5	150.000	15.000	3	132.667	7.371	3	168.000	152.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

HARD	P900	mg/L	120.357	25.355	14	80.333	24.497	15	77.056	21.664	18	126.833	17.932	18	153.000	31.000
COND	P95	umhos	326.632	62.790	19	212.625	62.033	16	201.944	50.315	18	330.111	46.025	18	410.000	91.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 35A150

Name: SNAKE R @ INTERSTATE BR

Class: A Elevation: 705 River Mile: 139.60

Location:

LOCATED AT THE WASHINGTON-IDAHO INTERSTATE BRIDGE ON U S HIGHWAY 12 AT CLARKSTON

Water Years Sampled:

5	6	7	8	9
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1	2	3
4	5	6	7	8
9	0	1		

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

HARD	P900	mg/L	66.667	6.020	15	73.867	4.422	15	73.214	11.254	14	66.867	6.833	15	95.000	42.000
COND	P95	umhos	138.000	8.761	17	152.267	11.158	15	138.467	15.964	15	133.667	8.432	15	178.000	102.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 39A090

Name: YAKIMA R NR CLE ELUM

Class: AA Elevation: 2022 River Mile: 191.00

Location:

LOCATED AT THE BRIDGE ON INTERSTATE 90, 4.5 MILES WEST OF CLE ELUM

Water Years Sampled:

5 6 7 8 9
 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
 X X X X X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	5.975	2.239	8	2.771	1.092	7	6.783	2.200	6	13.500	1.620	6	16.000	1.000
PRESS	P25	mmHg	718.600	10.720	8	714.171	5.308	7	712.200	3.040	6	716.267	12.058	6	739.400	706.900
OXYGEN	P300	mg/L	11.550	1.165	8	12.543	0.458	7	11.317	0.643	6	9.450	0.327	6	13.500	9.100
PCTSAT	P301	Percent	97.475	4.627	8	98.457	3.046	7	98.550	1.537	6	95.817	5.303	6	106.300	94.300
FC	P31616	#/100ml	7.625	4.033	8	3.333	2.733	6	5.000	7.314	5	18.833	17.244	6	51.000	1.000
PH	P400	units	7.443	0.544	7	7.786	0.398	7	7.633	0.493	6	7.400	0.400	6	8.400	7.000
SUSSOL	P530	mg/L	10.375	12.340	8	6.167	8.909	6	5.833	3.817	6	2.600	1.140	5	34.000	1.000
FLOW	P60	CFS	1316.600	1583.269	5	525.333	251.729	6	680.333	384.484	6	239.833	66.062	6	4070.000	166.000
NH3_N	P610	mg/L	0.016	0.007	8	0.012	0.004	6	0.012	0.004	6	0.013	0.005	6	0.030	0.010K
NO2_DIS	P613	mg/L	0.010	0.000	7	0.010	0.000	6	0.010	0.000	6	0.010	0.000	6	0.010	0.010K
NO2_NO3	P630	mg/L	0.039	0.022	8	0.043	0.021	6	0.014	0.008	6	0.012	0.004	6	0.070	0.010K
TP_P	P665	mg/L	0.021	0.019	8	0.018	0.016	6	0.012	0.004	6	0.013	0.004	6	0.060	0.010K
OP_DIS	P671	mg/L	0.010	0.000	8	0.010	0.000	6	0.010	0.000	6	0.010	0.000	6	0.010	0.010K
TURB	P82079	NTU	5.850	8.362	8	2.783	3.587	6	3.117	3.924	6	1.380	0.694	5	24.000	0.700
COND	P95	umhos	65.500	12.547	8	62.857	10.931	7	58.000	6.663	6	56.333	5.279	6	83.000	45.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 44A070 Name: COLUMBIA R BLW ROCK IS DAM Class: A Elevation: 560 River Mile: 450.90

Location: Water Years Sampled:

LOCATED ON THE EAST BANK (SHORE SAMPLE), 2.3 MILES BELOW ROCK ISLAND DAM 5 6 7 8 9

TURN OFF HIGHWAY 28, 7.2 MILES NORTH OF CRESCENT BAR RECREATIONAL AREA 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4

AT COLUMBIA RIVER ORCHARD FRUIT STAND, TURN LEFT FOR .45 MILE TURN RIGHT X X X X X X X X X X X X X X X

TO GRAVEL ROAD 1.55 MILES TO "Y" IMMEDIATELY AFTER TRACKS, TAKE RIGHT

FORK FOR .1 MILE, WALK TO RIVER

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	12.553	4.267	17	4.220	1.939	15	10.460	3.037	15	18.957	1.867	14	23.000	1.400
PRESS	P25	mmHg	749.418	6.369	17	748.280	17.452	15	746.593	4.575	15	742.993	6.847	14	764.000	693.000
OXYGEN	P300	mg/L	10.282	0.962	17	12.973	0.880	15	12.867	1.393	15	10.543	0.831	14	16.300	7.900
PCTSAT	P301	Percent	97.247	10.139	17	100.933	7.610	15	116.257	11.576	14	114.738	11.151	13	145.800	82.500
FC	P31616	#/100ml	43.125	101.117	16	8.200	13.975	15	40.429	96.698	14	116.286	221.630	14	820.000	1.000
PH	P400	units	7.882	0.517	17	7.940	0.448	15	8.007	0.531	15	8.193	0.416	14	9.200	6.700
SUSSOL	P530	mg/L	6.882	8.817	17	10.000	21.541	15	11.867	18.345	15	8.692	13.325	13	86.000	1.000
FLOW	P60	CFS	114600.000	37754.784	17	131193.333	44656.762	15	148926.667	35331.562	15	112100.000	42530.641	14	196400.000	13400.000
NH3_N	P610	mg/L	0.018	0.010	16	0.024	0.024	14	0.021	0.021	12	0.019	0.016	14	0.080	0.010K
NO2_DIS	P613	mg/L	0.010	0.000	8	0.009	0.004	6	0.010	0.000	6	0.010	0.000	5	0.010	0.001
NO2_N	P615	mg/L	0.010	0.000	8	0.010	0.000	5	0.010	0.000	4	0.010	0.000	6	0.010	0.010K
NH3_UN	P619	mg/L	0.000	0.001	14	0.000	0.000	11	0.000	0.001	10	0.001	0.001	10	0.003	0.000
NO3_N	P620	mg/L	0.148	0.061	5	0.136	0.046	5	0.073	0.054	4	0.034	0.015	5	0.630	0.020
NO2_NO3	P630	mg/L	0.125	0.075	8	0.192	0.121	6	0.102	0.081	6	0.052	0.038	5	0.430	0.020
TP_P	P665	mg/L	0.039	0.037	14	0.037	0.027	14	0.035	0.017	12	0.023	0.018	13	0.140	0.010K
OP_DIS	P671	mg/L	0.015	0.008	15	0.019	0.008	14	0.011	0.003	13	0.010	0.000	13	0.040	0.010K
COLOR	P80	Pt-Co	10.000	5.196	3	11.000	14.142	2	11.000	5.196	3	20.000	17.059	3	34.000	1.000
TURB	P82079	NTU	2.120	2.401	15	1.986	2.669	14	2.673	2.455	15	1.136	0.539	14	10.000	0.600
COND	P95	umhos	145.294	16.680	17	150.400	18.723	15	142.600	21.580	15	130.214	12.033	14	202.000	95.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 48A140 Name: METHOW R @ TWISP

Class: A Elevation: 1552 River Mile: 39.40

Location:

THE INTERSECTION WITH WAGNER RD (GAGE HOUSE .5 MILE UP WAGNER RD).
 THIS STATION WAS ACTIVATED 881001 IN LIEU OF STATION 48A130. THIS SITE
 WAS NOT USED PREVIOUSLY DUE TO A WARM OUTFALL FROM THE NOW DEFUNCT PINE
 MILL APPROXIMATELY 100-150 FEET UPSTREAM.

Water Years Sampled:

5 6 7 8 9
 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
 X X X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	4.744	2.115	9	2.900	2.038	9	6.678	1.132	9	12.456	1.938	9	15.500	0.000
PRESS	P25	mmHg	716.833	4.532	9	722.067	4.260	9	718.756	5.026	9	719.467	3.730	9	730.500	710.400
OXYGEN	P300	mg/L	12.578	0.824	9	12.867	0.616	9	11.644	0.422	9	9.911	0.790	9	14.100	9.700
PCTSAT	P301	Percent	103.367	4.899	9	100.156	3.599	9	99.913	2.589	8	97.913	11.248	8	111.700	91.900
FC	P31616	#/100ml	2.778	2.167	9	2.111	2.088	9	13.889	13.824	9	9.556	4.586	9	29.000	1.000
PH	P400	units	8.056	0.270	9	8.600	0.229	9	7.944	0.324	9	8.011	0.414	9	8.900	7.700
SUSSOL	P530	mg/L	2.222	1.787	9	1.556	0.726	9	12.222	12.843	9	2.000	1.323	9	39.000	1.000
FLOW	P60	CFS	636.667	522.402	9	343.250	133.396	8	4048.889	2512.108	9	1236.250	1091.221	8	7300.000	193.000
NH3_N	P610	mg/L	0.011	0.003	9	0.010	0.000	9	0.011	0.002	9	0.016	0.011	9	0.040	0.010K
NO2_DIS	P613	mg/L	0.010	0.000	9	0.009	0.002	9	0.010	0.000	9	0.010	0.000	9	0.010	0.004
NH3_UN	P619	mg/L	0.000	0.000	3	0.000	0.000	0	0.000	0.000	2	0.000	0.000	0	0.001	0.000
NO2_NO3	P630	mg/L	0.113	0.040	9	0.114	0.024	9	0.046	0.029	9	0.094	0.063	9	0.210	0.020
TP_P	P665	mg/L	0.028	0.036	9	0.017	0.024	9	0.014	0.007	9	0.011	0.004	9	0.100	0.002
OP_DIS	P671	mg/L	0.010	0.000	9	0.009	0.003	9	0.010	0.000	9	0.010	0.000	9	0.010	0.002
TURB	P82079	NTU	0.944	0.219	9	1.222	1.151	9	2.500	2.951	9	0.678	0.370	9	10.000	0.300
COND	P95	umhos	132.222	27.050	9	146.111	5.776	9	95.556	37.243	9	129.333	27.695	9	175.000	60.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 54A120 Name: SPOKANE R @ RIVERSIDE STATE PK Class: A Elevation: 1640 River Mile: 66.00

Location:
LOCATED IN SPOKANE AT RIVERSIDE STATE PARK ON THE WOODEN, SWINGING, FOOT BRIDGE

Water Years Sampled:
5 6 7 8 9
9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
X X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	9.114	3.050	21	3.974	1.231	19	9.782	4.009	17	16.989	1.470	18	18.900	1.000
CU	P1042	ug/L	3.030	3.499	10	6.227	10.775	11	2.182	2.077	11	3.150	1.547	10	36.000	1.000
ZN	P1092	ug/L	63.100	37.817	10	87.091	29.545	11	91.636	32.666	11	29.667	9.798	9	143.000	9.000
ZN	P1094	ug/L	62.846	35.791	13	90.143	27.287	14	91.143	29.414	14	32.231	13.645	13	0.000	0.000
CD	P1113	ug/L	0.208	0.045	10	0.420	0.227	14	0.589	0.225	12	0.211	0.071	12	1.100	0.100
PB	P1114	ug/L	1.738	1.072	13	6.371	8.079	14	2.244	1.512	9	1.808	1.103	13	25.000	1.000
CR	P1118	ug/L	1.029	1.219	13	2.485	5.202	13	1.491	1.906	12	1.432	1.696	12	6.000	0.200
CU	P1119	ug/L	3.877	2.991	13	5.914	9.556	14	2.750	1.913	12	3.833	1.528	12	0.000	0.000
PRESS	P25	mmHg	719.310	9.041	21	718.800	7.964	19	717.406	9.114	17	716.559	9.672	17	797.000	692.400
OXYGEN	P300	mg/L	11.690	1.253	21	13.384	1.052	19	12.835	1.459	17	10.156	0.388	18	15.300	7.800
PCTSAT	P301	Percent	106.386	8.420	21	107.742	8.208	19	118.838	5.633	16	110.541	2.977	17	131.800	77.400
FC	P31616	#/100ml	142.250	351.919	20	166.118	375.303	17	17.533	24.715	15	10.647	11.576	17	1533.000	1.000
COD	P340	mg/L	11.533	22.891	15	13.353	19.840	17	9.353	4.122	17	7.188	3.371	16	94.000	1.000
PH	P400	units	8.071	0.416	21	7.511	0.351	18	7.706	0.457	16	8.267	0.259	18	8.700	6.800
SUSSOL	P530	mg/L	2.476	1.327	21	96.250	301.692	16	7.067	6.563	15	3.267	1.335	15	1200.000	1.000
FLOW	P60	CFS	3682.778	3346.705	18	7050.000	6137.050	18	12437.647	5104.801	17	1397.867	767.852	15	24100.000	302.000
NH3_N	P610	mg/L	0.125	0.127	19	0.087	0.049	16	0.041	0.020	16	0.129	0.131	16	0.700	0.020
NO2_DIS	P613	mg/L	0.023	0.034	12	0.010	0.000	9	0.009	0.003	9	0.012	0.006	8	0.130	0.010K
NO2_N	P615	mg/L	0.010	0.000	8	0.012	0.004	5	0.010	0.000	5	0.012	0.004	6	0.020	0.010K
NH3_UN	P619	mg/L	0.003	0.006	13	0.001	0.001	13	0.000	0.000	10	0.011	0.013	9	0.043	0.000
NO3_N	P620	mg/L	0.390	0.157	4	0.460	0.292	5	0.148	0.120	5	0.933	0.289	3	1.800	0.040
NO2_NO3	P630	mg/L	0.402	0.191	12	0.681	0.499	8	0.141	0.069	9	0.745	0.277	10	1.800	0.060
TP_P	P665	mg/L	0.065	0.050	16	0.087	0.053	17	0.030	0.017	16	0.035	0.013	17	0.200	0.010K
OP_DIS	P671	mg/L	0.040	0.028	18	0.059	0.037	16	0.014	0.006	17	0.019	0.008	18	0.130	0.010K
HG	P71901	ug/L	0.058	0.014	12	0.050	0.022	13	0.059	0.016	11	0.079	0.043	11	0.200	0.020
COLOR	P80	Pt-Co	10.143	5.581	7	22.000	24.249	3	7.667	11.547	3	27.000	2.828	2	50.000	1.000
TURB	P82079	NTU	1.678	2.826	18	29.107	58.403	14	2.476	2.093	17	1.200	0.456	16	210.000	0.800

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

HARD	P900	mg/L	58.063	14.982	16	48.944	12.412	18	35.706	8.695	17	90.778	22.360	18	120.000	22.000
COND	P95	umhos	123.286	34.412	21	131.632	92.225	19	76.765	13.098	17	199.611	45.557	18	497.000	59.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE
--

HARD	P900	mg/L	133.438	10.475	16	115.611	28.550	18	112.500	16.493	18	137.167	6.618	18	180.000	61.000
COND	P95	umhos	270.944	28.175	18	237.556	46.159	18	228.722	24.814	18	272.556	17.195	18	363.000	165.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

Station Number: 55C070 Name: PEONE (DEADMAN) CREEK ABV L DEEP CR Class: A Elevation: 1735 River Mile: 0.50

Location:
STATION IS LOCATED JUST ABOVE CONFLUENCE OF LITTLE DEEP CREEK AND PEONE
(DEADMAN) CREEK AT BRIDGE ON SHADY SLOPE ROAD

Water Years Sampled:
5 6 7 8 9
9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4
X X

VARIABLE	P-CODE	UNITS	---OCTOBER-DECEMBER---			-----JANUARY-MARCH----			-----APRIL-JUNE-----			----JULY-SEPTEMBER----			-----SIX YEAR-----	
			MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MEAN	STD. DEV.	N	MAX	MIN
TEMP	P10	C	9.667	3.190	3	4.850	1.485	2	12.767	2.538	3	19.733	1.589	3	20.700	5.900
PRESS	P25	mmHg	723.733	7.600	3	720.100	2.828	2	719.667	1.504	3	717.900	2.563	3	732.300	715.500
OXYGEN	P300	mg/L	10.800	0.700	3	11.750	0.212	2	10.000	0.436	3	8.867	0.473	3	11.600	8.500
PCTSAT	P301	Percent	99.200	0.819	3	96.650	1.626	2	99.167	1.457	3	101.900	2.227	3	103.900	97.800
FC	P31616	#/100ml	6.667	3.512	3	20.500	9.192	2	18.000	18.385	2	73.667	32.747	3	100.000	3.000
PH	P400	units	8.400	0.200	3	8.050	0.495	2	8.200	0.100	3	8.567	0.153	3	8.700	8.200
SUSSOL	P530	mg/L	6.333	2.517	3	193.500	253.851	2	21.000	10.392	3	0.000	0.000	0	6.000	4.000
NH3_N	P610	mg/L	0.013	0.006	3	0.035	0.007	2	0.011	0.002	3	0.000	0.000	0	0.020	0.010K
NO2_DIS	P613	mg/L	0.011	0.002	3	0.015	0.007	2	0.008	0.004	3	0.000	0.000	0	0.010	0.010K
NO2_NO3	P630	mg/L	0.723	0.100	3	0.830	0.071	2	0.291	0.057	3	0.617	0.129	3	0.730	0.470
TP_P	P665	mg/L	0.042	0.007	3	0.130	0.042	2	0.057	0.009	3	0.103	0.078	3	0.190	0.040
OP_DIS	P671	mg/L	0.031	0.002	3	0.055	0.007	2	0.030	0.010	3	0.080	0.070	3	0.160	0.030
HG	P71901	ug/L	0.001	0.000	3	0.004	0.002	3	0.002	0.000	3	0.001	0.000	3	0.000	0.000
TURB	P82079	NTU	1.233	0.321	3	28.300	34.931	2	3.167	1.762	3	1.600	0.458	3	2.000	1.100
HARD	P900	mg/L	122.667	14.048	3	91.500	47.376	2	67.333	8.737	3	115.333	24.007	3	133.000	88.000
COND	P95	umhos	267.000	30.806	3	201.500	94.045	2	159.000	17.349	3	257.333	42.360	3	300.000	209.000

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

QUARTERLY DATA SUMMARY--SIX YEAR AVERAGE

COND	P95	umhos	55.176	3.729	17	57.800	12.497	15	55.333	8.789	15	59.867	9.935	15	87.000	23.000
------	-----	-------	--------	-------	----	--------	--------	----	--------	-------	----	--------	-------	----	--------	--------

Summary statistics should be used with caution because variables may not be normally distributed. Values at the detection limit were replace with 1/2 the detection limit.

APPENDIX 5

Wateryear 1991 QA Tables

Total Phosphorus

QL= 0.02 mg/L

Range of % CV	Percent Within Range	% Above Quantitation Limit
< 5	58.87	62
5-10	16.94	62
10-20	13.71	82
20-30	5.65	86
30-40	0.81	0
40-50	4.03	0
50-60	0	0
60-70	0	0
70-80	0	0
80-90	0	0
90-100	0	0
>100	0	0
N=124	Pooled SD =	0.07

Suspended Solids

QL= 3 mg/L

Range of % CV	Percent Within Range	% Above Quantitation Limit
< 5	32.54	56
5-10	15.08	100
10-20	16.67	100
20-30	19.05	22
30-40	2.38	66
40-50	9.52	41
50-60	0.79	100
60-70	2.38	66
70-80	0.79	0
80-90	0	0
90-100	0	0
>100	0	0
N=126	Pooled SD =	7.67

Turbidity

QL = 2 NTU

Range of % CV	Percent Within Range	% Above Quantitation Limit
< 5	42.97	43
5-10	25.78	67
10-20	19.51	76
20-30	7.03	33
30-40	4.69	50
40-50	0	0
50-60	0	0
60-70	0	0
70-80	0	0
80-90	0	0
90-100	0	0
>100	0	0
N=128	Pooled SD =	1.126

Barometric Pressure

QL= 0.03 mg/L

Range of % CV	Percent Within Range	% Above Quantitation Limit
< 5	100	NA
5-10	0	
10-20	0	
20-30	0	
30-40	0	
40-50	0	
50-60	0	
60-70	0	
70-80	0	
80-90	0	
90-100	0	
>100	0	
N=129	Overall PSD=	1.84

pH

QL= NA

Range of Diff	Percent Within Range
0	31.75
0.1	38.1
0.2	15.08
0.3	8.73
0.4	2.38
0.5	3.17
0.06	0
0.7	0
0.8	0.79
0.9	0
1	0
N= 126	Pooled SD =

Dissolved Oxygen

QL= NA

Range of Diff	Percent Within Range
0	50.39
0.1	39.37
0.2	7.87
0.3	1.57
0.4	0.79
0.5	0
N=127	Pooled SD

Temperature

QL= NA

Range of Diff	Percent Within Range
0	72.66
0.1	19.53
0.2	4.69
0.3	0
0.4	0.78
0.5	0.78
0.06	0
0.7	0
0.8	0
0.9	0
1	0
N= 128	Pooled SD =

0.06

Coefficient of Variation for Field Replicates.

Conductivity

QL= 7

Range of % CV	Percent Within Range	% Above Quantitation Limit
< 5	88.19	100
5-10	7.09	100
10-20	3.15	100
20-30	1.57	100
30-40	0	0
40-50	0	0
50-60	0	0
60-70	0	0
70-80	0	0
80-90	0	0
90-100	0	0
>100	0	0

N=129 Pooled SD = 5.89

Fecal Coliform

QL= 8 Colonies/100ml

Range of % CV	Percent Within Range	% Above Quantitation Limit
< 5	19.05	50
5-10	11.9	100
10-20	18.25	74
20-30	15.08	58
30-40	9.52	75
40-50	14.29	33
50-60	2.38	33
60-70	2.38	0
70-80	3.17	0
80-90	1.59	50
90-100	2.38	33
>100	0	0

N=124 Pooled SD = 22.64

Ammonia

QL = 0.014 mg/L

Range of % CV	Percent Within Range	% Above Quantitation Limit
< 5	60.77	100
5-10	10	92
10-20	6.15	75
20-30	10.77	100
30-40	5.38	57
40-50	6.15	62
50-60	0.76	100
60-70	0	0
70-80	0	0
80-90	0	0
90-100	0	0
>100	0.76	100

N=131 Pooled SD = 0.0076

Nitrite

QL= 0.02 mg/L

Range of % CV	Percent Within Range	% Above Quantitation Limit
< 5	91.27	0
5-10	0	0
10-20	3.17	0
20-30	3.97	0
30-40	0	0
40-50	0	0
50-60	0	0
60-70	0	0
70-80	0	0
80-90	0	0
90-100	0	0
>100	0	0

N=128 Pooled SD = 0.0006

Nitrate + Nitrite

QL= 0.19 mg/L

Range of % CV	Percent Within Range	% Above Quantitation Limit
< 5	81.68	55
5-10	9.92	31
10-20	5.34	14
20-30	2.29	33
30-40	0	0
40-50	0.76	0
50-60	0	0
60-70	0	0
70-80	0	0
80-90	0	0
90-100	0	0
>100	0.76	0

N=131 Pooled SD = 0.078

Ortho Phosphorus

QL = 0.02 mg/L

Range of % CV	Percent Within Range	% Above Quantitation Limit
< 5	79.2	14
5-10	6.4	25
10-20	7.2	33
20-30	4.8	33
30-40	0.8	0
40-50	1.6	50
50-60	0	0
60-70	0	0
70-80	0	0
80-90	0	0
90-100	0	0
>100	0	0

N=125 Pooled SD = 0.013

APPENDIX 6



Floating Stations Reports for WY 1991

1. Little Spokane River
2. Upper Snoqualmie River



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
7171 Cleanwater Lane, Building 8, LH-14 • Olympia, Washington 98504-6814

January 30, 1992

TO: Dave Wright
THROUGH: Dick Cunningham 
FROM: Brad Hopkins 
SUBJECT: Upper Snoqualmie River Special Study

At the request of the Northwest Regional Office (NWRO), the Ambient Monitoring Section collected water quality information during low flow conditions (June-September 1991) at three additional locations (see Figure 1) on the Snoqualmie River. They were as follows:

<u>Station #</u>	<u>Description</u>
1) 07N070	North Fork of the Snoqualmie River near Ellisville--River Mile 44.9, 0.3; Lat 46 59 43; Long 121 46 07
2) 07D150	Middle Fork of the Snoqualmie River near Ellisville--River Mile 45.3; Lat 47 07 06; Long 121 46 06
3) 07M070	South Fork of the Snoqualmie River at North Bend--River Mile 44.4, 2.01; Lat 47 33 12; Long 121 47 23

Water quality information generated at these locations will be used by the NWRO to evaluate possible outfall locations and to develop a water quality based permit for a planned WWTP expansion. Regional staff specifically expressed interest in background metals concentrations present during low flow conditions.

Attachment 1 and the enclosed floppy disk provide all of the current water quality information on the Snoqualmie River collected by our section from June-September 1991, including the two mainstem stations at the city of Snoqualmie and near Carnation. To compare data between stations, this same information is provided by date rather than by station in Table 1.

183 → Carnation station

Snoqualmie R. at Snoqualmie




Table 1. General Water Quality on the Snoqualmie River

Date 06/17/91

Station #	07N070	07D150	07M070	07D130	07D070
Classification	AA	AA	AA	A	A
Flow	980	2160	889	4000	5310
Water Temp	8.1	7.5	8.5	8.5	9.4
Conductivity	26	19	35	24	35
DO	11.7	11.9	11.9	11.9	11.3
DO Sat (%)	98.5	98.8	101.4	101.3	97.0
pH	6.9	6.8	7.1	6.9	6.9
Residue	3	25	3.0	12.0	21.0
NH ₃ +NH ₄ -N	0.01K	0.01K	0.01K	0.01K	0.01K
NO ₂ -N (Diss)	0.01K	0.01K	0.01K	0.01K	0.01K
NO ₂ +NO ₃ -N	0.113	0.072	0.152	0.107	0.149
Phos-Tot	0.011	0.017	0.01K	0.013	0.015
Phos-Ortho	0.01K	0.01K	0.01K	0.01K	0.01K
Turb	1.2	12.0	1.0	3.5	6.5
F.Coliform	6	12	11	15	35

Date 07/22/91

Station #	07N070	07D150	07M070	07D130	07D070
Classification	AA	AA	AA	A	A
Flow	205	1200	268	1390	1550
Water Temp	14.2	13.9	13.8	14.0	16.0
Conductivity	40	22	60	31	49
DO	10.2	10.4	10.5	10.2	10.0
DO Sat (%)	99.2	100.6	101.5	99.0	99.9
pH	6.9	6.7	7.6	7.0	6.9
Residue	2.0	4.0	2.0	2.0	2.0
NH ₃ +NH ₄ -N	0.011	0.01K	0.01K	0.01	0.015
NO ₂ -N (Diss)	0.01K	0.01K	0.01K	0.01K	0.01K
NO ₂ +NO ₃ -N	0.141	0.029	0.215	0.093	0.121
Phos-Tot	0.01K	0.017	0.01K	0.01K	0.01K
Phos-Ortho	0.01K	0.01K	0.01K	0.011	0.01K
Turb	3.3	3.9	2.1	3.0	2.5
F.Coliform	5	6J	12	7	12

Table 1. Continued.

Date 08/19/91

Station #	07N070	07D150	07M070	07D130	07D070
Classification	AA	AA	AA	A	A
Flow	75	400	162	637	904
Water Temp	16.2	17.7	14.7	16.6	20.0
Conductivity	62	33	72	51	59
DO	8.9	9.4	10.2	9.2	9.3
DO Sat (%)	90.6	98.8	100.8	94.6	101.0
pH	7.1	6.6	7.2	6.8	7.0
Residue	3.0	9	3.0	3.0	2.0
NH3+NH4 -N	0.01K	0.01K	0.01K	0.01K	0.01K
NO2-N (Diss)	0.01K	0.01K	0.01K	0.01K	0.01K
NO2+NO3 -N	0.313	0.049	0.229	0.139	0.154
Phos-Tot	0.01K	0.01K	0.01K	0.01K	0.01K
Phos-Ortho	0.01K	0.01K	0.01K	0.01K	0.01K
Turb	1.6	2.8	1.5	2.8	2.0
F.Coliform	5	22	15	27	28

Date 09/16/91

Station #	07N070	07D150	07M070	07D130	07D070
Classification	AA	AA	AA	A	A
Flow	80	195	129	415	686
Water Temp	12.0	12.8	12.4	12.4	14.7
Conductivity	91	46	83	60	70
DO	9.9	10.3	10.4	10.2	10.8
DO Sat (%)	91.9	97.4	97.5	95.7	105.0
pH	6.5	6.4	7.3	7.1	7.3
Residue	1.0	5	1.0	2.0	1.0
NH3+NH4 -N	0.01K	0.01K	0.015	0.01	0.01K
NO2-N (Diss)	0.01K	0.01K	0.01K	0.01K	0.01K
NO2+NO3 -N	0.222	0.065	0.296	0.174	0.167
Phos-Tot	0.011	0.014	0.017	0.016	0.015
Phos-Ortho	0.01K	0.01K	0.01K	0.01K	0.01K
Turb	1.0K	1.6	1.0K	1.1	1.0K
F.Coliform	3	100	8	12	6J

K = Less than

J = Estimated value

□ = Exceeds Water Quality Criteria

General Water Quality

Upper River

The general water quality at all three locations was, for the most part, very good, with the majority of the parameters within the expected range of waters of high quality. The only exceptions were five violations of Washington State Water Quality Standards as highlighted in Table 1 (see Attachment 2 for specific standards). The August temperature violations of 17.7 and 16.2°C (Class AA Criteria < 16°C) on the Middle and North Forks are most likely the result of combined effects of reduced flow and high ambient temperatures--a natural condition. Dissolved oxygen violations for the same time period of 9.4 and 8.9 mg/L (Class AA Criteria > 9.5 mg/L), show a weakness in the water quality standards, and do not reflect instream conditions. This weakness becomes evident upon review of the percent saturation for dissolved oxygen, which show both stations are above 90% of saturation level with 90.6 and 98.9 percent. The remaining two violations, pH of 6.4 and fecal coliform of 100 colonies per 100 mL of sample, for September are at or near the water quality criteria (6.5-8.5 for pH and < 10% of the samples may exceed 100 organisms for fecal coliform).

Mainstem

The water quality for the mainstem Snoqualmie Stations, at Snoqualmie and Carnation, were all within Class A Water Quality Standard (see Attachment 2), with the exception of an August temperature violation at the Carnation stations of 20.0°C (Class A Criteria < 18°C).

Metals

Metals concentrations at the three new locations and the corresponding water quality criteria are presented in Table 2. Most of these concentrations are at or near detection limits as denoted by the qualifier codes attached to the data. However, one cadmium value of 0.32 µg/L on the North Fork collected in June does exceed both the calculated acute (0.26 µg/L) and chronic (0.17 µg/L) criteria. This datum may be a laboratory artifact as an inordinately high number of detect were present for the June Northwest ambient monitoring samples. However, a review of the laboratory QA does not indicate a problem. Even if the datum is a valid concentration it should be noted that it is a total recoverable concentration, where as the standards are based on dissolved concentrations. This problem of different methods between water quality values and the standard to which they will be compared, will continue until EPA approves an acid-soluble (dissolved) method. In the interim, EPA recommends applying the criteria using the total recoverable method, even though these criteria may be overly protective.

Detection limits currently available for Hg, Cu, Pb, and Cd are in very close proximity to the chronic criteria, and may lead to overly restrictive permit conditions if the data provided in Table 2 is to be used in the WQBP-TOX.WK1 spreadsheet. It is my recommendation

Table 2. Metals Concentrations (ug/L) and Corresponding Water Quality Criteria on the Upper Snoqualmie River.

	T-Hg	T-Cr	T-Cu	T-Pb	T-Zn	T-Cd	Hard	Calculated Water Quality Criteria Based on Total Hardness											
								Acute Hg	Chronic Hg	Acute Cr	Chronic Cr	Acute Cu	Chronic Cu	Acute Pb	Chronic Pb	Acute Zn	Chronic Zn	Acute Cd	Chronic Cd
<u>North Fork</u>																			
6/17/91	0.04 k	0.4	3 k	1 k	6	0.32	9	2.4	0.012	241.66	28.80	1.83	1.51	3.81	0.15	15.21	13.78	0.26	0.17
7/22/91	NS																		
8/19/91	0.07 p	0.6 v	3 k	2.4 p	4 k	0.1 k	25	2.4	0.012	557.94	66.50	4.80	3.62	13.98	0.54	36.15	32.75	0.82	0.38
9/16/91	0.2 k	0.3 k	3 k	1.9 p	8 v	0.13 p	23	2.4	0.012	521.11	62.11	4.44	3.37	12.57	0.49	33.69	30.51	0.75	0.36
<u>Middle Fork</u>																			
6/17/91	0.04 k	2.3	3 p	1 k	7 v	0.11 p	6	2.4	0.012	173.37	20.67	1.25	1.07	2.27	0.09	10.79	9.77	0.16	0.12
7/22/91	NS																		
8/19/91	0.06 p	0.5 v	3 k	1 k	4 k	0.1 k	12	2.4	0.012	305.86	36.46	2.40	1.93	5.49	0.21	19.41	17.58	0.36	0.21
9/16/91	0.2 k	0.3 k	3 k	1 k	4 k	0.1 k	13	2.4	0.012	326.59	38.93	2.59	2.07	6.08	0.24	20.77	18.82	0.39	0.23
<u>South Fork</u>																			
6/17/91	0.04 k	0.4	3 p	1 k	6	0.1 k	14	2.4	0.012	347.02	41.36	2.78	2.20	6.68	0.26	22.12	20.03	0.43	0.24
7/22/91	NS																		
8/19/91	0.07 p	0.4 v	3 k	1 k	4 k	0.1 k	35	2.4	0.012	734.97	87.60	6.59	4.82	21.46	0.84	48.08	43.55	1.20	0.50
9/16/91	0.2 k	1.3	3 k	1 k	4 k	0.42 p	36	2.4	0.012	752.12	89.65	6.77	4.94	22.24	0.87	49.24	44.60	1.24	0.51

k = Less Than

p = Less Than Quantitation Limit

v = Also Detected in the Blank

NS = No Sample (Laboratory Misplaced Sample)

BOLD # = Exceeds Water Quality Criteria




STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

7171 Cleanwater Lane, Building 8, LH-14 • Olympia, Washington 98504-6814

November 14, 1991

TO: Ken Merrill
FROM: David Hallock 
SUBJECT: Little Spokane River Study -- Final Report

BACKGROUND

In March, 1989, Ecology included the Little Spokane River on Washington's 304(L) mini-list as water quality impaired due to toxics because of mercury and cyanide contamination. This assessment was based in part on Ambient Monitoring Section (AMS) mercury data for WY87 and WY88 which showed occasional mercury levels in excess of EPA's chronic criteria of 0.012 $\mu\text{g}/\text{L}$.

Because Manchester Lab's detection limit for mercury was 0.02 $\mu\text{g}/\text{L}$, above the chronic criteria level, a water quality standards violation was assumed any time mercury was detected in the monthly samples. However, not only is a fairly large amount of uncertainty associated with values below the quantitation limit (approximately 10 times the detection limit), but the standards specify a four-day average value.

The Eastern Regional Office (ERO) requested that AMS determine whether or not a mercury problem actually exists in the Little Spokane River; and if mercury contamination is found, to identify which general area within the basin is the source of the contamination. In addition, ERO requested we sample the usual suite of conventional constituents in order to further characterize general water quality in the basin.

METHODS

AMS and ERO identified four stations within the Little Spokane River drainage, in addition to AMS' routine ambient monitoring station near the mouth (Table 1).

These five stations were sampled monthly from July 1990 through June 1991. Conventional constituents were sampled at all stations and total metals (Hg, Cu, Pb, Cd, Cr, and Zn) were sampled at the Little Spokane near the mouth in accordance with AMS' standard protocols

(Hopkins, *et al.*, in press) and sent to Manchester Lab for analysis. In addition, the six metals listed above were sampled at the mouth, and mercury was sampled at the remaining four stations for analysis at Battelle Marine Research Laboratory in Sequim, Washington. All metals were collected directly into the sample containers by attaching the containers to a stainless steel holder and lowering the apparatus into the water via a rope. Battelle Lab's samples were collected in teflon bottles previously cleaned by heating in concentrated reagent grade HNO₃ for 48 hours at 90°C, then rinsed five times in deionized water and dried in a laminar flow clean-air bench. Acid preservative (8% HCl) was added in the field, and the bottles placed in zip-lock bags and shipped on ice to the Battelle Lab via Manchester.

Battelle Lab extracted metals with ammonium pyrrolidine dithiocarbamate for Cu, Pb, and Cd, followed by analysis by graphite furnace (Bloom and Crecelius, 1984). Cr and Zn were analyzed directly by graphite furnace. Mercury was analyzed by cold vapor AA (Bloom and Crecelius, 1983). Battelle's results were blank-corrected. Data analysis and graphics were done using WQHYDRO (Aroner, 1991).

DATA QUALITY

The quality of Manchester's data is evaluated through Manchester's continuing quality assurance/quality control (QA/QC) program which includes quality control charts, check standards, in-house matrix spikes, laboratory blanks and duplicates, and regular performance evaluation standards. In addition, AMS maintains its own QA/QC programs which includes standard sampling protocols, blind field duplicates, and blind field blanks. These QA/QC procedures and results are discussed in more detail in Hopkins, *et al.* (in press).

The quality of data from Battelle lab was generally good. The results of an analysis of a performance evaluation sample for Hg were good, although a little low. Where QC results were not within acceptable limits data are flagged with the appropriate remark code. Reviews of Battelle's data by Craig Smith are attached.

RESULTS AND DISCUSSION

Mercury Contamination

Manchester Lab reported results above detection limits for five of the 12 monthly mercury samples from the routine monitoring station near the mouth (Table 2). However, all five were flagged 'J' (estimate) or 'P' (below quantitation limits). (During the first part of the study 'P' was not used and Manchester flagged values below quantitation limits with 'J'.) A field duplicate was collected from the Little Spokane River near the mouth on June 4. Manchester reported a mercury concentration of 0.14 µg/L for this sample; the original sample result was 0.04P µg/L. Manchester was unable to explain the differences between the two values, but given that the result from the first sample was flagged and Battelle's result was well below the criteria, I do not feel a violation of standards occurred.

With exception of one sample date, Battelle Lab's mercury results were approximately an order of magnitude below chronic criteria at all stations (Table 3). Three values in March were above chronic criteria for mercury. These results were from the Little Spokane River stations near Griffith Springs, above Dartford Creek, and above Peone Creek. The mercury concentration near Griffith Springs was two to three orders of magnitude greater than all other results and results from the two upper-most stations were one to two orders of magnitude greater. Battelle re-ran the Griffith Springs sample with nearly identical results. I am inclined to believe these results represent true environmental concentrations. Sample contamination would not explain violations at all three upstream stations: it is unlikely that three samples in March would be contaminated with no contamination problems encountered during the rest of the study. Batch contamination would not explain the low values near the mouth and in Peone Creek. The high mercury results were not correlated with suspended sediment or discharge; these were both greatest at all stations in February.

One explanation for these results is that a pulse of mercury originating upstream of our upper-most station was moving through the system. The pulse had not yet reached the mouth when we sampled, and had, for the most part, passed the upper two stations at the time of sampling. Because travel time between the upper and lower stations is only about six hours, water quality standards for the chronic criteria, which specify a four-day average, were not exceeded. EPA (1986) states that "freshwater aquatic organisms and their uses should not be affected unacceptably" if the four-day chronic criteria is not exceeded. All results were well below the acute criteria of 2.4 $\mu\text{g/L}$.

At the time the 304(L) list was prepared identifying the Little Spokane River as an area of concern, data between detection and quantitation limits were not qualified and residence time was not considered. Had they been, all the data except one result would have been qualified. That one result, 0.45 $\mu\text{g/L}$ collected October 3, 1989, was verified with the lab at the time. It may have been sample contamination or it may have also been the result of a pulse.

Other Metals Results

Manchester Lab's results exceeded both the tenth percentile and the specific chronic criteria for copper and lead at the Little Spokane River near the mouth in February and March. Copper exceeded the tenth percentile for criteria in June, but the actual chronic criteria value for that date were not exceeded. No values exceeded drinking water criteria. The reasons for these exceedances are unknown. However, February and March were the two highest flow months indicating the source was probably not point-related. Because concentrations were high in both February and March, the four-day average probably exceeded the criteria and water quality standards were violated for Cu and Pb.

Battelle Lab's results for both copper and lead exceeded the tenth percentile in February, and lead exceeded the tenth percentile for the criteria in March (Table 2). The actual chronic criteria values for February (but not March) were also exceeded, based on hardness values for those dates.

Battelle Lab's results were almost always lower than Manchester Lab's, particularly where Manchester's was qualified "J" or "P". This is inevitable, given that most concentrations were below Manchester Lab's detection limits but above Battelle's. There were a number of samples which Manchester quantified as above detection limits but below quantitation limits and which were, therefore, qualified. The differences between the results from these two labs highlight both the difficulty in accurate analysis for whole-water metals, and the importance of interpreting results below the quantitation limit with great caution.

Conventional Water Quality

Conventional water quality was generally fair (Table 4). Individual results from all stations are attached. Figures 1 through 5 illustrate the distribution of oxygen, pH, temperature, fecal coliform bacteria, and total ammonia at each main stem Little Spokane station by river mile. Lines representing water quality standards are also plotted. These distribution plots should be considered conditional since they are based at most on only 12 samples at each station.

Several water quality standards were violated during the course of the study (Table 5) with the Little Spokane River above Dartford Creek displaying the most violations.

Upstream summer temperatures were dramatically higher than downstream temperatures between RM 7.5 and RM 10.3 (Figure 1). Temperatures at the two upper stations and Peone Creek may be expected to exceed (violate) state standards nearly 25% of the time. Temperatures at the lower two stations may be kept below standards by dilution with (presumably) cooler groundwater inflow and Waikiki Springs, although without knowing the temperature and flow of these sources, this is only conjecture.

Oxygen concentrations were above criteria at all stations (there were no violations) (Figure 2). The spread between maximum and minimum concentration increased as distance upstream increased. This is not surprising: the greater volume of water downstream than upstream would be more likely to buffer diurnal and seasonal changes in oxygen. Also, the mid-reach springs would likely have a stabilizing influence on water quality in general. Median oxygen concentrations were significantly ($p=0.004$) lower at the Griffith Springs station (RM 7.5) than at the station above Dartford Creek (RM 10.3). Percent saturation also increased with increasing river mile. The lower two stations were generally below saturation while the upper two were above saturation. This may indicate a decrease in the production:respiration ratio downstream relative to upstream, a lower downstream reaeration coefficient, or the influence of the springs.

Distributions of pH were similar at all stations with the exception of the station above Dartford Creek (RM 10.3) and the Peone Creek station which may both be expected to violate state standards more than 25% of the time (Figure 3 and Table 4).

All stations except Peone Creek exceeded (violated) fecal coliform bacteria standards (Table 4). That is, the 10th percentile was greater than 200 organisms/100 mL. In general, fecal coliform counts increased with increasing river mile (Figure 4). The uppermost station (above Peone Creek) had the lowest median value of all stations, but this station also had the highest single

value, 2100 organisms/100 mL on February 5, 1991. This is also the date where streamflow was highest near the mouth, indicating a nonpoint source. Based on one year of monitoring, fecal coliform bacteria are a nonpoint source problem in the Little Spokane drainage.

Although the maximum total ammonia concentrations exceeded the tenth percentile (based on up to 12 data points) for chronic criteria at every station except near the mouth and the Peone Creek station (Table 4 and Figure 5), no concentration exceeded the actual criteria calculated for that particular date. In other words, no ammonia water quality standards violations occurred during the study.

Total ammonia and total phosphorus concentrations were lower in the two downstream stations and higher in the two upstream stations while nitrate+nitrite nitrogen exhibited the opposite pattern. Peone Creek had consistently low nutrients. Median ammonia concentrations were low at all stations compared to ecoregion (Omernik and Gallant, 1986) averages, while nitrate+nitrite nitrogen was high and total phosphorus was similar to other stations in the same ecoregion.

CONCLUSIONS AND RECOMMENDATIONS

1. Water quality standards for mercury were probably not violated during the study. After one year of monthly sampling at five stations in the Little Spokane River basin, three stations had unqualified mercury results exceeding chronic criteria, all in March. However, the four-day average was probably well below the chronic criteria.
2. Water quality standards for copper and lead were probably violated in February and March at the Little Spokane near the mouth.
3. Water quality violations in conventional constituents occurred at all stations but were most likely to occur at the upper stations, especially the station above Dartford Creek. Water quality at the routine ambient monitoring station at the mouth is better than upstream water quality, possibly due to the influence of springs below the station above Dartford Creek and below the station near Griffith Springs.
4. Nonpoint sources of fecal coliform bacteria should be investigated, particularly upstream of the Little Spokane River above Peone Creek station.

cc: Dick Cunningham
Carl Nuechterlein
Steve Saunders
Steve Butkus

LITERATURE CITED

- Aroner, E. WQHYDRO. Olympia, WA. 1991
- Bloom, N. S. and E. A. Crecelius. Determination of Mercury in Seawater at Sub-nanogram per Liter Levels. *Marine Chem.* 14:49-59. 1983.
- Bloom, N. S. and E. A. Crecelius. Determination of Silver in Seawater by Co-precipitation with Cobalt Pyrrolidine Dithiocarbamate and Zeeman Graphite-Furnace Atomic Absorption Spectrometry. *Acta Chimica Acta* 156:139-145. 1983.
- Environmental Protection Agency. Quality Criteria for Water (EPA "Gold Book"). EPA/440/5-86-001. 1986.
- Hopkins, B., D. Hallock, R. James. 1990 Ambient Monitoring Annual Freshwater Data Report. Environmental Investigations and Laboratory Services, Washington State Department of Ecology. In Press.
- Omernik, J. M. and A. L. Gallant. Ecoregions of the Pacific Northwest. EPA/600/3-86/033. 1986.

Table 1. Stations in the Little Spokane system monitored during this study and other points of interest.

Station	Name	River Mile
55B070	Little Spokane R nr Mouth	1.1
	WDW Fish Hatchery	~ 6.5
55B080	Little Spokane R nr Griffith Spring	7.5
	Sewage Disposal Ponds	~ 9.3
	Waikiki Springs	~ 9.4
	Dartford Creek	10.2
55B082	Little Spokane R abv Dartford Cr	10.3
	Peone Creek	12.9
55C070	Peone (Deadman) Creek abv Little Deep Cr	0.5
55B100	Little Spokane R abv Peone Cr	13.5

Table 2. Metals results ($\mu\text{g/L}$) from the Little Spokane River near the mouth. Except for mercury, criteria, which are a function of hardness, are 10 percentiles for all stations and dates.

Date	Laboratory	Little Spokane near Mouth					
		Hg	Cu	Pb	Cd	Cr	Zn
7/10/90	Manchester	0.04K	5.0K	1.2J	0.10K	0.62J	5.0K
	Battelle	0.00036	0.517	0.17	0.013	0.48	0.59
8/07/90	Manchester	0.04K	5.0K	1.0K	0.10K	0.33K	5.0K
	Battelle	<0.001	0.66	0.23	0.004	0.55	0.95
9/04/90	Manchester	0.089J	2.0K	1.0K	0.10K	0.65B	2.0K
	Battelle	<0.00100	0.66	0.26	0.05	0.374	3.74
10/09/90	Manchester	0.085J	3.5B	1.0K	0.10K	0.43J	8.4B
	Battelle	<0.001	0.4	0.097	0.031	0.374	2.0N
11/06/90	Manchester	0.077J	2.3B	1.0K	0.10K	0.89J	2.7B
	Battelle	<0.00023	0.45	0.094	0.023	<0.325	1.54N
		<0.00012					1.46N
12/04/90	Manchester	0.04K	2.0K	1.0K	0.10K	1.0B	2.2J
	Battelle	<0.00013	1.05	0.27	0.013	0.374	3.17N
01/08/91	Manchester	0.04K	2.0K	1.0K	0.10K	0.30J	7.0J
	Battelle	0.00034B	0.487B	0.34	<0.002	0.64B	2.50B
02/05/91	Manchester	0.04K	18.	19.2	0.32J	9.91	57.7
	Battelle	0.00578B	20.6B	9.40	0.153	7.10B	47.6B
03/05/91	Manchester	0.04K	13.	7.2	0.12J	1.92	51.
	Battelle	0.00152B	3.61B	2.34	0.031	1.42B	12.2B
04/02/91	Manchester	0.04K	4.9J	1.4J	0.10K	0.71JV	4.0K
	Battelle	0.00359	0.93J	0.449J	0.004KJ	0.70J	3.14J
05/07/91	Manchester	0.10P	3.0K	1.0K	0.10K	0.44V	4.0K
	Battelle	0.00176	1.49J	0.479J	0.004KJ	0.62J	3.34J
06/04/91	Manchester	0.04P	8.6P	1.0K	0.2K	0.37V	5.5PB
		0.14	3.0K	1.2	0.2K	0.72V	9.8
	Battelle	0.00527	0.79	0.429	0.004K	0.57	2.76
Chronic Criteria		0.012	8.2	1.8	0.8	145	77
Acute Criteria 2.4		11.8	47.2	2.4	1220	81	
Drinking Water Standards*		2	1000+	50	10	?	5000+

K - Less Than

J - Estimated Value

B,V - Detected in the method blank

N - value not within control limits

P - Value is above method detection limit but below quantitation limit.

* - From Department of Health (1989) State Board of Health Drinking Water Regulations

+ - Secondary standard for taste and odor.

Table 3. Mercury results ($\mu\text{g/L}$) from the Little Spokane River stations.

Station		DATE											
		Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun
55B070	L. Sp. nr Mouth	.00036	<.00100	<.00100	<.001	<.00012 <.00023	<.00013	.00034B	.00578B	.00152B	.00359	.00176	.00527
55B080	L. Sp. nr Griffith	<.00010	<.00100	<.00100	<.001	<.00016	.00037	<.000136B	.00362B	.29590B	.00491	.00136	.00219
55B082	L. Sp. abv Dartford	.00083	.00136	.00133	<.001	.00161	.00011	.00016B	.00577B	.02139B	.00306	.00293	.00133
55B100	L. Sp. abv Peone	.00035	.00100	.00109	<.001	.00081	.00018 .00039	.00016B	.00379B	.04974B	.00209	.00133	.00161
55C070	Peone Cr.	.00130	<.00113	.00100	<.001	.00120	.00106	.00225B .00220B	.00437B	.00502B	.00237	.00241	.00167

Table 4. Distribution of selected constituents, Little Spokane River Basin, July 1990-July 1991. Values below detection limits were replaced with 1/2 the detection limit.

Station name	Number of samples	Minimum	PERCENTILES					Maximum
			10	25	50 (median)	75	90	
Temperature (°C)								
Little Spokane R nr Mouth	12	3.5	4.2	6.4	10.1	14.1	16.4	16.5
Little Spokane R nr Griffith Spr	12	1.7	2.8	6.0	10.3	14.4	16.8	16.9
Little Spokane abv Dartford Cr	12	0.7	0.9	4.0	9.6	17.2	21.1	21.1
Peone (Deadman) Cr abv Lt Deep Cr	11	3.8	4.2	7.0	12.0	17.9	20.7	20.7
Little Spokane R abv Peone Cr	12	0.1	0.2	3.6	9.2	17.5	21.7	21.8
Conductivity (µmhos/cm)								
Little Spokane R nr Mouth	12	174	183	231	262	279	289	290
Little Spokane R nr Griffith Spr	12	140	156	219	261	271	278	280
Little Spokane abv Dartford Cr	12	104	125	179	228	243	253	256
Peone (Deadman) Cr abv Lt Deep Cr	11	135	136	168	239	275	298	300
Little Spokane R abv Peone Cr	12	101	123	178	221	232	284	298
Oxygen concentration (mg/L)								
Little Spokane R nr Mouth	12	9.3	9.3	9.4	10.0	10.5	10.9	10.9
Little Spokane R nr Griffith Spr	12	8.7	8.8	9.2	9.8	10.3	11.1	11.2
Little Spokane abv Dartford Cr	12	9.1	9.2	10.1	11.2	12.3	12.9	13.0
Peone (Deadman) Cr abv Lt Deep Cr	11	8.5	8.5	9.4	10.2	11.3	11.8	11.9
Little Spokane R abv Peone Cr	12	9.4	9.4	10.1	11.3	12.6	13.1	13.1
Oxygen Percent Saturation (%)								
Little Spokane R nr Mouth	12	85.6	86.5	89.3	91.3	97.2	103.0	104.3
Little Spokane R nr Griffith Spr	12	83.8	84.5	87.7	91.2	93.6	97.8	98.8
Little Spokane abv Dartford Cr	12	87.4	89.7	97.2	102.0	109.3	110.3	110.5
Peone (Deadman) Cr abv Lt Deep Cr	11	95.5	95.9	97.8	99.5	100.2	103.6	103.9
Little Spokane R abv Peone Cr	12	87.6	89.7	97.5	102.9	112.1	113.6	113.7
pH								
Little Spokane R nr Mouth	12	7.5	7.6	7.9	8.3	8.3	8.4	8.4
Little Spokane R nr Griffith Spr	12	7.6	7.6	8.0	8.3	8.4	8.5	8.5
Little Spokane abv Dartford Cr	12	7.6	7.6	8.1	8.3	8.6	8.7	8.7
Peone (Deadman) Cr abv Lt Deep Cr	11	7.7	7.8	8.2	8.4	8.6	8.7	8.7
Little Spokane R abv Peone Cr	12	7.5	7.6	8.1	8.3	8.5	8.5	8.5
Total Suspended Sediment (mg/L)								
Little Spokane R nr Mouth	11	2	2	5	12	22	500	600
Little Spokane R nr Griffith Spr	9	3	3	4	9	54	640	640
Little Spokane abv Dartford Cr	9	2	2	6	11	65	510	510
Peone (Deadman) Cr abv Lt Deep Cr	8	4	4	5	15	29	379	373
Little Spokane R abv Peone Cr	9	2	2	5	12	30	250	250

Table 4. Continued.

Station name	Number of samples	PERCENTILES						Maximum
		Minimum	10	25	50 (median)	75	90	
Hardness (mg/L CaCO ₃)								
Little Spokane R nr Mouth	12	71	77	107	130	136	137	137
Little Spokane R nr Griffith Spr	12	58	67	100	119	129	136	138
Little Spokane abv Dartford Cr	12	39	49	81	100	115	119	121
Peone (Deadman) Cr abv Lt Deep Cr	11	58	58	65	108	125	135	136
Little Spokane R abv Peone Cr	12	32	45	79	97	112	119	120
Turbidity (NTU)								
Little Spokane R nr Mouth	12	0.5	0.5	0.5	1.7	2.9	132.1	178.0
Little Spokane R nr Griffith Spr	12	0.5	0.5	0.5	1.3	2.8	160.7	220.0
Little Spokane abv Dartford Cr	12	0.5	0.7	1.2	1.3	3.3	136.8	185.0
Peone (Deadman) Cr abv Lt Deep Cr	11	0.5	0.6	1.1	2.0	3.6	43.4	53.0
Little Spokane R abv Peone Cr	12	0.5	0.5	0.5	1.5	2.9	75.7	103.0
Fecal Coliform Bacteria (Colonies/100ml)								
Little Spokane R nr Mouth	11	4	6	16	33	75	444	520
Little Spokane R nr Griffith Spr	11	23	25	32	53	240	616	700
Little Spokane abv Dartford Cr	11	10	13	24	63	116	1082	1300
Peone (Deadman) Cr abv Lt Deep Cr	10	3	3	7	21	49	98	100
Little Spokane R abv Peone Cr	11	3	4	11	14	52	1726	2100
Total Ammonia-nitrogen (mg/L)								
Little Spokane R nr Mouth	11	0.005	0.005	0.010	0.013	0.080	0.321	0.374
Little Spokane R nr Griffith Spr	9	0.005	0.005	0.005	0.012	0.045	0.418	0.418
Little Spokane abv Dartford Cr	8	0.010	0.009	0.012	0.017	0.020	0.469	0.482
Peone (Deadman) Cr abv Lt Deep Cr	7	0.005	0.004	0.005	0.010	0.020	0.106	0.030
Little Spokane R abv Peone Cr	9	0.010	0.010	0.011	0.018	0.060	0.581	0.581
Chronic Total Ammonia Criteria (mg/L Total NH ₃ -N)								
Little Spokane R nr Mouth	12	0.414	0.429	0.521	0.653	1.506	1.975	1.995
Little Spokane R nr Griffith Spr	12	0.330	0.343	0.411	0.567	1.058	2.015	2.043
Little Spokane R abv Dartford Cr	12	0.201	0.213	0.263	0.493	0.941	2.045	2.070
Peone (Deadman) Cr abv Lt Deep Cr	11	0.200	0.201	0.297	0.477	0.739	1.768	1.988
Little Spokane R abv Peone Cr	12	0.236	0.251	0.324	0.580	0.900	2.045	2.078
Acute Total Ammonia Criteria (mg/L Total NH ₃ -N)								
Little Spokane R nr Mouth	12	2.355	2.371	2.926	3.396	7.831	12.409	13.283
Little Spokane R nr Griffith Spr	12	1.905	1.913	2.357	2.949	5.500	11.394	11.727
Little Spokane R abv Dartford Cr	12	1.262	1.326	1.664	2.655	4.895	11.820	12.464
Peone (Deadman) Cr abv Lt Deep Cr	11	1.273	1.319	1.545	2.479	3.841	9.188	10.328
Little Spokane R abv Peone Cr	12	1.734	1.786	2.035	3.018	4.678	12.735	13.566


Table 4. Continued.

Station name	Number of samples	Minimum	PERCENTILES					Maximum
			10	25	50 (median)	75	90	
Nitrate + nitrite-nitrogen (mg/L)								
Little Spokane R nr Mouth	12	0.774	0.800	0.891	0.995	1.183	1.315	1.360
Little Spokane R nr Griffith Spr	12	0.614	0.656	0.774	0.940	1.085	1.250	1.310
Little Spokane abv Dartford Cr	12	0.467	0.468	0.486	0.655	0.895	1.165	1.240
Peone (Deadman) Cr abv Lt Deep Cr	12	0.253	0.255	0.357	0.670	0.780	0.868	0.880
Little Spokane R abv Peone Cr	12	0.447	0.449	0.462	0.600	0.914	1.192	1.270
Total Phosphorus (mg/L)								
Little Spokane R nr Mouth	12	0.010	0.013	0.020	0.021	0.039	0.782	1.070
Little Spokane R nr Griffith Spr	12	0.010	0.012	0.020	0.022	0.034	0.775	1.060
Little Spokane abv Dartford Cr	12	0.017	0.018	0.022	0.038	0.041	0.818	1.100
Peone (Deadman) Cr abv Lt Deep Cr	11	0.037	0.038	0.040	0.055	0.100	0.184	0.190
Little Spokane R abv Peone Cr	12	0.013	0.015	0.020	0.031	0.047	0.669	0.905
Ortho-phosphorus (mg/L)								
Little Spokane R nr Mouth	12	0.005	0.005	0.006	0.010	0.013	0.109	0.139
Little Spokane R nr Griffith Spr	12	0.005	0.005	0.010	0.010	0.016	0.122	0.157
Little Spokane abv Dartford Cr	12	0.005	0.006	0.010	0.017	0.020	0.142	0.181
Peone (Deadman) Cr abv Lt Deep Cr	11	0.024	0.024	0.030	0.034	0.050	0.140	0.160
Little Spokane R abv Peone Cr	12	0.005	0.005	0.006	0.010	0.018	0.144	0.184
Discharge (cfs)								
Little Spokane R nr Mouth	12	359	359	365	406	578	989	1040

Table 5. Water quality standards violations (and total non-qualified results available) at the Little Spokane River stations, July 1990 through June 1991.

Station	Temp.	Oxygen	FC	pH	Ammonia
55B070	0 (11)	0 (12)	1 (11)	0 (12)	0 (11)
55B080	0 (11)	0 (12)	3 (11)	0 (12)	0 (9)
55B082	2 (11)	0 (11)	2 (11)	3 (12)	0 (8)
55C070	2 (10)	0 (11)	0 (10)	3 (11)	0 (7)
55B100	2 (11)	0 (12)	2 (11)	0 (12)	0 (9)

Little Spokane River Stations July, 1990 through June, 1991



14

Figure 1. Little Spokane River Stations-Temperature (°C), July 1990 - June 1991.

Little Spokane River Stations
 July, 1990 through June, 1991




Figure 2. Little Spokane River Stations-Dissolved Oxygen (mg/L), July 1990 - June 1991.

Little Spokane River Stations
July, 1990 through June, 1991




Figure 3. Little Spokane River-pH, July 1990 - June 1991.




Figure 4. Little Spokane River-fecal coliform bacteria (#/100 mL), July 1990 - June 1991.




Figure 5. Little Spokane River-total ammonia (mg/L NH₃-N) July 1990 - June 1991.



WASHINGTON STATE DEPARTMENT OF ECOLOGY
MANCHESTER ENVIRONMENTAL LABORATORY
Manchester, Washington 98353

DATA REVIEW

By: Craig Smith, Chemist
PROJECT: Eastern Routine Monitoring
Lab Sample No: Week #'s 28, 32, 36, 41, 45, 49 of 1990
Report Date: 03-19-91

Metals

Digestion: APDC Technique for extraction: Total Metals
Hg Analysis by Bloom and Crecelius (1983)

Turnaround Time: Six sample sets were received on March 5, 1991. Based upon contracted dates for deliverables, the following is a summary:

Sample Set: 286161	169 days late
326161	155 days late
366161	123 days late
416161	104 days late
456161	96 days late
496163	48 days late

DELIVERABLES: One of the stipulated deliverables was all raw data. Raw data was not provided for Hg. They "discarded" the raw data.

All parameters requested were received except the following:
416161 separate Hg analysis
496167 separate Hg analysis

HOLDING TIME: With regard to holding time, analysis may or may not have been within the accepted criterion. No raw data was available for Hg.

REAGENT BLANK: Sample results were blank corrected by the laboratory.

MATRIX SPIKE: The targeted accuracy of matrix spikes is +/- 25% of the true value. All values were within the targeted limits.

SPIKE DUPLICATE: The target limits are +/- 20%, or +/- 1 detection limit for samples less than 5 times the detection limit. All values were within the targeted limits.

LABORATORY CONTROL SAMPLE: The target is a +/- 20% recovery control limit. All values were within the targeted limits except for Zn on weeks 41, 45, and 49. The RPD was 90%. The Zn data for these three sets will receive an "N" qualifier.

SAMPLE DATA: The data may be used with the qualification attached.

N = value not within control limits.



WASHINGTON STATE DEPARTMENT OF ECOLOGY
MANCHESTER ENVIRONMENTAL LABORATORY
Manchester, Washington 98353

DATA REVIEW

By: *[Signature]* Craig Smith, Chemist
PROJECT: ERM Metals
Lab Sample No: 026163 - 026167
066163 - 066167
106163 - 106167, 1099999 (PE Sample)
Report Date: 06-19-91

	Collected	To Manchester	Data Received
HOLDING TIME:	01-08	01-09	06-07-91
	02-05	02-06	06-07-91
	03-05	03-06	06-07-91

Metals

Digestion: Hg-Bloom and Crecelius Method. Totals by APDC technique

HOLDING TIME: Analyses for all parameters were performed within the holding time limits.

REAGENT BLANK: The method blank showed no analyte values above the reporting detection limit except for Cr, Cu, Hg, and Zn. See data summary for the actual values. See explanation below.*

MATRIX SPIKE: The targeted accuracy of matrix spikes is +/- 25% of the true value. All values were within the targeted limits.

SPIKE DUPLICATE: The target limits are +/- 20%, or +/- 1 detection limit for samples less than 5 times the detection limit. All values were within the targeted limits.

LABORATORY CONTROL SAMPLE The target is a +/- 20% recovery control limit. All values were within the targeted limits.

*The blank gave values above the reporting detection limit for all three sets of analyses. As a result, the affected data will receive a "B" qualifier.
For sample sets 02, 06, and 10, the Cu contamination is very low. The net affect will be negligible.

For all other parameters, the net affect is appreciable.
On sample sets 02, 06, and 10, the Hg and Zn data are most affected. For Hg, the blank corrected values are also given. This was not done for Zn.

The data may be used with the attached qualifiers.

B = analyte found in blank as well as sample. Possible/probable blank contamination.

page 2 of 2

As we discussed earlier, a PE sample was included in one of the sample sets from week 10. I gave this PE Sample the number 109999.

I sent ORMS-1, a riverine water sample. A copy of the certified data is attached.

The results that Battelle obtained for this sample were not too bad. Their blank corrected value was 0.00502 ug/L. The certified value was 0.0068 +/- 0.0013 ug/L. If you apply the -0.0013 value you get 0.0055, close to their 0.00502 value. Battelles results are a little low.

APPENDIX 7

**Ranking of Core Stations Inside of Puget Sound
By Highest Quarterly Mean Value**

Appendix 7. Ranking by parameter of highest quarterly mean at core stations inside of Puget Sound (except for D.O., where lowest quarterly mean are ranked).

Temperature*	Mean	Qtr
1. Sammamish	17.65	J-S
2. Green	17.4	J-S
3. Snohomish	16.77	J-S
4. Stillaguamish	16.13	J-S
5. Nooksack	15.23	J-S
6. Nisqually	14.67	J-S
7. Cedar	14.35	J-S
8. Puyallup	13.71	J-S
9. Skagit	13.28	J-S
10. Skokomish	10.22	J-S

* = °C

WQL= NA PSD= 0.06

Dissolved Oxygen*	Mean	Qtr
1. Green	8.00	J-S
2. Sammamish	8.08	J-S
3. Stillaguamish	9.14	J-S
4. Snohomish	9.80	J-S
5. Skokomish	10.12	J-S
6. Puyallup	10.24	J-S
7. Nooksack	10.27	J-S
8. Skagit	10.44	J-S
9. Nisqually	10.5	J-S
10. Cedar	11.2	J-S

* = mg/L

WQL= NA PSD= 0.07

Fecal Coliform*	Mean	Qtr
1. Sammamish	486	J-S
2. Green	437	J-S
3. Puyallup	424	A-J
4. Nooksack	352	J-S
5. Stillaguamish	155	J-M
6. Cedar	145	J-S
7. Snohomish	135	O-D
8. Nisqually	73	O-D
9. Skokomish	31	O-D
10. Skagit	28	J-M

* = colonies/100 mL

WQL= 10 PSD=22.6

Suspended Solids*	Mean	Qtr
1. Puyallup	349	J-S
2. Nooksack	182	O-D
3. Stillaguamish	101	J-M
4. Nisqually	51	O-D
5. Skokomish	37	O-D
6. Skagit	35	O-D
7. Cedar	29	J-M
8. Snohomish	25	O-D
9. Green	18	O-D
10. Sammamish	17	O-D

* = 1 mg/L

WQL= 3 PSD= 7.67

J-M = January-March A-J = April-June

J-S = July-September O-D = October-December

WQL = Working quantitation limit

PSD = Pooled standard deviations of all field replicate samples

Appendix 7. Continued.

Ammonia*	Mean	Qtr
1. Green	0.316	O-D
2. Nooksack	0.074	J-M
3. Skokomish	0.059	J-M
4. Stillaguamish	0.053	J-M
5. Sammamish	0.048	O-D
6. Puyallup	0.039	J-M
6. Snohomish	0.039	J-M
7. Cedar	0.028	O-D
8. Nisqually	0.025	J-M
9. Skagit	0.018	O-D

* = 1 mg/L

WQL= 0.02 PSD= .008

Nitrate + nitrite*	Mean	Qtr
1. Nooksack	0.667	J-M
2. Sammamish	0.617	J-M
3. Green	0.521	J-M
4. Cedar	0.408	J-M
5. Nisqually	0.400	J-M
6. Snohomish	0.388	J-M
7. Puyallup	0.373	J-M
8. Stillaguamish	0.321	J-M
9. Skokomish	0.149	O-D
10. Skagit	0.145	J-M

* = 1 mg/L

WQL= 0.19 PSD= 0.078

Total Phosphorus*	Mean	Qtr
1. Puyallup	0.172	J-S
2. Green	0.125	O-D
3. Nooksack	0.089	J-S
4. Nisqually	0.087	O-D
5. Sammamish	0.066	O-D
6. Stillaguamish	0.049	O-D
7. Skagit	0.043	O-D
8. Snohomish	0.042	O-D
9. Cedar	0.038	O-D
10. Skokomish	0.034	O-D

* = 1 mg/L

WQL= 0.02 PSD= 0.07

Ortho-phosphorus*	Mean	Qtr
1. Green	0.069	J-S
2. Sammamish	0.026	J-S
3. Puyallup	0.023	J-S
4. Nooksack	0.013	J-M
5. Cedar	0.012	O-D
5. Skokomish	0.012	J-M
6. Skagit	0.011	J-M
6. Snohomish	0.011	O-D
6. Stillaguamish	0.011	J-S
6. Nisqually	0.011	O-D

* = 1 mg/L

WQL= 0.11 PSD= 0.013

J-M = January-March A-J = April-June

J-S = July-September O-D = October-December

WQL = Working quantitation limit

PSD = Pooled standard deviations of all field replicate samples

Appendix 7. Continued.

Turbidity*	Mean	Qtr
1. Puyallup	85	J-S
2. Nisqually	46	O-D
3. Nooksack	36	O-D
4. Stillaguamish	22	J-M
5. Skokomish	12	O-D
6. Skagit	9	O-D
6. Snohomish	9	O-D
7. Green	6	J-M
8. Cedar	5	J-M
9. Sammamish	4	J-M

* = NTU
 WQL = 2 PSD = 1.13

Conductivity*	Mean	Qtr
1. Green	481	O-D
2. Sammamish	162	J-S
3. Nooksack	120	J-M
4. Cedar	94	J-S
5. Skokomish	81	J-S
6. Stillaguamish	8	J-S
7. Puyallup	78	O-D
8. Nisqually	69	J-S
9. Skagit	67	J-M
10. Snohomish	56	J-S

* = $\mu\text{mhos/cm}$
 WQL = 5 PSD = 5.89

J-M = January-March A-J = April-June
 J-S = July-September O-D = October-December

WQL = Working Quantitation Limit
 PSD = Pooled standard deviation of field replicate

APPENDIX 8

Summary of Trends

Appendix 8. Summary of the Seasonal Kendall Trends at core/bench mark stations inside of the Puget Sound Basin (if serial correlation is present the corrected data set is used).

	Temp	Cond	D.O.	pH	SS	Turb	FC	NH ₃	T-P	O-P	NO ₂ + NO ₃	Flow
Nooksack @ Brennan	-	<u>↑</u>	-	-	-	<u>↓</u>	-	-	-	*	-	-
Skagit @ Mt. Vernon	-	-	-	-	-	<u>↓</u>	-	↓	*	*	<u>↓</u>	-
Skagit @ Marblemount	-	-	-	-	-	↓	-	↓	-	*	↓	-
Stillaguamish @ Silvana	-	-	-	-	-	<u>↓</u>	-	-	<u>↑</u>	-	-	-
Snohomish @ Snohomish	-	-	-	-	<u>↑</u>	-	<u>↓</u>	-	-	-	<u>↓</u>	-
Sammamish @ Bothell	-	<u>↑</u>	-	<u>↑</u>	-	<u>↓</u>	<u>↓</u>	<u>↓</u>	-	-	-	-
Cedar @ Renton	-	<u>↑</u>	-	-	-	-	-	↓	-	-	-	-
Green @ Allentown	<u>↓</u>	-	<u>↑</u>	<u>↑</u>	-	<u>↓</u>	<u>↓</u>	<u>↓</u>	<u>↓</u>	<u>↓</u>	<u>↓</u>	-
Green @ Kanakskat	-	-	-	-	-	↓	-	↓	-	-	-	-
Puyallup @ Meridian St.	<u>↓</u>	<u>↑</u>	-	<u>*</u> <u>↑</u>	-	-	-	<u>↓</u>	-	↓	<u>↑</u>	-
Nisqually @ Nisqually	-	<u>↑</u>	-	<u>↑</u>	-	<u>↓</u>	<u>↓</u>	<u>↓</u>	-	-	<u>↑</u>	-
Skokomish @ Potlatch	-	<u>↑</u>	-	-	-	-	↑	↓	*	*	<u>↑</u>	-

* = Slope is equal to 0.0000 (see discussion above)


Underlined = Significant Trends also present using flow adjusted residuals. If - trend is present only in flow adjusted residuals and direction of trend is indicated below -.

↓ = Trends where the historical median levels are above the working quantitation limits.


APPENDIX 9

Upstream/Downstream Work on the Skagit River Water Quality at
Mount Vernon vs. Marblemount


Skagit River Temperature Levels From WY80 to WY91




Skagit River Conductivity Levels From WY80 to WY91




Skagit River Dissolved Oxygen Levels From WY80 to WY91




Skagit River Percent Saturation Levels From WY80 to WY91




Skagit River pH levels From WY80 to WY91




Skagit River Suspended Solid Levels From WY80 to WY91




Skagit River Turbidity Levels From WY80 to WY91




Skagit River Fecal Coliform Levels From WY80 to WY91




Skagit River Ammonia Levels From WY80 to WY91




Skagit River Nitrate + Nitrite Levels From WY80 to WY91



Skagit River Total Phosphorus Levels From WY80 to WY9




Skagit River Ortho Phosphorus Levels From WY80 to WY9




APPENDIX 10

Upstream/Downstream Work on the Green River Water Quality
at Allentown Bridge vs. Kanaskat Before and After
the Removal of the Renton STP Outfall


Green River Percent Saturation of Dissolved Oxygen Before and After Removal of the Renton Treatment Plant Outfall




Green River Ammonia Levels Before and After Removal of the Renton Treatment Plant Outfall




Green River Fecal Coliform Levels Before and After the Removal of the Renton Treatment Plant Outfall




Green River Turbidity Levels Before and After the Removal of the Renton Treatment Plant Outfall




Green River Ortho Phosphorus Levels Before and After the Removal of the Renton Treatment Plant Outfall




Green River Total Phosphorus Levels Before and After the Removal of the Renton Treatment Plant Outfall




Green River Nitrate + Nitrite Levels Before and After the Removal of the Renton Treatment Plant Outfall




Green River flow Levels Before and After the Removal of the Renton Treatment Plant Outfall




Green River Temperature Levels Before and After the Removal of the Renton Treatment Plant Outfall




Green River Conductivity Levels Before and After the Removal of the Renton Treatment Plant Outfall



Green River Dissolved Oxygen Levels Before and After the Removal of the Renton Treatment Plant Outfall



Green River pH Levels Before and After Removal of the Renton Treatment Plant Outfall



Green River Suspended Solid Levels Before and After the Removal of the Renton Treatment Outfall

