

This application is for a state waste discharge permit as required by Chapter 90.48 RCW and Chapter 173-216 WAC. Permit applications provide Ecology with information on pollutants in the waste stream, materials that may enter the waste stream, the flow characteristics of the discharge, and the site characteristics at the point of discharge.

Ecology may request additional information to clarify the conditions of this discharge. The applicant should reference information previously submitted to Ecology that applies to this application in the appropriate section.

1.	Applicant name:					
2.	Facility name: (if different from applicant)					
3.	Applicant mail address:	Street				
		City/State	Zip			
4.	Facility location address: (if different from above)	Street				
		City/State	Zip			
5.	UBI No.		 Sometimes called a registration, tax, "C," or resale number, the United Business Identifier (UBI) number is a nine-digit number used to identify persons engaging in business activities. The number is assigned when a person completes a <u>Master Business Application</u> to register with or obtain a license from state agencies. The Departments of Revenue, Licensing, Employment Security, Labor and Industries, and the Corporations Division of the Secretary of State are among the state agencies participating in the UBI program. 			
6.	Latitude/longitude of the p	rocessing facility as	s decimal degrees (NAD83/WGS84):			
FOR	ECOLOGY USE ONLY	Check One New	w/Renewal Modification			
Date application received			Application/Permit no.			
Date application accepted			Date fee paid			

SECTION A. GENERAL INFORMATION

7. Person to contact who is familiar with the information contained in this application:

Name			Title
Telephone nu	mber		Fax number
8. Cheo	ck <u>One</u> :		
	Permit renewal (inc	eluding renewal of temporary	permits authorized by RCW 90.48.200)
	Does this application pollutant discharge, application for this f	n request a greater amount or a discharge of different facility?	of wastewater discharge, a greater amount of pollutants than specified in the last permit YES NO
	For permit renewals	, the current permit is an a	ttachment, by reference, to this application.
	Permit modification	Existing	Proposed discharge
		unpermitted discharge	Anticipated date of discharge:
I certify under p with a system o inquiry of the p information sub penalties for su	penalty of law that this docun designed to assure that qual person or persons who mana omitted is, to the best of my k bmitting false information, in	nent and all attachments were pr ified personnel properly gather ge the system, or those persons nowledge and belief, true, accur cluding the possibility of a fine o	repared under my direction or supervision in accordance and evaluate the information submitted. Based on my s directly responsible for gathering the information, the ate, and complete. I am aware that there are significant and/or imprisonment for knowing violations.
Signature*		Date	Title

Title

Printed name

*Applications must be signed as follows: Corporations, by a principal executive officer of at least the level of vice-president; partnership, by a general partner; sole proprietorship, by the proprietor. If these titles do not apply to your organization, the person who makes budget decisions for this facility must sign the application.

The application signatory may delegate signature authority for submittals required by the permit, such as monthly reports, to a suitable employee. You can delegate this authority to a qualified individual or to a position, which you expect to fill with a qualified individual. If you wish to delegate signature authority, please complete the following:

Signature of delegated employee

Date

Title or function at the facility

Printed name

SECTION B. PRODUCT INFORMATION

1. Briefly describe all manufacturing processes and products, and/or commercial activities at this facility. Provide the applicable Standard Industrial Category (SIC) and the North American Industry Classification System (NAICS) Code(s) for each activity (see *North American Industrial Classification System*, 2007 ed.). You can find the 1997 NAICS codes and the corresponding 1987 Standard Industry Category (SIC) codes at (http://www.census.gov/epcd/naics/frames3.htm).

Description:

2	List raw	materiale	and	producte
Ζ.	List law	materials	anu	products.

Туре	RAW MATERIA	ALS Quantity
Potatoes (Example)	20	million tons per year
Туре	PRODUCTS	S Quantity
French fries (Example)	10 r	nillion pounds per year
French fries (Example)	10 r	nillion pounds per year
French fries (Example)	10 n	nillion pounds per year
French fries (Example)	10 m	nillion pounds per year
French fries (Example)	10 r	million pounds per year
French fries (Example)	10 m	million pounds per year

SECTION C. PLANT OPERATIONAL CHARACTERISTICS

1. For each process listed in B.1that generates wastewater, list the process, assign the waste stream a name and ID #, and describe whether it is a batch or continuous flow.

Process	Waste Stream Name	Waste Stream ID#	Batch (B) or Continuous (C) Process
Receiving raw potatoes (Example)	Mud Water	1	С

2. On a separate sheet, produce a schematic drawing showing production processes and water flow through the facility and wastewater treatment devices (*label as attachment C2*). The drawing should indicate the source of intake water and the operations contributing wastewater to the effluent and should label the treatment units. Construct the water balance by showing average flows between intakes, operations, treatment units, and points of discharge to land. If a water balance cannot be determined (*e.g., for certain mining activities*), provide a description of the nature and amount of any sources of water and any collection or treatment measures.

3.	What is the highest daily discharge flow from the processing facility: (Specify the time period for the value given)	gallons per
	What is the highest daily discharge flow to the sprayfields/infiltration basin: (Specify the time period for the value given)	inches/acre/month OR gallons per day
	What is the highest average monthly discharge flow (daily flows averaged over a month) from the processing facility: (Specify the time period for the value given)	gallons/day?
	What is the highest average monthly discharge flow to the sprayfields: (Specify the time period for the value given)	inches/acre/month OR gallons per day

4. Describe any planned wastewater treatment or sprayfield/infiltration improvements and the schedule for the improvements or changes. (*Use additional sheets, if necessary and label as attachment C4.*)

5. If production processes are subject to seasonal variations, provide the following information. List discharge for each wastestream in gallons or million gallons per month. The combined value for each month should equal the estimated total monthly flow. Please indicate the proper unit by checking one of the following boxes:

	MONTHS											
Waste Stream ID#	J	F	Μ	Α	Μ	J	J	Α	S	0	Ν	D
#1 (Example)	1000	1000	1000	1000	6000	2000	2000	2000	1000	1000	5000	4000
Estimated total gallons												

gallons per day gallons per month million gallons per month

- 6. If this is a discharge from the processing facility to a storage or evaporative lagoon, what is the size of the lagoon (give square footage for the bottom of the lagoon and the total volume of the lagoon at full operating depth). *10,000 square feet; 10 million gallons (Example)*
- 7. Check the applicable box. Is this is a discharge to a sprayfield or an infiltration bed ? Provide the average gallons per acre per day proposed for each month in the following table.

	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept.	Oct	Nov	Dec
Estimated gallons												
per acre per day												

8. How many hours a day does this facility typically operate? How many days a week does this facility typically operate?

How many weeks per year does this facility typically operate?

9. List all incidental materials such as oil, paint, grease, solvents, and cleaners that are used or stored on site (list only those with quantities greater than 10 gallons for liquids and 50 pound quantities for solids). For solvents and solvent-based cleaners, include a copy of the material safety data sheet for each material and estimate the quantity used. *Use additional sheets, if necessary and label as attachment C.7.*)

Materials/Quantity Stored:

10.	Sor Do	ne types of facilities are required to have spill or waste control plans. es this facility have:	Yes	No
	a.	A spill prevention, control, and countermeasure plan (40 CFR 112)?		
	b.	An Oil Spill Contingency Plan (chapter 173-182 WAC)?		
	c.	An emergency response plan (per WAC 173-303-350)?		
	d.	A runoff, spillage, or leak control plan (per WAC 173-216-110(f))?		
	e.	Any spill or pollution prevention plan required by local, state or federal authorities? If yes specify:		
	f.	A solid waste control plan?		

	SECTION D. WATER CONSUMPTION AND WATER LOSS
1.	Potable water source(s):
	Public system (Specify name)
	Private well Surface water (Specify name of water body)
	a. Water right permit number:
	b. Legal description of water source:
	¹ / ₄ S,, Section,TWN,R
2.	Potable water use
	a. Indicate total water use: Gallons per day (average)
	Gallons per day (maximum)
	b. Is water metered?
3.	Supplemental Irrigation water source(s):
	Public system or Irrigation District (Specify name)
	Private well Surface water (Specify name of water body)
	a. Water right permit number:
	b. Legal description of water source:
	¹ / ₄ S,, Section,TWN,R

This page purposely left blank

SECTION E. WASTEWATER INFORMATION

1. How are the water intake and effluent flows measured?

Intake:

Effluent

- 2. Describe the collection method for the samples analyzed below. (*i.e.*, grab, 24-hour composite). Applicants must collect grab samples (not composites) for analysis of pH, temperature, cyanide, total phenols, residual chlorine, oil and grease, fecal coliform (including E. coli), and Enterococci (previously known as fecal streptococcus at § 122.26 (d)(2)(iii)(A)(3)),or volatile organics.
- 3. Has the effluent been analyzed for any other parameters than those identified in question E.4.? YES NO If yes, attach results and label as attachment E.4. This data must clearly show the date, method and location of sampling. (*Note: Ecology may require additional testing.*)
- 4. Provide measurements or range of measurements for treated wastewater prior to discharge to the POTW for the parameters with an "X" in the left column. If you obtain the application from the internet, contact Ecology's regional office to see if testing for a subset of these parameters is permissible. All analyses (except pH) must be conducted by a laboratory registered or accredited by Ecology (WAC 173-216-125). If this is an application for permit renewal, provide data for the last year for those parameters that are routinely measured. For parameters measured only for this application, place the values under "Maximum." Report the values with units as specified in the parameter name or in the detection level.

The Permittee must use the specified analytical methods, detection limits (DLs) and quantitation levels (QLs) in the following table unless Ecology approves an alternate method or the method used produces measurable results in the sample and EPA has listed it as an EPA approved method in 40 CFR Part 136. If the Permittee uses an alternative method as allowed above, it must report the test method, DL, and QL on the discharge monitoring report or in the required report.

v	Parameter	Measurement Values			Number	Analytical Method	Detection
^		Minimum	Maximum	Average	Analyses	Std. Methods 19",20" edition or EPA	Limit/Quantitation Level
	BOD (5 day)					SM 5210 B	/2 mg/l
	COD					SM 5220 D	/10 mg/l
	Total suspended solids					SM 2540 D	/5 mg/l
	Fixed Dissolved Solids					SM 2540 E	
	Total dissolved solids					SM 2540 C	
	Conductivity (micromhos/cm)					SM 2510 B	
	Ammonia-N as N					SM 4500-NH ₃ C	/0.3 mg/L
	pН					SM 4500-H	0.1 standard units
	Fecal coliform (organisms/100 mL)					SM 9221 E or 9222 D	
	Total coliform (organisms/100 mL)					SM 9221 B or 9222 B	
	Dissolved oxygen					SM 4500-O C/G	
	Nitrate + nitrite-N as N					SM 4500-NO ₃ E	100 µg/L
	Total kjeldahl N as N					SM 4500-Norg C/E/FG	300 µg/l
	Ortho-phosphate-P as P					SM 4500-P E/F	10 µg/l
	Total-phosphorous-P as P					SM 4500-P E/P/F	10 µg/l
	Total Oil & grease					EPA 1664A	1.4/5 mg/l
	NWTPH - Dx					Ecology NWTPH Dx	250/250 µg/l
	NWTPH - Gx					Ecology NWTPH Gx	250/250 µg/l
	Calcium					EPA 200.7	10 µg/l
	Chloride					SM 4500-CI C	0.15 µg/l
	Fluoride					SM 4500-F E	.025/0.1 mg/l
	Magnesium					EPA 200.7	10/50 µg/l
	Potassium					EPA 200.7	700/ µg/l
	Sodium					EPA 200.7	29/ µg/l
	Sulfate					SM 4500-SO ₄ C/D	/200 µg/l
	Alkalinity as CaCO ₃					SM 2320 B	/5 mg/L as CaCO ₃

v	Parameter	Measurement Values			Number	Analytical Method	Detection
^	i diameter	Minimum	Maximum	Average	Analyses	Std. Methods 19 ^{°°} ,20 ^{°°} edition or EPA	Limit/Quantitation Level
	Arsenic(total)					EPA 200.8	0.1/0.5 µg/l
	Barium (total)					EPA 200.8	0.5/2 µg/l
	Cadmium (total)					EPA 200.8	.05/.25 μg/l
	Chromium (total)					EPA 200.8	0.2/1 µg/l
	Copper (total)					EPA 200.8	0.4/2 µg/l
	Iron (total)					EPA 200.7	12.5/50 µg/l
	Lead (total)					EPA 200.8	0.1/.5 µg/l
	Manganese (total)					EPA 200.8	0.1/0.5 µg/l
	Mercury (total) pg/L					EPA 1631E	0.2/0.5 pg/l
	Molybdenum(total)					EPA 200.8	0.1/0.5 µg/l
	Nickel(total)					EPA 200.8	0.1/0.5 µg/l
	Selenium (total)					EPA 200.8	1/1 µg/l
	Silver (total)					EPA 200.8	.04/.2 µg/l
	Zinc (total)					EPA 200.8	0.5/2.5 µg/l

<u>Detection level (DL)</u> or detection limit means the minimum concentration of an analyte (substance) that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero as determined by the procedure given in 40 CFR part 136, Appendix B.

<u>Quantitation Level (QL)</u> also known as Minimum Level of Quantitation (ML) – The lowest level at which the entire analytical system must give a recognizable signal and acceptable calibration point for the analyte. It is equivalent to the concentration of the lowest calibration standard, assuming that the lab has used all method-specified sample weights, volumes, and cleanup procedures. The QL is calculated by multiplying the MDL by 3.18 and rounding the result to the number nearest to $(1, 2, \text{ or } 5) \times 10^{n}$, where n is an integer. (64 FR 30417).

ALSO GIVEN AS:

The smallest detectable concentration of analyte greater than the Detection Limit (DL) where the accuracy (precision & bias) achieves the objectives of the intended purpose. (Report of the Federal Advisory Committee on Detection and Quantitation Approaches and Uses in Clean Water Act Programs Submitted to the US Environmental Protection Agency December 2007).

This page purposely left blank

5. Does this facility use any of the following chemicals as raw materials in production, produce them as part of the manufacturing process, or are they present in the wastewater? (*The number following the chemical name is the Chemical Abstract Service (CAS) reference number to aid in identifying the compound.*) YES NO

If yes, specify how the chemical is used and the quantity used or produced (*Use additional sheets, if necessary and label as attachment E5.*):

Acrvlamide/79-06-1 Acrylonitrile/107-13-1 Aldrin/309-00-2 Aniline/62-53-3 Aramite/140-57-8 Arsenic/7440-38-2 Azobenzene/103-33-3 Benzene/71-43-2 Benzidine/92-87-5 Benzo(a)pyrene/50-32-8 Benzotrichloride/98-07-7 Benzyl chloride/100-44-7 Bis(chloroethyl)ether/111-44-4 Bis(chloromethyl)ether/542-88-1 Bis(2-ethylhexyl) phthalate/ 117-81-7 Bromodichloromethane/75-27-4 Bromoform/75-25-2 Carbazole/86-74-8 Carbon tetrachloride/56-23-5 Chlordane/57-74-9 Chlorodibromomethane/124-48-1 Chloroform/67-66-3 Chlorthalonil/1897-45-6 2.4-D/94-75-7 DDT/50-29-3 Diallate/2303-16-4 1.2 Dibromoethane/106-93-4 1,4 Dichlorobenzene/106-46-7 3,3' Dichlorobenzidine/91-94-1 1,1 Dichloroethane/75-34-3 1,2 Dichloroethane/107-06-2

Nitrofurazone/59-87-0 N-nitrosodiethanolamine/ 1116-54-7 N-nitrosodiethylamine/55-18-5 N-nitrosodimethylamine/62-75-9 N-nitrosodiphenylamine/86-30-6 N-nitroso-di-n-propylamine/ 621-64-7 N-nitrosopyrrolidine/930-55-2 N-nitroso-di-n-butylamine/ 924-16-3 N-nitroso-n-methylethylamine/ 10595-95-6 PAH/NA PBBs/NA PCBs/1336-36-3 1,2 Dichloropropane/78-87-5 1,3 Dichloropropene/542-75-6 Dichlorvos/62-73-7 Dieldrin/60-57-1 3,3' Dimethoxybenzidine/119-90-4 3,3 Dimethylbenzidine/119-93-7 1,2 Dimethylhydrazine/540-73-8 2,4 Dinitrotoluene/121-14-2 2,6 Dinitrotoluene/606-20-2 1,4 Dioxane/123-91-1 1,2 Diphenylhydrazine/122-66-7 Endrin/72-20-8 Epichlorohydrin/106-89-8 Ethyl acrylate/140-88-5 Ethylene dibromide/106-93-4 Ethylene thioureae/96-45-7 Folpet/133-07-3 Furmecyclox/60568-05-0

Heptachlor/76-44-8 Heptachlor epoxide/1024-57-3 Hexachlorobenzene/118-74-1 Hexachlorocyclohexane (alpha)/ 319-84-6 Hexachlorocyclohexane (tech.)/ 608-73-1 Hexachlorodibenzo-p-dioxin, mix/19408-74-3 Hydrazine/hydrazine sulfate/ 302-01-2 Lindane/58-89-9 2 Methylaniline/100-61-8 2 Methylaniline hydrochloride/ 636-21-5 4,4' Methylene bis(N,Ndimethyl)aniline/101-61-1 Methylene chloride (dichloromethane)/75-09-2 Mirex/2385-85-5 O-phenylenediamine/106-50-3 Propylene oxide/75-56-9 2,3,7,8-Tetrachlorodibenzo-p-dioxin/ 1746-01-6 Tetrachloroethylene/127-18-4 2.4 Toluenediamine/95-80-7 o-Toluidine/95-53-4 Toxaphene/8001-35-2 Trichloroethylene/79-01-6 2,4,6-Trichlorophenol/88-06-2 Trimethyl phosphate/512-56-1 Vinyl chloride/75-01-4

6.	Are any other pesticides, herbicides, or fungicides used at this facility?	🗌 YES 🗌 NO
	If yes, specify the material and quantity used.	
7.	Are there other pollutants that you know of or believe to be present?	U YES I NO
	If yes, specify the pollutants and their concentration if known (attach laboratory analyses if available).	DON'T KNOW

SECTION F. GROUND WATER INFORMATION

Provide available data measurements or range of measurements from monitoring wells or supply wells in the area of discharge. Provide the analytical method and detection limit, if known. Provide the location of each well on the map required in G.3 below. Attach well logs when available. Copy this page as necessary for each well. Provide the latitude and longitude in decimal format.

Ecology Well Tag ID # _____ (exampleAAB123) Latitude: _____ Well ID # _____ (example MW-1)

Longitude:

Well Elevation (to the nearest 0.01 feet) _____ Check the appropriate box; the elevation measurement is relative to: the NAVD88 standard [] mean sea level []

Parameter	Units	Range of Measurements	Number of	Analytical Method	Detection Limit
			Analyses		
BOD (5 day)	mg/L				
COD	mg/L		-		
Total organic carbon	mg/L				
Total dissolved solids	mg/L				
Dissolved Fixed Solids	mg/L				
рН	Standard units				
Conductivity	(micromhos/cm)				
Alkalinity	mg/L as CaCO ₃				
Total hardness	mg/L				
Fecal coliform	organisms/100mL				
Total coliform	organisms/100mL				
Dissolved oxygen	mg/L				
Ammonia-N	mg/L				
Nitrate + nitrite-N, nitrate as N	mg/L				
Total kjeldahl N as N	mg/L				
Ortho-phosphate-P as P	mg/L				
Total-phosphate-P as P	mg/L				
Total Oil and Grease	mg/L				
Total petroleum hydrocarbon	□mg/L □ μg/l				
Calcium	□mg/L □ μg/l				
Chloride	mg/Lμg/l				
Fluoride	□mg/L □ μg/l				
Magnesium	□mg/L □ μg/l				
Potassium	□mg/L □ μg/l				
Sodium	□mg/L □ μg/l				
Sulfate	□mg/L □ μg/l				
Barium	□mg/L □ μg/l				
Cadmium	mg/Lμg/l				
Chromium	mg/Lμg/l				
Copper	mg/Lμg/I				
Iron	mg/Lμg/I				
Lead	mg/Lμg/I				
Manganese	□mg/L □ µg/l				

Parameter	Units	Range of Measurements	Number of Analyses	Analytical Method	Detection Limit
Mercury	□mg/L □ µg/I				
Selenium	□mg/L □ µg/l				
Silver	□mg/L □ µg/l				
Zinc	□mg/L □ µg/l				
Depth to water level (to the nearest .01 feet)					

SECTION G. SITE ASSESSMENT

The local library and local city or county planning offices may be helpful in providing the information required in this section. You may consult the Department of Ecology Water Resources Program to help identify wells within one mile of your site.

1. Land Application Sites: Provide the information below for <u>each</u> land application site. Provide the latitude/longitude (approximate center of the site; NAD83/WGS84 reference datum.) Attach a copy of the contract(s) authorizing use of any private land(s) used for each treatment site. Add table rows as necessary.

Legal Description (section/township/range)					
Latitude	Longitude	Acreage	Owner		
Legal Description (see	ction/township/range)				
Latitude	Longitude	Acreage	Owner		
Legal Description (section/township/range)					
Latitude	Longitude	Acreage	Owner		
Legal Description (section/township/range)					
Latitude	Longitude	Acreage	Owner		

2. If this is a new discharge, list all environmental control permits or approvals needed for this project; for example, SEPA review, engineering reports, hydrogeologic reports, , , or air emissions permits.



- Attach an original United States Geological Survey (USGS) 7.5 minute topographic map and aerial photograph(s) from an internet mapping site that shows the processing facility and sprayfield site(s). USGS topographical maps are available from the Department of Natural Resources (360 902-1234), Metsker Maps (206 588-5222), some local bookstores, and internet sites. Show the following on this map:
 - a. Location and name of internal and adjacent streets.
 - b. Surface water drainage systems within ¹/₄ mile of the site.
 - c. All wells within 1 mile of the site.
 - d. Wastewater discharge points.
 - e. Land uses and zoning adjacent to the wastewater application site.
 - f. Groundwater gradient.
- 4. Describe the soils on the site using information from local soil survey reports. Soils information is available from your local County Conservation District or from information contained in the sites hydrogeologic report. (Submit on separate sheet and label as attachment G.4.)
- 5. Describe the local geology and hydrogeology within one mile of the site. Include any groundwater quality data. **The local library or local Soil Conservation Service may have this information**. (Submit on separate sheet and label as attachment G.5.)
- 6. List the names and addresses of contractors or consultants who provided information and cite sources of information by title and author.

	SECTION H. STORMWATER			
1.	Do you have coverage under the Washington State Industrial Stormwater YES NO NPDES General permit? If yes, please list the permit number here			
	If no, have you applied for coverage under the Washington State Industrial YES NO Stormwater NPDES general permit?			
No	te: If you answered "no" to both questions above, complete the following questions 2 through 8.			
2.	Describe the size of the stormwater collection area.			
	a. Unpaved area			
	b. Paved area			
	c. Other collection areas (roofs) sq.ft.			
3.	Does your facility's stormwater discharge to: (Check all that apply)			
	Storm sewer system; name of storm sewer system (<i>operator</i>):			
	Sanitary sewer			
	Directly to surface waters of Washington State (<i>e.g., river, lake, creek, estuary, ocean</i>).			
	Specify waterbody name			
	Indirectly to surface waters of Washington State (<i>i.e., flows over adjacent properties first</i>).			
	Directly to ground waters of Washington State via:			
	Dry well			
	Drainfield			
	Other			
4.	Areas with industrial activities at facility: (check all that apply)			
	Manufacturing building			
	Material handling			
	Material storage			
	Hazardous waste treatment, storage, or disposal (refers to RCRA, Subtitle C facilities only)			
	Waste treatment, storage, or disposal			
	Application or disposal of wastewaters			
	Storage and maintenance of material handling equipment			
	Vehicle maintenance			
	Areas where significant materials remain			
	Access roads and rail lines for shipping and receiving			
	Other			

- 5. Material handling/management practices
 - a. Types of materials handled and/or stored outdoors: (check all that apply)

Solvents	Hazardous wastes
Scrap metal	Acids or alkalies
Petroleum or petrochemical products	Paints/coatings
Plating products	Woodtreating products
Pesticides	Other (please list):

b. Identify existing management practices employed to reduce pollutants in industrial storm water discharges: (*check all that apply*)

Oil/water separator	Detention facilities
Containment	Infiltration basins
Spill prevention	Operational BMPs
Surface leachate collection	Vegetation management
Overhead coverage	Other (please list):

6. Attach a map showing stormwater drainage/collection areas, disposal areas and discharge points. This may be a hand drawn map if no other site map is available. Label this as attachment H.8.

SECTION I. OTHER INFORMATION

1. Describe liquid or solid wastes generated that are not disposed of in the waste stream(s) and describe the method of disposal. For each type of waste, provide type of waste, name, address, and phone number of hauler.

2. Describe any storage areas used for raw materials, products, and wastes.

Summary of attachments that may be required for this application:

(Please check those attachments that are included)

- C.2. Production schematic flow diagram and water balance
-] C.4. Wastewater treatment improvements
- C.7. Additional incidental materials
- E.4. Additional results of effluent testing
- G.1. Copies of land use contracts
- G.3. USGS topographical map
- G.4. Soils description
- G.5. Local geology and hydrology
- H.8. Stormwater drainage map

If you need this document in a format for the visually impaired, call the Water Quality Program at 360-407-6600. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.