

Dam Owner Annual Inspection Form Concrete Dams

Project Data			
Dam Name:			
County:		State Dam No. (if known)	
Owner Name:			
Owner Address:		Telephone No.:	
		E-mail address:	
Inspected by:			
Inspection Date:		Weather:	
Directions			
Mark approximate Reservoir Data	y any issues found. Mail or emai location of any problems on plar nspection feet below dar	n of dam footprint on page 6 a	
Reservoir Outflow at time	of inspection cfs or	gpm	
Condition of Dam (emba	ankment, abutments, foundation)		
Dam crest Check all that apply ☐ Settlement ☐ Cracks Overall condition:	r: ☐ Heaving ☐ Exposed reinforcement		☐ Cracked joints
Actions needed:			
Parapet Wall Check all that a	_	Cracked in:	□ Officet injects
☐ Misalignments☐ Settlement	☐ Cracks☐ Heaving	☐ Cracked joints☐ Exposed reinforcement	☐ Offset joints
Overall condition:			

ECY 070-613 To request ADA accommodation including materials in a format for the visually impaired, call Ecology at 360-407-6831 or visit https://ecology.wa.gov/accessibility. People with impaired hearing may call Washington Relay Service at 711. People with speech disability may call TTY at 877-833-6341.

Actions needed:

Condition of Dam Cont.	. (embankment, abutments	s, foundation)	
<u>Upstream face</u> Check all tha	t apply:		
_	☐ Cracks☐ Heaving	☐ Cracked joints☐ Exposed reinfo	-
Overall Condition:			
Downstream face and toe	Check all that apply:		
☐ Misalignments☐ Settlement	□ Cracks□ Heaving	☐ Cracked joints☐ Exposed reinf	-
Is there seepage? ☐ Ye	s 🗆 No		
If yes,			
Location of seep:		Is the seep?	☐ Clear ☐ Turbid ☐ N/A
Estimated flow:		Is there sedim	nent? □ Yes □ No
Overall condition:			
Actions needed:			
Drop Inlet Spillway or C			
Spillway entrance or appr	oach channel Check all that a	apply:	
☐ Debris	☐ Other ob	ostructions	☐ Trash rack in good condition
☐ Vegetation	☐ Erosion p		
☐ Slides	☐ Other de	ebris barrier	
Overall condition:			
Actions needed:			
Intake or riser structure L	ook at riser crest, sidewalls	s, floor, trash rack, air ven	t. Check all that apply:
☐ Misalignment	☐ Concrete	e deterioration in	☐ Air vent obstruction
☐ Movement	☐ Seepage	at joints or cracks	☐ Debris
☐ Settlement	☐ Metal co	rrosion	☐ Vandalism
☐ Cracking	☐ Missing b	bolts	
Overall condition:			
Actions needed:			
Gates and gate controls	Check all that apply: (leave blank i	if not applicable)	
☐ Operable and working	☐ Deteriora	ation	☐ Other damage
☐ Corrosion	☐ Vandalisı	m	$\ \square$ Annual maintenance has been done
Overall condition:			
Actions needed:			

Drop Inlet Spillway or Culvert (Pipe	e) Spillway Cont.	
Outlet pipeline Look at concrete or m	etal condition, protective coating, pipe j	oints. Check all that apply:
☐ debris☐ other blockage or obstruction☐ joint separation☐ movement	□ cracks□ deterioration□ settlement□ corrosion	□ cavitation□ seepage from drains/pipe exterior
Overall condition:		
Actions needed:		
Pipeline outfall or stilling basin Check	all that apply:	
□ debris	□ cracks	☐ undermining
□ vegetation	☐ deterioration	$\ \square$ gabions in poor condition
\square concrete condition poor	☐ settlement	\square riprap layer in poor condition
☐ movement	□ erosion	
Overall condition:		
Actions needed:		
Lead-out drain outfall(s)		
Able to locate? ☐ Yes ☐ No		
Is there evidence of seepage?	s □ No	
Overall condition:		
Actions needed:		
Open Channel Spillway or Weir Dro	op Structure	
Spillway entrance and overflow section	-	
Look at channel base, side slopes; cond	crete floor, sidewalls; weir boards. Check	all that apply
□ debris	□ cracks	\square gabions in poor condition
□ vegetation	☐ deterioration	☐ riprap layer in poor condition
slides	☐ settlement —	weir boards in poor condition
other obstructions	☐ cavitation	☐ log boom in poor condition
□ concrete in poor condition□ movement	erosion in earth or grass-lined channel	other debris barrier in poor condition
Overall condition:		
Gates and gate controls Check all that ap		
□ operable and working	☐ deterioration	□ other damage
□ corrosion	□ vandalism	☐ annual maintenance has been done
Overall condition:		
Actions needed:		

Open Channel Spillway or Weir Dro	p Structure Cont.	
Outlet channel Look at channel base, s	ide slopes; concrete floor, sidewalls. Ch	eck all that apply:
 □ debris □ vegetation □ slides □ other obstructions □ concrete in poor condition □ movement 	 □ cracks □ deterioration □ settlement □ cavitation □ erosion in earth or grass-lined channel 	 □ gabions in poor condition □ riprap layer in poor condition □ seepage from under-drains or along concrete exterior
Overall condition:		
Actions needed:		
Spillway outfall or stilling basin Check al	I that apply:	
□ debris□ vegetation□ concrete in poor condition□ movement	□ cracks□ deterioration□ settlement□ erosion	☐ undermining☐ gabions in poor condition☐ riprap layer in poor condition
Overall condition:		
Actions needed:		
Under-drain outfalls Check all that apply: Able to locate? ☐ Yes ☐ No Is there evidence of seepage? ☐ Yes Overall condition:		
Actions needed:		
Low-Outlet Works (visible elements)		
Intake structure (if visible) Check all that	apply:	
☐ debris ☐ other obstructions ☐ trash rack in poor condition Overall condition:	□ other debris barrier in poor condition□ concrete in poor condition	·
Actions needed:		
Gates/valves and control mechanisms		
□ operable and working□ corrosion	☐ deterioration☐ vandalism	□ other damage□ annual maintenance has been done
Overall condition:		
Actions needed:		

Low Outlet Works Cont. /wisible along			
Low-Outlet Works Cont. (visible elem	ients)		
Outlet pipeline and pipe outfall Look a	t concrete or metal co	ndition, protective coa	iting, pipe joints. Check all that apply:
☐ debris	\square deterioration		seepage from drains/pipe exterior
\square other blockage or obstruction	☐ settlement		gabions in poor condition at outfal
\square joint separation	☐ corrosion		riprap in poor condition at outfall
☐ movement	☐ cavitation		
□ cracks	☐ undermining at ou	tfall	
Overall condition:			
Actions needed:			
Internal seepage/drainage controls	(leave blank if not ap	olicable)	
Lead-out drain outfalls:			
Able to locate? ☐ Yes ☐ No		Presence of fines or	sediment? 🗆 Yes 🗆 No
Clarity of flow:		Estimated/measure	ed flow(s):
Color or staining? ☐ Yes ☐ No		Measuring devices:	
Overall condition:			
Actions needed:			
<u>Piezometers:</u>			
Able to locate? ☐ Yes ☐ No		Readings:	
In secure location? \square Yes \square No		Condition of casing:	
Overall condition:			
Actions needed:			
Emergency Action Plan (EAP) and O	peration and Mainte	enance (O&M) Manı	ler
Date of EAP or last update on file with E	cology? Date:		
Date of O&M Manual or last update on	file with Ecology? Dat	e:	
Additional Comments			

PI	an	V	iew	٥f	Dam	

(Insert plan view of dam and spillways)

Photographs

(Insert photographs)

Mail or email a copy of this completed form to the attention of the Dam Compliance Technician at Ecology's Dam Safety office:

By email: damsafety@ECY.WA.GOV

By mail: Washington State Dept. of Ecology

Dam Safety Office

Attn: Dam Compliance Technician

PO Box 47600

Olympia, WA 98504-7600

Problems found during your inspection?

If a problem is observed, please call the Dam Safety Office at (360) 407-6872 during business hours for guidance and assistance.

If it is an emergency call:

- 1. Call **911**
- 2. Call State Division of Emergency Management
 - a. Call the Duty Officer (available 24 hours/day) at 1-800-258-5990
 - b. Clearly state that this is a "dam safety emergency"

Would you like a customized inspection form?

If you have found that this form has sections that do not apply to your dam or there are aspects to your dam that are not captured in this form, contact the Dam Compliance Technician at (360) 407-6613 or damsafety@ECY.WA.GOV and we will create an Annual Inspection Form specific to your dam.

Helpful Documents and Information

Ecology's Dam safety website: https://ecology.wa.gov/Water-Shorelines/Water-supply/Dams

Documents found there:

- General information and ownership responsibilities
- Dam owner's guidance manual
- Impacts of animals on earthen dams
- Impacts of plants on earthen dams
- Burrowing animal guidance