

2004-2014 Puget Sound Marine Sediment Monitoring



Sediment Quality Triad Data Summary

Table of Contents

Results 3

Spatial patterns of sediment condition in the 2004-2014 Puget Sound monitoring survey..... 3

Comparison of Triad Index Categories by Survey 4

Estimated spatial extent (percent of area) and 95% confidence intervals for each of the Sediment Quality Triad Index categories (Dutch et al., 2014) from Baseline (1997-2003) to Second Round (2004-2014) in Puget Sound sediments. 4

Comparisons of Regions, Strata, and Surveys 6

Incidence and spatial extent of sediment condition in eight sediment monitoring regions and all of Puget Sound, for each the Baseline (1997-2003) and Second Round (2004-2014) surveys. 6

Incidence and spatial extent of sediment condition in five sediment monitoring strata and all of Puget Sound, for each the Baseline (1997-2003) and Second Round (2004-2014) surveys. 8



Results

Spatial patterns of sediment condition in the 2004-2014 Puget Sound monitoring survey.

Comparison of Triad Index Categories by Survey

Estimated spatial extent (percent of area) and 95% confidence intervals for each of the Sediment Quality Triad Index categories (Dutch et al., 2014) from Baseline (1997-2003) to Second Round (2004-2014) in Puget Sound sediments.

Sediment Quality Triad Index Category	Baseline			Second Round			Difference			* = significantly different (Kincaid, 2015, $\alpha = 0.05$)
	Estimate (% area)	Confidence Limit		Estimate (% area)	Confidence Limit		Estimate (% area)	Confidence Limit		
		Lower	Upper		Lower	Upper		Lower	Upper	
Unimpacted	65.45	60.25	70.65	55.88	51.15	60.61	-9.58	-16.61	-2.54	*
Likely unimpacted	30.17	24.38	35.96	30.03	25.95	35.83	0.72	-6.89	8.33	
Possibly impacted	2.91	1.04	4.78	3.28	1.47	4.76	0.20	-2.28	2.69	
Likely impacted	0.13	0.05	0.21	1.89	0.63	3.15	1.76	0.49	3.02	*
Clearly impacted	0.01	0.00	0.02	0.00	n.a.	n.a.	-0.01	n.a.	n.a.	
Inconclusive	1.33	0.00	2.78	8.92	5.07	11.38	6.90	3.43	10.37	*



Comparisons of Regions, Strata, and Surveys

Incidence and spatial extent of sediment condition in eight sediment monitoring regions and all of Puget Sound, for each the Baseline (1997-2003) and Second Round (2004-2014) surveys.

Sediment Triad Index Category	Baseline		Second Round					
	Stations		Stations					
	No.	(%)	No.	(%)				
	Area		Area					
	km ²	(%)	km ²	(%)				
Strait of Georgia	61	(100.0)	386.9	(100.0)	40	(100.0)	360.6	(100.0)
Unimpacted	51	(83.6)	327.5	(84.6)	21	(52.5)	201.6	(55.9)
Likely unimpacted	7	(11.5)	54.6	(14.1)	8	(20.0)	78.8	(21.9)
Possibly impacted	3	(4.9)	4.8	(1.2)	3	(7.5)	4.6	(1.3)
Likely impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Clearly impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	0	(0.0)	0.0	(0.0)	8	(20.0)	75.6	(21.0)
San Juan Archipelago	30	(100.0)	80.7	(100.0)	40	(100.0)	79.5	(100.0)
Unimpacted	10	(33.3)	26.9	(33.3)	17	(42.5)	33.8	(42.5)
Likely unimpacted	18	(60.0)	48.4	(60.0)	20	(50.0)	39.7	(50.0)
Possibly impacted	1	(3.3)	2.7	(3.3)	0	(0.0)	0.0	(0.0)
Likely impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Clearly impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	1	(3.3)	2.7	(3.3)	3	(7.5)	6.0	(7.5)
E. Strait of Juan de Fuca	30	(100.0)	61.8	(100.0)	40	(100.0)	67.8	(100.0)
Unimpacted	15	(50.0)	22.4	(36.2)	15	(37.5)	24.2	(35.6)
Likely unimpacted	10	(33.3)	25.8	(41.7)	16	(40.0)	24.7	(36.4)
Possibly impacted	2	(6.7)	5.5	(8.8)	4	(10.0)	7.6	(11.1)
Likely impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Clearly impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	3	(10.0)	8.2	(13.3)	5	(12.5)	11.4	(16.8)
Admiralty Inlet	30	(100.0)	69.2	(100.0)	43	(100.0)	66.5	(100.0)
Unimpacted	28	(93.3)	66.1	(95.5)	33	(76.7)	51.1	(76.8)
Likely unimpacted	2	(6.7)	3.1	(4.5)	8	(18.6)	11.6	(17.5)
Possibly impacted	0	(0.0)	0.0	(0.0)	1	(2.3)	2.8	(4.2)
Likely impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Clearly impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	0	(0.0)	0.0	(0.0)	1	(2.3)	1.0	(1.5)
Whidbey Basin	39	(100.0)	338.1	(100.0)	40	(100.0)	353.3	(100.0)
Unimpacted	10	(25.6)	104.8	(31.0)	20	(50.0)	167.7	(47.5)
Likely unimpacted	19	(48.7)	213.0	(63.0)	17	(42.5)	165.7	(46.9)

Sediment Triad Index Category	Baseline		Second Round					
	Stations		Stations					
	No.	Area	No.	Area				
	No.	(%)	km ²	(%)	No.	(%)	km ²	(%)
Possibly impacted	2	(5.1)	0.1	(0.0)	1	(2.5)	11.5	(3.3)
Likely impacted	6	(15.4)	0.6	(0.2)	1	(2.5)	0.3	(0.1)
Clearly impacted	1	(2.6)	0.1	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	1	(2.6)	19.6	(5.8)	1	(2.5)	8.2	(2.3)
Central Sound	128	(100.0)	683.9	(100.0)	80	(100.0)	667.4	(100.0)
Unimpacted	86	(67.2)	636.5	(93.1)	53	(66.3)	480.6	(72.0)
Likely unimpacted	24	(18.8)	40.2	(5.9)	16	(20.0)	126.9	(19.0)
Possibly impacted	11	(8.6)	5.1	(0.7)	4	(5.0)	7.5	(1.1)
Likely impacted	6	(4.7)	1.9	(0.3)	4	(5.0)	5.7	(0.9)
Clearly impacted	1	(0.8)	0.1	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	0	(0.0)	0.0	(0.0)	3	(3.8)	46.7	(7.0)
Hood Canal	21	(100.0)	331.7	(100.0)	30	(100.0)	294.8	(100.0)
Unimpacted	7	(33.3)	106.1	(32.0)	7	(23.3)	64.6	(21.9)
Likely unimpacted	11	(52.4)	186.8	(56.3)	18	(60.0)	178.1	(60.4)
Possibly impacted	3	(14.3)	38.8	(11.7)	2	(6.7)	18.5	(6.3)
Likely impacted	0	(0.0)	0.0	(0.0)	3	(10.0)	33.7	(11.4)
Clearly impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
South Sound	42	(100.0)	341.6	(100.0)	55	(100.0)	317.7	(100.0)
Unimpacted	24	(57.1)	211.2	(61.8)	30	(54.5)	210.2	(66.2)
Likely unimpacted	14	(33.3)	120.2	(35.2)	10	(18.2)	37.3	(11.8)
Possibly impacted	2	(4.8)	9.8	(2.9)	7	(12.7)	19.9	(6.3)
Likely impacted	2	(4.8)	0.5	(0.2)	1	(1.8)	2.1	(0.7)
Clearly impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	0	(0.0)	0.0	(0.0)	7	(12.7)	48.2	(15.2)
Total Study Area	381	(100.0)	2294.1	(100.0)	368	(100.0)	2207.6	(100.0)
Unimpacted	231	(60.6)	1501.4	(65.4)	196	(53.3)	1233.6	(55.9)
Likely unimpacted	105	(27.6)	692.1	(30.2)	113	(30.7)	662.9	(30.0)
Possibly impacted	24	(6.3)	66.7	(2.9)	22	(6.0)	72.4	(3.3)
Likely impacted	14	(3.7)	3.0	(0.1)	9	(2.4)	41.7	(1.9)
Clearly impacted	2	(0.5)	0.2	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	5	(1.3)	30.5	(1.3)	28	(7.6)	197.0	(8.9)

Incidence and spatial extent of sediment condition in five sediment monitoring strata and all of Puget Sound, for each the Baseline (1997-2003) and Second Round (2004-2014) surveys.

Sediment Triad Index Category	Baseline		Second Round					
	Stations		Stations					
	No.	Area	No.	Area				
	No.	(%)	km ²	(%)	No.	(%)	km ²	(%)
Basin	42	(100.0)	890.5	(100.0)	72	(100.0)	822.0	(100.0)
Unimpacted	38	(90.5)	738.9	(83.0)	49	(68.1)	552.8	(67.3)
Likely unimpacted	4	(9.5)	151.6	(17.0)	18	(25.0)	204.1	(24.8)
Possibly impacted	0	(0.0)	0.0	(0.0)	2	(2.8)	18.5	(2.3)
Likely impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Clearly impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	0	(0.0)	0.0	(0.0)	3	(4.2)	46.7	(5.7)
Harbor	63	(100.0)	21.1	(100.0)	33	(100.0)	19.7	(100.0)
Unimpacted	21	(33.3)	8.5	(40.2)	9	(27.3)	6.3	(31.9)
Likely unimpacted	17	(27.0)	8.1	(38.3)	11	(33.3)	5.7	(28.9)
Possibly impacted	9	(14.3)	1.3	(6.1)	8	(24.2)	4.0	(20.3)
Likely impacted	14	(22.2)	3.0	(14.2)	4	(12.1)	3.2	(16.2)
Clearly impacted	2	(3.2)	0.2	(0.9)	0	(0.0)	0.0	(0.0)
Inconclusive	0	(0.0)	0.0	(0.0)	1	(3.0)	0.5	(2.5)
Passage	61	(100.0)	491.6	(100.0)	53	(100.0)	467.5	(100.0)
Unimpacted	52	(85.2)	359.9	(73.2)	34	(64.2)	271.1	(58.0)
Likely unimpacted	8	(13.1)	130.7	(26.6)	15	(28.3)	151.1	(32.3)
Possibly impacted	1	(1.6)	1.1	(0.2)	2	(3.8)	14.3	(3.1)
Likely impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Clearly impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	0	(0.0)	0.0	(0.0)	2	(3.8)	31.0	(6.6)
Rural	129	(100.0)	750.5	(100.0)	135	(100.0)	762.2	(100.0)
Unimpacted	57	(44.2)	301.5	(40.2)	60	(44.4)	335.6	(44.0)
Likely unimpacted	58	(45.0)	358.6	(47.8)	50	(37.0)	265.9	(34.9)
Possibly impacted	9	(7.0)	59.9	(8.0)	5	(3.7)	22.2	(2.9)
Likely impacted	0	(0.0)	0.0	(0.0)	3	(2.2)	33.7	(4.4)
Clearly impacted	0	(0.0)	0.0	(0.0)	0	(0.0)	0.0	(0.0)
Inconclusive	5	(3.9)	30.5	(4.1)	17	(12.6)	104.8	(13.7)
Urban	86	(100.0)	140.3	(100.0)	75	(100.0)	136.2	(100.0)
Unimpacted	63	(73.3)	92.7	(66.1)	44	(58.7)	67.8	(49.8)
Likely unimpacted	18	(20.9)	43.1	(30.7)	19	(25.3)	36.1	(26.5)
Possibly impacted	5	(5.8)	4.4	(3.1)	5	(6.7)	13.4	(9.8)
Likely impacted	0	(0.0)	0.0	(0.0)	2	(2.7)	4.8	(3.5)

Sediment Triad Index Category	Baseline		Second Round	
	Stations		Stations	
	No.	(%)	No.	(%)
Clearly impacted	0	(0.0)	0	(0.0)
Inconclusive	0	(0.0)	5	(6.7)
Total Study Area	381	(100.0)	368	(100.0)
Unimpacted	231	(60.6)	196	(53.3)
Likely unimpacted	105	(27.6)	113	(30.7)
Possibly impacted	24	(6.3)	22	(6.0)
Likely impacted	14	(3.7)	9	(2.4)
Clearly impacted	2	(0.5)	0	(0.0)
Inconclusive	5	(1.3)	28	(7.6)