WWTP ID	Collection Date	Sample ID	Field ID	Sample Type	Units	PFBA	PFPrA	PFHxA	PFHpA	PFOA	PFNA	PFDA	PFUnA	PFDoA	PFTrDA	PFTeDA	PFBS	PFPeS	PFHxS	PFHpS	PFOS	PFNS	PFDS	PFDoS	4-2 FTS	6-2 FTS	8-2 FTS	PFOSA	N-MeFOSA	N-EtFOSA	N-MeFOSAA	N-EtFOSAA	N-MeFOSE	N-EtFOSE	HFPO-DA	ADONA	9Cl-PF3ONS	11Cl-PF3OUdS	3-3 FTCA	5-3 FTCA	7-3 FTCA	PFESA	PFMPA	PFMBA	NFDHA
Plant A	2/11/2021	2102030-01	A-INF-1	Influent	ng/L	7.68 J	5.34	7.75	1.92	3.83	1.04 NJ	0.687 J	0.404 U	0.404 U	0.404 U	0.404 U	15.5	1.28 J	6.75	0.404 U	11	0.404 U	0.529 NJ	0.404 U	1.62 U	2.74 J	1.62 U	0.404 U	0.465 U	1.01 U	0.725 J	0.404 U	4.04 UJ	3.03 X	1.54 U	1.62 U	1.62 U	1.62 U	1.62 U	262 J	10.1 U	0.404 U	0.808 U	0.404 U	0.808 U
Plant A	2/11/2021	2102030-02	A-INF-2	Influent	ng/L	7.51	5.16	7.6	1.7	3.88	0.943 J	0.545 J	0.42 U	0.42 U	0.42 U	0.42 U	16	0.914 J	6.74	0.42 U	11.9	0.42 U	0.447 NJ	0.42 U	1.68 U	2.69 J	1.68 U	0.42 U	0.483 U	1.05 UJ	0.646 J	0.591 NJ	4.2 UJ	3.15 X	1.59 U	1.68 U	1.68 U	1.68 U	1.68 U	271 J	10.5 U	0.42 U	0.839 U	0.42 U	0.839 U
Plant A	2/11/2021	2102030-03	A-INF-3	Influent	ng/L	5.86 J	4.77	6.58	1.7	3.83	0.657 NJ	0.43 J	0.413 U	0.413 U	0.413 U	0.413 U	13.9	1.36 J	7.33	0.413 U	12.9 NJ	0.413 U	0.564 NJ	0.413 U	1.65 U	2.63 J	1.65 U	0.413 U	0.475 U	1.03 U	0.612 J	0.413 U	4.13 UJ	3.1 X	1.57 U	1.65 U	1.65 U	1.65 U	1.65 U	64.9 J	10.3 U	0.413 U	0.825 U	0.413 U	0.825 U
Plant A	2/11/2021	2102030-04	A-INF-BL	Field blank	ng/L	1.59 U	0.796 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	1.59 U	2.43 U	1.59 U	0.398 U	0.458 U	0.996 U	0.398 U	0.398 U	3.98 U	2.99 U	1.51 U	1.59 U	1.59 U	1.59 U	1.59 U	9.96 U	9.96 U	0.398 U	0.796 U	0.398 U	0.796 U
Plant A	2/11/2021	2102030-08	A-EFF-1	Effluent	ng/L	12.4	5.87	12.9	2.06	4.84	0.63 J	0.736 UJ	0.431 U	0.431 U	0.431 U	0.431 U	24.2	1.13 J	5.69	0.431 U	6.51	0.431 U	0.431 U	0.431 U	1.72 U	2.63 U	1.72 U	0.431 U	0.496 U	1.08 U	0.725 J	0.431 U	4.31 UJ	3.23 U	1.64 U	1.72 U	1.72 U	1.72 U	1.72 U	10.8 U	10.8 U	0.431 U	0.862 U	0.431 U	0.862 U
Plant A	2/11/2021	2102030-09	A-EFF-2	Effluent	ng/L	12.7	6.33	13.5	2.31	4.93	0.737 J	0.606 UJ	0.424 U	0.424 U	0.424 U	0.424 U	27.3	1.13 J	5.89	0.424 U	6	0.424 U	0.424 U	0.424 U	1.7 U	2.59 U	1.7 U	0.424 U	0.487 U	1.06 U	0.714 J	0.424 U	4.24 U	3.18 U	1.61 U	1.7 U	1.7 U	1.7 U	1.7 U	10.6 U	10.6 U	0.424 U	0.848 U	0.424 U	0.848 U
Plant A	2/11/2021	2102030-10	A-EFF-3	Effluent	ng/L	12.7	5.9	14.2	2.28	5.23	0.551 J	0.688 UJ	0.423 U	0.423 U	0.423 U	0.423 U	28.7 J	1.18 J	6.37	0.423 U	5.26	0.423 U	0.423 U	0.423 U	1.69 U	2.58 U	1.69 U	0.423 U	0.486 U	1.06 U	0.587 J	0.423 U	4.23 U	3.17 U	1.61 U	1.69 U	1.69 U	1.69 U	1.69 U	10.6 U	10.6 U	0.423 U	0.846 U	0.423 U	0.846 U
Plant A	2/11/2021	2102030-11	A-EFF-BL	Field blank	ng/L	1.57 U	0.785 U	0.393 U	0.393 U	0.393 U	0.393 U	0.576 J	0.393 U	0.393 U	0.393 U	0.393 U	0.393 U	0.393 U	0.393 U	0.393 U	0.393 U	0.393 U	0.393 U	0.393 U	1.57 U	2.4 U	1.57 U	0.393 U	0.452 U	0.982 U	0.393 U	0.393 U	3.93 U	2.94 U	1.49 U	1.57 U	1.57 U	1.57 U	1.57 U	9.82 U	9.82 U	0.393 U	0.785 U	0.393 U	0.785 U
Plant A	2/11/2021	2102030-14	A-WAS-1	Sludge	ng/g	4.27 U	2.14 U	2.91 J	1.07 U	1.66 J	1.07 U	2.32 J	1.43 NJ	1.67 J	1.08 J	1.07 UJ	1.96 J	1.07 U	1.07 U	1.07 U	25.6	1.07 U	1.28 NJ	1.07 U	4.27 U	3.84 U	4.27 U	1.07 U	1.23 UJ	2.67 X	10.7 J	4.42	20 X	8.72 X	4.06 U	4.27 U	4.27 U	4.27 U	4.27 U	363	50.6 J	1.07 U	2.14 U	1.07 U	2.14 U
Plant A	2/11/2021	2102030-15	A-WAS-2	Sludge	ng/g	3.04 U	1.52 U	2.23 J	0.761 U	1.33 J	0.761 U	2.01 J	1.08 J	2.01 J	0.921 NJ	0.802 J	1.36 J	0.761 U	0.761 U	0.761 U	21	0.761 U	1.02 NJ	0.761 U	3.04 U	2.74 U	3.04 U	0.761 U	0.875 UJ	1.9 X	8.02 J	2.79 J	16.3 X	7.33 X	2.89 U	3.04 U	3.04 U	3.04 U	3.04 U	282	46.1 J	0.761 U	1.52 U	0.761 U	1.52 U
Plant A	2/11/2021	2102030-16	A-WAS-3	Sludge	ng/g	4.18 U	2.09 U	2.36 J	1.05 U	1.61 J	1.05 U	2.51 J	1.18 NJ	1.3 J	1.05 U	1.05 UJ	1.75 J	1.05 U	1.05 U	1.05 U	18.3	1.05 U	1.15 NJ	1.05 U	4.18 U	3.76 U	4.18 U	1.05 U	1.2 UJ	2.61 UJ	10.6 J	2.67 J	10.5 X	4.71 J	3.97 U	4.18 U	4.18 U	4.18 U	4.18 U	342	41.8 J	1.05 U	2.09 U	1.05 U	2.09 U
Plant A	2/11/2021	2102030-17	A-BIO-1	Biosolids	ng/g	1.45 U	0.727 U	1.3 U	0.364 U	0.885 J	1.94	2.92 J	1.37 J	1.83 NJ	0.912 J	0.58 J	3.57 NJ	0.364 U	0.51 NJ	0.364 U	27.4	0.364 U	1.41 NJ	0.364 U	1.45 U	1.31 U	1.45 U	0.524 J	0.44 X	0.909 X	22.7	4.51	32.9 X	4.87 X	1.38 U	1.45 U	1.45 U	1.45 U	1.45 U	249	24.9 J	0.364 U	0.727 U	0.364 U	0.727 UJ
Plant A	2/11/2021	2102030-18	A-BIO-2	Biosolids	ng/g	1.34 U	1.18 J	1.21 J	0.335 U	0.998 J	1.6	2.73 J	1.44	1.64 J	0.985 J	0.699 J	7.02 NJ	0.335 U	0.335 U	0.335 U	29.5	0.335 U	1.39 NJ	0.335 U	1.34 U	1.21 U	1.34 U	0.514 J	0.385 X	0.837 X	21.2	3.55	32.3 X	4.9 J	1.27 U	1.34 U	1.34 U	1.34 U	1.34 U	265	21.2 J	0.335 U	0.67 U	0.335 U	0.67 UJ
Plant A	2/11/2021	2102030-19	A-BIO-3	Biosolids	ng/g	1.31 U	0.654 U	1.07 J	0.327 U	1.1 J	2.08 NJ	3.74 J	1.16 J	2.26 J	1.46 NJ	1.25 J	2.88 NJ	0.327 U	0.376 NJ	0.327 U	28.5	0.327 U	1.75 NJ	0.327 UJ	1.31 U	1.18 U	1.31 U	0.558 J	0.376 X	0.818 X	19	3.68 J	32.2 X	5.08 X	1.24 U	1.31 U	1.31 U	1.31 U	1.31 U	287	23.8 J	0.327 U	0.654 U	0.327 U	0.654 UJ
Plant A	2/17/2021	2102030-07	A-BIO-BL	Equipment blank	ng/L	1.71 U	0.853 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	0.426 U	1.71 U	2.6 U	1.71 U	0.426 U	0.49 U	1.07 U	0.426 U	0.426 U	4.26 U	3.2 U	1.62 U	1.71 U	1.71 U	1.71 U	1.71 U	10.7 U	10.7 U	0.426 U	0.853 U	0.426 U	0.853 U
Plant B	2/11/2021	2102030-20	B-INF-1	Influent	ng/L	7.01 J	5.76	12.3	3.49	6.21	1.39 J	0.566 J	0.431 U	0.431 U	0.431 U	0.431 U	14.5	0.431 U	4.53	0.431 U	10.9 NJ	0.431 U	0.431 U	0.431 U	1.72 U	4.55 J	1.72 U	0.431 UJ	0.495 U	1.08 U	0.529 J	0.431 U	4.31 UJ	3.23 X	1.64 U	1.72 U	1.72 U	1.72 U	1.72 U	113	10.8 U	0.431 U	0.861 U	0.431 U	0.861 U
Plant B	2/11/2021	2102030-21	B-INF-2	Influent	ng/L	8.05 J	6.98	14.4	3.92	6.97	1.37 J	0.589 J	0.406 U	0.406 U	0.406 U	0.406 U	18.2	0.406 U	5.01	0.406 U	12 NJ	0.406 U	0.569 NJ	0.406 U	1.62 U	4.98 J	1.62 U	0.406 UJ	0.467 U	1.02 U	0.406 UJ	0.406 U	4.79 J	3.05 X	1.54 U	1.62 U	1.62 U	1.62 U	1.62 U	137	10.2 U	0.406 U	0.812 U	0.406 U	0.812 U
Plant B	2/11/2021	2102030-22	B-INF-3	Influent	ng/L	5.62 J	4.35	8.72	2.62	5.82	1.51 J	0.5 J	0.418 U	0.418 U	0.418 U	0.418 U	13	0.418 U	3.75	0.418 U	11.5 NJ	0.418 U	0.418 U	0.418 U	1.67 U	4.02 J	1.67 U	0.418 UJ	0.48 U	1.04 U	0.869 NJ	0.475 J	4.66 X	3.13 X	1.59 U	1.67 U	1.67 U	1.67 U	1.67 U	87.8	10.4 U	0.418 U	0.835 U	0.418 U	0.835 U
Plant B	2/11/2021	2102030-23	B-INF-BL	Field blank	ng/L	1.63 U	0.816 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	0.408 U	1.63 U	2.49 U	1.63 U	0.408 U	0.469 U	1.02 U	0.408 U	0.408 U	4.08 U	3.06 U	1.55 U	1.63 U	1.63 U	1.63 U	1.63 U	10.2 U	10.2 U	0.408 U	0.816 U	0.408 U	0.816 U
Plant B	2/11/2021	2102030-25	B-EFF-1	Effluent	ng/L	7.13	6.82	16.1	3.17	6.12	1.06 J	0.482 J	0.395 U	0.395 U	0.395 U	0.395 U	19.1	0.453 NJ	3.79	0.395 U	6.71	0.395 U	0.395 U	0.395 U	1.58 U	5.38 J	1.58 UJ	0.395 U	0.455 U	0.988 U	0.395 U	0.646 J	3.95 U	2.97 U	1.5 U	1.58 U	1.58 U	1.58 U	1.58 U	25.6 J	9.88 U	0.395 U	0.791 U	0.395 U	0.791 U
Plant B	2/11/2021	2102030-26	B-EFF-2	Effluent	ng/L	8.31	6.38	18.4	3.45	6.98	1.1 J	0.417 U	0.417 U	0.417 U	0.417 U	0.417 U	24	0.633 NJ	3.87	0.417 U	7.27	0.417 U	0.417 U	0.417 U	1.67 U	5.41 J	1.67 UJ	0.417 U	0.479 U	1.04 U	0.417 U	0.634 J	4.17 U	3.13 U	1.58 U	1.67 U	1.67 U	1.67 U	1.67 U	28.1 J	10.4 U	0.417 U	0.834 U	0.417 U	0.834 U
Plant B	2/11/2021	2102030-27	B-EFF-3	Effluent	ng/L	8.42	6.38	19.5	3.52	8.29	1.1 J	0.693 J	0.418 U	0.418 U	0.418 U	0.775 J	25.1	0.418 U	4.11	0.418 U	7.13	0.418 U	0.418 U	0.418 U	1.67 U	7.23 J	459 J	0.418 U	0.48 U	1.04 U	0.418 U	1.05 NJ	4.18 U	3.13 U	1.59 U	1.67 U	1.67 U	1.67 U	1.67 U	28.4 J	10.4 U	0.418 U	0.835 U	0.418 U	0.835 U
Plant B	2/11/2021	2102030-28	B-EFF-BL	Field blank	ng/L	1.57 U	0.784 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	0.392 U	1.57 U	2.39 U	1.57 U	0.392 U	0.451 U	0.98 U	0.392 U	0.392 U	3.92 U	2.94 U	1.49 U	1.57 U	1.57 U	1.57 U	1.57 U	9.8 U	9.8 U	0.392 U	0.784 U	0.392 U	0.784 U
Plant B	2/11/2021	2102030-29	B-WAS-1	Sludge	ng/g	8.4 U	4.2 U	9.95	2.1 U	3.12 J	2.1 U	2.43 NJ	2.1 U	2.1 U	2.1 U	2.1 UJ	2.21 J	2.1 U	2.1 U	2.1 U	43.4	2.1 U	5.69 J	9.64 NJ	8.4 U	7.56 U	8.4 U	2.1 U	2.42 UJ	5.25 X	3.77 J	16.7	29.7 X	12.9 J	7.98 U	8.4 U	8.4 U	8.4 U	8.4 U	363	52.5 U	2.1 U	4.2 U	2.1 U	4.2 UJ
Plant B	2/11/2021	2102030-30	B-WAS-2	Sludge	ng/g	5.96 U	2.98 U	5.34 J	1.49 U	1.74 J	1.49 U	1.62 NJ	1.49 U	1.49 U	1.49 U	1.49 UJ	2.11 NJ	1.49 U	1.77 NJ	1.49 U	25.9	1.49 U	3.86 J	6.05 NJ	5.96 U	5.36 U	5.96 U	1.49 U	1.71 UJ	3.72 UJ	3.3 J	8.09 J	18.5 X	7.77 J	5.66 U	5.96 U	5.96 U	5.96 U	5.96 U	224	37.2 U	1.49 U	2.98 U	1.49 U	2.98 UJ
Plant B	2/11/2021	2102030-31	B-WAS-3	Sludge	ng/g	9.47 U	4.73 U	9.29 J	2.37 U	2.37 U	2.37 U	2.37 U	2.37 U	2.37 U	2.37 U	2.37 UJ	2.69 J	2.37 U	2.37 U	2.37 U	40.4	2.37 U	5.48 J	10.8 NJ	9.47 U	8.52 U	9.47 U	2.37 U	2.72 UJ	5.92 UJ	3.46 J	10 J	29.3 J	11 J	8.99 U	9.47 U	9.47 U	9.47 U	9.47 U	335	59.2 U	2.37 U	4.73 U	2.37 U	4.73 UJ
Plant B	2/11/2021	2102030-32	B-BIO-1	Biosolids	ng/g	1.53 U	0.766 U	1.33 J	0.383 U	1.37 J	0.828 J	1.98	0.78 J	1.39 NJ	0.575 J	0.705 J	1.46 NJ	0.383 U	1.56 NJ	0.383 U	26.6	0.408 NJ	1.79 NJ	1.08 NJ	1.53 U	1.38 U	1.68 J	0.874 J	0.883 X	0.957 X	4.84	4.55	26.6 X	8.15 X	1.45 U	1.53 U	1.53 U	1.53 U	1.53 U	136	19.1 J	0.383 U	0.766 U	0.383 U	0.766 UJ
Plant B	2/11/2021	2102030-33	B-BIO-2	Biosolids	ng/g	1.6 U	0.802 U	1.61	0.401 U	1.19 J	0.98 J	1.76	0.743 J	1.35 NJ	0.59 J	0.463 X	2.24 NJ	0.744 U	1.64 NJ	0.408 U	30	0.421 NJ	2.11 NJ	1.51 NJ	1.6 U	5.61 J	1.6 U	0.797 J	0.854 X	1 X	5.12	8.34	27 X	7.6 X	1.52 U	1.6 U	1.6 U	1.6 U	1.6 U	160	29.2 J	0.401 U	0.802 U	0.401 U	0.802 UJ
Plant B	2/11/2021	2102030-34	B-BIO-3	Biosolids	ng/g	1.6 U	0.798 U	1.54 J	0.399 U	1.45 J	0.932 J	1.77	0.931 J	1.21 J	0.573 J	0.759 J	1.66 NJ	0.399 U	1.34 NJ	0.424 U	30.7	0.436 NJ	2.21 NJ	1.4 NJ	1.6 U	1.44 U	1.6 U	0.771 J	1.09 X	0.998 X	4.32	6.69	28.6 X	8.11 X	1.52 U	1.6 U	1.6 U	1.6 U	1.6 U	158	26.9 J	0.399 U	0.798 U	0.399 U	0.798 UJ
Plant C	2/9/2021	2102030-35	C-INF-1	Influent	ng/L	4.09 X	10.4	8.84	0.767 J	2.64	0.407 U	0.407 U	0.407 U	0.407 U	0.426 NJ	0.407 UJ	2.29	0.407 U	2.37 NJ	0.407 U	5.52 NJ	0.407 U	0.458 NJ	0.407 U	1.63 U	2.48 U	1.63 U	0.407 U	0.468 UJ	1.02 UJ	0.407 U	0.407 U	4.07 UJ	3.11 X	1.55 U	1.63 U	1.63 U	1.63 U	1.63 U	10.2 U	10.2 U	0.407 U	0.815 U	0.407 U	0.815 U
Plant C	2/9/2021	2102030-36	C-INF-2	Influent	ng/L	2.48 X	10.5	8.34	1.01 J	2.5	0.406 U	0.406 U	0.406 U	0.406 U	0.406 U	0.406 UJ	2.33	0.406 U	2.38 NJ	0.406 U	4.87 NJ	0.406 U	0.406 U	0.406 U	1.62 U	2.48 U	1.62 U	0.406 U	0.467 U	1.01 U	0.406 U	0.406 U	4.06 UJ	3.04 X	1.54 U	1.62 U	1.62 U	1.62 U	1.62 U	10.1 U	10.1 U	0.406 U	0.812 U	0.406 U	0.812 U
Plant C	2/9/2021	2102030-37	C-INF-3	Influent	ng/L	3.73 X	10.5	8.63	0.81 J	2.58	0.421 U	0.421 U	0.421 U	0.421 U	0.421 U	0.421 UJ	2.37	0.421 U	2.36 NJ	0.421 U	5.68 NJ	0.421 U	0.554 NJ	0.421 U	1.68 U	2.57 U	1.68 U	0.421 U	0.484 UJ	1.05 UJ	0.421 U	0.528 NJ	4.21 X	3.39 X	1.6 U	1.68 U	1.68 U	1.68 U	1.68 U	10.5 U	10.5 U	0.421 U	0.842 U	0.421 U	0.842 U
Plant C	2/9/2021	2102030-38	C-INF-BL	Field blank	ng/L	1.59 U	0.796 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	0.398 U	1.59 U	2.43 U	1.59 U	0.398 U	0.458 U	0.995 U	0.398 U	0.398 U	3.98 U	2.99 U	1.51 U	1.59 U	1.59 U	1.59 U	1.59 U	9.95 U	9.95 U	0.398 U	0.796 U	0.398 U	0.796 U
Plant C	2/9/2021	2102030-40	C-EFF-1	Effluent	ng/L	9.36 X	236	136	2.86	11.7	0.566 J	1.03 J	0.403 U	0.403 U	0.403 U	0.403 U	8.44	0.403 U	0.876 J	0.403 U	2.01	0.403 U	0.403 U	0.403 U	1.61 U	2.46 U	1.61 U	0.403 U	0.464 U	1.01 U	0.403 U	0.403 U	4.03 U	3.02 U	1.53 U	1.61 U	1.61 U	1.61 U	1.61 U	10.1 U	10.1 U	0.403 U	0.806 U	0.403 U	0.806 U
Plant C	2/9/2021	2102030-41	C-EFF-2	Effluent	ng/L	7.56 X	223	131	2.74	13.5	0.546 J	0.583 J	0.404 U	0.404 U	0.404 U	0.404 U	7.51	0.404 U	1.08 J	0.404 U	1.96 NJ	0.404 U	0.404 U	0.404 U	1.62 U	2.47 U	1.62 U	0.404 U	0.465 U	1.01 U	0.404 U	0.404 U	4.04 U	3.03 U	1.54 U	1.62 U	1.62 U	1.62 U	1.62 U	10.1 U	10.1 U	0.404 U	0.809 U	0.404 U	0.809 U
Plant C	2/9/2021	2102030-42	C-EFF-3	Effluent	ng/L	10.3 X	235	131	2.67	11.8	0.594 J	0.665 J	0.403 U	0.403 U	0.403 U	0.403 U	7.85	0.403 U	0.999 J	0.403 U	2.12	0.403 U	0.403 U	0.403 U	1.61 U	2.46 U	1.61 U	0.403 U	0.463 U	1.01 U	0.403 U	0.403 U	4.03 U	3.02 U	1.53 U	1.61 U	1.61 U	1.61 U	1.61 U	10.1 U	10.1 U	0.403 U	0.806 U	0.403 U	0.806 U
Plant C	2/9/2021	2102030-43	C-EFF-BL	Field blank	ng/L	1.6 U	0.799 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	0.399 U	1.6 U	2.44 U	1.6 U	0.399 U	0.459 UJ	0.998 UJ	0.399 U	0.399 U	3.99 U	2.99 U	1.52 U	1.6 U	1.6 U	1.6 U	1.6 U	9.98 U	9.98 U	0.399 U	0.799 U	0.399 U	0.799 U
Plant C	2/9/2021	2102030-44	C-WAS-1	Sludge	ng/g	4.18 U	17.5	20.8	1.05 U	6.71	1.96 J	17.7	1.33 NJ	3.87 J	1.05 U	1.05 UJ	1.42 NJ	1.05 U	3.16 NJ	1.05 U	23	1.05 U	1.05 U	1.05 U	4.18 U	3.76 U	4.18 U	2.74 J	1.2 UJ	2.61 X	7.88 NJ	4.21 J	10.5 UJ	2.61 UJ	3.97 U	4.18 U	4.18 U	4.18 U	4.18 U	166	26.1 U	1.05 U	2.09 U	1.05 U	2.09 UJ
Plant C	2/9/2021	2102030-45	C-WAS-2	Sludge	ng/g	4.15 U	18.2	21.1	1.04 U	6.44	1.46 J	20.3	1.28 NJ	4.14 J	1.04 U	1.04 U	1.31 NJ	1.04 U	3.92 NJ	1.04 U	20.9	1.04 U	1.04 U	1.04 U	4.15 U	3.74 U	4.15 U	2.64 J	1.19 UJ	2.6 UJ	5.74 J	4.49 J	10.4 UJ	2.6 UJ	3.95 U	4.15 U	4.15 U	4.15 U	4.15 U	153	26 U	1.04 U	2.08 U	1.04 U	2.08 UJ
Plant C	2/9/2021	2102030-46	C-WAS-3	Sludge	ng/g	4.03 U	19.5	23.5	1.01 U	7.72	1.99 J	17.7	1.67 J	4.61	1.01 U	1.01 UJ	1.61 NJ	1.01 U	4.74 NJ	1.01 U	22.7	1.01 U	1.01 U	1.01 U	4.03 U	3.63 U	4.03 U	3.29 J	1.16 UJ	2.52 X	8.36 J	3.61 J	10.1 X	2.69 J	3.83 U	4.03 U	4.03 U	4.03 U	4.03 U	182	25.2 U	1.01 U	2.02 U	1.01 U	2.02 UJ

Qualifiers:

U or UJ = The analyte was analyzed for but was not detected at the reported level. A "UJ" indicates that the analyte was not detected at or above the reported level and the reported level is approximate.
J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample.
NJ = The analyte has been tentatively identified and the associated numerical value represents an approximate concentration.
X = The sample result was rejected due to serious deficiencies in the ability to analyze the sample and meet the quality control criteria. The presence or absence of the analyte cannot be verified.