



Appendix M: Transportation Resource Report

For Programmatic Environmental Impact Statement on Utility-Scale Solar Energy Facilities in Washington State

By

Environmental Science Associates

For the

Shorelands and Environmental Assistance Program

Washington State Department of Ecology

Olympia, Washington

September 2024

Table of Contents

Acronyms and Abbreviations List	iii
Executive Summary	iv
Crosswalk with Transportation Resource Report for Utility-Scale Onshore Wind Energy	v
1 Introduction	1
1.1 Resource description	1
1.2 Regulatory context	1
2 Methodology	5
2.1 Study area	5
2.2 Technical approach	10
2.3 Impact assessment	10
3 Technical Analysis and Results	12
3.1 Overview	12
3.2 Affected environment	12
3.2.1 Roadways and travel patterns	12
3.2.2 Railways	13
3.2.3 Air travel	14
3.2.4 Navigable waterways	17
3.3 Potentially required permits	18
3.4 Small to medium utility-scale facilities of 20 MW to 600 MW (Alternative 1)	19
3.4.1 Impacts from construction	19
3.4.2 Impacts from operation	22
3.4.3 Impacts from decommissioning	23
3.4.4 Actions to avoid and reduce impacts	23
3.4.5 Unavoidable significant adverse impacts	27
3.5 Large utility-scale facilities of 601 MW to 1,200 MW (Alternative 2)	27
3.5.1 Impacts from construction, operation, and decommissioning	27
3.5.2 Actions to avoid and reduce impacts	28
3.5.3 Unavoidable significant adverse impacts	28
3.6 Solar facilities with battery energy storage systems (Alternative 3)	28
3.6.1 Impacts from construction, operation, and decommissioning	28
3.6.2 Actions to avoid and reduce impacts	29
3.6.3 Unavoidable significant adverse impacts	29
3.7 Solar facilities that include agricultural uses (agrivoltaic) (Alternative 4)	29
3.7.1 Impacts from construction, operation, and decommissioning	29
3.7.2 Actions to avoid and reduce impacts	29
3.7.3 Unavoidable significant adverse impacts	30
3.8 No Action Alternative	30
4 References	31

List of Figures and Tables

Figures

Figure 1. Roads and railroads.....	6
Figure 2a. Major cargo airports and navigable waters, western Washington	7
Figure 2b. Major cargo airports and navigable waters, eastern Washington.....	8
Figure 3. FAA-designated airports.....	9
Figure 4. Military training routes in Washington state.....	16

Tables

Table 1. Applicable laws, plans, and policies.....	2
Table 2. Major air cargo airports that could be used for solar facility component transport.....	15

Acronyms and Abbreviations List

AGL	above ground level
BESS	battery energy storage systems
BMP	best management practice
BNSF	Burlington Northern-Santa Fe
CFR	<i>Code of Federal Regulations</i>
DoD	U.S. Department of Defense
FAA	Federal Aviation Administration
FHWA	Federal Highway Administration
I-	Interstate
MW	megawatt
NPIAS	National Plan of Integrated Airport Systems
PEIS	Programmatic Environmental Impact Statement
RCW	Revised Code of Washington
STIP	State Transportation Improvement Program
UP	Union Pacific
USACE	U.S. Army Corps of Engineers
WAC	Washington Administrative Code
WSDOT	Washington State Department of Transportation

Executive Summary

This resource report describes the transportation conditions in the study area. It also describes the regulatory context, outlines methods for assessing potential transportation impacts of the types of facilities evaluated (alternatives), presents current transportation conditions in the study area, and assesses the potential impacts and actions that could avoid or reduce impacts.

Several different modes of transportation exist in the study area that serve communities. Two major interstate highways are located centrally within the study area and are therefore accessible by truck or rail from many different locations in the study area. Five additional National Highway System highways serve the study area, along with 37 state highways. Burlington Northern-Santa Fe (BNSF) and Union Pacific (UP) operate railways in the study area and transport high-tonnage, oversize, and high-value cargo. Two Class I railways (BNSF and UP), nine Class III railways, and seven intermodal or transload facilities that serve rail exist in the study area. Ten major cargo service airports could provide transport for facilities within the study area. Marine highway M-84 provides water transport in the study area and connections to several ports, transload facilities, and intermodal facilities. These transport modes are vital to farming and other agricultural operations, workers, and residents in the study area.

Impacts to transportation could occur from traffic related to worker commutes and materials transport and road development. There would be a temporary increase in traffic on roads during construction and decommissioning of utility-scale solar energy facilities, and operations would result in a small increase in vehicle trips caused by maintenance employees periodically traveling to the facility site. No long-term road closures or interruptions to traffic patterns or volumes are expected. No substantial damage to roadways or related infrastructure (e.g., culverts or bridges) or transit, rail, air, or water transportation would occur. While general aviation impacts could also occur from tall structures and the potential for photovoltaic panel glare, no permanent changes to aviation are expected.

Through compliance with laws and permits and with implementation of actions that could avoid and reduce impacts, the construction, operation, and decommissioning of facilities would likely result in **less than significant** impacts on transportation.

No significant and unavoidable adverse impacts related to transportation resources would occur.

Crosswalk with Transportation Resource Report for Utility-Scale Onshore Wind Energy

Two Programmatic Environmental Impact Statements (PEISs) are being released at the same time, one for utility-scale solar energy facilities and one for utility-scale onshore wind energy facilities. This crosswalk identifies the areas with substantial differences between the transportation resource reports for each PEIS.

Utility-Scale Solar Energy PEIS (this document)	Utility-Scale Onshore Wind Energy PEIS
<ul style="list-style-type: none">• Differences in construction impacts from transportation of facility components• Some differences in actions to avoid and reduce impacts	<ul style="list-style-type: none">• Differences in construction impacts from transportation of facility components• Some differences in actions to avoid and reduce impacts

1 Introduction

This resource report describes transportation within the study area and assesses probable impacts associated with types of facilities (alternatives), including a No Action Alternative. Chapter 2 of the State Environmental Policy Act Programmatic Environmental Impact Statement (PEIS) provides a description of the types of facilities evaluated (alternatives).

This section provides an overview of the aspects of transportation evaluated in this technical memorandum and lists relevant regulations that contribute to the evaluation of potential impacts.

1.1 Resource description

This resource report analyzes the following transportation topics: transportation systems (roads, air travel, radar and airport facilities, and waterway freight corridors), traffic (transit, water, and rail), parking, and movement/circulation of people and goods.

Transportation issues related to utility-scale solar energy facilities relate primarily to transporting equipment, supplies, materials, and workers to and from the study area. This resource report evaluates impacts of four types of utility-scale solar facilities. No transportation or traffic modeling was completed for this programmatic-level review. Transportation impacts for future utility-scale solar facilities would be based in part on the size of the facility site, number of panels, and specific location and access details of each proposed facility.

1.2 Regulatory context

Table 1 lists laws, plans, and policies relevant to evaluating potential impacts on transportation. For local regulations, Table 1 lists categories of laws, plans, and policies that could apply depending on the local jurisdiction in which a facility is proposed.

Table 1. Applicable laws, plans, and policies

Regulation, Statute, Guideline	Description
Federal	
49 <i>Code of Federal Regulations</i> (CFR) 77, Federal Aviation Administration (FAA) Obstruction to Navigation Federal Regulation	Requires FAA approval of any facility higher than 200 feet (61 meters) in height.
49 <i>United States Code</i> 5101 et seq., Hazardous Materials Transportation Act	Empowered the Secretary of Transportation to designate as hazardous material any "particular quantity or form" of a material that "may pose an unreasonable risk to health and safety or property." Title 49 regulations pertain to all forms of surface transportation and transportation security, including pipelines, railroads (passenger and freight), waterways, cars, etc. Hazardous material or hazardous waste handlers, shippers, carriers, or freight forwarders must comply with Title 49 regulations, which cover requirements for markings, labels, placards, shipping papers, training, emergency response, and performance-oriented packaging standards.
Fixing America's Surface Transportation Act	Established a new National Highway Freight Network, which requires states to improve the safety, security, efficiency, and resiliency of freight transportation in rural and urban areas.
Metropolitan Transportation Planning and Programming, 23 CFR 450.306	Requires metropolitan planning processes including projects, strategies, and services to address productivity, safety, security, mobility, resiliency, and other environmental and mobility goals.
Federal Highway Administration (FHWA) Office of Infrastructure Interstate System Access Informational Guide (FHWA 2010)	Provides background on how the Washington State Department of Transportation (WSDOT) assesses requests for new or modified access to the Interstate System. Provides information and methods for analyzing access requests by considering the needs of the system on a national, state, and local levels.
FHWA Final Rule to 23 CFR 625, Design Standards for Highways	Modifies regulations governing new construction, reconstruction, resurfacing, restoration, and rehabilitation projects on the National Highway System (including the Interstate System).
14 CFR 77 Safe, Efficient Use, and Preservation of the Navigable Airspace	Establishes: 1) requirements to provide notice to FAA of certain proposed construction or alteration of structures; 2) standards used to determine obstructions to air navigation, and navigational and communication facilities; 3) the process for aeronautical studies of obstructions to air navigation or navigational facilities; and 4) the process to petition FAA for discretionary review of determinations, revisions, and extensions of determinations.
Federal Land Policy and Management Act of 1976, As Amended, Title VI Rights-of-Way	Authorizes the granting of rights-of-way for facilities on federally managed lands, such as systems for generation, transmission, and distribution of electric energy, and roads and highways. Requires the entity applying for right-of-way access to submit a plan of construction, operation, and rehabilitation for such right-of-way in compliance with the applicable federal agency's regulations.
Federal agency road design manuals and handbooks	Describes steps, guidelines, and requirements for designing roads on federally managed lands. Each agency maintains its own guidelines and standards.
Federal-Aid Highway Act of 1944	Created the Interstate System.

Regulation, Statute, Guideline	Description
Federal-Aid Highway Act of 1956	Established the program for funding and building the Interstate System.
State	
Chapter 47.06 Revised Code of Washington (RCW), Washington State System Plans: Highway, Freight, Aviation, Marine, and Public Transportation	Ensures that the transportation system in Washington supports and enhances the movement of people and goods; addresses federal and state policies and meet federal and state planning requirements (WSDOT 2016, 2017a, 2017b, 2022a). Includes RCW 47.06.050 related to state-owned facilities and RCW 47.06.040, the statewide multimodal transportation plan.
WSDOT Draft 2024 Highway System Plan (WSDOT 2024a)	Implements RCW 47.06.040 and ensures that the highway system in Washington supports and enhances the movement of people and goods; addresses federal and state policies and meets federal and state planning requirements.
Washington Statewide Transportation Improvement Program (STIP; WSDOT 2024b)	The STIP is a 4-year prioritized multimodal transportation program including state, local, Tribal, and public transportation projects involving highways, streets, roads, rail, transit-hubs, park and rides, bridges, sidewalks, bike lanes, trails, and safety. It is developed annually, submitted to FHWA and Federal Transit Administration in December, and approved in January.
Forest Practices Act, Chapter 76.09 RCW, and Forest Practices Rules, Title 222 Washington Administrative Code (WAC)	The Washington Department of Natural Resources administers rules that govern forest practices activities on non-federal and non-Tribal forestland in Washington state.
Guidelines for Forest Roads, Section 3 (DNR 2013)	Provides guidance related to forest practices and Forest Roads.
Transportation System Policy Goals, RCW 47.04.280	Contains six transportation system policy goals, including the maintenance, preservation, and extension of the life and utility of prior investments in transportation systems and services and the predictable movement of goods and people throughout Washington state, including congestion relief and improved freight mobility.
Water Quality Standards for Surface Water (Chapter 173-201A WAC)	Establishes water quality standards for surface waters, implementing Title 90 RCW (Chapter 90.48 RCW, Water Pollution Control Act). Freshwater designated uses and associated criteria are specifically identified in WAC 173-201A-200. Applicable to proposed new or improved roads and associated runoff.
Guide for Planning, Evaluating, and Designing Part-Time Shoulder Use as a Traffic Management Strategy (FHWA 2016)	Describes planning, design, implementation, and day-to-day operation of shoulder use. Part-time shoulder use is the conversion of shoulders to travel lanes during some hours of day as a congestion relief strategy.
Written notice to U.S. Department of Defense (DoD) for renewable energy projects (RCW 35.63.270, 35A.63.290, and 36.01.320; WAC 365-16-475)	Requires local governments to provide DoD with written notice for alternative-energy permit applications.

Regulation, Statute, Guideline	Description
Regional	
Regional transportation and transit agency plans	Set forth goals, policies, and future plans related to transportation, traffic, and transit within regions.
Regional airport plans	Set forth goals, policies, and future plans related to regional airports.
Water port plans	Set forth goals, policies, and future plans related to water ports.
Local	
Local governments' transportation plans or comprehensive plan transportation elements	Set forth goals, policies, and future plans related to transportation and traffic.
Local governments' zoning and municipal codes regarding stormwater management	Provide requirements for including adequate stormwater quantity and quality controls for construction and development activities, including new or improved roads, and outline associated local government review and permitting procedures.

2 Methodology

This section provides an overview of the process for evaluating potential impacts and the criteria for determining the occurrence and degree of impact.

2.1 Study area

The study area for transportation is the geographic extent of analysis of transportation impacts associated with the construction, operation and maintenance, and decommissioning of the types of facilities analyzed in this PEIS. The study area includes transportation routes (e.g., roads, intersections, railroad mainlines, air travel paths, and waterway freight corridors) and parking or staging areas used by vehicles or displaced by equipment for the types of facilities analyzed in this PEIS.

Figure 1 shows the roads and railroads and Figures 2a and 2b show ports, major air cargo airports, and navigable waters. Figure 3 shows all Federal Aviation Administration (FAA)-designated airports.




Figure 1. Roads and railroads

Data sources: WSDOT 2024c, 2024d, 2024e




Figure 2a. Major cargo airports and navigable waters, western Washington

Data sources: FAA 2024a; USDOT 2024




Figure 2b. Major cargo airports and navigable waters, eastern Washington

Data sources: FAA 2024a; USDOT 2024




Figure 3. FAA-designated airports

Data sources: WPPA 2024; FAA 2024a; USDOT 2024

2.2 Technical approach

The approach for this resource report involved gathering existing information about transportation in the study area, including roadways, railways, air travel, and navigable waterways. This resource report also presents information about existing travel and commuting patterns and movements of goods and services. Information gathered is from existing sources; no new information or data were collected.

Utility-scale solar facilities would have specific needs due to the size and characteristics of the panels and support equipment. Project-level evaluations for each future proposed facility would need to include the types, numbers, and trips of truck, rail, or barge delivery of equipment; specifics of equipment needed (e.g., cranes, bulldozers, graders, compactors, semi-truck/trailers, flatbed trucks); and the types, volumes, and origins of construction materials such as gravel, sand, and water. The size and weight of the heavier components (e.g., substation equipment, batteries) would dictate the specifications for site access roads for required right-of-way, maximum grade, turning radii, and fortified bridges. Facility operations would generally require smaller and fewer vehicles than during construction or decommissioning, with a possibility of large component transport when replacement equipment or equipment removal is necessary. Project-level evaluations for each future proposed facility would need to include information such as the size of the workforce, worker commutes, length of construction period, expected road detours or closures, and quantities and off-site sources of construction materials and disposal locations.

For the programmatic analysis of impacts in this resource report, ranges for facility construction, operation, and decommissioning activities were estimated. The analysis of impacts did not include traffic modeling or engineering, level of service analysis, vehicle-miles traveled analysis, or other new modeling. Impacts on the transportation system were qualitatively assessed and based on an evaluation of existing, non-site-specific information consistent with a programmatic level of analysis. The resource report evaluates the following aspects of transportation:

- Traffic volumes and distances for construction and operation of facilities
- Potential waterborne, rail, and air traffic
- Potential new or improved access roads or parking/staging areas that proponents could propose for construction, operation, and maintenance activities

2.3 Impact assessment

To analyze impacts, the resource report qualitatively describes potential increases in traffic and transportation, the demand for freight transport service, and potential traffic hazards related to wide or heavy loads or slower vehicles. The analysis discusses relevant regulations, including those related to access limitations, and the process for obtaining necessary approvals.

This analysis evaluates impacts relative to the effects of construction, operation, and decommissioning of types of facilities analyzed in this PEIS and from the No Action Alternative. Significant impacts would occur if a facility would result in the following:

- Permanent, significant impacts on traffic patterns, volumes, hazards, or risks to other users, including commercial and military aircraft
- Long-term road closures or interruptions to traffic patterns or volumes, causing the movement of people and goods to be impacted in the long term
- Substantial damage to roadways or related infrastructure (e.g., culverts or bridges) that could not be safely used without major repairs or replacement to return to pre-impact conditions
- Substantial damage or change to transit, rail, air, or water transportation that could not be safely used without major repairs or replacement to return to pre-impact conditions

3 Technical Analysis and Results

3.1 Overview

This section provides an analysis of potential impacts on transportation that might occur for the utility-scale solar energy facility types analyzed in the PEIS. This section also evaluates actions that could avoid, minimize, or reduce the identified impacts and potential unavoidable significant adverse impacts.

3.2 Affected environment

The affected environment represents the conditions before any construction begins. This section presents information about existing transportation in the study area, including roadways, railways, air travel, and navigable waterways, existing travel and commuting patterns, and movement of goods and services. Many freight transport and transportation options exist within the study area.

3.2.1 Roadways and travel patterns

Washington's road network spans more than 80,000 miles, with 764 interstate miles and 1,602 miles of U.S. highways connected by state routes, county roads, city streets, and other roadways (WSDOT 2022b). Major roads in the study area including the following (see Figure 1):

- Interstate highways or other U.S. highways 2, 12, 82, 90, 97, 195, and 197
- State highways 17, 20, 21, 22, 23, 24, 25, 26, 27, 28, 31, 124, 125, 127, 141, 142, 153, 155, 172, 174, 194, 206, 211, 221, 231, 240, 241, 243, 260, 261, 262, 272, 283, 291, 397, 821, and 971

The Interstate System serves interstate, regional, and intrastate traffic (FHWA 2024a). Interstate highways within the study area include Interstate 90 (I-90) and I-82 (see Figure 1). I-90 is the major east-west route and primary transportation corridor through Washington state. I-82 begins at I-90 near Ellensburg and extends south/southeast to Oregon. These corridors are principal freight arterials, moving regional and international cargo, and commute and recreation routes, providing access to nearby cities and outdoor recreational areas.

The portion of I-90 within the study area extends through the Washington cities of Ellensburg, Moses Lake, Ritzville, Sprague, and Spokane (FHWA 2024b). I-82 serves Washington (132 miles) and Oregon (11 miles), extending from Ellensburg through the Washington cities of Grandview, Kennewick, Sunnyside, and Yakima and through the Oregon city of Hermiston (FHWA 2024a). The Washington State Department of Transportation (WSDOT) is improving 15 miles of I-90 between Hyak and Easton, within the study area, as part of the I-90 Snoqualmie Pass East Project. The project is projected to be completed in 2029 (WSDOT 2024f). In addition, WSDOT has plans for capacity, paving, interchange, bridge, and other improvements to maintain I-90. No planned projects are currently identified for I-82.

Throughout the study area, I-90, I-82, state routes, county roads, and smaller roads serve residents and businesses. These roads are commercial, commuter, and recreation routes, providing access to nearby cities, employment centers, rural towns, and outdoor recreational areas. Communities rely on the ability to travel to obtain goods and services, healthcare, and access employment. The study area contains a few larger cities and several small towns and communities, and the road system is vital to these communities and their economies. Eighty percent of communities in Washington rely solely on trucks for their goods (WTA 2024).

Transportation of agricultural products within and through the study area is crucial to local and regional economies (NASS 2017). The road network handles the largest share of freight compared to other modes of transportation (i.e., rail or barge), with trucks moving more than half of all goods in Washington. Roads shown in Figure 1 support domestic and international trade movements and connect Washington's truck freight to other states, cities, and countries (WSDOT 2022b).

Roads that cross public lands throughout the study area may be used for recreation and to transport natural resources, such as timber, and agricultural products. Some forest road segments in the study area have existing authorized public access, whereas other segments include trust lands surrounded by privately owned lands; therefore, access to public parcels can require easements (DNR 2024).

Federally managed roads in the study area include those crossing national forests and scenic areas. Some federally managed roads are open for public access, while others are for administrative use only. Federal land management agencies such as the U.S. Fish and Wildlife Service, U.S. Forest Service, Bureau of Land Management, U.S. Army Corps of Engineers (USACE), and Bureau of Reclamation each have planning and guidance documents for road use and design.

3.2.2 Railways

Solar energy facilities could utilize rail transport both in and outside of the study area. Washington's rail transportation system moves more than 95 million tons of freight per year (WSDOT 2022b). More than 3,200 miles of freight railroad tracks exist in Washington state. Two of these freight railroad tracks are Class I railroads (long lines) operated by Burlington Northern-Santa Fe and Union Pacific and 27 are Class III railroads (short lines). Two Class I railroads and nine Class III railroads exist in the study area. The Class I railway corridors connect Washington with the rest of the North American rail network, while Class III railroads offer collection and distribution services and access to key industries (WSTC 2006).

Rail freight is typically used to transport high-tonnage, oversize, and high-value cargo. Rail transport can be up to four times more fuel efficient than truck transport; trains can transport 1 ton of cargo approximately 470 miles on 1 gallon of diesel (FRA 2020). Trucks are still typically used to cover the first and last mile between cargo loading and delivery to the destination (WSDOT 2022b).

There are 39 intermodal facilities in Washington allowing for the transfer of cargo between rail and other methods of transport (Figure 1). Seven intermodal facilities exist within the study area: the ports of Quincy, Pasco, Clarkston, Vancouver, and Kennewick; Spokane Intermodal Terminal; and Spokane International Airport. Within the study area, transload of cargo between rail and trucks or semitrailers takes place at the Port of Quincy and at both Spokane intermodal facilities. Cargo is transferred between ships and rail at four facilities within the study area (WSDOT 2022b).

Rail transport is relatively energy efficient; effective for shipping raw goods and oversize and heavy loads; and ideal for long-distance transport. However, railroad transportation requires facilities to transfer loads to and from trucks, and can be delayed by high demand or lack of capacity at terminals (WSDOT 2022a). In general, longer trains can create delays on state and local roads at at-grade signalized and unsignalized crossings. The study area contains many rural communities, which are more likely to have unsignalized rail crossings compared to urban areas.

3.2.3 Air travel

Solar panels can be shipped by air. FAA has regulatory authority over aviation safety. The 2023–2027 National Plan of Integrated Airport Systems (NPIAS) lists 548 airports in Washington, including 415 airports for private use that are closed to the public and 133 airports for public use (FAA 2022a) (see Figures 2a and 2b and Table 2). The study area includes 98 FAA-designated general aviation airports. These airports vary in size and uses but are primarily small airports serving local uses, including private aviation and commercial agricultural operations.

Air cargo in Washington state is primarily generated by activity at Seattle-Tacoma International Airport, King County International Airport – Boeing Field, and Spokane International Airport. Non-hub and small commercial passenger airports within the state accounted for only 4% of the total air cargo volumes moved in 2016 (JTC 2018) (Table 2). Seattle-Tacoma International Airport, as an international air cargo hub, is a primary gateway for air freight from Asia and is currently studying options for expanding its cargo facilities; it could be used to receive solar facility components even though it is not located in the study area. Spokane International Airport is the primary cargo airport for eastern Washington. The Grant County Airport in Moses Lake has wide runways, large aviation facilities, and more available land compared to many other public airports in Washington (JTC 2018).

Table 2. Major air cargo airports that could be used for solar facility component transport

Airport Name	Location	NPIAS Classification	Number of Air Cargo Operators
Seattle-Tacoma International Airport	SeaTac	Large Hub	34
King County International Airport – Boeing Field	Seattle	Non-hub	7
Spokane International Airport	Spokane	Small Hub	5
Snohomish County Airport/Paine Field	Everett and Mukilteo	Reliever	4
Bellingham International Airport	Bellingham	Small Hub	3
Yakima Air Terminal/McAllister Field	Yakima	Non-hub	3
Pangborn Memorial Airport	East Wenatchee	Non-hub	3
Tri-Cities Airport	Pasco, Port of Pasco	Non-hub	2
Walla Walla Regional Airport	Walla Walla, Port of Walla Walla	Non-hub	2
Grant County International Airport	Moses Lake, Port of Moses Lake	General Aviation Airport	2

Notes:

Sources: WSDOT 2017c, 2019, 2024a; JTC 2018.

- a. Sponsor determined using WSDOT (2017c, 2024a).
- b. Airport Classification and Washington Aviation System Plan State Classification determined using WSDOT (2019).
- c. Airport Classification Key: Airports are classified based on ownership and number of passenger boardings per year. Primary airports are commercial service airports with more than 10,000 annual enplanements. Reliever airports are designated by the Secretary of Transportation to relieve congestion at a commercial service airport and to provide more general aviation access to the overall community. General Aviation airports are public-use airports that do not have scheduled service or have scheduled service with fewer than 2,500 passenger boardings each year (FAA 2022b).

Washington also hosts several military bases, many of which have patterns of airspace use for logistics, training, testing, and transit. Figure 4 depicts military training routes near the study area, from the Compatible Energy Siting Assessment prototype map tool (Commerce 2024).




Figure 4. Military training routes in Washington state

Data source: Commerce 2024

3.2.4 Navigable waterways

Navigable waterways and ports both within and outside of the study area could be used to transport solar facility components to facilities in the study area. Navigable waterways, for the purpose of this memorandum, are defined as waterways by which freight transportation occurs by barge. 33 *Code of Federal Regulations* (CFR) 329.4 defines Navigable Waters of the United States as:

Waters that are subject to the ebb and flow of tide and/or are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. A determination of navigability, once made, applies laterally over the entire surface of the waterbody, and is not extinguished by later actions or events which impede or destroy navigable capacity.

USACE plans, constructs, operates, and maintains navigation channels, locks, and dams to maintain authorized channel depths in harbors and inland waterways.

USACE provides navigation along the Columbia River that follows the Oregon-Washington border and extends 106.5 miles from the mouth of the Columbia River to Vancouver, Washington, as well as along the lower 11.6 miles of the Willamette River. Columbia River navigation accommodates the current fleet of international bulk cargo and container ships as part of the Columbia and Lower Willamette Federal Navigation Channel, which in 2017 was used to transport 47.5 million tons of cargo (USACE 2024).

According to WSDOT's *Freight System Plan* (WSDOT 2022a), Washington's maritime freight transport network includes the Salish Sea, the Columbia-Snake River System, and the U.S. Pacific Coast.

The U.S. Department of Transportation has designated two marine highways that serve Washington State. Marine highway M-5 includes the Pacific Ocean coastal waters and connects commercial navigation channels, ports, and harbors from San Diego to the U.S.-Canada border. Marine highway M-84 spans Oregon, Washington, and Idaho from Astoria, Oregon, to Lewiston, Idaho (MARAD 2023, 2024), and includes the Columbia, Willamette, and Snake rivers. The Columbia-Snake River System portion of marine highway M-84 transports 2.5 to 10 million tons of product per year.

Washington ranks fifth in the United States in terms of overall maritime volumes. There are 18 public ports, 158 marine terminals, 11 deepwater marine ports, and 57 inland ports in Washington. Roughly 27 million tons of freight is moved per year, primarily serving agricultural, energy, and manufacturing industries (WSDOT 2022b). Eight ports are located within the study area, with another 18 ports nearby (see Figures 2a and 2b). While travel times by barge take longer than rail or truck, it provides a lower cost option that is very efficient (WSDOT 2022b). According to the Pacific Northwest Waterways Association, one tow (a towboat plus four barges) can move the same amount of freight as one freight train and 538 trucks (PNWA 2022).

3.3 Potentially required permits

The following permits related to transportation could be required for construction, operation, or decommissioning of typical solar energy facilities and activities:

- **Determination of No Hazard to Air Navigation Approval (FAA)** could be required if the facility could affect navigable airspace. The proponent would need to file a Notice of Proposed Construction or Alteration (FAA Form 7460-1) at least 45 days prior to construction if FAA has requested one or if the proposed structure has the potential to do the following:
 - Exceed 200 feet above ground level (AGL)
 - Be located near an airport and exceed the slope ratio
 - Involve construction of a traverseway (e.g., highway, railroad, waterway) and, once adjusted upward with the appropriate vertical distance, would exceed a certain standard
 - Emit frequencies
 - Be in an instrument approach area
 - Be near a navigation facility and impact the assurance of navigation signal reception
 - Be on an airport or heliport

Proponents can use FAA's Notice Criteria Tool (FAA 2024b) to determine whether the proposed facility requires an FAA Form 7460-1. FAA may also request a Form 7460-1 filing. Advisory Circular 70/7460-1M, Obstruction Marking and Lighting, describes standards for marking and lighting structures such as buildings and supporting structures of overhead wires (FAA 2020).

- **Overweight/Oversize Permits (WSDOT)** would be required for oversize and overweight loads.
- **Special Motor Vehicle Permit Regulations and Conditions (WSDOT)** would be required when special permit conditions, curfew hours, escort requirements, or nighttime movements are necessary.
- **Access Connection Permit (WSDOT)** would be needed to allow vehicular access, and connection points of ingress to and egress from, the state highway system within unincorporated managed access areas that are under the jurisdiction of WSDOT. This requirement is based on Chapter 468-51 Washington Administrative Code (WAC), Chapter 468-52 WAC, and Chapter 47.50 Revised Code of Washington.
- **Forest Practices Permit/Notification (Washington Department of Natural Resources)** would be required for construction on forestlands, including constructing or abandoning forest roads.
- **National Pollutant Discharge Elimination System Construction Stormwater General Permit (Washington State Department of Ecology):** would be required for proposed road construction or improvement resulting in ground disturbance and stormwater discharges to surface waters.

- **Environmental Permits (e.g., Critical Area, or Tree Removal Permit) (Local Agency or County)** would be required if tree removal or impacts on critical areas are proposed as part of road construction or improvement or to remove overhead obstructions.
- **Land Use Permits (e.g., Comprehensive Plan Amendments, Conditional Use Permit, or Zoning Amendments) (Local Agency or County)** would be required if changes to a comprehensive plan or zoning designation, Conditional Use Permit, or variance is required as part of proposed road construction or improvement.
- **Construction Permits (right-of-way permits, access permits, clear/grade permits, building, mechanical, and electrical) (Local Agency or County)** would be required if proposed new or improved roads or moving/replacing/placing utility poles or installing safety equipment (lights, signage) is proposed.
- **Federal Right-of-Way Grant or Special Use Authorization** allows specific use of federal lands for certain types of projects, including roads, highways, energy facilities, and transmission lines.

3.4 Small to medium utility-scale facilities of 20 MW to 600 MW (Alternative 1)

This section describes potential impacts on transportation due to the construction, operation, and decommissioning of small to medium utility-scale solar energy facilities.

3.4.1 Impacts from construction

Depending on location, solar energy facilities could result in impacts on the local road network. Construction would require transporting resources and workers to a facility site, potentially utilizing road, rail, air, or water (barge) transport. A temporary increase in demand for shipping services and a temporary increase in traffic on roads would therefore occur during construction. A small amount of worker traffic is also expected for site characterization. This PEIS assumes that construction would last between 6 and 18 months.

Worker traffic

Workers would likely drive to a site using existing local roads during site characterization and construction. The construction workforce is expected to be between 100 to 400 workers for a 200-megawatt (MW) facility, depending on the timing and schedule for construction. The number of workers on site daily would vary.

Workers could travel from larger cities in and near the study area, such as Ellensburg, Yakima, Wenatchee, the Tri-Cities, Spokane, and cities in the Puget Sound area. To the extent that the construction worker roles require specialized technical skills, labor may originate from outside the study area. The farther a facility site is from urbanized areas with large construction labor forces, the longer the worker trips may be and the higher the likelihood that workers could choose to temporarily relocate near the facility during the construction period. Using the size of the study area and the location of labor markets within the study area, construction worker trips are assumed to range from 5 to 150 miles each way. The proximity of the site to major

roads may determine whether traffic congestion occurs related to construction worker traffic. Major roads in general accommodate more traffic than local roads; therefore, a site closer to major roads may generate less congestion during construction.

Traffic related to components and materials transport

In general, the heavy equipment and materials needed for site access and characterization, site preparation, and solar array footing or foundation construction are typical of other road construction projects and would not pose unique transportation considerations. If oversized or overweight shipments are required, local traffic may be impacted temporarily. Shipments of materials, such as gravel, concrete, water, and solar components, would not be likely to affect local primary and secondary road networks.

Most of the anticipated construction equipment (e.g., heavy earthmoving equipment, cranes) would remain at a facility site for the duration of construction activities. Such construction equipment is routinely moved on U.S. roads, and there would be a limited number of one-time shipments. If local roads require fortification of bridges or removal of obstructions to accommodate overweight or oversized shipments, this would be determined on a site-specific basis. Shipments to and from the solar energy facilities are expected to be by truck, although rail transport to the closest intermodal facility for materials could be used for some solar energy components.

For small to medium facilities, 60,000 to 1.8 million solar panels would be constructed on sites ranging from 200 to 6,000 acres. Solar panels often require oversized shipping services and can be transported not only by truck or rail freight shipping, but also by air and sea transport (R+L 2021). The choice of solar panel transportation method would depend on the size and quantity of solar panels, the manufacturer's location, and the final destination. If rail is used, equipment could be transported on a flatbed or in a container. Utility-scale solar energy facilities are not expected to impact railroad operations due to the large amount of freight transported on a regular basis by Class I railroads and the relatively small portion of total freight solar equipment would represent. However, roadway congestion, delays, or safety issues could arise if there are rail crossings near roads heavily involved with site traffic, especially during the construction phase.

For truck transport of solar equipment, flatbed freight may be more suitable than truckload freight for transporting bigger solar panels to commercial properties. When shipping solar panels by truck, the panels are typically placed on pallets. Depending on the size of panel, each pallet may hold up to 30 solar panels or 780 solar panels for full truckload or full container shipment (IL 2024; R+L 2021).

Research into the number of approximately 350-watt panels that can be carried in a full truckload or full 40-foot container indicated a range of 780 to 840 panels per 40-foot truckload or container, depending on the source (R+L 2021; PV 2021). Based on an estimated 810 solar panels per full truckload or container (an average of the two estimates noted above), construction for a small-to medium-sized facility could require 71 to 2,143 full truckloads for

panel delivery. In addition to panel deliveries, delivery of other components, materials, and supplies would be required. A reference project, Klickitat County's 100-MW Bluebird Solar Energy Project (Tetra Tech 2023), estimated that approximately 200,000 truck trips would occur to and from the site over the 18-month construction period. The number of daily truck trips would vary throughout the construction period depending on the activity. This alternative would be similar to the Bluebird project because of the following factors: 1) the number of panels for Bluebird is 314,244, within the range of this alternative; and 2) Bluebird panels are 318 watts each, and panels under this alternative would be a similar size, at 333 watts. On average, assuming 20 workdays per month and an 18-month construction period, approximately 555 truck trips would occur at the construction site each day. There would likely be a period of peak construction activity during the overall 18-month construction period, when the number of truck trips would peak.

Road improvements

Construction of small- to medium-sized facilities could require construction or improvement of roads, including local access roads. Improvements could include adding driveways or turning lanes or widening turning radii. Road building or improvement would require construction labor, supplies, and equipment and would result in temporary traffic disruptions affecting local communities or commuters. Jurisdictions having authority, such as WSDOT or the local county or city, would regulate construction activities and issue permits at their discretion for road construction or improvement, such as right-of-way permits, construction permits, and permits related to stormwater or utilities, if applicable. Local jurisdictions would also regulate signage and hours of construction..

Considering the volume of supplies, equipment, and materials that are shipped via truck, rail, air, and barge into, out of, and throughout the study area, the temporary increase in traffic volumes associated with construction of small to medium facilities would not result in insignificant impacts on traffic or transportation. Use of transportation modes for construction worker and component transport would be temporary. Conditions modified for construction (e.g., a temporary access road) would be returned to existing conditions after construction. Local transportation management plans and municipal code regulations would address additional temporary traffic volume increases, temporary detours, signage, and construction timing. Construction would not result in long-term road closures or interruptions to traffic patterns or volumes.

Facility proponents would be required to transport equipment and supplies in compliance with transportation regulations and permits, which are designed to minimize substantial damage or change to transit, rail, air (including military flight training), water transportation, and roadways or related infrastructure (e.g., culverts or bridges). Jurisdictions with authority (local counties and cities) may require haul road agreements, which in general establish procedures to minimize damage on roads used for hauling for a specific purpose or project. Substantial

damage to transportation modes and related infrastructure requiring major repairs or replacement to return to safe usage and pre-impact conditions would not be expected.

Through compliance with laws and permits and with implementation of actions that could avoid and reduce impacts, construction activities would likely result in **less than significant impacts** on transportation.

3.4.2 Impacts from operation

Operation of small to medium facilities would include a small increase in vehicle trips due to maintenance employees periodically traveling to the facility site. When equipment needs to be replaced throughout the life of a facility, that equipment may utilize road, rail, water (barge), or air shipping. No employees would be permanently stationed at most facilities on a daily basis, and no equipment, supplies, or materials would be expected to be shipped to or from a facility on a regular basis. Deliveries of materials during operations could include water or fuel for backup generators or maintenance vehicles. Fuels are routinely shipped for other applications and pose no unusual hazards.

No long-term road closures or interruptions to traffic patterns or volumes are expected. Air and marine transport are not expected to be needed during operations, except if bigger components require replacement. No substantial damage to roadways or related infrastructure (e.g., culverts or bridges) or transit, rail, air (including military flights), or water transportation would occur that would require major repairs or replacement to return to use and pre-impact conditions.

On-site operations would likely include travel within the facility footprint for repairs and maintenance. Maintenance activities could include water use for dust suppression on roads and panel washing. If water is not available on-site during operations, water would need to be transported to the facility.

The electrical interference of solar array control systems with aircraft operations is not likely but should be evaluated for any new installation. The potential for interference is highly dependent on facility design and location relative to aviation resources. Interactions with low-altitude aircraft avionics or communications have the potential to occur if corona discharges from the generation-tie transmission lines are not minimized and if specific electric frequencies are not avoided. Authorization from FAA is required for any structure over 200 feet in height, and FAA-compliant lighting is required for certain structures. In addition, FAA has requirements to provide notice to FAA of the following 1) certain proposed construction or alteration of structures; 2) standards used to determine obstructions to air navigation and navigational and communication facilities; 3) a process for aeronautical studies of obstructions to air navigation or navigational facilities; and 4) the process to petition FAA for discretionary review of determinations, revisions, and extensions of determinations.

The potential for glare from the reflection of the sun off of photovoltaic panels is not expected to be an impact to pilot vision. Photovoltaic panels are typically covered with a tempered glass

layer that is treated with an anti-reflective coating that further reduces the reflectivity of the panels. When compared to common reflective surfaces, solar panels without an anti-reflective coating are found to produce around the same amount of reflectivity as water. In the case of heavily traveled air routes, such as airport approach routes, the solar array patterns could be adjusted to minimize interference. With the implementation of mitigation to avoid or reduce impacts to light or glare (refer to the *Aesthetic/Visual Resources Report* [ESA 2024]) and adjustments as needed to solar array patterns to minimize interference with pilot vision, no permanent changes to traffic volumes, hazards, or risks to other users, such as pilots, are expected to occur from solar energy facility operations.

Through compliance with laws and permits and with implementation of actions that could avoid and reduce impacts, the operation of facilities would likely result in **less than significant impacts** on transportation.

3.4.3 Impacts from decommissioning

Decommissioning would be a temporary activity involving workers and equipment breaking up foundations and removing materials to be recycled, sold as scrap, or landfilled. Transport of panels and other solar equipment and materials off site would occur, and workers and removal equipment would be required to travel to and from a facility site for the decommissioning activities.

Similar to construction, impacts associated with decommissioning would be temporary. The number of truck or rail trips associated with removal of the solar panels and related equipment would be similar to those needed for construction.

Developers would be required to transport equipment and supplies in compliance with transportation regulations and permits, which are designed to minimize substantial damage or change to transit, rail, air (including military flights), water transportation, and roadways or related infrastructure (e.g., culverts or bridges). Therefore, substantial damage to transportation modes and related infrastructure requiring major repairs or replacement to return to safe usage and pre-impact conditions is not expected.

Through compliance with laws and permits and with implementation of actions that could avoid and reduce impacts, decommissioning activities would likely result in **less than significant impacts** on transportation.

3.4.4 Actions to avoid and reduce impacts

Potential measures to reduce adverse impacts may include siting and design considerations, regulatory and permit requirements, and other mitigation measures. Site-specific mitigation actions would be developed during project-specific reviews and permitting for facilities proposed in the future.

3.4.4.1 Siting and design considerations

Siting and design considerations are actions that could be taken by a proponent in developing a facility design or considering specific sites. These are intended to avoid, minimize, and/or mitigate potential resource impacts and include the following:

- Consider traffic routes and peak hour traffic volumes when designing access roads to a facility site.
- Consider the use of existing roads, parking and staging areas, and utility corridors to the maximum extent feasible and if safe and structurally sound.
- Design any new access roads to the appropriate standard no higher than necessary for the intended function.
- Assess the potential for transportation impacts associated with the proposed facility in coordination with appropriate state and local agencies, consulting land use plans, transportation plans, and local plans to the maximum extent practicable.
- Coordinate with interested agencies, Tribes, and interested parties (WSDOT 2024g) if facility design proposes or requires a change in interstate access or a new interstate access. Proposed access changes should be considered in the context of statewide and local transportation and land use planning because they can affect local and regional traffic circulation.
- Design the facility to comply with applicable FAA regulations, including lighting requirements, to avoid or minimize potential safety issues associated with proximity to airports, military bases or training areas, or landing strips.
- Coordinate with FAA early to identify and minimize impacts on civilian airport and airspace use.
- If the proposed project is located under military utilized airspace with a floor of 500 feet AGL, coordinating with the local military representative to conduct a Glint/Glare Analysis to identify whether there are potential impacts is recommended.
- Contact the U.S. Department of Defense (DoD) early in the process on siting of a solar facility and transmission facilities near or within military training routes, military bases, or training areas in order to identify and mitigate potential impacts on military operations. Site design must consider military installations and air space needs. Use the Compatible Energy Siting Assessment mapping tool to determine whether solar facilities are under military utilized airspace. If so, submit plans to DoD for review.

3.4.4.2 Permits, plans, and best management practices

This section lists actions associated with potential permits, plans, or best management practices (BMPs). BMPs are activities, maintenance procedures, managerial practices, or structural features that prevent or reduce adverse impacts. These may be required in permits or plans by a regulatory agency and include the following:

- Develop a Transportation Management Plan for oversize or overweight components specific to solar energy development that considers component sizes, weights, origin, destination, and unique handling requirements. The Transportation Management Plan

should also evaluate various transportation modes, including rail or waterway freight.

The Transportation Management Plan should include the following:

- Evaluation of the routes for bridges, grade crossings, and potential overhead obstructions
- Review of local traffic patterns
- Provisions to maintain emergency vehicle routes
- The dimensional diagram of the load
- Why alternate transportation is not available
- Completing a practice run of the route
- Escort vehicles (private and/or police escorts)
- State and local travel schedules
- Seasonal considerations such as ice and snow, spring thaw, etc.
- Develop a Traffic Control Plan and Haul Route Agreement in coordination with WSDOT and the local jurisdiction for traffic management during construction and for construction of access approaches from county rights-of-way. The plan should address the following:
 - Routes and haul schedules
 - Road design, construction, and management standards
 - Coordination and consultation with local planning authorities regarding general traffic, public transit routes and stops, and school bus routes and stops
 - The transport of main assembly cranes and other large pieces of equipment
 - The use of pilot cars and certified flaggers
 - Specific object sizes, weights, origin, destination, and unique handling requirements
 - Alternative transportation approaches
 - Compliance with state and county permitting requirements for oversize and overweight vehicles
 - Minimizing hazards and congestion
 - Ensuring post-construction road restoration to conditions as good or better than preconstruction
 - Using appropriate vehicle and roadside signing and warning devices when slow or oversize loads are being hauled
- Evaluate transportation impacts as part of the environmental review for the facility and, to the maximum extent practicable, consider options to avoid, minimize, and/or mitigate such risk in coordination with the agencies having jurisdiction.
- To the maximum extent practicable, include local road improvements, provide multiple site access locations and routes, stagger work schedules for different work functions (e.g., site preparation, array foundation installation, array assembly, and electrical connections), shift work hours to facilitate off-peak commuting times to minimize impact on local commuters, or implement a ride-sharing or shuttle program. These actions would mitigate impacts related to the daily commutes of construction workers.
- Incorporate environmental inspection and monitoring measures into facility planning to monitor and respond to transportation impacts during construction, operations, and decommissioning.

- To the maximum extent practicable, implement traffic control measures, such as intersection realignment coupled with speed limit reduction; the installation of traffic lights and/or other signage; and the addition of acceleration, deceleration, and turn lanes on routes with site entrances. These actions would reduce hazards for incoming and outgoing traffic, as well as expedite traffic flow. Minimize impacts on local traffic by ensuring that traffic flow is not restricted for more than 20 minutes during the construction phase.
- To the extent practicable, avoid impacts to existing and planned public roadway corridors to maintain proper traffic flows and retain more direct routing for the local population.
- Restore vegetation and contour to roads abandoned after construction.
- Ensure that fill brought to a facility site would be suitable for its intended use and delivered in accordance with BMPs and an approved local transportation plan.
- Construct all road improvements in conjunction with and in compliance with local public works department standards.
- Coordinate with the local jurisdiction to identify a qualified third-party engineer who would document road conditions prior to construction and again within 30 days after construction is complete or as weather permits.
- Provide advance notice to adjacent landowners and residents of construction to reduce access disruptions.
- All construction vehicles should yield to school buses and lower their speed when approaching a school bus or bus stop.
- Place advanced warning and proper roadway signage on major state, county, and local roads to warn motorists of detours, road closures, and potential facility-related vehicles entering and exiting the roadway. Implement traffic control measures to reduce hazards for incoming and outgoing traffic and streamline traffic flow, such as intersection realignment and speed limit reductions; install traffic lights and/or other signage; and add acceleration, deceleration, and turn lanes on routes with site entrances.
- Use temporary barriers and traffic control measures where possible during construction. Flaggers should be employed.
- Advance notification would be provided to emergency providers and hospitals when public roads may be partially or completely closed.
- Give emergency vehicles the right-of-way.
- Obtain a Right-of-Way Access Permit or Work in Right-of-Way Permit from the local jurisdiction.
- If any changes to National Highway System roads are proposed, comply with Federal Highway Administration Final Rule to 23 CFR 625, which modifies regulations governing new construction, reconstruction, resurfacing (except for maintenance resurfacing), restoration, and rehabilitation projects on the National Highway System (including the Interstate System). These design standards and standard specifications were established by the American Association of State Highway and Transportation Officials (WSDOT 2024h).

3.4.5 Unavoidable significant adverse impacts

Through compliance with laws and permits and with implementation of actions to avoid and mitigate significant impacts, small to medium utility-scale solar facilities would have **no significant and unavoidable adverse impacts** on transportation from construction, operation, or decommissioning.

3.5 Large utility-scale facilities of 601 MW to 1,200 MW (Alternative 2)

3.5.1 Impacts from construction, operation, and decommissioning

This section describes potential impacts on transportation due to the construction, operation, and decommissioning of large utility-scale solar energy facilities.

Impacts from construction would be similar to those described for small to medium facilities, except that some impacts would be greater in magnitude and extent. For large facilities, 1.8 million to 3.5 million solar panels would be constructed on sites ranging from 6,010 to 12,000 acres. The construction workforce may be 300 to 800 workers, depending on the timing and schedule for construction. The number of workers on site daily would vary. Construction could last between 6 and 18 months. The number of overall truck trips would range from approximately 230 to 4,600 trips. The number of daily truck trips would vary depending on construction activities and the length of the construction period.

Construction worker travel times would likely be similar, but larger facilities may require more workers or a longer construction period than small to medium facilities.

The demand for freight transport would increase proportionate to the larger site size and greater number of solar panels. A shift from trucks to rail due to the larger shipments would not substantially affect rail transportation due to the existing, established rail infrastructure and the capacity for rail freight transport throughout the study area. Due to the choices and availability of intermodal transportation within the study area, the highway, air, rail, and water transportation system in the study area could likely accommodate the additional demand associated with large facilities.

Impacts due to operation and decommissioning would be similar to small to medium facilities, except proportionally greater in magnitude due to larger facility sizes. No employees would be permanently stationed at most facilities on a daily basis, and no equipment, supplies, or materials would be expected to be shipped to or from a facility on a regular basis. Available actions to avoid and reduce impacts during operation and decommissioning would be the same as those identified for small to medium facilities.

Through compliance with laws and permits and with implementation of actions that could avoid and reduce impacts, construction, operations, and decommissioning activities would

likely result in **less than significant impacts** on transportation. Available actions to avoid and reduce temporary impacts from construction would be the same as those identified for small to medium facilities described in Section 3.4.4.

3.5.2 Actions to avoid and reduce impacts

Potential measures to reduce adverse impacts would be the same as those included for small to medium facilities in Section 3.4.4.

3.5.3 Unavoidable significant adverse impacts

Through compliance with laws and permits and with implementation of actions to avoid and mitigate significant impacts, large utility-scale solar facilities would have **no significant and unavoidable adverse impacts** on transportation from construction, operation, or decommissioning.

3.6 Solar facilities with battery energy storage systems (Alternative 3)

3.6.1 Impacts from construction, operation, and decommissioning

This section describes potential impacts on transportation due to the construction, operation, and decommissioning of solar energy facilities with battery energy storage systems (BESSs). Impacts would be similar to facilities described in Sections 3.4 and 3.5, except that more truck trips (assumed 10 or fewer additional trips for the BESS construction, beyond truck trips required based on facility size) would be required to transport the battery systems during construction and decommissioning. Some of the additional trips can be expected to be oversize or overweight loads. BESSs are typically constructed in gravel areas, meaning that additional gravel may need to be transported to facility with co-located BESSs.

Available actions to avoid and reduce temporary impacts from construction would be the same as those identified for facilities without a BESS. Through compliance with laws and with implementation of the actions described in Section 3.4.4 to avoid and reduce impacts, construction would result in **less than significant impacts** on transportation.

During facility operation, maintenance and operation of the BESS would contribute very few trips to overall facility impacts. Impacts due to operation and decommissioning and available actions to avoid and reduce impacts would be similar to facilities without a BESS.

Through compliance with laws and permits and with implementation of actions that could avoid and reduce impacts, construction, operations, and decommissioning activities would likely result in **less than significant impacts** on transportation.

3.6.2 Actions to avoid and reduce impacts

Potential measures to reduce adverse impacts would be the same as those identified in Section 3.4.4.

3.6.3 Unavoidable significant adverse impacts

Through compliance with laws and permits and with implementation of actions to avoid and mitigate significant impacts, utility-scale solar facilities with co-located BESS would have **no significant and unavoidable adverse impacts** on transportation from construction, operation, or decommissioning.

3.7 Solar facilities that include agricultural uses (agrivoltaic) (Alternative 4)

3.7.1 Impacts from construction, operation, and decommissioning

This section discusses potential impacts on transportation due to the construction, operation, and decommissioning of solar energy facilities that include agricultural uses (agrivoltaic). Impacts during all phases would be similar to facilities described in Sections 3.4 and 3.5, except that more materials or components could be required due to different arrangement or panel heights to accommodate agricultural use. More material or components could require more truck trips during construction. The number of trips would vary by facility and specific agricultural uses. Construction and decommissioning schedules, including truck trips and deliveries, may need to be coordinated with seasonal agricultural activities, such as grazing, planting, or harvesting. Other available actions to avoid and reduce temporary impacts from construction would be the same as those identified for facilities without agricultural land use.

Impacts due to operation would be similar to facilities without agricultural land use, although the agricultural uses of these facilities would require their own operations and maintenance-related truck trips. During operations, the agrivoltaic features of these facilities would require more operations and maintenance-related truck trips. Maintenance activities may need to be coordinated with seasonal agricultural activities. The number of trips would vary by facility and specific type of agricultural uses.

Through compliance with laws and permits and with implementation of actions that could avoid and reduce impacts, construction, operations, and decommissioning activities would likely result in **less than significant impacts** on transportation.

3.7.2 Actions to avoid and reduce impacts

Available actions to avoid and reduce temporary impacts would be the same as those identified for facilities without agricultural land use. Potential measures to reduce adverse impacts would be the same as those in Section 3.4.4.

3.7.3 Unavoidable significant adverse impacts

Through compliance with laws and permits and with implementation of actions to avoid and mitigate significant impacts, utility-scale solar facilities with agricultural use would have **no significant and unavoidable adverse impacts** on transportation from construction, operation, or decommissioning.

3.8 No Action Alternative

Under the No Action Alternative, a PEIS would not be completed. Counties and state agencies would continue to conduct environmental review and permitting for utility-scale solar energy development under existing state and local laws on a facility-by-facility basis. The potential impacts from facilities developed under the No Action Alternative would be similar to the impacts for the types of facilities described above for construction, operations, and decommissioning, depending on facility size and design, and would be **less than significant**.

4 References

- BLM (Bureau of Land Management), 2024. *Draft Utility-Scale Solar Energy Programmatic EIS*. Appendix B, Section B-10, page 76.
- Commerce (Washington State Department of Commerce), 2024. Compatible Energy Siting Assessment (CESA) Mapping Tool. Accessed June 20, 2024. Available at: <https://fortress.wa.gov/com/cesa/>.
- DNR (Washington Department of Natural Resources), 2013. *Guidelines for Forest Roads, Section 3*. August 2013. Available at: https://www.dnr.wa.gov/publications/fp_board_manual_section03.pdf?ph6ri72.
- DNR, 2024. "Forest Roads." Available at: <https://www.dnr.wa.gov/forest-roads>.
- ESA (Environmental Science Associates), 2024. *Aesthetic/Visual Resources Report for Programmatic Environmental Impact Statement on Utility-Scale Solar Energy Facilities in Washington State*. Prepared for the Washington State Department of Ecology, Shorelands and Environmental Assistance Program. September 2024.
- FAA, 2020. *Obstruction Marking and Lighting*. Advisory Circular AC 70/7460-IM, U.S. Department of Transportation, Federal Aviation Administration, Washington, D.C., November 16, 2020. Available at: https://www.faa.gov/documentLibrary/media/Advisory_Circular/Advisory_Circular_70_7460_1M.pdf.
- FAA, 2022a. *National Plan of Integrated Airport Systems (NPIAS) – Current*. September 30, 2022. Available at: https://www.faa.gov/airports/planning_capacity/npias/current.
- FAA, 2022b. "Airport Categories." Available at: https://www.faa.gov/airports/planning_capacity/categories.
- FAA, 2024a. "FAA-Designated Airport." *Airports*. Accessed February 28, 2024. Available at: https://adds-faa.opendata.arcgis.com/datasets/e747ab91a11045e8b3f8a3efd093d3b5_0/explore?location=5.793434%2C-1.633886%2C2.18.
- FAA, 2024b. Notice Criteria Tool. Available at: <https://oeaaa.faa.gov/oeaaa/external/gisTools/gisAction.jsp?action=showNoNoticeRequiredToolForm>.
- FHWA (Federal Highway Administration), 2010. *Office of Infrastructure Interstate System Access Informational Guide*. August 2010. Available at: <https://www.fhwa.dot.gov/design/interstate/pubs/access/access.pdf>.

FHWA, 2016. *Use of Freeway Shoulders for Travel – Guide for Planning, Evaluating, and Designing Part-Time Shoulder Use as a Traffic Management Strategy*. February 2016. Available at: <https://ops.fhwa.dot.gov/Publications/fhwahop15023/index.htm>.

FHWA, 2024a. “Interstate Highway System – The Myths.” Available at: <https://highways.dot.gov/highway-history/interstate-system/50th-anniversary/interstate-highway-system-myths>.

FHWA, 2024b. “Route Log and Finder List.” Available at: https://www.fhwa.dot.gov/planning/national_highway_system/interstate_highway_system/routefinder/table01.cfm.

FRA (U.S. Department of Transportation Federal Railroad Administration), 2020. “Freight Rail Overview.” Last modified July 8, 2020; accessed March 1, 2024. Available at: <https://railroads.dot.gov/rail-network-development/freight-rail-overview>.

IL (Interlane Logistics), 2024. “Solar Panel Transportation and Shipping Options.” Available at: <https://shipinterlane.com/industries/solar-panel-transportation/>.

JTC (Washington State Joint Transportation Committee), 2018. *Washington State Air Cargo Movement Study, Appendix A, Market Facilities and Forecast*. May 9, 2018. Available at: https://leg.wa.gov/JTC/Documents/Studies/AirCargo/AppendixA_MarketFacilitiesandForecast.pdf.

MARAD (U.S. Department of Transportation Marine Administration), 2023. *United States Marine Highway Route Designations*. Available at: <https://www.maritime.dot.gov/sites/marad.dot.gov/files/2023-09/Marine%20Highway%20Route%20Descriptions%20August2023.pdf>.

MARAD, 2024. United States Marine Highway Routes. Map. Available at: https://www.maritime.dot.gov/sites/marad.dot.gov/files/2023-11/U.S.%20Marine%20Highway%20Program%20Routes%20Map_October%202023.pdf.

NASS (National Agricultural Statistics Service), 2017. Stratification of Washington 2009. Map. Geospatial Science and Survey Section. U.S. Department of Agriculture. Available at: https://www.nass.usda.gov/Research_and_Science/web_stratamaps/state-jpgs/WA_strata_dd_c.jpg.

PNWA (Pacific Northwest Waterways Association), 2022. *Columbia Snake River System Facts*. Available at: <https://www.pnwa.net/wp-content/uploads/2022/08/CSRS.pdf>.

- PV (PV Magazine), 2021. "The Weekend Read: Large-Format PV Modules – Is Bigger Really Better?" May 15, 2021. Available at: <https://www.pv-magazine.com/2021/05/15/the-weekend-read-large-format-pv-modules-is-bigger-really-better/#:~:text=Trina%20Solar%20has%20developed%20a,a%20standard%2040%2Dfoot%20container.>
- R+L (R+L Global Logistics), 2021. "Guide to Freight Shipping Solar Panels." February 23, 2021. Available at: <https://usatruckloadshipping.com/guide-to-freight-shipping-solar-panels/>.
- Tetra Tech, 2023. *Revised Draft Environmental Impact Statement for the Bluebird Solar Energy Project*. April 2023.
- USACE (U. S. Army Corps of Engineers), 2024. "Building Strong at the Columbia and Lower Willamette Rivers Project." Available at: <https://www.nwp.usace.army.mil/Missions/Navigation/Channels/Columbia-L-Willamette/>.
- USDOT (U.S. Department of Transportation), 2024. "Navigable Water." *Navigable Waterway Network Lines*. Accessed February 28, 2024. Available at: https://data-usdot.opendata.arcgis.com/datasets/06037f2b23ff401aa1d379c2632a58f6_7/explore.
- WSDOT (Washington State Department of Transportation), 2016. *2016 Washington State Public Transportation Plan*. June 2016. Available at: <https://wsdot.wa.gov/sites/default/files/2021-10/PT-Report-WashingtonStatePublicTransportationPlan-2016.pdf>.
- WSDOT, 2017a. *Washington State Aviation System Plan*. Available at: <https://wsdot.wa.gov/travel/aviation/aviation-plans-studies/aviation-planning/washington-aviation-system-plan-wasp>.
- WSDOT, 2017b. *2017 Washington State Marine Ports and Navigation Plan*. Available at: <https://wsdot.wa.gov/sites/default/files/2021-10/Freight-Plan-AppendixB-MarinePortsNavigationPlan.pdf>.
- WSDOT, 2017c. *Airport Mapping Application*. Available at: <https://wsdot.wa.gov/travel/aviation/airport-management/airport-mapping-application>.
- WSDOT, 2019. *Washington Statewide Airport Pavement Management Report*. Prepared for WSDOT Aviation Division and Federal Aviation Administration Northwest Mountain Region. Prepared by Applied Pavement Technology, Inc, in association with Jacobs and Bolima Drafting & Design, Inc. February 2019 Available at: https://idea.appliedpavement.com/hosting/washington/reports/2018_WA_APMS_Statewide_Report.pdf.
- WSDOT, 2022a. *Freight System Plan*. Available at: <https://wsdot.wa.gov/construction-planning/statewide-plans/freight-rail-plans/freight-system-plan>.

- WSDOT, 2022b. *Appendix D: Washington’s Freight Transportation System*. July 29, 2022. Available at: wsdot.wa.gov/sites/default/files/2022-07/Freightsystemplan-Appendix-D.pdf.
- WSDOT, 2024a. *2024 Highway System Plan*. Draft. Available at: <https://wsdot.wa.gov/construction-planning/statewide-plans/highway-system-plan>.
- WSDOT, 2024b. *Statewide Transportation Improvement Program (STIP)*. Available at: <https://wsdot.wa.gov/business-wsdot/support-local-programs/delivering-your-project/statewide-transportation-improvement-program-stip#:~:text=The%20STIP%20is%20a%20four,bike%20lanes%2C%20trails%20and%20safety>.
- WSDOT, 2024c. *State Highway*. WSDOT – State Route (1:500K) Current. Accessed February 28, 2024. Available at: https://gisdata-wsdot.opendata.arcgis.com/datasets/8e92b0368a6747f0845d9990c109519b_6/explore.
- WSDOT, 2024d. *Freight Railroad*. WSDOT – Freight Data Freight and Goods Transportation System – Rail Corridors. Accessed February 28, 2024. Available at: https://gisdata-wsdot.opendata.arcgis.com/datasets/84ac4a62bda248de9465878dd965a6b8_1/explore.
- WSDOT, 2024e. *Freight Data Freight Intermodal Facilities*. Online map. Accessed April 8, 2024. Available at: <https://geo.wa.gov/datasets/WSDOT::wsdot-freight-data-freight-intermodal-facilities/about>.
- WSDOT, 2024f. “I-90 Snoqualmie Pass East Project.” Available at: <https://wsdot.wa.gov/construction-planning/major-projects/i-90-snoqualmie-pass-east-project>.
- WSDOT, 2024g. *Policy on Access to the Interstate System*. Available at: <https://www.fhwa.dot.gov/design/interstate/pubs/access/access.pdf>.
- WSDOT, 2024h. *Guidance on NHS Design Standards and Design Exceptions*. Available at: <https://www.fhwa.dot.gov/design/standards/181105.cfm>.
- WPPA (Washington Public Ports Association), 2024. “Find Your Port.” Accessed August 15, 2024. Available at: <https://www.washingtonports.org/ourports-directory>.
- WSTC (Washington State Transportation Commission), 2006. *Statewide Rail Capacity and System Needs Study, Task 1.1A Washington State’s Freight Rail System*. May 2006. Available at: <https://wstc.wa.gov/wp-content/uploads/2019/09/Rail-TM1-1-A-WashStateFreightRailsys.pdf>.
- WTA (Washington Trucking Associations), 2024. *Chairman’s Message*. Available at: <https://watrucking.org/>.